

# Chuang-xi Xiong

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7601547/chuang-xi-xiong-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168  
papers

3,728  
citations

32  
h-index

53  
g-index

176  
ext. papers

4,731  
ext. citations

6.3  
avg, IF

5.85  
L-index

#	Paper	IF	Citations
168	Solid-state cooling by elastocaloric polymer with uniform chain-lengths.. <i>Nature Communications</i> , <b>2022</b> , 13, 9	17.4	3
167	Manganese oxide/nitrogen-doped carbon aerogels from cellulose nanofibrils for high-performance supercapacitor electrodes. <i>Diamond and Related Materials</i> , <b>2022</b> , 122, 108813	3.5	0
166	Nondestructive CNT chained Fe <sub>3</sub> O <sub>4</sub> anode materials for high-performance Li-ion batteries. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2022</b> , 635, 128084	5.1	1
165	Tunable dielectric properties and electromagnetic wave absorbing performance of MoS <sub>2</sub> /Fe <sub>3</sub> O <sub>4</sub> /PANI composite. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2022</b> , 637, 128285	5.1	0
164	Porous cellulose composite aerogel films with super piezoelectric properties for energy harvesting.. <i>Carbohydrate Polymers</i> , <b>2022</b> , 288, 119407	10.3	4
163	Fabrication of carbon nanofibril/carbon nanotube composites with high sulfur loading from nanocellulose for high-performance lithium-sulfur batteries. <i>Diamond and Related Materials</i> , <b>2022</b> , 126, 109137	3.5	0
162	Achieving high-performance energy harvesting and self-powered sensing in a flexible cellulose nanofibril/MoS <sub>2</sub> /BaTiO <sub>3</sub> composite piezoelectric nanogenerator. <i>Journal of Materials Chemistry C</i> , <b>2021</b> , 9, 15552-15565	7.1	5
161	Incorporation of Fe <sub>3</sub> O <sub>4</sub> nanoparticles in three-dimensional carbon nanofiber/carbon nanotube aerogels for high-performance anodes of lithium-ion batteries. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2021</b> , 631, 127716	5.1	1
160	Antifreezing ionotronic skin based on flexible, transparent, and tunable ionic conductive nanocellulose hydrogels. <i>Cellulose</i> , <b>2021</b> , 28, 5657	5.5	5
159	Organic montmorillonite and doped polyaniline-enhanced self-healing polydimethylsiloxane. <i>Journal of Materials Research</i> , <b>2021</b> , 36, 1730-1739	2.5	0
158	Flexible and environment-friendly regenerated cellulose/MoS <sub>2</sub> nanosheet nanogenerators with high piezoelectricity and output performance. <i>Cellulose</i> , <b>2021</b> , 28, 6513-6522	5.5	2
157	Electrochemical performances of graphene/poly-3,4-dioxyethylenethiophene aerogels as supercapacitor electrode materials. <i>Ionics</i> , <b>2021</b> , 27, 3615-3626	2.7	1
156	In-situ synthesis of flexible nanocellulose/carbon nanotube/polypyrrole hydrogels for high-performance solid-state supercapacitors. <i>Cellulose</i> , <b>2021</b> , 28, 7097-7108	5.5	10
155	High-temperature resistant polyimide-based sandwich-structured dielectric nanocomposite films with enhanced energy density and efficiency. <i>Journal of Applied Polymer Science</i> , <b>2021</b> , 138, 51268	2.9	4
154	Preparation of highly reflective silver metallized PVC film by autocatalytic deposition. <i>Journal of Applied Polymer Science</i> , <b>2021</b> , 138, 51190	2.9	1
153	A liquid-like poly(6-chloroindole) with monodisperse core-shell structure and efficient luminescence. <i>Ionics</i> , <b>2021</b> , 27, 4097-4104	2.7	
152	Recent advances in cellulose-based piezoelectric and triboelectric nanogenerators for energy harvesting: a review. <i>Journal of Materials Chemistry A</i> , <b>2021</b> , 9, 1910-1937	13	61

151	Optimized structure and electrochemical properties of sulfonated carbon nanotubes/CoNi bimetallic layered hydroxide composites for high-performance supercapacitors. <i>Ceramics International</i> , <b>2021</b> , 47, 4648-4658	5.1	4
150	High-performance nanogenerators based on flexible cellulose nanofibril/MoS2 nanosheet composite piezoelectric films for energy harvesting. <i>Nano Energy</i> , <b>2021</b> , 80, 105541	17.1	36
149	Ultrahigh charge-discharge efficiency and enhanced energy density of the sandwiched polymer nanocomposites with poly(methyl methacrylate) layer. <i>Composites Science and Technology</i> , <b>2021</b> , 202, 108591	8.6	18
148	Quasi-2D bromide perovskite nanocrystals with narrow phase distribution prepared using ternary organic cations for sky-blue light-emitting diodes. <i>Applied Physics Letters</i> , <b>2021</b> , 118, 083302	3.4	2
147	Synthesis of the novel binary composite of self-suspended polyaniline (S-PANI) and functionalized multi-walled carbon nanotubes for high-performance supercapacitors. <i>Ionics</i> , <b>2021</b> , 27, 1743-1755	2.7	5
146	Significant Improvements in Dielectric Constant and Energy Density of Ferroelectric Polymer Nanocomposites Enabled by Ultralow Contents of Nanofillers. <i>Advanced Materials</i> , <b>2021</b> , 33, e2102392	24	39
145	Flexible and sensitive piezoresistive electronic skin based on TOCN/PPy hydrogel films. <i>Journal of Applied Polymer Science</i> , <b>2021</b> , 138, 51367	2.9	6
144	Regenerated cellulose/layered double hydroxide nanocomposite films with improved mechanical property. <i>Journal of Applied Polymer Science</i> , <b>2021</b> , 138, 51448	2.9	1
143	Fe3O4 nanoparticle/high residual carbon nanofibril aerogels for anode material of lithium-ion battery with enhanced capacity. <i>Ionics</i> , <b>2021</b> , 27, 4225-4232	2.7	0
142	Regenerated Cellulose/NaNbO3 Nanowire Dielectric Composite Films with Superior Discharge Energy Density and Efficiency. <i>ACS Applied Energy Materials</i> , <b>2021</b> , 4, 8150-8157	6.1	3
141	Synchronously Strengthen and Toughen Polypropylene Using Tartaric Acid-Modified Nano-CaCO. <i>Nanomaterials</i> , <b>2021</b> , 11,	5.4	1
140	Flexible dielectric nanocomposite films based on chitin/boron nitride/copper calcium titanate with high energy density. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2021</b> , 149, 106554	8.4	4
139	Gram-scale Y-doped ZnO and PVDF electrospun film for piezoelectric nanogenerators. <i>Composites Science and Technology</i> , <b>2021</b> , 215, 109011	8.6	5
138	Fabrication of porous carbon nanofibril/MnO2 composite aerogels from TEMPO-oxidized cellulose nanofibrils for high-performance supercapacitors. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2021</b> , 626, 127003	5.1	5
137	Magnetoelectric effect in flexible nanocomposite films based on size-matching. <i>Nanoscale</i> , <b>2021</b> , 13, 4177-4187	7.7	2
136	Flexible cellulose/alumina (Al2O3) nanocomposite films with enhanced energy density and efficiency for dielectric capacitors. <i>Cellulose</i> , <b>2021</b> , 28, 1541-1553	5.5	1
135	Highly Sensitive Multifunctional Electronic Skin Based on Nanocellulose/MXene Composite Films with Good Electromagnetic Shielding Biocompatible Antibacterial Properties. <i>Biomacromolecules</i> , <b>2021</b> ,	6.9	4
134	Chitin/MoS Nanosheet Dielectric Composite Films with Significantly Enhanced Discharge Energy Density and Efficiency. <i>Biomacromolecules</i> , <b>2020</b> , 21, 2929-2937	6.9	22

133	Carbon nanofibril composites with high sulfur loading fabricated from nanocellulose for high-performance lithium-sulfur batteries. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2020</b> , 603, 125249	5.1	14
132	Supertough and ultrasensitive flexible electronic skin based on nanocellulose/sulfonated carbon nanotube hydrogel films. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 6311-6318	13	61
131	Facile fabrication of Fe <sub>3</sub> O <sub>4</sub> nanoparticle/carbon nanofiber aerogel from Fe-ion cross-linked cellulose nanofibrils as anode for lithium-ion battery with superhigh capacity. <i>Journal of Alloys and Compounds</i> , <b>2020</b> , 829, 154541	5.7	22
130	Multilayer assembly of electrospun/electrosprayed PVDF-based nanofibers and beads with enhanced piezoelectricity and high sensitivity. <i>Chemical Engineering Journal</i> , <b>2020</b> , 388, 124205	14.7	37
129	Necklace-like ferroferric oxide (FeO) nanoparticle/carbon nanofibril aerogels with enhanced lithium storage by carbonization of ferric alginate. <i>Journal of Colloid and Interface Science</i> , <b>2020</b> , 576, 119-126	9.3	11
128	Facile self-assembling of three-dimensional graphene/solvent free carbon nanotubes fluid framework for high performance supercapacitors. <i>Journal of Alloys and Compounds</i> , <b>2020</b> , 820, 153157	5.7	7
127	Carbonized Cellulose Nanofibril/Graphene Oxide Composite Aerogels for High-Performance Supercapacitors. <i>ACS Applied Energy Materials</i> , <b>2020</b> , 3, 1145-1151	6.1	29
126	Transparent and flexible cellulose dielectric films with high breakdown strength and energy density. <i>Energy Storage Materials</i> , <b>2020</b> , 26, 105-111	19.4	35
125	Dual-direction high thermal conductivity polymer composites with outstanding electrical insulation and electromagnetic shielding performance. <i>Polymer Composites</i> , <b>2020</b> , 41, 1673-1682	3	4
124	Few-layer MoS <sub>2</sub> nanosheets anchored by CNT network for superior lithium storage. <i>Electrochimica Acta</i> , <b>2020</b> , 331, 135392	6.7	7
123	Incorporation of elaborately Synthesized BNNSs by a mild mechanical stirring process for the concurrent enhancement of thermal conductivity and dielectric breakdown strength of PVDF. <i>Composites Science and Technology</i> , <b>2020</b> , 200, 108381	8.6	8
122	Cellulose/BaTiO nanofiber dielectric films with enhanced energy density by interface modification with poly(dopamine). <i>Carbohydrate Polymers</i> , <b>2020</b> , 249, 116883	10.3	4
121	Flexible electronic skin sensor based on regenerated cellulose/carbon nanotube composite films. <i>Cellulose</i> , <b>2020</b> , 27, 10199-10211	5.5	20
120	Flexible dielectric film with high energy density based on chitin/boron nitride nanosheets. <i>Chemical Engineering Journal</i> , <b>2020</b> , 383, 123147	14.7	35
119	Constructing enhanced pseudocapacitive Li <sup>+</sup> intercalation via multiple ionically bonded interfaces toward advanced lithium storage. <i>Energy Storage Materials</i> , <b>2020</b> , 24, 138-146	19.4	16
118	Enhanced microwave absorption performance of porous and hollow CoNi@C microspheres with controlled component and morphology. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 809, 151837	5.7	51
117	Doubly cross-linked nanocellulose hydrogels with excellent mechanical properties. <i>Cellulose</i> , <b>2019</b> , 26, 8645-8654	5.5	23
116	Fe <sup>3+</sup> Cross-Linked Polyaniline/Cellulose Nanofibril Hydrogels for High-Performance Flexible Solid-State Supercapacitors. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 17653-17660	8.3	25

115	Transparent konjac glucomannan/cellulose nanofibril composite films with improved mechanical properties and thermal stability. <i>Cellulose</i> , <b>2019</b> , 26, 3155-3165	5.5	14
114	Flexible cellulose nanofibril/pristine graphene nanocomposite films with high electrical conductivity. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2019</b> , 119, 119-126	8.4	20
113	Bright perovskite light-emitting diodes with improved film morphology and reduced trap density via surface passivation using quaternary ammonium salts. <i>Organic Electronics</i> , <b>2019</b> , 67, 187-193	3.5	18
112	Flexible Cellulose/BaTiO <sub>3</sub> Nanocomposites with High Energy Density for Film Dielectric Capacitor. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 10641-10648	8.3	34
111	Phase change-induced tunable dielectric permittivity of poly(vinylidene fluoride)/polyethylene glycol/graphene oxide composites. <i>Composites Part B: Engineering</i> , <b>2019</b> , 173, 106920	10	12
110	Dielectric properties and energy-storage performance of two-dimensional molybdenum disulfide nanosheets/polyimide composite films. <i>Journal of Applied Polymer Science</i> , <b>2019</b> , 136, 47991	2.9	16
109	High-Energy-Density Flexible Dielectric Film via One-Step Extrusion Processing. <i>ACS Applied Polymer Materials</i> , <b>2019</b> , 1, 664-671	4.3	11
108	Latent heat and thermal conductivity enhancements in polyethylene glycol/polyethylene glycol-grafted graphene oxide composites. <i>Advanced Composites and Hybrid Materials</i> , <b>2019</b> , 2, 471-480	8.7	32
107	Enhanced piezoelectricity of a PVDF-based nanocomposite utilizing high-yield dispersions of exfoliated few-layer MoS <sub>2</sub> . <i>Ceramics International</i> , <b>2019</b> , 45, 11347-11352	5.1	20
106	Flexible MoS <sub>2</sub> @electrospun PVDF hybrid membrane as advanced anode for lithium storage. <i>Chemical Engineering Journal</i> , <b>2019</b> , 370, 547-555	14.7	12
105	Improved Performance of Perovskite Light-Emitting Diodes by Dual Passivation with an Ionic Additive. <i>ACS Applied Energy Materials</i> , <b>2019</b> , 2, 3336-3342	6.1	13
104	Phytic acid modified manganese dioxide/graphene composite aerogel as high-performance electrode materials for supercapacitors. <i>Applied Surface Science</i> , <b>2019</b> , 495, 143589	6.7	16
103	Carboxylated nanocellulose/poly(ethylene oxide) composite films as solid-solid phase-change materials for thermal energy storage. <i>Carbohydrate Polymers</i> , <b>2019</b> , 225, 115215	10.3	23
102	Nanopolysaccharides in Energy Storage Applications. <i>Springer Series in Biomaterials Science and Engineering</i> , <b>2019</b> , 137-169	0.6	
101	Understanding Interfacial Mechanics and Mechanisms of Exfoliation and Stabilization of Graphene Using Urea/Glycerol Solvents. <i>Advanced Theory and Simulations</i> , <b>2019</b> , 2, 1900155	3.5	5
100	TEMPO-oxidized cellulose nanofibril/layered double hydroxide nanocomposite films with improved hydrophobicity, flame retardancy and mechanical properties. <i>Composites Science and Technology</i> , <b>2019</b> , 171, 111-117	8.6	25
99	The construction of rod-like polypyrrole network on hard magnetic porous textile anodes for microbial fuel cells with ultra-high output power density. <i>Journal of Power Sources</i> , <b>2019</b> , 412, 514-519	8.9	14
98	Largely enhanced energy storage performance of sandwich-structured polymer nanocomposites with synergistic inorganic nanowires. <i>Ceramics International</i> , <b>2019</b> , 45, 8216-8221	5.1	28

97	Enhanced breakdown strength and energy storage of PVDF-based dielectric composites by incorporating exfoliated mica nanosheets. <i>Polymer Composites</i> , <b>2019</b> , 40, 2088-2094	3	25
96	Solution-processed Graphene-MoS <sub>2</sub> heterostructure for efficient hole extraction in organic solar cells. <i>Carbon</i> , <b>2019</b> , 142, 156-163	10.4	23
95	Electrically insulating ZnOs/ZnOw/silicone rubber nanocomposites with enhanced thermal conductivity and mechanical properties. <i>Journal of Applied Polymer Science</i> , <b>2018</b> , 135, 46454	2.9	21
94	A new strategy for the preparation of silver/epoxy/poly(vinylidene fluoride) dielectric composites with a multi-interface structure for suppressed dielectric loss. <i>Polymer Composites</i> , <b>2018</b> , 39, E2606-E2610	10	4
93	Flexible Regenerated Cellulose/Boron Nitride Nanosheet High-Temperature Dielectric Nanocomposite Films with High Energy Density and Breakdown Strength. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2018</b> , 6, 7151-7158	8.3	72
92	Dielectric Loss Suppression of Silver/Poly(vinylidene fluoride) Composite Films with Polydopamine. <i>Journal of Macromolecular Science - Physics</i> , <b>2018</b> , 57, 255-265	1.4	4
91	Enhanced dielectric property and energy storage density of PVDF-HFP based dielectric composites by incorporation of silver nanoparticles-decorated exfoliated montmorillonite nanoplatelets. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2018</b> , 108, 62-68	8.4	65
90	Self-suspended polypyrrole with liquid crystal property. <i>Journal of Polymer Research</i> , <b>2018</b> , 25, 1	2.7	1
89	Synthesis and Characterization of a Fluid-Like Novel Aniline Pentamer. <i>Macromolecular Research</i> , <b>2018</b> , 26, 233-237	1.9	6
88	Proton exchange membrane based on chitosan and solvent-free carbon nanotube fluids for fuel cells applications. <i>Carbohydrate Polymers</i> , <b>2018</b> , 186, 200-207	10.3	51
87	High breakdown strength and low loss binary polymer blends of poly(vinylidene fluoride-trifluoroethylene-chlorofluoroethylene) and poly(methyl methacrylate). <i>Polymers for Advanced Technologies</i> , <b>2018</b> , 29, 1271-1277	3.2	26
86	Broadband and Lightweight Microwave Absorber Constructed by in Situ Growth of Hierarchical CoFeO/Reduced Graphene Oxide Porous Nanocomposites. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 13860-13868	9.5	152
85	Ternary PVDF-based terpolymer nanocomposites with enhanced energy density and high power density. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2018</b> , 109, 597-603	8.4	41
84	Facile dissolution of wood pulp in aqueous NaOH/urea solution by ball milling pretreatment. <i>Industrial Crops and Products</i> , <b>2018</b> , 118, 48-52	5.9	19
83	In situ growth of 1T-MoS <sub>2</sub> on liquid-exfoliated graphene: A unique graphene-like heterostructure for superior lithium storage. <i>Carbon</i> , <b>2018</b> , 133, 162-169	10.4	32
82	Ordered porous structure of nitrogen-self-doped carbon supporting Co <sub>3</sub> O <sub>4</sub> nanoparticles as anode for improving cycle stability in lithium-ion batteries. <i>Journal of Materials Research</i> , <b>2018</b> , 33, 1226-1235	2.5	9
81	Facile preparation of pristine graphene using urea/glycerol as efficient stripping agents. <i>Nano Research</i> , <b>2018</b> , 11, 820-830	10	18
80	Polymeric ion functionalized graphite nanoplatelets with flowability. <i>Materials Research Express</i> , <b>2018</b> , 5, 085013	1.7	

79	Mixed solvent-mediated exfoliation of graphene invoked by synergistic effect of steric hindrance and hydrogen bond for improved electrochemical performance on its polymeric composites. <i>Electrochimica Acta</i> , <b>2018</b> , 283, 818-825	6.7	7
78	Polytriphenylamine Derivative and Carbon Nanotubes as Cathode Materials for High-Performance Polymer-Based Batteries. <i>Journal of Physical Chemistry C</i> , <b>2018</b> , 122, 20057-20063	3.8	5
77	Cellulose nanofibril/boron nitride nanosheet composites with enhanced energy density and thermal stability by interfibrillar cross-linking through Ca <sup>2+</sup> . <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 1403-1411	13	84
76	Encapsulation and solubilization of ultrastable quantum dots with multidentate bilayer ligands and rheological behaviour. <i>Nanoscale</i> , <b>2018</b> , 10, 20796-20803	7.7	4
75	Carbon nanotube/zirconia composite-coated separator for a high-performance rechargeable lithium-sulfur battery. <i>AIP Advances</i> , <b>2018</b> , 8, 105315	1.5	5
74	Thiokol with Excellent Restriction on the Shuttle Effect in Lithium-Sulfur Batteries. <i>Applied Sciences (Switzerland)</i> , <b>2018</b> , 8, 79	2.6	2
73	Luminescent and Transparent Nanocellulose Films Containing Europium Carboxylate Groups as Flexible Dielectric Materials. <i>ACS Applied Nano Materials</i> , <b>2018</b> , 1, 4972-4979	5.6	25
72	Enhanced energy storage performance of ferroelectric polymer nanocomposites at relatively low electric fields induced by surface modified BaTiO <sub>3</sub> nanofibers. <i>Composites Science and Technology</i> , <b>2018</b> , 164, 214-221	8.6	57
71	Graphene/poly(vinylidene fluoride) dielectric composites with polydopamine as interface layers. <i>Science and Engineering of Composite Materials</i> , <b>2017</b> , 24, 327-333	1.5	11
70	Preparation and characterization of monodisperse solvent-free silica nanofluids. <i>Journal of Dispersion Science and Technology</i> , <b>2017</b> , 38, 425-431	1.5	11
69	Poly(methyl methacrylate)/boron nitride nanocomposites with enhanced energy density as high temperature dielectrics. <i>Composites Science and Technology</i> , <b>2017</b> , 142, 139-144	8.6	107
68	Facile one-step exfoliation of large-size 2D materials via simply shearing in triethanolamine. <i>Materials Letters</i> , <b>2017</b> , 199, 124-127	3.3	17
67	Properties of gel polymer electrolytes based on poly(butyl acrylate) semi-interpenetrating polymeric networks toward Li-ion batteries. <i>Ionics</i> , <b>2017</b> , 23, 2319-2325	2.7	8
66	Nanocomposites: High-Energy-Density Dielectric Polymer Nanocomposites with Trilayered Architecture (Adv. Funct. Mater. 20/2017). <i>Advanced Functional Materials</i> , <b>2017</b> , 27,	15.6	1
65	The Complexation between Amide Groups of Polyamide-6 and Polysulfides in the Lithium-Sulfur Battery. <i>Macromolecular Materials and Engineering</i> , <b>2017</b> , 302, 1700122	3.9	12
64	Colloidal stable quantum dots modified by dual functional group polymers for inkjet printing. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 4629-4635	7.1	21
63	High-Energy-Density Dielectric Polymer Nanocomposites with Trilayered Architecture. <i>Advanced Functional Materials</i> , <b>2017</b> , 27, 1606292	15.6	232
62	In-situ synthesis of monodisperse, oleylamine-capped Ag nanoparticles through microemulsion approach. <i>Journal of Nanoparticle Research</i> , <b>2017</b> , 19, 1	2.3	8

61	Polymer Solar Cells: Light-Soaking-Free Inverted Polymer Solar Cells with an Efficiency of 10.5% by Compositional and Surface Modifications to a Low-Temperature-Processed TiO <sub>2</sub> Electron-Transport Layer (Adv. Mater. 1/2017). <i>Advanced Materials</i> , <b>2017</b> , 29,	24	1
60	A three-dimensional graphene aerogel containing solvent-free polyaniline fluid for high performance supercapacitors. <i>Nanoscale</i> , <b>2017</b> , 9, 17710-17716	7.7	40
59	Polytriphenylamine derivative with enhanced electrochemical performance as the organic cathode material for rechargeable batteries. <i>Polymer</i> , <b>2017</b> , 130, 135-142	3.9	13
58	A novel fluid-filler/polymer composite as high-temperature thermally conductive and electrically insulating material. <i>Composites Science and Technology</i> , <b>2017</b> , 150, 128-134	8.6	16
57	Light-Soaking-Free Inverted Polymer Solar Cells with an Efficiency of 10.5% by Compositional and Surface Modifications to a Low-Temperature-Processed TiO Electron-Transport Layer. <i>Advanced Materials</i> , <b>2017</b> , 29, 1604044	24	60
56	Flexible Carbon Nanotube Modified Separator for High-Performance Lithium-Sulfur Batteries. <i>Nanomaterials</i> , <b>2017</b> , 7,	5.4	22
55	Preparation of Microporous Polypropylene/Titanium Dioxide Composite Membranes with Enhanced Electrolyte Uptake Capability via Melt Extruding and Stretching. <i>Polymers</i> , <b>2017</b> , 9,	4.5	22
54	Preparation and dielectric properties of silver@poly(vinyl pyrrolidone)/poly(vinylidene fluoride) composites. <i>Micro and Nano Letters</i> , <b>2016</b> , 11, 746-748	0.9	5
53	Self-suspended polyaniline containing self-dissolved lyotropic liquid crystal with electrical conductivity. <i>Journal of Polymer Science Part A</i> , <b>2016</b> , 54, 3578-3582	2.5	4
52	Preparation and electric property of PA/PVDF blend for energy storage material. <i>Polymer Science - Series A</i> , <b>2016</b> , 58, 765-775	1.2	2
51	Novel Three-Dimensional Carbon Nanotube-Graphene Architecture with Abundant Chambers and Its Application in Lithium-Silicon Batteries. <i>Journal of Physical Chemistry C</i> , <b>2016</b> , 120, 13807-13814	3.8	20
50	Hydrophilic Magnetofluorescent Nanobowls: Rapid Magnetic Response and Efficient Photoluminescence. <i>Langmuir</i> , <b>2016</b> , 32, 611-8	4	5
49	Scatheless active functionalized poly(p-phenylene terephthalamide) fibres and their outstanding potential in enhancing interface adhesion with polymer matrix. <i>Journal of Applied Polymer Science</i> , <b>2016</b> , 133, n/a-n/a	2.9	2
48	Eco-friendly exfoliation of graphite into pristine graphene with little defect by a facile physical treatment. <i>Applied Physics Letters</i> , <b>2016</b> , 108, 073105	3.4	7
47	Preparation and characterization of self-suspended tetraaniline with liquid crystal texture. <i>Synthetic Metals</i> , <b>2016</b> , 220, 428-432	3.6	3
46	A binary solvent system for improved liquid phase exfoliation of pristine graphene materials. <i>Carbon</i> , <b>2015</b> , 94, 405-411	10.4	28
45	Co <sub>3</sub> O <sub>4</sub> /C/graphene nanocomposites as novel anode materials for high capacity lithium ion batteries. <i>RSC Advances</i> , <b>2015</b> , 5, 73677-73683	3.7	11
44	Poly(vinyl pyrrolidone)-coated graphene/poly(vinylidene fluoride) composite films with high dielectric permittivity and low loss. <i>Composites Science and Technology</i> , <b>2015</b> , 121, 49-55	8.6	54

43	NiO hierarchical hollow nanofibers as high-performance supercapacitor electrodes. <i>RSC Advances</i> , <b>2015</b> , 5, 96205-96212	3.7	39
42	Solution-processed ferroelectric terpolymer nanocomposites with high breakdown strength and energy density utilizing boron nitride nanosheets. <i>Energy and Environmental Science</i> , <b>2015</b> , 8, 922-931	35.4	415
41	Processability, morphology, thermal, and mechanical properties of rigid PVC composites with liquid macromolecular modifier-coated CaCO <sub>3</sub> . <i>Polymer Composites</i> , <b>2015</b> , 36, 1286-1292	3	6
40	Nanosheets-based ZnO/NiO microspheres for lithium-ion batteries. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2015</b> , 26, 5279-5286	2.1	6
39	Water Dispersible Graphene Sheets Produced from Unassembled Graphene/Polyaniline Nano Hybrids. <i>Nano</i> , <b>2015</b> , 10, 1550003	1.1	1
38	Structure/Property Relationship in Injection-Molded Polypropylene/Clay Composite Foams. <i>Materials and Manufacturing Processes</i> , <b>2014</b> , 29, 160-165	4.1	9
37	Morphological, thermal, and mechanical properties of poly(vinyl chloride)/acrylonitrile butadiene rubber blend using CuSO <sub>4</sub> ·5H <sub>2</sub> O as cross-linking agent. <i>Polymer Engineering and Science</i> , <b>2014</b> , 54, 1864-1870	2.3	6
36	Facile preparation and thermal performances of hexadecanol/crosslinked polystyrene core/shell nanocapsules as phase change material. <i>Polymer Composites</i> , <b>2014</b> , 35, 2154-2158	3	25
35	Ultraviolet light aging properties of PVC/CaCO <sub>3</sub> composites. <i>Journal of Applied Polymer Science</i> , <b>2013</b> , 127, 2749-2756	2.9	10
34	Suppression of energy dissipation and enhancement of breakdown strength in ferroelectric polymer/graphene percolative composites. <i>Journal of Materials Chemistry C</i> , <b>2013</b> , 1, 7034	7.1	71
33	Particle Size Dependence of the Dielectric Properties of Polyvinylidene Fluoride/Silver Composites. <i>Journal of Macromolecular Science - Physics</i> , <b>2013</b> , 52, 1073-1081	1.4	17
32	Aqueous preparation of polyethylene glycol/sulfonated graphene phase change composite with enhanced thermal performance. <i>Energy Conversion and Management</i> , <b>2013</b> , 75, 482-487	10.6	56
31	Self-assembled long-chain organic ion grafted carbon dot ionic nanohybrids with liquid-like behavior and dual luminescence. <i>New Journal of Chemistry</i> , <b>2013</b> , 37, 3857	3.6	6
30	Influence of Polyhedral Oligomeric Silsesquioxanes (POSS) on Thermal and Mechanical Properties of Polydimethylsiloxane (PDMS) Composites Filled with Fumed Silica. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , <b>2013</b> , 23, 1375-1382	3.2	16
29	Solvent-free Synthesis of Flowable Carbon Clusters with Customizable Size and Tunable Optical Performance. <i>Chinese Journal of Chemistry</i> , <b>2013</b> , 31, 1513-1518	4.9	3
28	Novel-modified kaolin for enhancing the mechanical and thermal properties of poly(vinyl chloride). <i>Polymer Engineering and Science</i> , <b>2012</b> , 52, 2071-2077	2.3	10
27	Self-unfolded graphene sheets. <i>Chemistry - A European Journal</i> , <b>2012</b> , 18, 7055-9	4.8	25
26	Enhancement of Polymer Foam Quality by Modifying Structural and Decomposition Characteristics of Chemical Blowing Agent. <i>Polymer-Plastics Technology and Engineering</i> , <b>2012</b> , 51, 263-267		8

25	Self-suspended polyaniline doped with a protonic acid containing a polyethylene glycol segment. <i>Chemistry - an Asian Journal</i> , <b>2011</b> , 6, 2920-4	4.5	15
24	Liquid-crystal azopolyamides with high thermal stability and inherent viscosity. <i>Journal of Materials Science</i> , <b>2011</b> , 46, 3343-3348	4.3	7
23	A carbon black derivative with liquid behavior. <i>Carbon</i> , <b>2011</b> , 49, 1047-1051	10.4	23
22	Photochromic azo polysemicarbazides with biocompatibility behavior. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , <b>2010</b> , 25, 979-983	1	0
21	Detecting impact damage in carbon fabric/epoxy-matrix composites by ultrasonic F-scan and electrical resistance measurement. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , <b>2010</b> , 25, 214-217	1	2
20	Flexible Monodisperse Quantum Dots with Efficient Luminescence. <i>Angewandte Chemie</i> , <b>2010</b> , 122, 10139-10142	16.4	52
19	Flexible monodisperse quantum dots with efficient luminescence. <i>Angewandte Chemie - International Edition</i> , <b>2010</b> , 49, 9943-6	16.4	52
18	Effect of heat treatment on the electrical properties of lead zirconate titanate/poly (vinylidene fluoride) composites. <i>Polymer International</i> , <b>2010</b> , 59, n/a-n/a	3.3	1
17	N <sub>2</sub> -filled hollow glass beads as novel gas carriers for microcellular polyethylene. <i>Journal of Applied Polymer Science</i> , <b>2009</b> , 114, 4030-4035	2.9	3
16	Main-chain azo polyaramides with high thermal stability and liquid crystal properties. <i>Journal of Polymer Research</i> , <b>2009</b> , 16, 455-460	2.7	12
15	Synthesis and characterization of soluble aromatic azopolyamides containing sulfone and ether units. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , <b>2009</b> , 24, 594-598	1	1
14	Conductive mechanism of antistatic poly(ethylene terephthalate)/ZnO composites. <i>Polymer Composites</i> , <b>2009</b> , 30, 226-231	3	37
13	Solvent-free fluids based on rhombohedral nanoparticles of calcium carbonate. <i>Journal of the American Chemical Society</i> , <b>2009</b> , 131, 9148-9	16.4	83
12	Enhancement of dielectric constant and piezoelectric coefficient of ceramic/polymer composites by interface chelation. <i>Journal of Materials Chemistry</i> , <b>2009</b> , 19, 2817		71
11	Controlled viscoelastic carbon nanotube fluids. <i>Journal of the American Chemical Society</i> , <b>2008</b> , 130, 3256-7	16.4	45
10	Synthesis and characterization of novel fluorinated azopolyamides. <i>Polymer Bulletin</i> , <b>2008</b> , 61, 569-580	2.4	10
9	Microstructure and properties of fluoroelastomer/butadiene-acrylonitrile rubber interpenetrating polymer networks. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , <b>2008</b> , 23, 50-53	1	11
8	Polyamide 11/Poly(vinylidene fluoride) Blends as Novel Flexible Materials for Capacitors. <i>Macromolecular Rapid Communications</i> , <b>2008</b> , 29, 1449-1454	4.8	46

7	Synthesis of EVA-g-MAH and its compatibilization effect to PA11/PVC blends. <i>Journal of Materials Science</i> , <b>2007</b> , 42, 3398	4.3	26
6	Grafting of Norbornene Diacid Anhydride Onto Fluoroelastomer. <i>Rubber Chemistry and Technology</i> , <b>2005</b> , 78, 588-596	1.7	1
5	Study on morphology of compatibilized poly (vinyl chloride)/ultrafine polyamide-6 blends by styreneMaleic anhydride. <i>Journal of Applied Polymer Science</i> , <b>2005</b> , 97, 850-854	2.9	5
4	Preparation and structural characterization of nanocrystalline poly(vinyl chloride). <i>Journal of Applied Polymer Science</i> , <b>2004</b> , 91, 563-569	2.9	12
3	Preparation and properties of compatibilized PVC/SMA-g-PA6 blends. <i>Journal of Applied Polymer Science</i> , <b>2004</b> , 94, 432-439	2.9	10
2	Electrode materials from cuprous oxide and chitin nanofibrils for supercapacitors with high specific capacity. <i>Ionics</i> , 1	2.7	1
1	Significantly enhancing the dielectric constant and breakdown strength of linear dielectric polymers by utilizing ultralow loadings of nanofillers. <i>Journal of Materials Chemistry A</i> ,	13	15