Jean-Yves Le Reste

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7604117/publications.pdf

Version: 2024-02-01

30 448 9 20 papers citations h-index g-index

32 32 32 718 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	The European General Practice Research Network Presents a Comprehensive Definition of Multimorbidity in Family Medicine and Long Term Care, Following a Systematic Review of Relevant Literature. Journal of the American Medical Directors Association, 2013, 14, 319-325.	1.2	167
2	The European General Practice Research Network Presents the Translations of Its Comprehensive Definition of Multimorbidity in Family Medicine in Ten European Languages. PLoS ONE, 2015, 10, e0115796.	1.1	41
3	Exploring dementia management attitudes in primary care: a key informant survey to primary care physicians in 25 European countries. International Psychogeriatrics, 2017, 29, 1413-1423.	0.6	30
4	<p>How To Support Smoking Cessation In Primary Care And The Community: A Systematic Review Of Interventions For The Prevention Of Cardiovascular Diseases</p> . Vascular Health and Risk Management, 2019, Volume 15, 485-502.	1.0	20
5	The French version of the HSCL-25 has now been validated for use in primary care. PLoS ONE, 2019, 14, e0214804.	1.1	19
6	The transculturality of â€~gut feelings'. Results from a French Delphi consensus survey. European Journal of General Practice, 2013, 19, 237-243.	0.9	17
7	Determinants of Gambling Disorders in Elderly Peopleâ€"A Systematic Review. Frontiers in Psychiatry, 2019, 10, 837.	1.3	17
8	Gambling Marketing Strategies and the Internet: What Do We Know? A Systematic Review. Frontiers in Psychiatry, 2021, 12, 583817.	1.3	17
9	A Research Group from the European General Practice Research Network (EGPRN) Explores the Concept of Multimorbidity for Further Research into Long Term Care. Journal of the American Medical Directors Association, 2013, 14, 132-133.	1.2	14
10	French Experience with Buprenorphine: Do Physicians Follow the Guidelines?. PLoS ONE, 2015, 10, e0137708.	1.1	11
11	A protocol paper: community engagement interventions for cardiovascular disease prevention in socially disadvantaged populations in the UK: an implementation research study. Global Health Research and Policy, 2020, 5, 12.	1.4	10
12	How do general practitioners recognize the definition of multimorbidity? A European qualitative study. European Journal of General Practice, 2016, 22, 159-168.	0.9	9
13	Unburdening dementia – a basic social process grounded theory based on a primary care physician survey from 25 countries. Scandinavian Journal of Primary Health Care, 2020, 38, 253-264.	0.6	9
14	Patient education in chronic heart failure in primary care (ETIC) and its impact on patient quality of life: design of a cluster randomised trial. BMC Family Practice, 2014, 15, 208.	2.9	7
15	Impact of alcohol marketing on drinkers with Alcohol use disorders seeking treatment: a mixed-method study protocol. BMC Public Health, 2020, 20, 467.	1.2	7
16	Analgesic Opioid Misuse and Opioid Use Disorder among Patients with Chronic Non-Cancer Pain and Prescribed Opioids in a Pain Centre in France. International Journal of Environmental Research and Public Health, 2021, 18, 2097.	1.2	7
17	Acute pain management among patients with opioid maintenance therapy: specificities and difficulties identified in primary care: a qualitative study. BMJ Open, 2021, 11, e044433.	0.8	7
18	Patient, carer and healthcare professional experiences of complex care quality in multidisciplinary primary healthcare centres: qualitative study with face-to-face, in-depth interviews and focus groups in five French multidisciplinary primary healthcare centres. BMJ Open, 2021, 11, e050165.	0.8	7

#	Article	IF	CITATIONS
19	Evaluating the validity of the French version of the Four-Dimensional Symptom Questionnaire with differential item functioning analysis. Family Practice, 2015, 32, cmv025.	0.8	6
20	Innovative cardiovascular primary prevention population-based strategies: a 2-year hybrid type 1 implementation randomised control trial (RCT) which evaluates behavioural change conducted by community champions compared with brief advice only from the SPICES project (scaling-up packages of) Tj ETQq	O O 20 rgBT	/වverlock 10
21	A systematic literature review of patient self-assessment instruments concerning quality of primary care in multiprofessional clinics. Family Practice, 2022, 39, 951-963.	0.8	4
22	Nine Forward–Backward Translations of the Hopkins Symptom Checklist-25 With Cultural Checks. Frontiers in Psychiatry, 2021, 12, 688154.	1.3	3
23	Alcohol use disorders, beverage preferences and the influence of alcohol marketing: a preliminary study. Substance Abuse Treatment, Prevention, and Policy, 2020, 15, 90.	1.0	3
24	There are considerable drawbacks to oral anticoagulant for monitoring patients at home which should lead family physicians to discuss alternative or enhanced solutions: a cross-sectional study. BMC Cardiovascular Disorders, 2013, 13, 71.	0.7	2
25	Cross-Cultural Validation of the Definition of Multimorbidity in the Bulgarian Language / ĐšÑƒĐ»ÑŒÑ,ÑƒÑ€Đ°Đ» Medica, 2015, 57, 127-132.	ÑŒĐ½Đ° 0.2	Ñ•Đ'ал <mark>Đ</mark> ∮
26	European General Practice Research Network (EGPRN). European Journal of General Practice, 2017, 23, 227-240.	0.9	1
27	Semantic and cultural equivalence of the working alliance inventory short-revised scale for therapeutic alliance in family medicine: Lessons learned in Slovenia. Zdravstveno Varstvo, 2019, 58, 21-30.	0.6	1
28	Multimorbid outpatients: A high frequency of FP appointments and/or family difficulties, should alert FPs to the possibility of death or acute hospitalization occurring within six months; A primary care feasibility study. PLoS ONE, 2017, 12, e0186931.	1.1	0
29	Alcohol use by people in their seventies is not an exception: a preliminary prospective study. British Journal of Community Nursing, 2019, 24, 128-133.	0.2	O
30	French Innovation to Improve the Publication Rate of Primary Care Studies. Family Medicine, 2022, 54, 239-239.	0.3	0