

# Katinka Albrecht

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7605416/publications.pdf>

Version: 2024-02-01

34  
papers

972  
citations

430874

18  
h-index

477307

29  
g-index

54  
all docs

54  
docs citations

54  
times ranked

1177  
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk of herpes zoster (shingles) in patients with rheumatoid arthritis under biologic, targeted synthetic and conventional synthetic DMARD treatment: data from the German RABBIT register. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 41-47.	0.9	39
2	Is the Rheumatoid Arthritis Impact of Disease (RAID) score a meaningful instrument for other inflammatory rheumatic diseases? A cross-sectional analysis of data from the German National Database. <i>RMD Open</i> , 2022, 8, e002342.	3.8	4
3	Use of Physical Therapy in Patients With Osteoarthritis in Germany: An Analysis of a Linkage of Claims and Survey Data. <i>Arthritis Care and Research</i> , 2021, 73, 1013-1022.	3.4	12
4	Comorbidity and healthcare utilisation in persons with incident systemic lupus erythematosus followed for 3 years after diagnosis: analysis of a claims data cohort. <i>Lupus Science and Medicine</i> , 2021, 8, e000526.	2.7	11
5	Association between RA disease activity and periodontitis defined by tooth loss: longitudinal and cross-sectional data from two observational studies. <i>Arthritis Care and Research</i> , 2021, , .	3.4	5
6	Response to “What rheumatologist should know about Fabry disease” by Moiseev et al. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, e72-e72.	0.9	1
7	Disease Burden of Patients With Osteoarthritis: Results of a Cross-Sectional Survey Linked to Claims Data. <i>Arthritis Care and Research</i> , 2020, 72, 193-200.	3.4	16
8	Factors associated with treatment satisfaction in patients with rheumatoid arthritis: data from the biological register RABBIT. <i>RMD Open</i> , 2020, 6, e001290.	3.8	18
9	Factors Associated with Survey Non-Response in a Cross-Sectional Survey of Persons with an Axial Spondyloarthritis or Osteoarthritis Claims Diagnosis. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9186.	2.6	3
10	Osteoporosis in patients with rheumatoid arthritis: trends in the German National Database 2007–2017. <i>Rheumatology International</i> , 2020, 40, 2005-2012.	3.0	20
11	Trends in idiopathic inflammatory myopathies: cross-sectional data from the German National Database. <i>Rheumatology International</i> , 2020, 40, 1639-1647.	3.0	18
12	Comorbidity and health care utilisation in persons with Sjögren's syndrome: a claims data analysis. <i>Clinical and Experimental Rheumatology</i> , 2020, 38 Suppl 126, 78-84.	0.8	1
13	Long-term trends in rheumatology care. <i>Zeitschrift Fur Rheumatologie</i> , 2019, 78, 65-72.	1.0	22
14	Comorbidities in Patients with Rheumatoid Arthritis and Their Association with Patient-reported Outcomes: Results of Claims Data Linked to Questionnaire Survey. <i>Journal of Rheumatology</i> , 2019, 46, 564-571.	2.0	75
15	Clinical characteristics of patients with alpha-galactosidase A gene variants in a German multicentre cohort of early undifferentiated arthritis. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1286-1287.	0.9	7
16	Are prognostic factors adequately selected to guide treatment decisions in patients with rheumatoid arthritis? A collaborative analysis from three observational cohorts. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 48, 976-982.	3.4	20
17	Trends in employment and hospitalisation in patients with Sjögren's syndrome 1996-2016: results from the German National database. <i>Clinical and Experimental Rheumatology</i> , 2019, 37 Suppl 118, 83-89.	0.8	2
18	High prevalence of diabetes in patients with rheumatoid arthritis: results from a questionnaire survey linked to claims data. <i>Rheumatology</i> , 2018, 57, 329-336.	1.9	33

#	ARTICLE	IF	CITATIONS
19	Long-term glucocorticoid treatment in patients with polymyalgia rheumatica, giant cell arteritis, or both diseases: results from a national rheumatology database. <i>Rheumatology International</i> , 2018, 38, 569-577.	3.0	43
20	The Association of Low Income with Functional Status and Disease Burden in German Patients with Rheumatoid Arthritis: Results of a Cross-sectional Questionnaire Survey Based on Claims Data. <i>Journal of Rheumatology</i> , 2017, 44, 766-772.	2.0	16
21	Transition to adult rheumatology care is necessary to maintain DMARD therapy in young people with juvenile idiopathic arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2017, 47, 269-275.	3.4	48
22	Poor prognostic factors guiding treatment decisions in rheumatoid arthritis patients: a review of data from randomized clinical trials and cohort studies. <i>Arthritis Research and Therapy</i> , 2017, 19, 68.	3.5	66
23	Pain, depressive symptoms and medication in German patients with rheumatoid arthritis—results from the linking patient-reported outcomes with claims data for health services research in rheumatology (<sc>PROCLAIR</sc>) study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 766-774.	1.9	44
24	Rheumatologic care of nursing home residents with rheumatoid arthritis: a comparison of the year before and after nursing home admission. <i>Rheumatology International</i> , 2017, 37, 2059-2064.	3.0	10
25	The benefits of early treatment after decades. <i>Nature Reviews Rheumatology</i> , 2017, 13, 458-459.	8.0	5
26	Association Between the Use of Oral Contraceptives and Patient-Reported Outcomes in an Early Arthritis Cohort. <i>Arthritis Care and Research</i> , 2016, 68, 400-405.	3.4	5
27	The Prevalence of Dental Implants and Related Factors in Patients with Sjögren Syndrome: Results from a Cohort Study. <i>Journal of Rheumatology</i> , 2016, 43, 1380-1385.	2.0	28
28	Body mass index distribution in rheumatoid arthritis: a collaborative analysis from three large German rheumatoid arthritis databases. <i>Arthritis Research and Therapy</i> , 2016, 18, 149.	3.5	36
29	Depression is a stronger predictor of the risk to consider work disability in early arthritis than disease activity or response to therapy. <i>RMD Open</i> , 2015, 1, e000020-e000020.	3.8	13
30	High variability in glucocorticoid starting doses in patients with rheumatoid arthritis: observational data from an early arthritis cohort. <i>Rheumatology International</i> , 2015, 35, 1377-1384.	3.0	30
31	Changes in referral, treatment and outcomes in patients with systemic lupus erythematosus in Germany in the 1990s and the 2000s. <i>Lupus Science and Medicine</i> , 2014, 1, e000059.	2.7	15
32	German guidelines for the sequential medical treatment of rheumatoid arthritis with traditional and biologic disease-modifying antirheumatic drugs. <i>Rheumatology International</i> , 2014, 34, 1-9.	3.0	33
33	Linking systemic angiogenic factors (VEGF, angiogenin, TIMP-2) and Doppler ultrasound to anti-inflammatory treatment in rheumatoid arthritis. <i>Joint Bone Spine</i> , 2013, 80, 270-273.	1.6	13
34	Relation entre les facteurs angiogéniques systémiques, l'échographie Doppler et le traitement anti-inflammatoire de la polyarthrite rhumatoïde. <i>Revue Du Rhumatisme (Edition Française)</i> , 2013, 80, 363-367.	0.0	0