

Samir S Taneja

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7606303/samir-s-taneja-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

254
papers

10,868
citations

54
h-index

96
g-index

310
ext. papers

12,828
ext. citations

3.9
avg, IF

6.29
L-index

#	Paper	IF	Citations
254	MRI-Targeted or Standard Biopsy for Prostate-Cancer Diagnosis. <i>New England Journal of Medicine</i> , 2018 , 378, 1767-1777	59.2	1250
253	Can Clinically Significant Prostate Cancer Be Detected with Multiparametric Magnetic Resonance Imaging? A Systematic Review of the Literature. <i>European Urology</i> , 2015 , 68, 1045-53	10.2	537
252	Image-guided prostate biopsy using magnetic resonance imaging-derived targets: a systematic review. <i>European Urology</i> , 2013 , 63, 125-40	10.2	425
251	Standards of reporting for MRI-targeted biopsy studies (START) of the prostate: recommendations from an International Working Group. <i>European Urology</i> , 2013 , 64, 544-52	10.2	309
250	A prospective, blinded comparison of magnetic resonance (MR) imaging-ultrasound fusion and visual estimation in the performance of MR-targeted prostate biopsy: the PROFUS trial. <i>European Urology</i> , 2014 , 66, 343-51	10.2	294
249	Prostate Magnetic Resonance Imaging and Magnetic Resonance Imaging Targeted Biopsy in Patients with a Prior Negative Biopsy: A Consensus Statement by AUA and SAR. <i>Journal of Urology</i> , 2016 , 196, 1613-1618	2.5	239
248	Complications After Systematic, Random, and Image-guided Prostate Biopsy. <i>European Urology</i> , 2017 , 71, 353-365	10.2	225
247	Prostate cancer localization using multiparametric MR imaging: comparison of Prostate Imaging Reporting and Data System (PI-RADS) and Likert scales. <i>Radiology</i> , 2013 , 269, 482-92	20.5	219
246	Prostate cancer: feasibility and preliminary experience of a diffusional kurtosis model for detection and assessment of aggressiveness of peripheral zone cancer. <i>Radiology</i> , 2012 , 264, 126-35	20.5	201
245	Can urinary PCA3 supplement PSA in the early detection of prostate cancer?. <i>Journal of Clinical Oncology</i> , 2014 , 32, 4066-72	2.2	186
244	Changes in renal function following nephroureterectomy may affect the use of perioperative chemotherapy. <i>European Urology</i> , 2010 , 58, 581-7	10.2	165
243	Optimization of initial prostate biopsy in clinical practice: sampling, labeling and specimen processing. <i>Journal of Urology</i> , 2013 , 189, 2039-46	2.5	150
242	Robot assisted laparoscopic partial nephrectomy: initial experience. <i>Journal of Urology</i> , 2006 , 176, 36-9	2.5	145
241	Radiologist, be aware: ten pitfalls that confound the interpretation of multiparametric prostate MRI. <i>American Journal of Roentgenology</i> , 2014 , 202, 109-20	5.4	137
240	Optimization of prostate biopsy: the role of magnetic resonance imaging targeted biopsy in detection, localization and risk assessment. <i>Journal of Urology</i> , 2014 , 192, 648-58	2.5	136
239	Relationship Between Prebiopsy Multiparametric Magnetic Resonance Imaging (MRI), Biopsy Indication, and MRI-ultrasound Fusion-targeted Prostate Biopsy Outcomes. <i>European Urology</i> , 2016 , 69, 512-7	10.2	134
238	Comparison of interreader reproducibility of the prostate imaging reporting and data system and likert scales for evaluation of multiparametric prostate MRI. <i>American Journal of Roentgenology</i> , 2013 , 201, W612-8	5.4	132

237	Proposed Adjustments to PI-RADS Version 2 Decision Rules: Impact on Prostate Cancer Detection. <i>Radiology</i> , 2017 , 283, 119-129	20.5	121
236	Robot-assisted laparoscopic partial nephrectomy: the NYU technique. <i>Journal of Endourology</i> , 2005 , 19, 441-5; discussion 445	2.7	121
235	Image Guided Focal Therapy for Magnetic Resonance Imaging Visible Prostate Cancer: Defining a 3-Dimensional Treatment Margin Based on Magnetic Resonance Imaging Histology Co-Registration Analysis. <i>Journal of Urology</i> , 2015 , 194, 364-70	2.5	112
234	Effect of warm ischemia time during laparoscopic partial nephrectomy on early postoperative glomerular filtration rate. <i>Journal of Urology</i> , 2009 , 181, 2438-43; discussion 2443-5	2.5	99
233	Followup Interval Prostate Biopsy 3 Years After Diagnosis of High Grade Prostatic Intraepithelial Neoplasia is Associated With High Likelihood of Prostate Cancer, Independent of Change in Prostate Specific Antigen Levels. <i>Journal of Urology</i> , 2002 , 168, 1415-1418	2.5	98
232	Prostate tissue specificity of the prostate-specific antigen promoter isolated from a patient with prostate cancer. <i>Human Gene Therapy</i> , 1995 , 6, 1417-26	4.8	97
231	Open Versus Laparoscopic Versus Robot-Assisted Laparoscopic Prostatectomy: The European and US Experience. <i>Reviews in Urology</i> , 2010 , 12, 35-43	1	97
230	Predictive value of negative 3T multiparametric magnetic resonance imaging of the prostate on 12-core biopsy results. <i>BJU International</i> , 2016 , 118, 515-20	5.6	90
229	Association Between Combined TMPRSS2:ERG and PCA3 RNA Urinary Testing and Detection of Aggressive Prostate Cancer. <i>JAMA Oncology</i> , 2017 , 3, 1085-1093	13.4	88
228	Prostate cancer: Comparison of 3D T2-weighted with conventional 2D T2-weighted imaging for image quality and tumor detection. <i>American Journal of Roentgenology</i> , 2010 , 194, 446-52	5.4	87
227	Is repeat prostate biopsy for high-grade prostatic intraepithelial neoplasia necessary after routine 12-core sampling?. <i>Urology</i> , 2001 , 58, 999-1003	1.6	84
226	Multiparametric MRI for prostate cancer diagnosis: current status and future directions. <i>Nature Reviews Urology</i> , 2020 , 17, 41-61	5.5	82
225	Variability of the Positive Predictive Value of PI-RADS for Prostate MRI across 26 Centers: Experience of the Society of Abdominal Radiology Prostate Cancer Disease-focused Panel. <i>Radiology</i> , 2020 , 296, 76-84	20.5	78
224	Transition zone prostate cancer: revisiting the role of multiparametric MRI at 3 T. <i>American Journal of Roentgenology</i> , 2015 , 204, W266-72	5.4	76
223	Magnetic Resonance Imaging-Ultrasound Fusion Targeted Prostate Biopsy in a Consecutive Cohort of Men with No Previous Biopsy: Reduction of Over Detection through Improved Risk Stratification. <i>Journal of Urology</i> , 2015 , 194, 1601-6	2.5	76
222	Length of capsular contact for diagnosing extraprostatic extension on prostate MRI: Assessment at an optimal threshold. <i>Journal of Magnetic Resonance Imaging</i> , 2016 , 43, 990-7	5.6	75
221	Cell-specific regulation of androgen receptor phosphorylation in vivo. <i>Journal of Biological Chemistry</i> , 2005 , 280, 40916-24	5.4	74
220	Diffusion-weighted imaging of the prostate: Comparison of b1000 and b2000 image sets for index lesion detection. <i>Journal of Magnetic Resonance Imaging</i> , 2013 , 38, 694-700	5.6	72

219	Update of the Standard Operating Procedure on the Use of Multiparametric Magnetic Resonance Imaging for the Diagnosis, Staging and Management of Prostate Cancer. <i>Journal of Urology</i> , 2020 , 203, 706-712	2.5	72
218	Multicenter Prospective Phase II Trial of Neoadjuvant Dose-Dense Gemcitabine Plus Cisplatin in Patients With Muscle-Invasive Bladder Cancer. <i>Journal of Clinical Oncology</i> , 2018 , 36, 1949-1956	2.2	72
217	Impact of fusion of indium-111 capromab pendetide volume data sets with those from MRI or CT in patients with recurrent prostate cancer. <i>American Journal of Roentgenology</i> , 2004 , 183, 519-24	5.4	71
216	Computed diffusion-weighted imaging of the prostate at 3 T: impact on image quality and tumour detection. <i>European Radiology</i> , 2013 , 23, 3170-7	8	70
215	Dynamic contrast-enhanced MRI of the prostate with high spatiotemporal resolution using compressed sensing, parallel imaging, and continuous golden-angle radial sampling: preliminary experience. <i>Journal of Magnetic Resonance Imaging</i> , 2015 , 41, 1365-73	5.6	69
214	The Learning Curve in Prostate MRI Interpretation: Self-Directed Learning Versus Continual Reader Feedback. <i>American Journal of Roentgenology</i> , 2017 , 208, W92-W100	5.4	66
213	Gleason score 3 + 4=7 prostate cancer with minimal quantity of gleason pattern 4 on needle biopsy is associated with low-risk tumor in radical prostatectomy specimen. <i>American Journal of Surgical Pathology</i> , 2014 , 38, 1096-101	6.7	66
212	Whole-lesion apparent diffusion coefficient metrics as a marker of percentage Gleason 4 component within Gleason 7 prostate cancer at radical prostatectomy. <i>Journal of Magnetic Resonance Imaging</i> , 2015 , 41, 708-14	5.6	64
211	Ultrasensitive serum prostate specific antigen nadir accurately predicts the risk of early relapse after radical prostatectomy. <i>Journal of Urology</i> , 2005 , 173, 777-80	2.5	64
210	Prostate tumour volumes: evaluation of the agreement between magnetic resonance imaging and histology using novel co-registration software. <i>BJU International</i> , 2014 , 114, E105-E112	5.6	62
209	AUA Policy Statement on the Use of Multiparametric Magnetic Resonance Imaging in the Diagnosis, Staging and Management of Prostate Cancer. <i>Journal of Urology</i> , 2017 , 198, 832-838	2.5	62
208	Prebiopsy MRI and MRI-ultrasound Fusion-targeted Prostate Biopsy in Men With Previous Negative Biopsies: Impact on Repeat Biopsy Strategies. <i>Urology</i> , 2015 , 86, 1192-8	1.6	61
207	A matched-cohort comparison of laparoscopic cryoablation and laparoscopic partial nephrectomy for treating renal masses. <i>BJU International</i> , 2007 , 99, 395-8	5.6	61
206	Patient-specific 3D printed and augmented reality kidney and prostate cancer models: impact on patient education. <i>3D Printing in Medicine</i> , 2019 , 5, 4	5	60
205	Optimization of prostate biopsy: review of technique and complications. <i>Urologic Clinics of North America</i> , 2014 , 41, 299-313	2.9	60
204	Prostate cancer: multiparametric MRI for index lesion localization--a multiple-reader study. <i>American Journal of Roentgenology</i> , 2012 , 199, 830-7	5.4	60
203	Patterns of repeat prostate biopsy in contemporary clinical practice. <i>Journal of Urology</i> , 2015 , 193, 1178-84	5.4	58
202	Complexed prostate-specific antigen for early detection of prostate cancer in men with serum prostate-specific antigen levels of 2 to 4 nanograms per milliliter. <i>Urology</i> , 2002 , 60, 31-5	1.6	56

201	National trends in the utilization of partial nephrectomy before and after the establishment of AUA guidelines for the management of renal masses. <i>Urology</i> , 2013 , 82, 1283-9	1.6	55
200	Altered expression of p27 and Skp2 proteins in prostate cancer of African-American patients. <i>Clinical Cancer Research</i> , 2003 , 9, 2613-9	12.9	50
199	Focal therapy for prostate cancer: The current status. <i>Prostate International</i> , 2015 , 3, 35-41	3.4	49
198	Neutral endopeptidase protein expression and prognosis in localized prostate cancer. <i>Clinical Cancer Research</i> , 2004 , 10, 4096-100	12.9	49
197	Prostate Cancer: Diffusion-weighted MR Imaging for Detection and Assessment of Aggressiveness-Comparison between Conventional and Kurtosis Models. <i>Radiology</i> , 2017 , 284, 100-108	20.5	48
196	ART-27, an androgen receptor coactivator regulated in prostate development and cancer. <i>Journal of Biological Chemistry</i> , 2004 , 279, 13944-52	5.4	47
195	Effect of soy protein isolate supplementation on biochemical recurrence of prostate cancer after radical prostatectomy: a randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 170-8	27.4	46
194	Screening for Prostate Cancer: A Review of the ERSPC and PLCO Trials. <i>Reviews in Urology</i> , 2009 , 11, 127-33	1	46
193	Prostate cancer: comparison of dynamic contrast-enhanced MRI techniques for localization of peripheral zone tumor. <i>American Journal of Roentgenology</i> , 2013 , 201, W471-8	5.4	45
192	Hand-assisted laparoscopy for large renal specimens: a multi-institutional study. <i>Urology</i> , 2003 , 61, 78-82	2.6	45
191	Time-Dependent Diffusion in Prostate Cancer. <i>Investigative Radiology</i> , 2017 , 52, 405-411	10.1	44
190	Prostate cancer diagnosis among men with isolated high-grade intraepithelial neoplasia enrolled onto a 3-year prospective phase III clinical trial of oral toremifene. <i>Journal of Clinical Oncology</i> , 2013 , 31, 523-9	2.2	44
189	Standards for prostate biopsy. <i>Current Opinion in Urology</i> , 2014 , 24, 155-61	2.8	43
188	Prostate cancer: utility of fusion of T2-weighted and high b-value diffusion-weighted images for peripheral zone tumor detection and localization. <i>Journal of Magnetic Resonance Imaging</i> , 2011 , 34, 95-100	5.6	43
187	Can contemporary transrectal prostate biopsy accurately select candidates for hemi-ablative focal therapy of prostate cancer?. <i>BJU International</i> , 2009 , 104, 195-9	5.6	43
186	Prostate cancer: comparison of tumor visibility on trace diffusion-weighted images and the apparent diffusion coefficient map. <i>American Journal of Roentgenology</i> , 2011 , 196, 123-9	5.4	43
185	The role of lymphadenectomy in the surgical management of renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2004 , 22, 214-23; discussion 223-4	2.8	43
184	Imaging Facilities Adherence to PI-RADS v2 Minimum Technical Standards for the Performance of Prostate MRI. <i>Academic Radiology</i> , 2018 , 25, 188-195	4.3	42

183	Final Results of a Phase I/II Multicenter Trial of WST11 Vascular Targeted Photodynamic Therapy for Hemi-Ablation of the Prostate in Men with Unilateral Low Risk Prostate Cancer Performed in the United States. <i>Journal of Urology</i> , 2016 , 196, 1096-104	2.5	41
182	Prostate Cancer Detection Using Computed Very High b-value Diffusion-weighted Imaging: How High Should We Go?. <i>Academic Radiology</i> , 2016 , 23, 704-11	4.3	41
181	The Institutional Learning Curve of Magnetic Resonance Imaging-Ultrasound Fusion Targeted Prostate Biopsy: Temporal Improvements in Cancer Detection in 4 Years. <i>Journal of Urology</i> , 2018 , 200, 1022-1029	2.5	40
180	Role of MRI in minimally invasive focal ablative therapy for prostate cancer. <i>American Journal of Roentgenology</i> , 2011 , 197, W90-6	5.4	39
179	Prostate Cancer: Utility of Whole-Lesion Apparent Diffusion Coefficient Metrics for Prediction of Biochemical Recurrence After Radical Prostatectomy. <i>American Journal of Roentgenology</i> , 2015 , 205, 1208-14	5.4	38
178	Predicting the outcome of prostate biopsy: comparison of a novel logistic regression-based model, the prostate cancer risk calculator, and prostate-specific antigen level alone. <i>BJU International</i> , 2009 , 103, 609-14	5.6	38
177	Immunotherapy for renal cell carcinoma: the era of interleukin-2-based treatment. <i>Urology</i> , 1995 , 45, 911-24	1.6	37
176	Utility of diffusional kurtosis imaging as a marker of adverse pathologic outcomes among prostate cancer active surveillance candidates undergoing radical prostatectomy. <i>American Journal of Roentgenology</i> , 2013 , 201, 840-6	5.4	36
175	Evaluation of a novel precision template-guided biopsy system for detecting prostate cancer. <i>BJU International</i> , 2008 , 102, 546-50	5.6	36
174	Androgen receptor mutations identified in prostate cancer and androgen insensitivity syndrome display aberrant ART-27 coactivator function. <i>Molecular Endocrinology</i> , 2005 , 19, 2273-82		36
173	Significance of Pathologic T3a Upstaging in Clinical T1 Renal Masses Undergoing Nephrectomy. <i>Clinical Genitourinary Cancer</i> , 2015 , 13, 344-349	3.3	35
172	Prostate cancer: utility of diffusion-weighted imaging as a marker of side-specific risk of extracapsular extension. <i>Journal of Magnetic Resonance Imaging</i> , 2013 , 38, 312-9	5.6	34
171	Transperitoneal laparoscopic radical nephrectomy for large (more than 7 cm) renal masses. <i>Urology</i> , 2008 , 71, 421-4	1.6	34
170	Altered N-myc downstream-regulated gene 1 protein expression in African-American compared with caucasian prostate cancer patients. <i>Clinical Cancer Research</i> , 2004 , 10, 222-7	12.9	34
169	Prostate cancer: diffusion-weighted imaging versus dynamic-contrast enhanced imaging for tumor localization-a meta-analysis. <i>Journal of Computer Assisted Tomography</i> , 2013 , 37, 980-8	2.2	33
168	Risk Stratification by Urinary Prostate Cancer Gene 3 Testing Before Magnetic Resonance Imaging-Ultrasound Fusion-targeted Prostate Biopsy Among Men With No History of Biopsy. <i>Urology</i> , 2017 , 99, 174-179	1.6	32
167	Optimizing the Number of Cores Targeted During Prostate Magnetic Resonance Imaging Fusion Target Biopsy. <i>European Urology Oncology</i> , 2018 , 1, 418-425	6.7	31
166	The state of prostate MRI in 2013. <i>Oncology</i> , 2013 , 27, 262-70	1.8	31

165	Does suspicion of prostate cancer on integrated T2 and diffusion-weighted MRI predict more adverse pathology on radical prostatectomy?. <i>Urology</i> , 2013 , 81, 1279-83	1.6	30
164	Imaging and evaluation of patients with high-risk prostate cancer. <i>Nature Reviews Urology</i> , 2015 , 12, 617-28	5.5	28
163	Phase I/II study of biweekly paclitaxel and radiation in androgen-ablated locally advanced prostate cancer. <i>Journal of Clinical Oncology</i> , 2008 , 26, 2973-8	2.2	27
162	The Role of Ipsilateral and Contralateral Transrectal Ultrasound-guided Systematic Prostate Biopsy in Men With Unilateral Magnetic Resonance Imaging Lesion Undergoing Magnetic Resonance Imaging-ultrasound Fusion-targeted Prostate Biopsy. <i>Urology</i> , 2017 , 102, 178-182	1.6	26
161	A Comparison of Radiologists' and Urologists' Opinions Regarding Prostate MRI Reporting: Results From a Survey of Specialty Societies. <i>American Journal of Roentgenology</i> , 2018 , 210, 101-107	5.4	26
160	Androgen stimulated cellular proliferation in the human prostate cancer cell line LNCaP is associated with reduced retinoblastoma protein expression. <i>Journal of Cellular Biochemistry</i> , 2001 , 84, 188-99	4.7	26
159	Prediction of Prostate Cancer Risk Among Men Undergoing Combined MRI-targeted and Systematic Biopsy Using Novel Pre-biopsy Nomograms That Incorporate MRI Findings. <i>Urology</i> , 2018 , 112, 112-120	1.6	26
158	Discriminative Ability of Commonly Used Indexes to Predict Adverse Outcomes After Radical Cystectomy: Comparison of Demographic Data, American Society of Anesthesiologists, Modified Charlson Comorbidity Index, and Modified Frailty Index. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e843-e850	3.3	25
157	High-grade bladder cancer: association of the apparent diffusion coefficient with metastatic disease: preliminary results. <i>Journal of Magnetic Resonance Imaging</i> , 2012 , 35, 1478-83	5.6	25
156	Appropriate candidates for hemiablativ focal therapy are infrequently encountered among men selected for radical prostatectomy in contemporary cohort. <i>Urology</i> , 2009 , 73, 351-4; discussion 354-5	1.6	25
155	The continued debate: intermittent vs. continuous hormonal ablation for metastatic prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2009 , 27, 81-6	2.8	25
154	Use of fibrin glue and gelfoam to repair collecting system injuries in a porcine model: implications for the technique of laparoscopic partial nephrectomy. <i>Journal of Endourology</i> , 2003 , 17, 799-804	2.7	24
153	Re: Safety and activity of anti-PD-L1 antibody in patients with advanced cancer. <i>Journal of Urology</i> , 2012 , 188, 2148-9	2.5	23
152	Imaging in the diagnosis and management of prostate cancer. <i>Reviews in Urology</i> , 2004 , 6, 101-13	1	23
151	Likert score 3 prostate lesions: Association between whole-lesion ADC metrics and pathologic findings at MRI/ultrasound fusion targeted biopsy. <i>Journal of Magnetic Resonance Imaging</i> , 2016 , 43, 325-32	5.6	23
150	Followup interval prostate biopsy 3 years after diagnosis of high grade prostatic intraepithelial neoplasia is associated with high likelihood of prostate cancer, independent of change in prostate specific antigen levels. <i>Journal of Urology</i> , 2002 , 168, 1415-8	2.5	23
149	Prostate MRI can reduce overdiagnosis and overtreatment of prostate cancer. <i>Academic Radiology</i> , 2015 , 22, 1000-6	4.3	22
148	Multiparametric MRI and targeted prostate biopsy: Improvements in cancer detection, localization, and risk assessment. <i>Central European Journal of Urology</i> , 2016 , 69, 9-18	0.9	22

147	Impact of size of region-of-interest on differentiation of renal cell carcinoma and renal cysts on multi-phase CT: preliminary findings. <i>European Journal of Radiology</i> , 2014 , 83, 239-44	4.7	21
146	T2-weighted prostate MRI at 7 Tesla using a simplified external transmit-receive coil array: correlation with radical prostatectomy findings in two prostate cancer patients. <i>Journal of Magnetic Resonance Imaging</i> , 2015 , 41, 226-32	5.6	21
145	Utility of MRI features in differentiation of central renal cell carcinoma and renal pelvic urothelial carcinoma. <i>American Journal of Roentgenology</i> , 2013 , 201, 1260-7	5.4	21
144	High temporal resolution 3D gadolinium-enhanced dynamic MR imaging of renal tumors with pharmacokinetic modeling: preliminary observations. <i>Journal of Magnetic Resonance Imaging</i> , 2013 , 38, 802-8	5.6	21
143	Genome-wide impact of androgen receptor trapped clone-27 loss on androgen-regulated transcription in prostate cancer cells. <i>Cancer Research</i> , 2009 , 69, 3140-7	10.1	21
142	Prediction of growth rate of solid renal masses: utility of MR imaging features--preliminary experience. <i>Radiology</i> , 2012 , 262, 884-93	20.5	21
141	Toremifene--a promising therapy for the prevention of prostate cancer and complications of androgen deprivation therapy. <i>Expert Opinion on Investigational Drugs</i> , 2006 , 15, 293-305	5.9	21
140	A Phase I/II study of weekly paclitaxel and 3 days of high dose oral estramustine in patients with hormone-refractory prostate carcinoma. <i>Cancer</i> , 2001 , 91, 2039-2045	6.4	21
139	T2-weighted imaging of the prostate: Impact of the BLADE technique on image quality and tumor assessment. <i>Abdominal Imaging</i> , 2015 , 40, 552-9		20
138	Histopathologic and clinical features of vesical diverticula. <i>Urology</i> , 2013 , 82, 142-7	1.6	20
137	Dynamic contrast-enhanced MRI of the prostate: An intraindividual assessment of the effect of temporal resolution on qualitative detection and quantitative analysis of histopathologically proven prostate cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2017 , 45, 1464-1475	5.6	20
136	Laterality alone should not drive selection of candidates for hemi-ablative focal therapy. <i>Journal of Urology</i> , 2009 , 181, 1082-9; discussion 1089-90	2.5	20
135	Differences in clinicopathologic features of prostate cancer between black and white patients treated in the 1990s and 2000s. <i>Urology</i> , 2006 , 67, 120-4	1.6	20
134	Complexed prostate-specific antigen as a staging tool: results based on a multicenter prospective evaluation of complexed prostate-specific antigen in cancer diagnosis. <i>Urology</i> , 2002 , 60, 10-7	1.6	20
133	Chemoprevention trials in men with prostate-specific antigen failure or at high risk for recurrence after radical prostatectomy: Application to efficacy assessment of soy protein. <i>Urology</i> , 2001 , 57, 202-4	1.6	20
132	Comparison of Magnetic Resonance Imaging and Transrectal Ultrasound Informed Prostate Biopsy for Prostate Cancer Diagnosis in Biopsy Naïve Men: A Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , 2020 , 203, 1085-1093	2.5	20
131	Robot-assisted laparoscopic partial nephrectomy. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2005 , 9, 83-6	2.2	19
130	Adoption of an integrated radiology reading room within a urologic oncology clinic: initial experience in facilitating clinician consultations. <i>Journal of the American College of Radiology</i> , 2014 , 11, 496-500	3.5	18

129	Clinicopathologic outcomes of cystic renal cell carcinoma. <i>Clinical Genitourinary Cancer</i> , 2015 , 13, 67-70	3.3	18
128	Long-term follow-up of men with isolated high-grade prostatic intra-epithelial neoplasia followed by serial delayed interval biopsy. <i>Urology</i> , 2011 , 77, 669-74	1.6	18
127	Candidate selection for prostate cancer focal therapy. <i>Journal of Endourology</i> , 2010 , 24, 835-41	2.7	18
126	Impact of discordant radiologic and pathologic tumor size on renal cancer staging. <i>Urology</i> , 2006 , 68, 728-31	1.6	18
125	Malignant epithelioid angiosarcoma of the external iliac vein presenting as venous thrombosis. <i>Annals of Vascular Surgery</i> , 2004 , 18, 493-6	1.7	18
124	High Response Rates to Neoadjuvant Chemotherapy in High-Grade Upper Tract Urothelial Carcinoma. <i>Urology</i> , 2019 , 129, 146-152	1.6	17
123	Imaging of prostate cancer: a platform for 3D co-registration of in-vivo MRI ex-vivo MRI and pathology. <i>Proceedings of SPIE</i> , 2012 , 8316, 83162M	1.7	17
122	Angiomyolipoma with epithelial cysts: mimic of renal cell carcinoma. <i>Clinical Imaging</i> , 2010 , 34, 65-8	2.7	17
121	Squamous cell carcinoma of the prostate. <i>Reviews in Urology</i> , 2011 , 13, 56-60	1	17
120	Imaging the High-risk Prostate Cancer Patient: Current and Future Approaches to Staging. <i>Urology</i> , 2018 , 116, 3-12	1.6	16
119	Maximal testosterone suppression in prostate cancer--free vs total testosterone. <i>Urology</i> , 2014 , 83, 1217-22	2.8	16
118	Reduced Field-of-View Diffusion-Weighted Magnetic Resonance Imaging of the Prostate at 3 Tesla: Comparison With Standard Echo-Planar Imaging Technique for Image Quality and Tumor Assessment. <i>Journal of Computer Assisted Tomography</i> , 2017 , 41, 949-956	2.2	16
117	Transcriptional regulation of the androgen receptor cofactor androgen receptor trapped clone-27. <i>Molecular Endocrinology</i> , 2007 , 21, 2864-76		16
116	Complex cystic renal masses: comparison of cyst complexity and Bosniak classification between 1.5 T and 3 T MRI. <i>European Journal of Radiology</i> , 2014 , 83, 503-8	4.7	15
115	Using multiparametric MRI to personalize biopsy for men. <i>Current Opinion in Urology</i> , 2015 , 25, 498-503	2.8	15
114	Use of a Quality Improvement Initiative to Achieve Consistent Reporting of Level of Suspicion for Tumor on Multiparametric Prostate MRI. <i>American Journal of Roentgenology</i> , 2016 , 206, 1040-4	5.4	15
113	Clinical evaluation of a novel method for the measurement of prostate-specific antigen, AccuPSA(TM) , as a predictor of 5-year biochemical recurrence-free survival after radical prostatectomy: results of a pilot study. <i>BJU International</i> , 2012 , 109, 1770-5	5.6	14
112	The effect of changes in Medicare reimbursement on the practice of office and hospital-based endoscopic surgery for bladder cancer. <i>Cancer</i> , 2010 , 116, 1264-71	6.4	14

111	Impact of socioeconomic factors on prostate cancer outcomes in black patients treated with surgery. <i>Urology</i> , 2008 , 72, 641-6	1.6	14
110	Lymph node dissection during the surgical treatment of renal cancer in the modern era. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2008 , 34, 132-42	2	14
109	Prostate-specific antigen velocity accurately predicts response to salvage radiotherapy in men with biochemical relapse after radical prostatectomy. <i>Urology</i> , 2005 , 65, 942-6	1.6	14
108	Focal therapy: a new paradigm for the treatment of prostate cancer. <i>Reviews in Urology</i> , 2009 , 11, 203-12		14
107	Apparent Diffusion Coefficient Values of Prostate Cancer: Comparison of 2D and 3D ROIs. <i>American Journal of Roentgenology</i> , 2018 , 210, 113-117	5.4	13
106	The role of MRI in prostate cancer diagnosis and management. <i>Future Oncology</i> , 2016 , 12, 2431-2443	3.6	13
105	Predicting Benign Prostate Pathology on Magnetic Resonance Imaging/Ultrasound Fusion Biopsy in Men with a Prior Negative 12-core Systematic Biopsy: External Validation of a Prognostic Nomogram. <i>European Urology Focus</i> , 2019 , 5, 815-822	5.1	13
104	Testosterone in prostate cancer: the Bethesda consensus. <i>BJU International</i> , 2012 , 110, 344-52	5.6	13
103	3.0 T multiparametric prostate MRI using pelvic phased-array coil: utility for tumor detection prior to biopsy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 1430-5	2.8	13
102	The role of whole-lesion apparent diffusion coefficient analysis for predicting outcomes of prostate cancer patients on active surveillance. <i>Abdominal Radiology</i> , 2017 , 42, 2340-2345	3	12
101	Novel Use of Fluorescence Lymphangiography During Robotic Groin Dissection for Penile Cancer. <i>Urology</i> , 2017 , 107, 267	1.6	12
100	Association between changes in suspicious prostate lesions on serial MRI examinations and follow-up biopsy results. <i>Clinical Imaging</i> , 2015 , 39, 264-9	2.7	12
99	Practical Barriers to Obtaining Pre-Biopsy Prostate MRI: Assessment in Over 1,500 Consecutive Men Undergoing Prostate Biopsy in a Single Urologic Practice. <i>Urologia Internationalis</i> , 2016 , 97, 247-8	1.9	11
98	Prostate-specific antigen testing and prostate cancer screening. <i>Primary Care - Clinics in Office Practice</i> , 2010 , 37, 441-59, vii	2.2	11
97	Can volume measurement of the prostate enhance the performance of complexed prostate-specific antigen?. <i>Urology</i> , 2002 , 60, 36-41	1.6	11
96	Online Interactive Case-Based Instruction in Prostate Magnetic Resonance Imaging Interpretation Using Prostate Imaging and Reporting Data System Version 2: Effect for Novice Readers. <i>Current Problems in Diagnostic Radiology</i> , 2019 , 48, 132-141	1.6	11
95	Assessment of prostate cancer aggressiveness using apparent diffusion coefficient values: impact of patient race and age. <i>Abdominal Radiology</i> , 2017 , 42, 1744-1751	3	10
94	Renal masses measuring under 2 cm: pathologic outcomes and associations with MRI features. <i>European Journal of Radiology</i> , 2014 , 83, 1311-6	4.7	10

93	Partial nephrectomy: contemporary outcomes, candidate selection, and surgical approach. <i>Urologic Clinics of North America</i> , 2012 , 39, 199-210, vii	2.9	10
92	Impact of race on survival in patients with clinically nonmetastatic prostate cancer who deferred primary treatment. <i>Cancer</i> , 2012 , 118, 3145-52	6.4	10
91	Prostate MR Imaging: An Update. <i>Radiologic Clinics of North America</i> , 2017 , 55, 303-320	2.3	9
90	A multicentre randomised controlled trial assessing whether MRI-targeted biopsy is non-inferior to standard transrectal ultrasound guided biopsy for the diagnosis of clinically significant prostate cancer in men without prior biopsy: a study protocol. <i>BMJ Open</i> , 2017 , 7, e017863	3	9
89	Quantitative graphical analysis of simultaneous dynamic PET/MRI for assessment of prostate cancer. <i>Clinical Nuclear Medicine</i> , 2015 , 40, e236-40	1.7	9
88	Pilot study of a novel tool for input-free automated identification of transition zone prostate tumors using T2- and diffusion-weighted signal and textural features. <i>Journal of Magnetic Resonance Imaging</i> , 2014 , 40, 301-5	5.6	9
87	Prostate biopsy: targeting cancer for detection and therapy. <i>Reviews in Urology</i> , 2006 , 8, 173-82	1	9
86	Renal involvement by chronic myelomonocytic leukemia requiring nephroureterectomy. <i>Reviews in Urology</i> , 2009 , 11, 33-7	1	9
85	Prediagnostic Risk Assessment with Prostate MRI and MRI-Targeted Biopsy. <i>Urologic Clinics of North America</i> , 2017 , 44, 535-546	2.9	8
84	Volume indexes of total, free, and complexed prostate-specific antigen enhance prediction of extraprostatic disease extension in men with nonpalpable prostate cancer. <i>Urology</i> , 2003 , 62, 1058-62	1.6	8
83	Role of prostate magnetic resonance imaging in active surveillance. <i>Translational Andrology and Urology</i> , 2017 , 6, 444-452	2.3	7
82	Use of Reduced Field-of-View Acquisition to Improve Prostate Cancer Visualization on Diffusion-Weighted Magnetic Resonance Imaging in the Presence of Hip Implants: Report of 2 Cases. <i>Current Problems in Diagnostic Radiology</i> , 2018 , 47, 125-127	1.6	7
81	Prostate Cancers Detected by Magnetic Resonance Imaging-Targeted Biopsies Have a Higher Percentage of Gleason Pattern 4 Component and Are Less Likely to Be Upgraded in Radical Prostatectomies. <i>Archives of Pathology and Laboratory Medicine</i> , 2019 , 143, 86-91	5	7
80	Influence of renal biopsy results on the management of small kidney cancers in older patients: Results from a population-based cohort. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 604.e1-604.e9	2.8	7
79	Commentary regarding a recent collaborative consensus statement addressing prostate MRI and MRI-targeted biopsy in patients with a prior negative prostate biopsy. <i>Abdominal Radiology</i> , 2017 , 42, 346-349	3	7
78	Detection of prostate cancer local recurrence following radical prostatectomy: assessment using a continuously acquired radial golden-angle compressed sensing acquisition. <i>Abdominal Radiology</i> , 2017 , 42, 290-297	3	7
77	Comparison of CT-based methodologies for detection of growth of solid renal masses on active surveillance. <i>American Journal of Roentgenology</i> , 2012 , 199, 373-8	5.4	7
76	Prospects for gene therapy in human prostate cancer. <i>Trends in Molecular Medicine</i> , 1998 , 4, 494-504		7

75	Investigation of Multisequence Magnetic Resonance Imaging for Detection of Recurrent Tumor After Transurethral Resection for Bladder Cancer. <i>Journal of Computer Assisted Tomography</i> , 2016 , 40, 201-5	2.2	7
74	Role of MRI prebiopsy in men at risk for prostate cancer: taking off the blindfold. <i>Current Opinion in Urology</i> , 2017 , 27, 246-253	2.8	6
73	Implementation of Multi-parametric Prostate MRI in Clinical Practice. <i>Current Urology Reports</i> , 2015 , 16, 56	2.9	6
72	Appropriate Use Criteria for Imaging Evaluation of Biochemical Recurrence of Prostate Cancer After Definitive Primary Treatment. <i>Journal of Nuclear Medicine</i> , 2020 , 61, 552-562	8.9	6
71	A prospective comparative analysis of the accuracy of HistoScanning and multiparametric magnetic resonance imaging in the localization of prostate cancer among men undergoing radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 3.e1-8	2.8	6
70	Beyond transrectal ultrasound-guided prostate biopsies: available techniques and approaches. <i>World Journal of Urology</i> , 2019 , 37, 419-427	4	6
69	3D Registration of mpMRI for Assessment of Prostate Cancer Focal Therapy. <i>Academic Radiology</i> , 2017 , 24, 1544-1555	4.3	6
68	Is surveillance of small renal masses safe in the elderly?. <i>BJU International</i> , 2010 , 105, 1098-101	5.6	6
67	Creation of urinary stoma before abdominal wall transposition of ileal conduit improves stomal protrusion, eversion, and symmetry. <i>Urology</i> , 2009 , 73, 893-5	1.6	6
66	A phase I study of paclitaxel, estramustine phosphate and vinorelbine (Pacl-E-Vin) in advanced malignancies: triple tubulin targeting. <i>Anti-Cancer Drugs</i> , 2003 , 14, 67-72	2.4	6
65	Preoperative renal tumor evaluation by three-dimensional magnetic resonance imaging: Staging and detection of multifocality. <i>Urology</i> , 2004 , 64, 453-7	1.6	6
64	Pembrolizumab (pembro) in combination with gemcitabine (Gem) and concurrent hypofractionated radiation therapy (RT) as bladder sparing treatment for muscle-invasive urothelial cancer of the bladder (MIBC): A multicenter phase 2 trial.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 4504-4504	2.2	6
63	HistoScanning to Detect and Characterize Prostate Cancer-a Review of Existing Literature. <i>Current Urology Reports</i> , 2017 , 18, 97	2.9	5
62	Different models for prediction of radical cystectomy postoperative complications and care pathways. <i>Therapeutic Advances in Urology</i> , 2019 , 11, 1756287219875587	3.2	5
61	MRI-fusion biopsy: the contemporary experience. <i>Translational Andrology and Urology</i> , 2017 , 6, 483-489	2.3	5
60	Simplified reconstruction after laparoscopic partial nephrectomy using a single-pass suturing technique. <i>Journal of Endourology</i> , 2009 , 23, 589-91; discussion 591-2	2.7	5
59	Volume-specific cutoffs are necessary for reproducible application of prostate-specific antigen density of the transition zone in prostate cancer detection. <i>Urology</i> , 2001 , 58, 222-7	1.6	5
58	The ultrasound characteristics of regions identified as suspicious by magnetic resonance imaging (MRI) predict the likelihood of clinically significant cancer on MRI-ultrasound fusion-targeted biopsy. <i>BJU International</i> , 2019 , 123, 439-446	5.6	5

57	Effect of Malnutrition on Radical Nephroureterectomy Morbidity and Mortality: Opportunity for Preoperative Optimization. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e807-e815	3.3	4
56	Integrating MRI for the diagnosis of prostate cancer. <i>Current Opinion in Urology</i> , 2016 , 26, 466-71	2.8	4
55	MP67-14 PREDICTIVE VALUE OF NEGATIVE 3T MULTIPARAMETRIC PROSTATE MRI ON 12 CORE BIOPSY RESULTS. <i>Journal of Urology</i> , 2014 , 191,	2.5	4
54	Laparoscopic and open partial nephrectomy: frequency and long-term follow-up of postoperative collections. <i>Radiology</i> , 2010 , 255, 476-84	20.5	4
53	Laparoscopic partial nephrectomy: technique and outcomes. <i>Current Urology Reports</i> , 2010 , 11, 1-7	2.9	4
52	Development of a Novel Prognostic Risk Score for Predicting Complications of Penectomy in the Surgical Management of Penile Cancer. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e123-e129	3.3	4
51	Application of the PRECISION Trial Biopsy Strategy to a Contemporary Magnetic Resonance Imaging-Targeted Biopsy Cohort-How Many Clinically Significant Prostate Cancers are Missed?. <i>Journal of Urology</i> , 2021 , 205, 740-747	2.5	4
50	Re: MRI-Targeted or Standard Biopsy for Prostate-Cancer Diagnosis. <i>Journal of Urology</i> , 2018 , 200, 697-699		3
49	Focal therapy for prostate cancer - where are we in 2011?. <i>Therapeutic Advances in Urology</i> , 2011 , 3, 183-92		3
48	Magnetic resonance imaging in prostate cancer. <i>Translational Andrology and Urology</i> , 2017 , 6, 343-344	2.3	3
47	A workflow to generate patient-specific three-dimensional augmented reality models from medical imaging data and example applications in urologic oncology. <i>3D Printing in Medicine</i> , 2021 , 7, 34	5	3
46	Optimization of prostate biopsy - Micro-Ultrasound versus MRI (OPTIMUM): A 3-arm randomized controlled trial evaluating the role of 29 MHz micro-ultrasound in guiding prostate biopsy in men with clinical suspicion of prostate cancer. <i>Contemporary Clinical Trials</i> , 2021 , 112, 106618	2.3	3
45	MP53-11 A PRE-BIOPSY NOMOGRAM FOR PREDICTION OF THE RISK OF GLEASON SCORE = 7 PROSTATE CANCER ON COMBINED MRI-US FUSION TARGETED AND SYSTEMATIC PROSTATE BIOPSY AMONG MEN WITH NO PREVIOUS BIOPSY. <i>Journal of Urology</i> , 2016 , 195,	2.5	3
44	Re: Prostate Cancer Incidence and PSA Testing Patterns in Relation to USPSTF Screening Recommendations. <i>Journal of Urology</i> , 2016 , 195, 926-7	2.5	3
43	Making a case "for" focal therapy of the prostate in intermediate risk prostate cancer: current perspective and ongoing trials. <i>World Journal of Urology</i> , 2021 , 39, 729-739	4	3
42	Re: Follow-up of Prostatectomy versus Observation for Early Prostate Cancer. <i>Journal of Urology</i> , 2018 , 199, 342-343	2.5	2
41	Reply. <i>Urology</i> , 2018 , 112, 120	1.6	2
40	MP86-03 PREDICTION OF OVERALL AND CLINICALLY SIGNIFICANT CANCER RISK ON MRI-TARGETED AND SYSTEMATIC PROSTATE BIOPSY USING PREBIOPSY NOMOGRAMS. <i>Journal of Urology</i> , 2015 , 193,	2.5	2

39	Re: Padelporfin Vascular-Targeted Photodynamic Therapy versus Active Surveillance in Men with Low-Risk Prostate Cancer (CLIN1001 PCM301): An Open-Label, Phase 3, Randomised Controlled Trial. <i>Journal of Urology</i> , 2017 , 198, 255-257	2.5	2
38	Phytoestrogens and prostate cancer: possible preventive role. <i>Medical Journal of Australia</i> , 1998 , 168, 467	4	2
37	Utilization of focal therapy for patients discontinuing active surveillance of prostate cancer: Recommendations of an international Delphi consensus. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 781.e17-781.e24	2.8	2
36	Association Between Multiparametric Magnetic Resonance Imaging of the Prostate and Oncological Outcomes after Primary Treatment for Prostate Cancer: A Systematic Review and Meta-analysis. <i>European Urology Oncology</i> , 2021 , 4, 519-528	6.7	2
35	Re: Patient-Reported Outcomes after Monitoring, Surgery, or Radiotherapy for Prostate Cancer. <i>Journal of Urology</i> , 2017 , 197, 1265-1266	2.5	1
34	Re: Diagnostic Accuracy of Multi-Parametric MRI and TRUS Biopsy in Prostate Cancer (PROMIS): A Paired Validating Confirmatory Study. <i>Journal of Urology</i> , 2017 , 198, 101-102	2.5	1
33	Re: Diffusion-weighted MR imaging in early assessment of tumor response to radiotherapy in high-risk prostate cancer. <i>Journal of Urology</i> , 2015 , 193, 539-40	2.5	1
32	Recent Developments in Multiparametric Prostate MR Imaging. <i>Current Radiology Reports</i> , 2014 , 2, 1	0.5	1
31	Evolving treatment paradigms for renal cancer. <i>Urologic Clinics of North America</i> , 2012 , 39, xiii-xiv	2.9	1
30	Re: Radical Prostatectomy Versus Observation for Localized Prostate Cancer. <i>Journal of Urology</i> , 2013 , 189, 122-123	2.5	1
29	Unilateral Adenocarcinoma and High-Grade Prostatic Intraepithelial Neoplasia in Prostatectomies: Possible Implication for Patient Care. <i>American Journal of Clinical Pathology</i> , 2012 , 138, A110-A110	1.9	1
28	Refining the gold standard--can we do better with serum prostate specific antigen in the detection of prostate cancer?. <i>Journal of Urology</i> , 1997 , 157, 1752-3	2.5	1
27	Words of wisdom. Re: Age adjusted prostate specific antigen and prostate specific antigen velocity cut points in prostate cancer screening. <i>European Urology</i> , 2007 , 52, 607	10.2	1
26	Optimizing prostate biopsy strategies for the diagnosis of prostate cancer. <i>Reviews in Urology</i> , 2003 , 5, 149-55	1	1
25	ACR Stakeholder Prostate Summit. <i>Journal of the American College of Radiology</i> , 2020 , 17, 1068-1070	3.5	1
24	Focal Therapy for Prostate Cancer 2016 , 563-577		1
23	Re: Nanoparticle-Enabled Selective Destruction of Prostate Tumor Using MRI-Guided Focal Photothermal Therapy. <i>Journal of Urology</i> , 2016 , 196, 1819	2.5	1
22	Grading variability of urothelial carcinoma: experience from a single academic medical center. <i>Canadian Journal of Urology</i> , 2014 , 21, 7374-8	0.8	1

21	Re: Prostate Cancer Detection with Magnetic Resonance-Ultrasound Fusion Biopsy: The Role of Systematic and Targeted Biopsies. <i>Journal of Urology</i> , 2016 , 196, 101-2	2.5	0
20	Followup of Men with PI-RADS 4 or 5 Abnormality on Prostate Magnetic Resonance Imaging and Nonmalignant Pathological Findings on Initial Targeted Prostate Biopsy. <i>Journal of Urology</i> , 2021 , 205, 748-754	2.5	0
19	Re: Moderate Hypofractionation in High-Risk, Organ-Confined Prostate Cancer: Final Results of a Phase III Randomized Trial. <i>Journal of Urology</i> , 2018 , 199, 609-610	2.5	
18	Re: Gleason Misclassification Rate is Independent of Number of Biopsy Cores in Systematic Biopsy. <i>Journal of Urology</i> , 2016 , 196, 413-4	2.5	
17	Re: Effect of a Low-Intensity PSA-Based Screening Intervention on Prostate Cancer Mortality: The CAP Randomized Clinical Trial. <i>Journal of Urology</i> , 2018 , 200, 699	2.5	
16	Evaluation and Treatment for Older Men with Elevated PSA 2018 , 21-41		
15	Re: docetaxel and atrasentan versus docetaxel and placebo for men with advanced castration-resistant prostate cancer (SWOG S0421): a randomised phase 3 trial. <i>Journal of Urology</i> , 2014 , 191, 656	2.5	
14	Specialty Imaging: Genitourinary Oncology Shaaban A.M., Blodgett T.M., Rezvani M. and Bauer D.: Specialty Imaging: Genitourinary Oncology. Philadelphia: Lippicott Williams & Wilkins 2010. 148 pages.. <i>Journal of Urology</i> , 2012 , 187, 769-769	2.5	
13	Positive surgical margins at radical prostatectomy: do they really matter?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2010 , 28, 195-6	2.8	
12	Proceeding of the 2009 Society of Urologic Oncology Spring Meeting. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2010 , 28, 541	2.8	
11	Urologic Imaging 2020 , 201-256		
10	Controversies in Prostate Cancer Diagnosis and Management 2021 , 163-184		
9	Management of prostate cancer: NYU Case of the Month, July 2017. <i>Reviews in Urology</i> , 2017 , 19, 180-184		
8	Transperineal Saturation Prostate Biopsy: NYU Case of the Month, March 2019. <i>Reviews in Urology</i> , 2019 , 21, 35-40	1	
7	Reply by Authors. <i>Journal of Urology</i> , 2020 , 203, 1093	2.5	
6	Multiparametric MRI of the Prostate as a Tool for Prostate Cancer Detection, Localization, and Risk Assessment 2016 , 107-126		
5	AUTHORS REPLY. <i>Central European Journal of Urology</i> , 2016 , 69, 24	0.9	
4	Selection Criteria for Prostate Cancer Focal Therapy 29-36		

- 3 Followup of Men with PI-RADS 4 or 5 Abnormality on Prostate Magnetic Resonance Imaging and Nonmalignant Pathological Findings on Initial Targeted Prostate Biopsy. Reply. *Journal of Urology*, **2021**, 205, 1528-1529 2.5
- 2 Editorial Comment. *Journal of Urology*, **2018**, 200, 792 2.5
- 1 Correction of prostate-specific antigen velocity for variation may improve prediction of cancer following prostate repeat biopsy. *Canadian Journal of Urology*, **2009**, 16, 4655-9 0.8