

# Samir S Taneja

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7606303/samir-s-taneja-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

254  
papers

10,868  
citations

54  
h-index

96  
g-index

310  
ext. papers

12,828  
ext. citations

3.9  
avg, IF

6.29  
L-index

#	Paper	IF	Citations
254	Controversies in Prostate Cancer Diagnosis and Management <b>2021</b> , 163-184		
253	A workflow to generate patient-specific three-dimensional augmented reality models from medical imaging data and example applications in urologic oncology. <i>3D Printing in Medicine</i> , <b>2021</b> , 7, 34	5	3
252	Optimization of prostate biopsy - Micro-Ultrasound versus MRI (OPTIMUM): A 3-arm randomized controlled trial evaluating the role of 29 MHz micro-ultrasound in guiding prostate biopsy in men with clinical suspicion of prostate cancer. <i>Contemporary Clinical Trials</i> , <b>2021</b> , 112, 106618	2.3	3
251	Followup of Men with PI-RADS 4 or 5 Abnormality on Prostate Magnetic Resonance Imaging and Nonmalignant Pathological Findings on Initial Targeted Prostate Biopsy. <i>Journal of Urology</i> , <b>2021</b> , 205, 748-754	2.5	0
250	Utilization of focal therapy for patients discontinuing active surveillance of prostate cancer: Recommendations of an international Delphi consensus. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2021</b> , 39, 781.e17-781.e24	2.8	2
249	Followup of Men with PI-RADS 4 or 5 Abnormality on Prostate Magnetic Resonance Imaging and Nonmalignant Pathological Findings on Initial Targeted Prostate Biopsy. Reply. <i>Journal of Urology</i> , <b>2021</b> , 205, 1528-1529	2.5	
248	Pembrolizumab (pembro) in combination with gemcitabine (Gem) and concurrent hypofractionated radiation therapy (RT) as bladder sparing treatment for muscle-invasive urothelial cancer of the bladder (MIBC): A multicenter phase 2 trial.. <i>Journal of Clinical Oncology</i> , <b>2021</b> , 39, 4504-4504	2.2	6
247	Application of the PRECISION Trial Biopsy Strategy to a Contemporary Magnetic Resonance Imaging-Targeted Biopsy Cohort-How Many Clinically Significant Prostate Cancers are Missed?. <i>Journal of Urology</i> , <b>2021</b> , 205, 740-747	2.5	4
246	Association Between Multiparametric Magnetic Resonance Imaging of the Prostate and Oncological Outcomes after Primary Treatment for Prostate Cancer: A Systematic Review and Meta-analysis. <i>European Urology Oncology</i> , <b>2021</b> , 4, 519-528	6.7	2
245	Making a case "for" focal therapy of the prostate in intermediate risk prostate cancer: current perspective and ongoing trials. <i>World Journal of Urology</i> , <b>2021</b> , 39, 729-739	4	3
244	Appropriate Use Criteria for Imaging Evaluation of Biochemical Recurrence of Prostate Cancer After Definitive Primary Treatment. <i>Journal of Nuclear Medicine</i> , <b>2020</b> , 61, 552-562	8.9	6
243	Urologic Imaging <b>2020</b> , 201-256		
242	Reply by Authors. <i>Journal of Urology</i> , <b>2020</b> , 203, 1093	2.5	
241	Comparison of Magnetic Resonance Imaging and Transrectal Ultrasound Informed Prostate Biopsy for Prostate Cancer Diagnosis in Biopsy Naïve Men: A Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , <b>2020</b> , 203, 1085-1093	2.5	20
240	Update of the Standard Operating Procedure on the Use of Multiparametric Magnetic Resonance Imaging for the Diagnosis, Staging and Management of Prostate Cancer. <i>Journal of Urology</i> , <b>2020</b> , 203, 706-712	2.5	72
239	ACR Stakeholder Prostate Summit. <i>Journal of the American College of Radiology</i> , <b>2020</b> , 17, 1068-1070	3.5	1
238	Multiparametric MRI for prostate cancer diagnosis: current status and future directions. <i>Nature Reviews Urology</i> , <b>2020</b> , 17, 41-61	5.5	82

237	Variability of the Positive Predictive Value of PI-RADS for Prostate MRI across 26 Centers: Experience of the Society of Abdominal Radiology Prostate Cancer Disease-focused Panel. <i>Radiology</i> , <b>2020</b> , 296, 76-84	20.5	78
236	Different models for prediction of radical cystectomy postoperative complications and care pathways. <i>Therapeutic Advances in Urology</i> , <b>2019</b> , 11, 1756287219875587	3.2	5
235	High Response Rates to Neoadjuvant Chemotherapy in High-Grade Upper Tract Urothelial Carcinoma. <i>Urology</i> , <b>2019</b> , 129, 146-152	1.6	17
234	Patient-specific 3D printed and augmented reality kidney and prostate cancer models: impact on patient education. <i>3D Printing in Medicine</i> , <b>2019</b> , 5, 4	5	60
233	Predicting Benign Prostate Pathology on Magnetic Resonance Imaging/Ultrasound Fusion Biopsy in Men with a Prior Negative 12-core Systematic Biopsy: External Validation of a Prognostic Nomogram. <i>European Urology Focus</i> , <b>2019</b> , 5, 815-822	5.1	13
232	Beyond transrectal ultrasound-guided prostate biopsies: available techniques and approaches. <i>World Journal of Urology</i> , <b>2019</b> , 37, 419-427	4	6
231	Prostate Cancers Detected by Magnetic Resonance Imaging-Targeted Biopsies Have a Higher Percentage of Gleason Pattern 4 Component and Are Less Likely to Be Upgraded in Radical Prostatectomies. <i>Archives of Pathology and Laboratory Medicine</i> , <b>2019</b> , 143, 86-91	5	7
230	Transperineal Saturation Prostate Biopsy: NYU Case of the Month, March 2019. <i>Reviews in Urology</i> , <b>2019</b> , 21, 35-40	1	
229	The ultrasound characteristics of regions identified as suspicious by magnetic resonance imaging (MRI) predict the likelihood of clinically significant cancer on MRI-ultrasound fusion-targeted biopsy. <i>BJU International</i> , <b>2019</b> , 123, 439-446	5.6	5
228	Development of a Novel Prognostic Risk Score for Predicting Complications of Penectomy in the Surgical Management of Penile Cancer. <i>Clinical Genitourinary Cancer</i> , <b>2019</b> , 17, e123-e129	3.3	4
227	Online Interactive Case-Based Instruction in Prostate Magnetic Resonance Imaging Interpretation Using Prostate Imaging and Reporting Data System Version 2: Effect for Novice Readers. <i>Current Problems in Diagnostic Radiology</i> , <b>2019</b> , 48, 132-141	1.6	11
226	Effect of Malnutrition on Radical Nephroureterectomy Morbidity and Mortality: Opportunity for Preoperative Optimization. <i>Clinical Genitourinary Cancer</i> , <b>2018</b> , 16, e807-e815	3.3	4
225	Re: Follow-up of Prostatectomy versus Observation for Early Prostate Cancer. <i>Journal of Urology</i> , <b>2018</b> , 199, 342-343	2.5	2
224	Re: Moderate Hypofractionation in High-Risk, Organ-Confined Prostate Cancer: Final Results of a Phase III Randomized Trial. <i>Journal of Urology</i> , <b>2018</b> , 199, 609-610	2.5	
223	Reply. <i>Urology</i> , <b>2018</b> , 112, 120	1.6	2
222	Imaging Facilities Adherence to PI-RADS v2 Minimum Technical Standards for the Performance of Prostate MRI. <i>Academic Radiology</i> , <b>2018</b> , 25, 188-195	4.3	42
221	Discriminative Ability of Commonly Used Indexes to Predict Adverse Outcomes After Radical Cystectomy: Comparison of Demographic Data, American Society of Anesthesiologists, Modified Charlson Comorbidity Index, and Modified Frailty Index. <i>Clinical Genitourinary Cancer</i> , <b>2018</b> , 16, e843-e850	3.3	25
220	Imaging the High-risk Prostate Cancer Patient: Current and Future Approaches to Staging. <i>Urology</i> , <b>2018</b> , 116, 3-12	1.6	16

219	MRI-Targeted or Standard Biopsy for Prostate-Cancer Diagnosis. <i>New England Journal of Medicine</i> , <b>2018</b> , 378, 1767-1777	59.2	1250
218	Use of Reduced Field-of-View Acquisition to Improve Prostate Cancer Visualization on Diffusion-Weighted Magnetic Resonance Imaging in the Presence of Hip Implants: Report of 2 Cases. <i>Current Problems in Diagnostic Radiology</i> , <b>2018</b> , 47, 125-127	1.6	7
217	Apparent Diffusion Coefficient Values of Prostate Cancer: Comparison of 2D and 3D ROIs. <i>American Journal of Roentgenology</i> , <b>2018</b> , 210, 113-117	5.4	13
216	A Comparison of Radiologists' and Urologists' Opinions Regarding Prostate MRI Reporting: Results From a Survey of Specialty Societies. <i>American Journal of Roentgenology</i> , <b>2018</b> , 210, 101-107	5.4	26
215	Re: MRI-Targeted or Standard Biopsy for Prostate-Cancer Diagnosis. <i>Journal of Urology</i> , <b>2018</b> , 200, 697-699	2.9	3
214	Re: Effect of a Low-Intensity PSA-Based Screening Intervention on Prostate Cancer Mortality: The CAP Randomized Clinical Trial. <i>Journal of Urology</i> , <b>2018</b> , 200, 699	2.5	
213	Evaluation and Treatment for Older Men with Elevated PSA <b>2018</b> , 21-41		
212	Prediction of Prostate Cancer Risk Among Men Undergoing Combined MRI-targeted and Systematic Biopsy Using Novel Pre-biopsy Nomograms That Incorporate MRI Findings. <i>Urology</i> , <b>2018</b> , 112, 112-120	1.6	26
211	Multicenter Prospective Phase II Trial of Neoadjuvant Dose-Dense Gemcitabine Plus Cisplatin in Patients With Muscle-Invasive Bladder Cancer. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 1949-1956	2.2	72
210	Optimizing the Number of Cores Targeted During Prostate Magnetic Resonance Imaging Fusion Target Biopsy. <i>European Urology Oncology</i> , <b>2018</b> , 1, 418-425	6.7	31
209	Editorial Comment. <i>Journal of Urology</i> , <b>2018</b> , 200, 792	2.5	
208	The Institutional Learning Curve of Magnetic Resonance Imaging-Ultrasound Fusion Targeted Prostate Biopsy: Temporal Improvements in Cancer Detection in 4 Years. <i>Journal of Urology</i> , <b>2018</b> , 200, 1022-1029	2.5	40
207	Re: Patient-Reported Outcomes after Monitoring, Surgery, or Radiotherapy for Prostate Cancer. <i>Journal of Urology</i> , <b>2017</b> , 197, 1265-1266	2.5	1
206	Assessment of prostate cancer aggressiveness using apparent diffusion coefficient values: impact of patient race and age. <i>Abdominal Radiology</i> , <b>2017</b> , 42, 1744-1751	3	10
205	Prostate Cancer: Diffusion-weighted MR Imaging for Detection and Assessment of Aggressiveness-Comparison between Conventional and Kurtosis Models. <i>Radiology</i> , <b>2017</b> , 284, 100-108	20.5	48
204	The role of whole-lesion apparent diffusion coefficient analysis for predicting outcomes of prostate cancer patients on active surveillance. <i>Abdominal Radiology</i> , <b>2017</b> , 42, 2340-2345	3	12
203	Role of MRI prebiopsy in men at risk for prostate cancer: taking off the blindfold. <i>Current Opinion in Urology</i> , <b>2017</b> , 27, 246-253	2.8	6
202	Prostate MR Imaging: An Update. <i>Radiologic Clinics of North America</i> , <b>2017</b> , 55, 303-320	2.3	9

201	The Role of Ipsilateral and Contralateral Transrectal Ultrasound-guided Systematic Prostate Biopsy in Men With Unilateral Magnetic Resonance Imaging Lesion Undergoing Magnetic Resonance Imaging-ultrasound Fusion-targeted Prostate Biopsy. <i>Urology</i> , <b>2017</b> , 102, 178-182	1.6	26
200	Association Between Combined TMPRSS2:ERG and PCA3 RNA Urinary Testing and Detection of Aggressive Prostate Cancer. <i>JAMA Oncology</i> , <b>2017</b> , 3, 1085-1093	13.4	88
199	Time-Dependent Diffusion in Prostate Cancer. <i>Investigative Radiology</i> , <b>2017</b> , 52, 405-411	10.1	44
198	Novel Use of Fluorescence Lymphangiography During Robotic Groin Dissection for Penile Cancer. <i>Urology</i> , <b>2017</b> , 107, 267	1.6	12
197	Re: Diagnostic Accuracy of Multi-Parametric MRI and TRUS Biopsy in Prostate Cancer (PROMIS): A Paired Validating Confirmatory Study. <i>Journal of Urology</i> , <b>2017</b> , 198, 101-102	2.5	1
196	The Learning Curve in Prostate MRI Interpretation: Self-Directed Learning Versus Continual Reader Feedback. <i>American Journal of Roentgenology</i> , <b>2017</b> , 208, W92-W100	5.4	66
195	Prediagnostic Risk Assessment with Prostate MRI and MRI-Targeted Biopsy. <i>Urologic Clinics of North America</i> , <b>2017</b> , 44, 535-546	2.9	8
194	HistoScanning to Detect and Characterize Prostate Cancer-a Review of Existing Literature. <i>Current Urology Reports</i> , <b>2017</b> , 18, 97	2.9	5
193	A multicentre randomised controlled trial assessing whether MRI-targeted biopsy is non-inferior to standard transrectal ultrasound guided biopsy for the diagnosis of clinically significant prostate cancer in men without prior biopsy: a study protocol. <i>BMJ Open</i> , <b>2017</b> , 7, e017863	3	9
192	MRI-fusion biopsy: the contemporary experience. <i>Translational Andrology and Urology</i> , <b>2017</b> , 6, 483-489	2.3	5
191	Role of prostate magnetic resonance imaging in active surveillance. <i>Translational Andrology and Urology</i> , <b>2017</b> , 6, 444-452	2.3	7
190	Influence of renal biopsy results on the management of small kidney cancers in older patients: Results from a population-based cohort. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2017</b> , 35, 604.e1-604.e9	2.8	7
189	Reduced Field-of-View Diffusion-Weighted Magnetic Resonance Imaging of the Prostate at 3 Tesla: Comparison With Standard Echo-Planar Imaging Technique for Image Quality and Tumor Assessment. <i>Journal of Computer Assisted Tomography</i> , <b>2017</b> , 41, 949-956	2.2	16
188	Re: Padeliporfin Vascular-Targeted Photodynamic Therapy versus Active Surveillance in Men with Low-Risk Prostate Cancer (CLIN1001 PCM301): An Open-Label, Phase 3, Randomised Controlled Trial. <i>Journal of Urology</i> , <b>2017</b> , 198, 255-257	2.5	2
187	Proposed Adjustments to PI-RADS Version 2 Decision Rules: Impact on Prostate Cancer Detection. <i>Radiology</i> , <b>2017</b> , 283, 119-129	20.5	121
186	Commentary regarding a recent collaborative consensus statement addressing prostate MRI and MRI-targeted biopsy in patients with a prior negative prostate biopsy. <i>Abdominal Radiology</i> , <b>2017</b> , 42, 346-349	3	7
185	Complications After Systematic, Random, and Image-guided Prostate Biopsy. <i>European Urology</i> , <b>2017</b> , 71, 353-365	10.2	225
184	Risk Stratification by Urinary Prostate Cancer Gene 3 Testing Before Magnetic Resonance Imaging-Ultrasound Fusion-targeted Prostate Biopsy Among Men With No History of Biopsy. <i>Urology</i> , <b>2017</b> , 99, 174-179	1.6	32

183	Detection of prostate cancer local recurrence following radical prostatectomy: assessment using a continuously acquired radial golden-angle compressed sensing acquisition. <i>Abdominal Radiology</i> , <b>2017</b> , 42, 290-297	3	7
182	Dynamic contrast-enhanced MRI of the prostate: An intraindividual assessment of the effect of temporal resolution on qualitative detection and quantitative analysis of histopathologically proven prostate cancer. <i>Journal of Magnetic Resonance Imaging</i> , <b>2017</b> , 45, 1464-1475	5.6	20
181	3D Registration of mpMRI for Assessment of Prostate Cancer Focal Therapy. <i>Academic Radiology</i> , <b>2017</b> , 24, 1544-1555	4.3	6
180	Management of prostate cancer: NYU Case of the Month, July 2017. <i>Reviews in Urology</i> , <b>2017</b> , 19, 180-184		
179	Magnetic resonance imaging in prostate cancer. <i>Translational Andrology and Urology</i> , <b>2017</b> , 6, 343-344	2.3	3
178	AUA Policy Statement on the Use of Multiparametric Magnetic Resonance Imaging in the Diagnosis, Staging and Management of Prostate Cancer. <i>Journal of Urology</i> , <b>2017</b> , 198, 832-838	2.5	62
177	Relationship Between Prebiopsy Multiparametric Magnetic Resonance Imaging (MRI), Biopsy Indication, and MRI-ultrasound Fusion-targeted Prostate Biopsy Outcomes. <i>European Urology</i> , <b>2016</b> , 69, 512-7	10.2	134
176	The role of MRI in prostate cancer diagnosis and management. <i>Future Oncology</i> , <b>2016</b> , 12, 2431-2443	3.6	13
175	Practical Barriers to Obtaining Pre-Biopsy Prostate MRI: Assessment in Over 1,500 Consecutive Men Undergoing Prostate Biopsy in a Single Urologic Practice. <i>Urologia Internationalis</i> , <b>2016</b> , 97, 247-8	1.9	11
174	Integrating MRI for the diagnosis of prostate cancer. <i>Current Opinion in Urology</i> , <b>2016</b> , 26, 466-71	2.8	4
173	Prostate Magnetic Resonance Imaging and Magnetic Resonance Imaging Targeted Biopsy in Patients with a Prior Negative Biopsy: A Consensus Statement by AUA and SAR. <i>Journal of Urology</i> , <b>2016</b> , 196, 1613-1618	2.5	239
172	Final Results of a Phase I/II Multicenter Trial of WST11 Vascular Targeted Photodynamic Therapy for Hemi-Ablation of the Prostate in Men with Unilateral Low Risk Prostate Cancer Performed in the United States. <i>Journal of Urology</i> , <b>2016</b> , 196, 1096-104	2.5	41
171	Re: Gleason Misclassification Rate is Independent of Number of Biopsy Cores in Systematic Biopsy. <i>Journal of Urology</i> , <b>2016</b> , 196, 413-4	2.5	
170	Re: Prostate Cancer Detection with Magnetic Resonance-Ultrasound Fusion Biopsy: The Role of Systematic and Targeted Biopsies. <i>Journal of Urology</i> , <b>2016</b> , 196, 101-2	2.5	0
169	A prospective comparative analysis of the accuracy of HistoScanning and multiparametric magnetic resonance imaging in the localization of prostate cancer among men undergoing radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2016</b> , 34, 3.e1-8	2.8	6
168	Multiparametric MRI and targeted prostate biopsy: Improvements in cancer detection, localization, and risk assessment. <i>Central European Journal of Urology</i> , <b>2016</b> , 69, 9-18	0.9	22
167	Multiparametric MRI of the Prostate as a Tool for Prostate Cancer Detection, Localization, and Risk Assessment <b>2016</b> , 107-126		
166	AUTHORS REPLY. <i>Central European Journal of Urology</i> , <b>2016</b> , 69, 24	0.9	

165	Focal Therapy for Prostate Cancer <b>2016</b> , 563-577		1
164	Length of capsular contact for diagnosing extraprostatic extension on prostate MRI: Assessment at an optimal threshold. <i>Journal of Magnetic Resonance Imaging</i> , <b>2016</b> , 43, 990-7	5.6	75
163	Likert score 3 prostate lesions: Association between whole-lesion ADC metrics and pathologic findings at MRI/ultrasound fusion targeted biopsy. <i>Journal of Magnetic Resonance Imaging</i> , <b>2016</b> , 43, 325-32	5.6	23
162	Investigation of Multisequence Magnetic Resonance Imaging for Detection of Recurrent Tumor After Transurethral Resection for Bladder Cancer. <i>Journal of Computer Assisted Tomography</i> , <b>2016</b> , 40, 201-5	2.2	7
161	Predictive value of negative 3T multiparametric magnetic resonance imaging of the prostate on 12-core biopsy results. <i>BJU International</i> , <b>2016</b> , 118, 515-20	5.6	90
160	MP53-11 A PRE-BIOPSY NOMOGRAM FOR PREDICTION OF THE RISK OF GLEASON SCORE = 7 PROSTATE CANCER ON COMBINED MRI-US FUSION TARGETED AND SYSTEMATIC PROSTATE BIOPSY AMONG MEN WITH NO PREVIOUS BIOPSY. <i>Journal of Urology</i> , <b>2016</b> , 195,	2.5	3
159	Re: Prostate Cancer Incidence and PSA Testing Patterns in Relation to USPSTF Screening Recommendations. <i>Journal of Urology</i> , <b>2016</b> , 195, 926-7	2.5	3
158	Use of a Quality Improvement Initiative to Achieve Consistent Reporting of Level of Suspicion for Tumor on Multiparametric Prostate MRI. <i>American Journal of Roentgenology</i> , <b>2016</b> , 206, 1040-4	5.4	15
157	Prostate Cancer Detection Using Computed Very High b-value Diffusion-weighted Imaging: How High Should We Go?. <i>Academic Radiology</i> , <b>2016</b> , 23, 704-11	4.3	41
156	Re: Nanoparticle-Enabled Selective Destruction of Prostate Tumor Using MRI-Guided Focal Photothermal Therapy. <i>Journal of Urology</i> , <b>2016</b> , 196, 1819	2.5	1
155	Image Guided Focal Therapy for Magnetic Resonance Imaging Visible Prostate Cancer: Defining a 3-Dimensional Treatment Margin Based on Magnetic Resonance Imaging Histology Co-Registration Analysis. <i>Journal of Urology</i> , <b>2015</b> , 194, 364-70	2.5	112
154	Patterns of repeat prostate biopsy in contemporary clinical practice. <i>Journal of Urology</i> , <b>2015</b> , 193, 1178-84	4.4	58
153	Implementation of Multi-parametric Prostate MRI in Clinical Practice. <i>Current Urology Reports</i> , <b>2015</b> , 16, 56	2.9	6
152	Prostate MRI can reduce overdiagnosis and overtreatment of prostate cancer. <i>Academic Radiology</i> , <b>2015</b> , 22, 1000-6	4.3	22
151	Transition zone prostate cancer: revisiting the role of multiparametric MRI at 3 T. <i>American Journal of Roentgenology</i> , <b>2015</b> , 204, W266-72	5.4	76
150	Prebiopsy MRI and MRI-ultrasound Fusion-targeted Prostate Biopsy in Men With Previous Negative Biopsies: Impact on Repeat Biopsy Strategies. <i>Urology</i> , <b>2015</b> , 86, 1192-8	1.6	61
149	Imaging and evaluation of patients with high-risk prostate cancer. <i>Nature Reviews Urology</i> , <b>2015</b> , 12, 617-28	5.5	28
148	Magnetic Resonance Imaging-Ultrasound Fusion Targeted Prostate Biopsy in a Consecutive Cohort of Men with No Previous Biopsy: Reduction of Over Detection through Improved Risk Stratification. <i>Journal of Urology</i> , <b>2015</b> , 194, 1601-6	2.5	76

147	Prostate Cancer: Utility of Whole-Lesion Apparent Diffusion Coefficient Metrics for Prediction of Biochemical Recurrence After Radical Prostatectomy. <i>American Journal of Roentgenology</i> , <b>2015</b> , 205, 1208-14	5.4	38
146	Association between changes in suspicious prostate lesions on serial MRI examinations and follow-up biopsy results. <i>Clinical Imaging</i> , <b>2015</b> , 39, 264-9	2.7	12
145	T2-weighted imaging of the prostate: Impact of the BLADE technique on image quality and tumor assessment. <i>Abdominal Imaging</i> , <b>2015</b> , 40, 552-9		20
144	MP86-03 PREDICTION OF OVERALL AND CLINICALLY SIGNIFICANT CANCER RISK ON MRI-TARGETED AND SYSTEMATIC PROSTATE BIOPSY USING PREBIOPSY NOMOGRAMS. <i>Journal of Urology</i> , <b>2015</b> , 193,	2.5	2
143	Significance of Pathologic T3a Upstaging in Clinical T1 Renal Masses Undergoing Nephrectomy. <i>Clinical Genitourinary Cancer</i> , <b>2015</b> , 13, 344-349	3.3	35
142	Whole-lesion apparent diffusion coefficient metrics as a marker of percentage Gleason 4 component within Gleason 7 prostate cancer at radical prostatectomy. <i>Journal of Magnetic Resonance Imaging</i> , <b>2015</b> , 41, 708-14	5.6	64
141	Dynamic contrast-enhanced MRI of the prostate with high spatiotemporal resolution using compressed sensing, parallel imaging, and continuous golden-angle radial sampling: preliminary experience. <i>Journal of Magnetic Resonance Imaging</i> , <b>2015</b> , 41, 1365-73	5.6	69
140	Using multiparametric MRI to personalize biopsy for men. <i>Current Opinion in Urology</i> , <b>2015</b> , 25, 498-503	2.8	15
139	Quantitative graphical analysis of simultaneous dynamic PET/MRI for assessment of prostate cancer. <i>Clinical Nuclear Medicine</i> , <b>2015</b> , 40, e236-40	1.7	9
138	Focal therapy for prostate cancer: The current status. <i>Prostate International</i> , <b>2015</b> , 3, 35-41	3.4	49
137	T2-weighted prostate MRI at 7 Tesla using a simplified external transmit-receive coil array: correlation with radical prostatectomy findings in two prostate cancer patients. <i>Journal of Magnetic Resonance Imaging</i> , <b>2015</b> , 41, 226-32	5.6	21
136	Clinicopathologic outcomes of cystic renal cell carcinoma. <i>Clinical Genitourinary Cancer</i> , <b>2015</b> , 13, 67-70	3.3	18
135	Can Clinically Significant Prostate Cancer Be Detected with Multiparametric Magnetic Resonance Imaging? A Systematic Review of the Literature. <i>European Urology</i> , <b>2015</b> , 68, 1045-53	10.2	537
134	Re: Diffusion-weighted MR imaging in early assessment of tumor response to radiotherapy in high-risk prostate cancer. <i>Journal of Urology</i> , <b>2015</b> , 193, 539-40	2.5	1
133	Renal masses measuring under 2 cm: pathologic outcomes and associations with MRI features. <i>European Journal of Radiology</i> , <b>2014</b> , 83, 1311-6	4.7	10
132	Impact of size of region-of-interest on differentiation of renal cell carcinoma and renal cysts on multi-phase CT: preliminary findings. <i>European Journal of Radiology</i> , <b>2014</b> , 83, 239-44	4.7	21
131	Radiologist, be aware: ten pitfalls that confound the interpretation of multiparametric prostate MRI. <i>American Journal of Roentgenology</i> , <b>2014</b> , 202, 109-20	5.4	137
130	Can urinary PCA3 supplement PSA in the early detection of prostate cancer?. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 4066-72	2.2	186



129	Optimization of prostate biopsy: review of technique and complications. <i>Urologic Clinics of North America</i> , <b>2014</b> , 41, 299-313	2.9	60
128	Maximal testosterone suppression in prostate cancer--free vs total testosterone. <i>Urology</i> , <b>2014</b> , 83, 1217-22	7.82	16
127	A prospective, blinded comparison of magnetic resonance (MR) imaging-ultrasound fusion and visual estimation in the performance of MR-targeted prostate biopsy: the PROFUS trial. <i>European Urology</i> , <b>2014</b> , 66, 343-51	10.2	294
126	Optimization of prostate biopsy: the role of magnetic resonance imaging targeted biopsy in detection, localization and risk assessment. <i>Journal of Urology</i> , <b>2014</b> , 192, 648-58	2.5	136
125	Re: docetaxel and atrasentan versus docetaxel and placebo for men with advanced castration-resistant prostate cancer (SWOG S0421): a randomised phase 3 trial. <i>Journal of Urology</i> , <b>2014</b> , 191, 656	2.5	
124	Adoption of an integrated radiology reading room within a urologic oncology clinic: initial experience in facilitating clinician consultations. <i>Journal of the American College of Radiology</i> , <b>2014</b> , 11, 496-500	3.5	18
123	MP67-14 PREDICTIVE VALUE OF NEGATIVE 3T MULTIPARAMETRIC PROSTATE MRI ON 12 CORE BIOPSY RESULTS. <i>Journal of Urology</i> , <b>2014</b> , 191,	2.5	4
122	Complex cystic renal masses: comparison of cyst complexity and Bosniak classification between 1.5 T and 3 T MRI. <i>European Journal of Radiology</i> , <b>2014</b> , 83, 503-8	4.7	15
121	Prostate tumour volumes: evaluation of the agreement between magnetic resonance imaging and histology using novel co-registration software. <i>BJU International</i> , <b>2014</b> , 114, E105-E112	5.6	62
120	Recent Developments in Multiparametric Prostate MR Imaging. <i>Current Radiology Reports</i> , <b>2014</b> , 2, 1	0.5	1
119	Pilot study of a novel tool for input-free automated identification of transition zone prostate tumors using T2- and diffusion-weighted signal and textural features. <i>Journal of Magnetic Resonance Imaging</i> , <b>2014</b> , 40, 301-5	5.6	9
118	Gleason score 3 + 4=7 prostate cancer with minimal quantity of gleason pattern 4 on needle biopsy is associated with low-risk tumor in radical prostatectomy specimen. <i>American Journal of Surgical Pathology</i> , <b>2014</b> , 38, 1096-101	6.7	66
117	Standards for prostate biopsy. <i>Current Opinion in Urology</i> , <b>2014</b> , 24, 155-61	2.8	43
116	Grading variability of urothelial carcinoma: experience from a single academic medical center. <i>Canadian Journal of Urology</i> , <b>2014</b> , 21, 7374-8	0.8	1
115	Prostate cancer: comparison of dynamic contrast-enhanced MRI techniques for localization of peripheral zone tumor. <i>American Journal of Roentgenology</i> , <b>2013</b> , 201, W471-8	5.4	45
114	Prostate cancer: utility of diffusion-weighted imaging as a marker of side-specific risk of extracapsular extension. <i>Journal of Magnetic Resonance Imaging</i> , <b>2013</b> , 38, 312-9	5.6	34
113	Computed diffusion-weighted imaging of the prostate at 3 T: impact on image quality and tumour detection. <i>European Radiology</i> , <b>2013</b> , 23, 3170-7	8	70
112	Effect of soy protein isolate supplementation on biochemical recurrence of prostate cancer after radical prostatectomy: a randomized trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2013</b> , 310, 170-8	27.4	46

111	Diffusion-weighted imaging of the prostate: Comparison of b1000 and b2000 image sets for index lesion detection. <i>Journal of Magnetic Resonance Imaging</i> , <b>2013</b> , 38, 694-700	5.6	72
110	Comparison of interreader reproducibility of the prostate imaging reporting and data system and likert scales for evaluation of multiparametric prostate MRI. <i>American Journal of Roentgenology</i> , <b>2013</b> , 201, W612-8	5.4	132
109	Utility of diffusional kurtosis imaging as a marker of adverse pathologic outcomes among prostate cancer active surveillance candidates undergoing radical prostatectomy. <i>American Journal of Roentgenology</i> , <b>2013</b> , 201, 840-6	5.4	36
108	Image-guided prostate biopsy using magnetic resonance imaging-derived targets: a systematic review. <i>European Urology</i> , <b>2013</b> , 63, 125-40	10.2	425
107	National trends in the utilization of partial nephrectomy before and after the establishment of AUA guidelines for the management of renal masses. <i>Urology</i> , <b>2013</b> , 82, 1283-9	1.6	55
106	Histopathologic and clinical features of vesical diverticula. <i>Urology</i> , <b>2013</b> , 82, 142-7	1.6	20
105	Standards of reporting for MRI-targeted biopsy studies (START) of the prostate: recommendations from an International Working Group. <i>European Urology</i> , <b>2013</b> , 64, 544-52	10.2	309
104	Optimization of initial prostate biopsy in clinical practice: sampling, labeling and specimen processing. <i>Journal of Urology</i> , <b>2013</b> , 189, 2039-46	2.5	150
103	3.0 T multiparametric prostate MRI using pelvic phased-array coil: utility for tumor detection prior to biopsy. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2013</b> , 31, 1430-5	2.8	13
102	Does suspicion of prostate cancer on integrated T2 and diffusion-weighted MRI predict more adverse pathology on radical prostatectomy?. <i>Urology</i> , <b>2013</b> , 81, 1279-83	1.6	30
101	Re: Radical Prostatectomy Versus Observation for Localized Prostate Cancer. <i>Journal of Urology</i> , <b>2013</b> , 189, 122-123	2.5	1
100	Utility of MRI features in differentiation of central renal cell carcinoma and renal pelvic urothelial carcinoma. <i>American Journal of Roentgenology</i> , <b>2013</b> , 201, 1260-7	5.4	21
99	Prostate cancer localization using multiparametric MR imaging: comparison of Prostate Imaging Reporting and Data System (PI-RADS) and Likert scales. <i>Radiology</i> , <b>2013</b> , 269, 482-92	20.5	219
98	High temporal resolution 3D gadolinium-enhanced dynamic MR imaging of renal tumors with pharmacokinetic modeling: preliminary observations. <i>Journal of Magnetic Resonance Imaging</i> , <b>2013</b> , 38, 802-8	5.6	21
97	Prostate cancer diagnosis among men with isolated high-grade intraepithelial neoplasia enrolled onto a 3-year prospective phase III clinical trial of oral toremifene. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, 523-9	2.2	44
96	Prostate cancer: diffusion-weighted imaging versus dynamic-contrast enhanced imaging for tumor localization-a meta-analysis. <i>Journal of Computer Assisted Tomography</i> , <b>2013</b> , 37, 980-8	2.2	33
95	The state of prostate MRI in 2013. <i>Oncology</i> , <b>2013</b> , 27, 262-70	1.8	31
94	Clinical evaluation of a novel method for the measurement of prostate-specific antigen, AccuPSA(TM), as a predictor of 5-year biochemical recurrence-free survival after radical prostatectomy: results of a pilot study. <i>BJU International</i> , <b>2012</b> , 109, 1770-5	5.6	14

93	Testosterone in prostate cancer: the Bethesda consensus. <i>BJU International</i> , <b>2012</b> , 110, 344-52	5.6	13
92	Specialty Imaging: Genitourinary Oncology Shaaban A.M., Blodgett T.M., Rezvani M. and Bauer D.: Specialty Imaging: Genitourinary Oncology. Philadelphia: Lippicott Williams & Wilkins 2010. 148 pages.. <i>Journal of Urology</i> , <b>2012</b> , 187, 769-769	2.5	
91	Re: Safety and activity of anti-PD-L1 antibody in patients with advanced cancer. <i>Journal of Urology</i> , <b>2012</b> , 188, 2148-9	2.5	23
90	Evolving treatment paradigms for renal cancer. <i>Urologic Clinics of North America</i> , <b>2012</b> , 39, xiii-xiv	2.9	1
89	Prostate cancer: multiparametric MRI for index lesion localization--a multiple-reader study. <i>American Journal of Roentgenology</i> , <b>2012</b> , 199, 830-7	5.4	60
88	Partial nephrectomy: contemporary outcomes, candidate selection, and surgical approach. <i>Urologic Clinics of North America</i> , <b>2012</b> , 39, 199-210, vii	2.9	10
87	High-grade bladder cancer: association of the apparent diffusion coefficient with metastatic disease: preliminary results. <i>Journal of Magnetic Resonance Imaging</i> , <b>2012</b> , 35, 1478-83	5.6	25
86	Impact of race on survival in patients with clinically nonmetastatic prostate cancer who deferred primary treatment. <i>Cancer</i> , <b>2012</b> , 118, 3145-52	6.4	10
85	Prostate cancer: feasibility and preliminary experience of a diffusional kurtosis model for detection and assessment of aggressiveness of peripheral zone cancer. <i>Radiology</i> , <b>2012</b> , 264, 126-35	20.5	201
84	Prediction of growth rate of solid renal masses: utility of MR imaging features--preliminary experience. <i>Radiology</i> , <b>2012</b> , 262, 884-93	20.5	21
83	Comparison of CT-based methodologies for detection of growth of solid renal masses on active surveillance. <i>American Journal of Roentgenology</i> , <b>2012</b> , 199, 373-8	5.4	7
82	Imaging of prostate cancer: a platform for 3D co-registration of in-vivo MRI ex-vivo MRI and pathology. <i>Proceedings of SPIE</i> , <b>2012</b> , 8316, 83162M	1.7	17
81	Unilateral Adenocarcinoma and High-Grade Prostatic Intraepithelial Neoplasia in Prostatectomies: Possible Implication for Patient Care. <i>American Journal of Clinical Pathology</i> , <b>2012</b> , 138, A110-A110	1.9	1
80	Long-term follow-up of men with isolated high-grade prostatic intra-epithelial neoplasia followed by serial delayed interval biopsy. <i>Urology</i> , <b>2011</b> , 77, 669-74	1.6	18
79	Prostate cancer: utility of fusion of T2-weighted and high b-value diffusion-weighted images for peripheral zone tumor detection and localization. <i>Journal of Magnetic Resonance Imaging</i> , <b>2011</b> , 34, 95-100	5.6	43
78	Role of MRI in minimally invasive focal ablative therapy for prostate cancer. <i>American Journal of Roentgenology</i> , <b>2011</b> , 197, W90-6	5.4	39
77	Focal therapy for prostate cancer - where are we in 2011?. <i>Therapeutic Advances in Urology</i> , <b>2011</b> , 3, 183-92	3.2	3
76	Prostate cancer: comparison of tumor visibility on trace diffusion-weighted images and the apparent diffusion coefficient map. <i>American Journal of Roentgenology</i> , <b>2011</b> , 196, 123-9	5.4	43

75	Squamous cell carcinoma of the prostate. <i>Reviews in Urology</i> , <b>2011</b> , 13, 56-60	1	17
74	Is surveillance of small renal masses safe in the elderly?. <i>BJU International</i> , <b>2010</b> , 105, 1098-101	5.6	6
73	Candidate selection for prostate cancer focal therapy. <i>Journal of Endourology</i> , <b>2010</b> , 24, 835-41	2.7	18
72	Prostate cancer: Comparison of 3D T2-weighted with conventional 2D T2-weighted imaging for image quality and tumor detection. <i>American Journal of Roentgenology</i> , <b>2010</b> , 194, 446-52	5.4	87
71	Laparoscopic and open partial nephrectomy: frequency and long-term follow-up of postoperative collections. <i>Radiology</i> , <b>2010</b> , 255, 476-84	20.5	4
70	Prostate-specific antigen testing and prostate cancer screening. <i>Primary Care - Clinics in Office Practice</i> , <b>2010</b> , 37, 441-59, vii	2.2	11
69	Positive surgical margins at radical prostatectomy: do they really matter?. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2010</b> , 28, 195-6	2.8	
68	Proceeding of the 2009 Society of Urologic Oncology Spring Meeting. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2010</b> , 28, 541	2.8	
67	Laparoscopic partial nephrectomy: technique and outcomes. <i>Current Urology Reports</i> , <b>2010</b> , 11, 1-7	2.9	4
66	Changes in renal function following nephroureterectomy may affect the use of perioperative chemotherapy. <i>European Urology</i> , <b>2010</b> , 58, 581-7	10.2	165
65	Angiomyolipoma with epithelial cysts: mimic of renal cell carcinoma. <i>Clinical Imaging</i> , <b>2010</b> , 34, 65-8	2.7	17
64	The effect of changes in Medicare reimbursement on the practice of office and hospital-based endoscopic surgery for bladder cancer. <i>Cancer</i> , <b>2010</b> , 116, 1264-71	6.4	14
63	Open Versus Laparoscopic Versus Robot-Assisted Laparoscopic Prostatectomy: The European and US Experience. <i>Reviews in Urology</i> , <b>2010</b> , 12, 35-43	1	97
62	Genome-wide impact of androgen receptor trapped clone-27 loss on androgen-regulated transcription in prostate cancer cells. <i>Cancer Research</i> , <b>2009</b> , 69, 3140-7	10.1	21
61	Predicting the outcome of prostate biopsy: comparison of a novel logistic regression-based model, the prostate cancer risk calculator, and prostate-specific antigen level alone. <i>BJU International</i> , <b>2009</b> , 103, 609-14	5.6	38
60	Can contemporary transrectal prostate biopsy accurately select candidates for hemi-ablative focal therapy of prostate cancer?. <i>BJU International</i> , <b>2009</b> , 104, 195-9	5.6	43
59	Appropriate candidates for hemiablativ focal therapy are infrequently encountered among men selected for radical prostatectomy in contemporary cohort. <i>Urology</i> , <b>2009</b> , 73, 351-4; discussion 354-5	1.6	25
58	Creation of urinary stoma before abdominal wall transposition of ileal conduit improves stomal protrusion, eversion, and symmetry. <i>Urology</i> , <b>2009</b> , 73, 893-5	1.6	6

57	The continued debate: intermittent vs. continuous hormonal ablation for metastatic prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2009</b> , 27, 81-6	2.8	25
56	Simplified reconstruction after laparoscopic partial nephrectomy using a single-pass suturing technique. <i>Journal of Endourology</i> , <b>2009</b> , 23, 589-91; discussion 591-2	2.7	5
55	Effect of warm ischemia time during laparoscopic partial nephrectomy on early postoperative glomerular filtration rate. <i>Journal of Urology</i> , <b>2009</b> , 181, 2438-43; discussion 2443-5	2.5	99
54	Laterality alone should not drive selection of candidates for hemi-ablative focal therapy. <i>Journal of Urology</i> , <b>2009</b> , 181, 1082-9; discussion 1089-90	2.5	20
53	Renal involvement by chronic myelomonocytic leukemia requiring nephroureterectomy. <i>Reviews in Urology</i> , <b>2009</b> , 11, 33-7	1	9
52	Screening for Prostate Cancer: A Review of the ERSPC and PLCO Trials. <i>Reviews in Urology</i> , <b>2009</b> , 11, 127-33	1	46
51	Focal therapy: a new paradigm for the treatment of prostate cancer. <i>Reviews in Urology</i> , <b>2009</b> , 11, 203-12		14
50	Correction of prostate-specific antigen velocity for variation may improve prediction of cancer following prostate repeat biopsy. <i>Canadian Journal of Urology</i> , <b>2009</b> , 16, 4655-9	0.8	
49	Transperitoneal laparoscopic radical nephrectomy for large (more than 7 cm) renal masses. <i>Urology</i> , <b>2008</b> , 71, 421-4	1.6	34
48	Impact of socioeconomic factors on prostate cancer outcomes in black patients treated with surgery. <i>Urology</i> , <b>2008</b> , 72, 641-6	1.6	14
47	Phase I/II study of biweekly paclitaxel and radiation in androgen-ablated locally advanced prostate cancer. <i>Journal of Clinical Oncology</i> , <b>2008</b> , 26, 2973-8	2.2	27
46	Lymph node dissection during the surgical treatment of renal cancer in the modern era. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , <b>2008</b> , 34, 132-42	2	14
45	Evaluation of a novel precision template-guided biopsy system for detecting prostate cancer. <i>BJU International</i> , <b>2008</b> , 102, 546-50	5.6	36
44	A matched-cohort comparison of laparoscopic cryoablation and laparoscopic partial nephrectomy for treating renal masses. <i>BJU International</i> , <b>2007</b> , 99, 395-8	5.6	61
43	Words of wisdom. Re: Age adjusted prostate specific antigen and prostate specific antigen velocity cut points in prostate cancer screening. <i>European Urology</i> , <b>2007</b> , 52, 607	10.2	1
42	Transcriptional regulation of the androgen receptor cofactor androgen receptor trapped clone-27. <i>Molecular Endocrinology</i> , <b>2007</b> , 21, 2864-76		16
41	Toremifene--a promising therapy for the prevention of prostate cancer and complications of androgen deprivation therapy. <i>Expert Opinion on Investigational Drugs</i> , <b>2006</b> , 15, 293-305	5.9	21
40	Robot assisted laparoscopic partial nephrectomy: initial experience. <i>Journal of Urology</i> , <b>2006</b> , 176, 36-9	2.5	145

39	Differences in clinicopathologic features of prostate cancer between black and white patients treated in the 1990s and 2000s. <i>Urology</i> , <b>2006</b> , 67, 120-4	1.6	20
38	Impact of discordant radiologic and pathologic tumor size on renal cancer staging. <i>Urology</i> , <b>2006</b> , 68, 728-31	1.6	18
37	Prostate biopsy: targeting cancer for detection and therapy. <i>Reviews in Urology</i> , <b>2006</b> , 8, 173-82	1	9
36	Ultrasensitive serum prostate specific antigen nadir accurately predicts the risk of early relapse after radical prostatectomy. <i>Journal of Urology</i> , <b>2005</b> , 173, 777-80	2.5	64
35	Prostate-specific antigen velocity accurately predicts response to salvage radiotherapy in men with biochemical relapse after radical prostatectomy. <i>Urology</i> , <b>2005</b> , 65, 942-6	1.6	14
34	Androgen receptor mutations identified in prostate cancer and androgen insensitivity syndrome display aberrant ART-27 coactivator function. <i>Molecular Endocrinology</i> , <b>2005</b> , 19, 2273-82		36
33	Robot-assisted laparoscopic partial nephrectomy: the NYU technique. <i>Journal of Endourology</i> , <b>2005</b> , 19, 441-5; discussion 445	2.7	121
32	Cell-specific regulation of androgen receptor phosphorylation in vivo. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 40916-24	5.4	74
31	Robot-assisted laparoscopic partial nephrectomy. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , <b>2005</b> , 9, 83-6	2.2	19
30	Neutral endopeptidase protein expression and prognosis in localized prostate cancer. <i>Clinical Cancer Research</i> , <b>2004</b> , 10, 4096-100	12.9	49
29	ART-27, an androgen receptor coactivator regulated in prostate development and cancer. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 13944-52	5.4	47
28	Altered N-myc downstream-regulated gene 1 protein expression in African-American compared with caucasian prostate cancer patients. <i>Clinical Cancer Research</i> , <b>2004</b> , 10, 222-7	12.9	34
27	Impact of fusion of indium-111 capromab pendetide volume data sets with those from MRI or CT in patients with recurrent prostate cancer. <i>American Journal of Roentgenology</i> , <b>2004</b> , 183, 519-24	5.4	71
26	Malignant epithelioid angiosarcoma of the external iliac vein presenting as venous thrombosis. <i>Annals of Vascular Surgery</i> , <b>2004</b> , 18, 493-6	1.7	18
25	Preoperative renal tumor evaluation by three-dimensional magnetic resonance imaging: Staging and detection of multifocality. <i>Urology</i> , <b>2004</b> , 64, 453-7	1.6	6
24	The role of lymphadenectomy in the surgical management of renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2004</b> , 22, 214-23; discussion 223-4	2.8	43
23	Imaging in the diagnosis and management of prostate cancer. <i>Reviews in Urology</i> , <b>2004</b> , 6, 101-13	1	23
22	Use of fibrin glue and gelfoam to repair collecting system injuries in a porcine model: implications for the technique of laparoscopic partial nephrectomy. <i>Journal of Endourology</i> , <b>2003</b> , 17, 799-804	2.7	24

21	A phase I study of paclitaxel, estramustine phosphate and vinorelbine (Pacl-E-Vin) in advanced malignancies: triple tubulin targeting. <i>Anti-Cancer Drugs</i> , <b>2003</b> , 14, 67-72	2.4	6
20	Volume indexes of total, free, and complexed prostate-specific antigen enhance prediction of extraprostatic disease extension in men with nonpalpable prostate cancer. <i>Urology</i> , <b>2003</b> , 62, 1058-62	1.6	8
19	Hand-assisted laparoscopy for large renal specimens: a multi-institutional study. <i>Urology</i> , <b>2003</b> , 61, 78-82	1.6	45
18	Optimizing prostate biopsy strategies for the diagnosis of prostate cancer. <i>Reviews in Urology</i> , <b>2003</b> , 5, 149-55	1	1
17	Altered expression of p27 and Skp2 proteins in prostate cancer of African-American patients. <i>Clinical Cancer Research</i> , <b>2003</b> , 9, 2613-9	12.9	50
16	Complexed prostate-specific antigen for early detection of prostate cancer in men with serum prostate-specific antigen levels of 2 to 4 nanograms per milliliter. <i>Urology</i> , <b>2002</b> , 60, 31-5	1.6	56
15	Can volume measurement of the prostate enhance the performance of complexed prostate-specific antigen?. <i>Urology</i> , <b>2002</b> , 60, 36-41	1.6	11
14	Complexed prostate-specific antigen as a staging tool: results based on a multicenter prospective evaluation of complexed prostate-specific antigen in cancer diagnosis. <i>Urology</i> , <b>2002</b> , 60, 10-7	1.6	20
13	Followup Interval Prostate Biopsy 3 Years After Diagnosis of High Grade Prostatic Intraepithelial Neoplasia is Associated With High Likelihood of Prostate Cancer, Independent of Change in Prostate Specific Antigen Levels. <i>Journal of Urology</i> , <b>2002</b> , 168, 1415-1418	2.5	98
12	Followup interval prostate biopsy 3 years after diagnosis of high grade prostatic intraepithelial neoplasia is associated with high likelihood of prostate cancer, independent of change in prostate specific antigen levels. <i>Journal of Urology</i> , <b>2002</b> , 168, 1415-8	2.5	23
11	Androgen stimulated cellular proliferation in the human prostate cancer cell line LNCaP is associated with reduced retinoblastoma protein expression. <i>Journal of Cellular Biochemistry</i> , <b>2001</b> , 84, 188-99	4.7	26
10	A Phase I/II study of weekly paclitaxel and 3 days of high dose oral estramustine in patients with hormone-refractory prostate carcinoma. <i>Cancer</i> , <b>2001</b> , 91, 2039-2045	6.4	21
9	Chemoprevention trials in men with prostate-specific antigen failure or at high risk for recurrence after radical prostatectomy: Application to efficacy assessment of soy protein. <i>Urology</i> , <b>2001</b> , 57, 202-4	1.6	20
8	Volume-specific cutoffs are necessary for reproducible application of prostate-specific antigen density of the transition zone in prostate cancer detection. <i>Urology</i> , <b>2001</b> , 58, 222-7	1.6	5
7	Is repeat prostate biopsy for high-grade prostatic intraepithelial neoplasia necessary after routine 12-core sampling?. <i>Urology</i> , <b>2001</b> , 58, 999-1003	1.6	84
6	Prospects for gene therapy in human prostate cancer. <i>Trends in Molecular Medicine</i> , <b>1998</b> , 4, 494-504		7
5	Phytoestrogens and prostate cancer: possible preventive role. <i>Medical Journal of Australia</i> , <b>1998</b> , 168, 467	4	2
4	Refining the gold standard--can we do better with serum prostate specific antigen in the detection of prostate cancer?. <i>Journal of Urology</i> , <b>1997</b> , 157, 1752-3	2.5	1

3	Prostate tissue specificity of the prostate-specific antigen promoter isolated from a patient with prostate cancer. <i>Human Gene Therapy</i> , <b>1995</b> , 6, 1417-26	4.8	97
2	Immunotherapy for renal cell carcinoma: the era of interleukin-2-based treatment. <i>Urology</i> , <b>1995</b> , 45, 911-24	1.6	37
1	Selection Criteria for Prostate Cancer Focal Therapy	29-36	