

Hans-Peter Landolt

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7606353/hans-peter-landolt-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116
papers

5,663
citations

45
h-index

74
g-index

128
ext. papers

6,416
ext. citations

5.3
avg, IF

5.84
L-index

#	Paper	IF	Citations
116	The European Sleep Research Society - past, present and future.. <i>Journal of Sleep Research</i> , 2022 , e13601	5.8	0
115	Sleep-Wake Neurochemistry. <i>Sleep Medicine Clinics</i> , 2022 , 17, 151-160	3.6	3
114	Time to Recover From Daily Caffeine Intake.. <i>Frontiers in Nutrition</i> , 2021 , 8, 787225	6.2	1
113	Validation of Fitbit Charge 2 Sleep and Heart Rate Estimates Against Polysomnographic Measures in Shift Workers: Naturalistic Study. <i>Journal of Medical Internet Research</i> , 2021 , 23, e26476	7.6	1
112	A novel bedtime pulsatile-release caffeine formula ameliorates sleep inertia symptoms immediately upon awakening. <i>Scientific Reports</i> , 2021 , 11, 19734	4.9	0
111	Cerebral A adenosine receptor availability in female and male participants and its relationship to sleep. <i>NeuroImage</i> , 2021 , 245, 118695	7.9	0
110	Regular Caffeine Intake Delays REM Sleep Promotion and Attenuates Sleep Quality in Healthy Men. <i>Journal of Biological Rhythms</i> , 2021 , 36, 384-394	3.2	1
109	Diurnal variations in multi-sensor wearable-derived sleep characteristics in morning- and evening-type shift workers under naturalistic conditions. <i>Chronobiology International</i> , 2021 , 38, 1702-1713	3.6	2
108	Coffee effectively attenuates impaired attention in ADORA2A C/C-allele carriers during chronic sleep restriction. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 109, 110232	5.5	7
107	Daily Caffeine Intake Induces Concentration-Dependent Medial Temporal Plasticity in Humans: A Multimodal Double-Blind Randomized Controlled Trial. <i>Cerebral Cortex</i> , 2021 , 31, 3096-3106	5.1	8
106	The impact of daily caffeine intake on nighttime sleep in young adult men. <i>Scientific Reports</i> , 2021 , 11, 4668	4.9	4
105	Haplotype of the astrocytic water channel AQP4 is associated with slow wave energy regulation in human NREM sleep. <i>PLoS Biology</i> , 2020 , 18, e3000623	9.7	21
104	Rapid fast-delta decay following prolonged wakefulness marks a phase of wake-inertia in NREM sleep. <i>Nature Communications</i> , 2020 , 11, 3130	17.4	16
103	Caffeine-dependent changes of sleep-wake regulation: Evidence for adaptation after repeated intake. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 99, 109851	5.5	11
102	Improved functional and histochemical outcomes in l-DOPA plus tolcapone treated VMAT2-deficient mice. <i>Neuropharmacology</i> , 2020 , 181, 108353	5.5	1
101	Haplotype of the astrocytic water channel AQP4 is associated with slow wave energy regulation in human NREM sleep 2020 , 18, e3000623		
100	Haplotype of the astrocytic water channel AQP4 is associated with slow wave energy regulation in human NREM sleep 2020 , 18, e3000623		

99	Haplotype of the astrocytic water channel AQP4 is associated with slow wave energy regulation in human NREM sleep 2020 , 18, e3000623		
98	Haplotype of the astrocytic water channel AQP4 is associated with slow wave energy regulation in human NREM sleep 2020 , 18, e3000623		
97	Unraveling the genetic underpinnings of sleep deprivation-induced impairments in human cognition. <i>Progress in Brain Research</i> , 2019 , 246, 127-158	2.9	9
96	Neurophysiological signature of gamma-hydroxybutyrate augmented sleep in male healthy volunteers may reflect biomimetic sleep enhancement: a randomized controlled trial. <i>Neuropsychopharmacology</i> , 2019 , 44, 1985-1993	8.7	7
95	Dynamic changes in cerebral and peripheral markers of glutamatergic signaling across the human sleep-wake cycle. <i>Sleep</i> , 2019 , 42,	1.1	9
94	Sleep Physiology, Circadian Rhythms, Waking Performance and the Development of Sleep-Wake Therapeutics. <i>Handbook of Experimental Pharmacology</i> , 2019 , 253, 441-481	3.2	22
93	Dynamic Metabolic Changes in the Human Thalamus at the Transition From Waking to Sleep - Insights From Simultaneous Functional MR Spectroscopy and Polysomnography. <i>Frontiers in Neuroscience</i> , 2019 , 13, 1158	5.1	0
92	A Novel Approach to Assess Sleep-Related Rhythmic Movement Disorder in Children Using Automatic 3D Analysis. <i>Frontiers in Psychiatry</i> , 2019 , 10, 709	5	5
91	Prolonged Waking and Recovery Sleep Affect the Serum MicroRNA Expression Profile in Humans. <i>Clocks & Sleep</i> , 2019 , 1, 75-86	2.9	5
90	Clinical and Experimental Human Sleep-Wake Pharmacogenetics. <i>Handbook of Experimental Pharmacology</i> , 2019 , 253, 207-241	3.2	4
89	Effects of COMT genotype and tolcapone on lapses of sustained attention after sleep deprivation in healthy young men. <i>Neuropsychopharmacology</i> , 2018 , 43, 1599-1607	8.7	12
88	Sleep-Wake Neurochemistry. <i>Sleep Medicine Clinics</i> , 2018 , 13, 137-146	3.6	33
87	Coffee, caffeine, and sleep: A systematic review of epidemiological studies and randomized controlled trials. <i>Sleep Medicine Reviews</i> , 2017 , 31, 70-78	10.2	174
86	Functional Polymorphisms in Dopaminergic Genes Modulate Neurobehavioral and Neurophysiological Consequences of Sleep Deprivation. <i>Scientific Reports</i> , 2017 , 7, 45982	4.9	26
85	Genetics and Genomic Basis of Sleep in Healthy Humans 2017 , 310-321.e5		2
84	A case-control field study on the relationships among type 2 diabetes, sleepiness and habitual caffeine intake. <i>Journal of Psychopharmacology</i> , 2017 , 31, 233-242	4.6	10
83	Cerebral mGluR5 availability contributes to elevated sleep need and behavioral adjustment after sleep deprivation. <i>ELife</i> , 2017 , 6,	8.9	35
82	Assessment of CYP1A2 enzyme activity in relation to type-2 diabetes and habitual caffeine intake. <i>Nutrition and Metabolism</i> , 2016 , 13, 66	4.6	24

81	Sleep Pharmacogenetics: Personalized Sleep-Wake Therapy. <i>Annual Review of Pharmacology and Toxicology</i> , 2016 , 56, 577-603	17.9	32
80	Importance des différences interindividuelles de sensibilité à la caféine en médecine du sommeil : Rôles de l'adénosine et de la dopamine. <i>Médecine Du Sommeil</i> , 2016 , 13, 139-144	0.5	
79	NEUROSCIENCE. Ionic control of sleep and wakefulness. <i>Science</i> , 2016 , 352, 517-8	33.3	4
78	CIRCADIAN RHYTHMS. Caffeine, the circadian clock, and sleep. <i>Science</i> , 2015 , 349, 1289	33.3	12
77	Catechol-O-methyltransferase, dopamine, and sleep-wake regulation. <i>Sleep Medicine Reviews</i> , 2015 , 22, 47-53	10.2	49
76	Adenosine, caffeine, and performance: from cognitive neuroscience of sleep to sleep pharmacogenetics. <i>Current Topics in Behavioral Neurosciences</i> , 2015 , 25, 331-66	3.4	54
75	Sleep Homeostasis, Metabolism, and Adenosine. <i>Current Sleep Medicine Reports</i> , 2015 , 1, 27-37	1.2	27
74	Insights into behavioral vulnerability to differential sleep pressure and circadian phase from a functional ADA polymorphism. <i>Journal of Biological Rhythms</i> , 2014 , 29, 119-30	3.2	22
73	Light modulation of human sleep depends on a polymorphism in the clock gene Period3. <i>Behavioural Brain Research</i> , 2014 , 271, 23-9	3.4	27
72	The circadian regulation of sleep: impact of a functional ADA-polymorphism and its association to working memory improvements. <i>PLoS ONE</i> , 2014 , 9, e113734	3.7	5
71	Time-on-task decrement in vigilance is modulated by inter-individual vulnerability to homeostatic sleep pressure manipulation. <i>Frontiers in Behavioral Neuroscience</i> , 2014 , 8, 59	3.5	21
70	Psychomotor vigilance task demonstrates impaired vigilance in disorders with excessive daytime sleepiness. <i>Journal of Clinical Sleep Medicine</i> , 2014 , 10, 1019-24	3.1	52
69	Genetic polymorphisms of DAT1 and COMT differentially associate with actigraphy-derived sleep-wake cycles in young adults. <i>Chronobiology International</i> , 2014 , 31, 705-14	3.6	29
68	Effect of prolonged wakefulness on electroencephalographic oscillatory activity during sleep. <i>Journal of Sleep Research</i> , 2014 , 23, 253-60	5.8	15
67	Dopaminergic role in regulating neurophysiological markers of sleep homeostasis in humans. <i>Journal of Neuroscience</i> , 2014 , 34, 566-73	6.6	42
66	Sleep ability mediates individual differences in the vulnerability to sleep loss: evidence from a PER3 polymorphism. <i>Cortex</i> , 2014 , 52, 47-59	3.8	42
65	Sleep deprivation increases dorsal nexus connectivity to the dorsolateral prefrontal cortex in humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 19597-602	11.5	60
64	Increased metabotropic glutamate receptor subtype 5 availability in human brain after one night without sleep. <i>Biological Psychiatry</i> , 2013 , 73, 161-8	7.9	72

63	Reduced neurobehavioral impairment from sleep deprivation in older adults: contribution of adenosinergic mechanisms. <i>Frontiers in Neurology</i> , 2012 , 3, 62	4.1	31
62	Polymorphisms of ADORA2A modulate psychomotor vigilance and the effects of caffeine on neurobehavioural performance and sleep EEG after sleep deprivation. <i>British Journal of Pharmacology</i> , 2012 , 165, 1904-1913	8.6	81
61	Functional ADA polymorphism increases sleep depth and reduces vigilant attention in humans. <i>Cerebral Cortex</i> , 2012 , 22, 962-70	5.1	89
60	Human melatonin and alerting response to blue-enriched light depend on a polymorphism in the clock gene PER3. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E433-7	5.6	72
59	The BDNF Val66Met polymorphism modulates sleep intensity: EEG frequency- and state-specificity. <i>Sleep</i> , 2012 , 35, 335-44	1.1	79
58	"No thanks, coffee keeps me awake": individual caffeine sensitivity depends on ADORA2A genotype. <i>Sleep</i> , 2012 , 35, 899-900	1.1	14
57	Genetic determination of sleep EEG profiles in healthy humans. <i>Progress in Brain Research</i> , 2011 , 193, 51-61	2.9	47
56	Genetic Basis of Sleep in Healthy Humans 2011 , 175-183		1
55	Sleep Homeostasis, Adenosine, Caffeine, and Narcolepsy 2011 , 85-92		
54	Effects of modafinil on the sleep EEG depend on Val158Met genotype of COMT. <i>Sleep</i> , 2010 , 33, 1027-35.1	35.1	37
53	Asymmetric prefrontal cortex functions predict asymmetries in number space. <i>Brain and Cognition</i> , 2010 , 74, 306-11	2.7	10
52	The functional Val158Met polymorphism of COMT predicts interindividual differences in brain alpha oscillations in young men. <i>Journal of Neuroscience</i> , 2009 , 29, 10855-62	6.6	86
51	Pharmacogenetics of modafinil after sleep loss: catechol-O-methyltransferase genotype modulates waking functions but not recovery sleep. <i>Clinical Pharmacology and Therapeutics</i> , 2009 , 85, 296-304	6.1	71
50	Antagonism of serotonergic 5-HT2A/2C receptors: mutual improvement of sleep, cognition and mood?. <i>European Journal of Neuroscience</i> , 2009 , 29, 1795-809	3.5	82
49	Modafinil and Ethoxybutyrate have sleep state-specific pharmacological actions on hypocretin-1 physiology in a primate model of human sleep. <i>Behavioural Pharmacology</i> , 2009 , 20, 643-52	2.4	8
48	Sleep homeostasis: a role for adenosine in humans?. <i>Biochemical Pharmacology</i> , 2008 , 75, 2070-9	6	207
47	Genotype-dependent differences in sleep, vigilance, and response to stimulants. <i>Current Pharmaceutical Design</i> , 2008 , 14, 3396-407	3.3	59
46	Sleep loss produces false memories. <i>PLoS ONE</i> , 2008 , 3, e3512	3.7	68

45	Challenging sleep homeostasis in narcolepsy-cataplexy: implications for non-REM and REM sleep regulation. <i>Sleep</i> , 2008 , 31, 859-67	1.1	30
44	Insufficient non-REM sleep intensity in narcolepsy-cataplexy. <i>Sleep</i> , 2007 , 30, 980-9	1.1	49
43	A genetic variation in the adenosine A2A receptor gene (ADORA2A) contributes to individual sensitivity to caffeine effects on sleep. <i>Clinical Pharmacology and Therapeutics</i> , 2007 , 81, 692-8	6.1	209
42	Pulsed radio-frequency electromagnetic fields: dose-dependent effects on sleep, the sleep EEG and cognitive performance. <i>Journal of Sleep Research</i> , 2007 , 16, 253-8	5.8	97
41	Pulsed radio frequency radiation affects cognitive performance and the waking electroencephalogram. <i>NeuroReport</i> , 2007 , 18, 803-7	1.7	74
40	Sleep-wake disturbances in sporadic Creutzfeldt-Jakob disease. <i>Neurology</i> , 2006 , 66, 1418-24	6.5	61
39	Adenosinergic mechanisms contribute to individual differences in sleep deprivation-induced changes in neurobehavioral function and brain rhythmic activity. <i>Journal of Neuroscience</i> , 2006 , 26, 10472-9	6.6	95
38	Functional EEG topography in sleep and waking: state-dependent and state-independent features. <i>NeuroImage</i> , 2006 , 32, 283-92	7.9	100
37	Trait-like individual differences in the human sleep electroencephalogram. <i>Neuroscience</i> , 2006 , 138, 351-69	5.9	150
36	Age-related changes in the time course of vigilant attention during 40 hours without sleep in men. <i>Sleep</i> , 2006 , 29, 55-7	1.1	104
35	Random number generation during sleep deprivation: effects of caffeine on response maintenance and stereotypy. <i>Journal of Sleep Research</i> , 2006 , 15, 31-40	5.8	57
34	Exposure to pulse-modulated radio frequency electromagnetic fields affects regional cerebral blood flow. <i>European Journal of Neuroscience</i> , 2005 , 21, 1000-6	3.5	113
33	Sleep inertia: performance changes after sleep, rest and active waking. <i>Cognitive Brain Research</i> , 2005 , 22, 323-31		35
32	Similar sleep EEG topography in middle-aged depressed patients and healthy controls. <i>Sleep</i> , 2005 , 28, 239-47	1.1	14
31	A functional genetic variation of adenosine deaminase affects the duration and intensity of deep sleep in humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 15676-81	11.5	227
30	Caffeine attenuates waking and sleep electroencephalographic markers of sleep homeostasis in humans. <i>Neuropsychopharmacology</i> , 2004 , 29, 1933-9	8.7	171
29	Sleep and rest facilitate auditory learning. <i>Neuroscience</i> , 2004 , 127, 557-61	3.9	65
28	Rapid tryptophan depletion reverses phenelzine-induced suppression of REM sleep. <i>Journal of Sleep Research</i> , 2003 , 12, 13-8	5.8	23

27	Different effects of phenelzine treatment on EEG topography in waking and sleep in depressed patients. <i>Neuropsychopharmacology</i> , 2002 , 27, 462-9	8.7	11
26	Electromagnetic fields, such as those from mobile phones, alter regional cerebral blood flow and sleep and waking EEG. <i>Journal of Sleep Research</i> , 2002 , 11, 289-95	5.8	229
25	Sleep and sleep electroencephalogram in depressed patients treated with phenelzine. <i>Archives of General Psychiatry</i> , 2001 , 58, 268-76		64
24	Effect of chronic phenelzine treatment on REM sleep: report of three patients. <i>Neuropsychopharmacology</i> , 2001 , 25, S63-7	8.7	24
23	Age-dependent changes in sleep EEG topography. <i>Clinical Neurophysiology</i> , 2001 , 112, 369-77	4.3	133
22	Sleep abnormalities during abstinence in alcohol-dependent patients. Aetiology and management. <i>CNS Drugs</i> , 2001 , 15, 413-25	6.7	77
21	Functional neuroanatomy of human sleep states after zolpidem and placebo: a H215O-PET study. <i>Journal of Sleep Research</i> , 2000 , 9, 161-73	5.8	35
20	Zolpidem and sleep deprivation: different effect on EEG power spectra. <i>Journal of Sleep Research</i> , 2000 , 9, 175-83	5.8	40
19	Clinical and physiological consequences of rapid tryptophan depletion. <i>Neuropsychopharmacology</i> , 2000 , 23, 601-22	8.7	151
18	Sleep estimation from wrist activity in patients with major depression. <i>Physiology and Behavior</i> , 2000 , 70, 49-53	3.5	49
17	GABAA1a Receptors. <i>CNS Drugs</i> , 2000 , 13, 185-199	6.7	27
16	Serotonin-2 receptors and human sleep: effect of a selective antagonist on EEG power spectra. <i>Neuropsychopharmacology</i> , 1999 , 21, 455-66	8.7	89
15	Effect of frequent brief awakenings from nonREM sleep on the nonREM-REM sleep cycle. <i>Psychiatry and Clinical Neurosciences</i> , 1998 , 52, 129-30	6.2	8
14	Selective REM sleep deprivation in humans: effects on sleep and sleep EEG. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1998 , 274, R1186-94	3.2	45
13	Human versus porcine insulin in patients with insulin-dependent diabetes mellitus: differences in sleep and the sleep EEG during near-normoglycemia. <i>Sleep</i> , 1998 , 21, 92-100	1.1	7
12	Homeostatic sleep regulation in habitual short sleepers and long sleepers. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1996 , 270, R41-53	3.2	63
11	Effect of age on the sleep EEG: slow-wave activity and spindle frequency activity in young and middle-aged men. <i>Brain Research</i> , 1996 , 738, 205-12	3.7	327
10	Late-afternoon ethanol intake affects nocturnal sleep and the sleep EEG in middle-aged men. <i>Journal of Clinical Psychopharmacology</i> , 1996 , 16, 428-36	1.7	85

9	Caffeine reduces low-frequency delta activity in the human sleep EEG. <i>Neuropsychopharmacology</i> , 1995 , 12, 229-38	8.7	126
8	Caffeine intake (200 mg) in the morning affects human sleep and EEG power spectra at night. <i>Brain Research</i> , 1995 , 675, 67-74	3.7	152
7	Melatonin effect on daytime sleep in men: suppression of EEG low frequency activity and enhancement of spindle frequency activity. <i>Neuroscience Letters</i> , 1995 , 201, 13-6	3.3	115
6	Intracranial temperature across 24-hour sleep-wake cycles in humans. <i>NeuroReport</i> , 1995 , 6, 913-7	1.7	34
5	Functional neuroimaging: sedating medication effects 396-405		
4	Haplotype of the astrocytic water channel AQP4 modulates slow wave energy in human NREM sleep		1
3	Validation of Fitbit Charge 2 Sleep and Heart Rate Estimates Against Polysomnographic Measures in Shift Workers: Naturalistic Study (Preprint)		1
2	Caffeine-dependent changes of sleep-wake regulation: evidence for adaptation after repeated intake		2
1	Working Memory Performance after Daily Caffeine Intake: Compromised Performance and Reduced Hippocampal Activity		1