

Miriam Wanner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7606417/publications.pdf>

Version: 2024-02-01

34
papers

1,310
citations

489802

18
h-index

425179

34
g-index

34
all docs

34
docs citations

34
times ranked

2959
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Risk for Invasive Cancers in Women With Breast Cancer In Situ: Results From a Population Not Covered by Organized Mammographic Screening. <i>Frontiers in Oncology</i> , 2021, 11, 606747. | 1.3 | 2 |
| 2 | Identifying classes of the pain, fatigue, and depression symptom cluster in long-term prostate cancer survivors—results from the multi-regional Prostate Cancer Survivorship Study in Switzerland (PROCAS). <i>Supportive Care in Cancer</i> , 2021, 29, 6259-6269. | 1.0 | 9 |
| 3 | Cancer is associated with inferior outcome in patients with ischemic stroke. <i>Journal of Neurology</i> , 2021, 268, 4190-4202. | 1.8 | 9 |
| 4 | Impact of comorbidities at diagnosis on the 10-year colorectal cancer net survival: A population-based study. <i>Cancer Epidemiology</i> , 2021, 73, 101962. | 0.8 | 10 |
| 5 | Incidence and mortality trends of thyroid cancer from 1980 to 2016. <i>Swiss Medical Weekly</i> , 2021, 151, w30029. | 0.8 | 12 |
| 6 | Geographical variation in malignant and benign/borderline brain and CNS tumor incidence: a comparison between a high-income and a middle-income country. <i>Journal of Neuro-Oncology</i> , 2020, 149, 273-282. | 1.4 | 5 |
| 7 | Health-related quality of life in long-term prostate cancer survivors after nerve-sparing and non-nerve-sparing radical prostatectomy—Results from the multiregional PROCAS study. <i>Cancer Medicine</i> , 2020, 9, 5416-5424. | 1.3 | 6 |
| 8 | 37-year incidence and mortality time trends of common cancer types by sex, age, and stage in the canton of Zurich. <i>Swiss Medical Weekly</i> , 2020, 150, w20388. | 0.8 | 5 |
| 9 | Healthy lifestyle is inversely associated with mortality in cancer survivors: Results from the Third National Health and Nutrition Examination Survey (NHANES III). <i>PLoS ONE</i> , 2019, 14, e0218048. | 1.1 | 33 |
| 10 | Occupational physical activity and all-cause and cardiovascular disease mortality: Results from two longitudinal studies in Switzerland. <i>American Journal of Industrial Medicine</i> , 2019, 62, 559-567. | 1.0 | 19 |
| 11 | Increasing trends in in situ breast cancer incidence in a region with no population-based mammographic screening program: results from Zurich, Switzerland 2003–2014. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 653-660. | 1.2 | 3 |
| 12 | Socioeconomic and demographic inequalities in stage at diagnosis and survival among colorectal cancer patients: evidence from a Swiss population-based study. <i>Cancer Medicine</i> , 2018, 7, 1498-1510. | 1.3 | 29 |
| 13 | Trends in prostate cancer incidence between 1996 and 2013 in two Swiss regions by age, grade, and T-stage. <i>Cancer Causes and Control</i> , 2018, 29, 269-277. | 0.8 | 3 |
| 14 | Indicators of Data Quality at the Cancer Registry Zurich and Zug in Switzerland. <i>BioMed Research International</i> , 2018, 2018, 1-11. | 0.9 | 15 |
| 15 | Sex-specific effects of leisure-time physical activity on cause-specific mortality in NHANES III. <i>Preventive Medicine</i> , 2017, 101, 53-59. | 1.6 | 11 |
| 16 | Validation of the Global Physical Activity Questionnaire for self-administration in a European context. <i>BMJ Open Sport and Exercise Medicine</i> , 2017, 3, e000206. | 1.4 | 69 |
| 17 | Socioeconomic and demographic disparities in breast cancer stage at presentation and survival: A Swiss population-based study. <i>International Journal of Cancer</i> , 2017, 141, 1529-1539. | 2.3 | 35 |
| 18 | Associations between domains of physical activity, sitting time, and different measures of overweight and obesity. <i>Preventive Medicine Reports</i> , 2016, 3, 177-184. | 0.8 | 42 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Long-term transportation noise annoyance is associated with subsequent lower levels of physical activity. <i>Environment International</i> , 2016, 91, 341-349. | 4.8 | 80 |
| 20 | Validation of the long international physical activity questionnaire: Influence of age and language region. <i>Preventive Medicine Reports</i> , 2016, 3, 250-256. | 0.8 | 94 |
| 21 | Long-term physical activity is associated with reduced arterial stiffness in older adults: longitudinal results of the SAPALDIA cohort study. <i>Age and Ageing</i> , 2016, 45, 110-115. | 0.7 | 31 |
| 22 | Physical activity is associated with lower arterial stiffness in older adults: results of the SAPALDIA 3 Cohort Study. <i>European Journal of Epidemiology</i> , 2016, 31, 275-285. | 2.5 | 45 |
| 23 | Effects of Leisure-Time and Occupational Physical Activity on Total Mortality Risk in NHANES III According to Sex, Ethnicity, Central Obesity, and Age. <i>Journal of Physical Activity and Health</i> , 2015, 12, 184-192. | 1.0 | 57 |
| 24 | Associations between objective and self-reported physical activity and vitamin D serum levels in the US population. <i>Cancer Causes and Control</i> , 2015, 26, 881-891. | 0.8 | 64 |
| 25 | Carotid Stiffness and Physical Activity in Elderly – A Short Report of the SAPALDIA 3 Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0128991. | 1.1 | 5 |
| 26 | Impact of different domains of physical activity on cause-specific mortality: A longitudinal study. <i>Preventive Medicine</i> , 2014, 62, 89-95. | 1.6 | 50 |
| 27 | What physical activity surveillance needs: validity of a single-item questionnaire. <i>British Journal of Sports Medicine</i> , 2014, 48, 1570-1576. | 3.1 | 73 |
| 28 | Associations of objectively assessed levels of physical activity, aerobic fitness and motor coordination with injury risk in school children aged 7-9 years: a cross-sectional study. <i>BMJ Open</i> , 2013, 3, e003086. | 0.8 | 17 |
| 29 | Effects of Filter Choice in GT3X Accelerometer Assessments of Free-Living Activity. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 170-177. | 0.2 | 45 |
| 30 | Active Transport, Physical Activity, and Body Weight in Adults. <i>American Journal of Preventive Medicine</i> , 2012, 42, 493-502. | 1.6 | 196 |
| 31 | Allez Hop, a nationwide programme for the promotion of physical activity in Switzerland: what is the evidence for a population impact after one decade of implementation?. <i>British Journal of Sports Medicine</i> , 2011, 45, 1202-1207. | 3.1 | 11 |
| 32 | Physical activity levels and determinants of change in young adults: a longitudinal panel study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010, 7, 2. | 2.0 | 83 |
| 33 | Comparison of Trial Participants and Open Access Users of a Web-Based Physical Activity Intervention Regarding Adherence, Attrition, and Repeated Participation. <i>Journal of Medical Internet Research</i> , 2010, 12, e3. | 2.1 | 80 |
| 34 | Effectiveness of Active-Online, an Individually Tailored Physical Activity Intervention, in a Real-Life Setting: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2009, 11, e23. | 2.1 | 62 |