

Shozo Tomonaga

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7606448/publications.pdf>

Version: 2024-02-01

99
papers

3,056
citations

172386

29
h-index

175177

52
g-index

102
all docs

102
docs citations

102
times ranked

3174
citing authors

#	ARTICLE	IF	CITATIONS
1	Metabolism of Imidazole Dipeptides, Taurine, Branched-Chain Amino Acids, and Polyamines of the Breast Muscle Are Affected by Post-Hatch Development in Chickens. <i>Metabolites</i> , 2022, 12, 86.	1.3	4
2	Stimulation of uncoupling protein 1 expression by β -alanine in brown adipocytes. <i>Archives of Biochemistry and Biophysics</i> , 2022, 727, 109341.	1.4	1
3	The use of behavioral tests of fearfulness in chicks to distinguish between the Japanese native chicken breeds, Tosa and Yakido. <i>Animal Science Journal</i> , 2021, 92, e13507.	0.6	6
4	Nutritional Characteristics and Functions of D-Amino Acids in the Chicken. <i>Journal of Poultry Science</i> , 2020, 57, 18-27.	0.7	4
5	Elevated quinolinic acid levels in cerebrospinal fluid in subacute sclerosing panencephalitis. <i>Journal of Neuroimmunology</i> , 2020, 339, 577088.	1.1	10
6	Transcriptional Activation of Chac1 and Other Atf4-Target Genes Induced by Extracellular L-Serine Depletion is negated with Glycine Consumption in Hepa1-6 Hepatocarcinoma Cells. <i>Nutrients</i> , 2020, 12, 3018.	1.7	12
7	Effects of Dietary Defatted Meat Species on Metabolomic Profiles of Murine Liver, Gastrocnemius Muscle, and Cecal Content. <i>Metabolites</i> , 2020, 10, 503.	1.3	3
8	Analysis of infant microbiota composition and the relationship with breast milk components in the Asian elephant (<i>Elephas maximus</i>) at the zoo. <i>Journal of Veterinary Medical Science</i> , 2020, 82, 983-989.	0.3	9
9	Effects of Cyclic High Ambient Temperature and Dietary Supplementation of Orotic Acid, a Pyrimidine Precursor, on Plasma and Muscle Metabolites in Broiler Chickens. <i>Metabolites</i> , 2020, 10, 189.	1.3	4
10	Beef extract supplementation promotes myoblast proliferation and myotube growth in C2C12 cells. <i>European Journal of Nutrition</i> , 2020, 59, 3735-3743.	1.8	6
11	Feeding the Outer Bran Fraction of Rice Alters Hepatic Carbohydrate Metabolism in Rats. <i>Nutrients</i> , 2020, 12, 430.	1.7	1
12	Metabolomics Approach Reveals the Effects of Breed and Feed on the Composition of Chicken Eggs. <i>Metabolites</i> , 2019, 9, 224.	1.3	21
13	Chronic retinoic acid treatment induces differentiation and changes in the metabolite levels of brown (pre)adipocytes. <i>Cell Biochemistry and Function</i> , 2019, 37, 377-384.	1.4	3
14	Correlation between skeletal muscle fiber type and free amino acid levels in Japanese Black steers. <i>Animal Science Journal</i> , 2019, 90, 604-609.	0.6	17
15	Metabolic changes in adipose tissues in response to β -adrenergic receptor activation in mice. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 821-835.	1.2	21
16	Regulatory responses of hepatocytes, macrophages and vascular endothelial cells to magnesium deficiency. <i>Journal of Nutritional Biochemistry</i> , 2018, 56, 35-47.	1.9	16
17	Effects of high ambient temperature on plasma metabolomic profiles in chicks. <i>Animal Science Journal</i> , 2018, 89, 448-455.	0.6	29
18	Production, Absorption, and Blood Flow Dynamics of Short-Chain Fatty Acids Produced by Fermentation in Piglet Hindgut during the Suckling Weaning Period. <i>Nutrients</i> , 2018, 10, 1220.	1.7	35

#	ARTICLE	IF	CITATIONS
19	Hippocampal metabolism of amino acids by L-amino acid oxidase is involved in fear learning and memory. <i>Scientific Reports</i> , 2018, 8, 11073.	1.6	25
20	Expression levels of brown/beige adipocyte-related genes in fat depots of vitamin A-restricted fattening cattle. <i>Journal of Animal Science</i> , 2018, 96, 3884-3896.	0.2	13
21	Effects of delayed feeding on lipid peroxidation, drip losses, color, and taste of chicken breast meat. <i>Nihon Chikusan Gakkaiho</i> , 2018, 89, 191-198.	0.0	2
22	Effects of Diet Quality and Psychosocial Stress on the Metabolic Profiles of Mice. <i>Journal of Proteome Research</i> , 2017, 16, 1857-1867.	1.8	11
23	Effect of long-distance transportation on serum metabolic profiles of steer calves. <i>Animal Science Journal</i> , 2017, 88, 1970-1978.	0.6	14
24	Oral Administration of L-serine Modifies Amino Acid Metabolism in the Brain of Rats. <i>Journal of Animal Research and Nutrition</i> , 2016, 01, .	0.4	0
25	Expression of uncoupling protein 1 in bovine muscle cells. <i>Journal of Animal Science</i> , 2016, 94, 5097-5104.	0.2	4
26	Murine Depression Model and its Potential Applications for Discovering Foods and Farm Products with Antidepressant-Like Effects. <i>Frontiers in Neuroscience</i> , 2016, 10, 72.	1.4	4
27	Fluctuations in metabolite content in the liver of magnesium-deficient rats. <i>British Journal of Nutrition</i> , 2016, 116, 1694-1699.	1.2	11
28	Dietary regulation of Ucp2 and Ucp3 expressions in white adipose tissues of beef cattle. <i>Canadian Journal of Animal Science</i> , 2016, 96, 457-460.	0.7	5
29	Modulation of the cellular content of metabolites in adipocytes by insulin. <i>Molecular and Cellular Endocrinology</i> , 2016, 424, 71-80.	1.6	9
30	Regulatory expression of components in the BMP pathway in white adipose tissues of cattle. <i>Livestock Science</i> , 2015, 174, 144-149.	0.6	1
31	Increase in telencephalic dopamine and cerebellar norepinephrine contents by hydrostatic pressure in goldfish: the possible involvement in hydrostatic pressure-related locomotion. <i>Fish Physiology and Biochemistry</i> , 2015, 41, 1105-1115.	0.9	5
32	Central Administration of Glucose Modifies Brain Amino Acid Metabolism in Neonatal Chicks. <i>Journal of Poultry Science</i> , 2015, 52, 28-33.	0.7	2
33	High-sensitivity detection of short-chain fatty acids in porcine ileal, cecal, portal and abdominal blood by gas chromatography-mass spectrometry. <i>Animal Science Journal</i> , 2014, 85, 494-498.	0.6	47
34	Downregulation of Pgc-1 α expression by tea leaves and their by-products. <i>Cell Biochemistry and Function</i> , 2014, 32, 236-240.	1.4	3
35	Orally administered whole egg demonstrates antidepressant-like effects in the forced swimming test on rats. <i>Acta Neuropsychiatrica</i> , 2014, 26, 209-217.	1.0	8
36	Oxidative damage and brain concentrations of free amino acid in chicks exposed to high ambient temperature. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2014, 169, 70-76.	0.8	60

#	ARTICLE	IF	CITATIONS
37	Effects of Vitamin A Status on Expression of Ucp1 and Brown/Beige Adipocyte-Related Genes in White Adipose Tissues of Beef Cattle. <i>Journal of Veterinary Medical Science</i> , 2014, 76, 1261-1265.	0.3	8
38	Commensal microbiota modulate murine behaviors in a strictly contamination-free environment confirmed by culture-based methods. <i>Neurogastroenterology and Motility</i> , 2013, 25, 521.	1.6	222
39	Magnesium Deficiency Induces the Emergence of Mast Cells in the Liver of Rats. <i>Journal of Nutritional Science and Vitaminology</i> , 2013, 59, 560-563.	0.2	20
40	Oral Administration of D-aspartate, but not of L-aspartate, Reduces Food Intake in Chicks. <i>Journal of Poultry Science</i> , 2013, 50, 164-171.	0.7	9
41	The impact of chronic imipramine treatment on amino acid concentrations in the hippocampus of mice. <i>Nutritional Neuroscience</i> , 2012, 15, 26-33.	1.5	7
42	Changes in brain monoamine metabolism of neonatal chicks under two different acute stress conditions. <i>British Poultry Science</i> , 2012, 53, 145-149.	0.8	7
43	Intracerebroventricular injection of kynurenic acid attenuates corticotrophin-releasing hormone-augmented stress responses in neonatal chicks. <i>Neuroscience</i> , 2012, 220, 142-148.	1.1	12
44	Orally administered l-ornithine reduces restraint stress-induced activation of the hypothalamic-pituitary-adrenal axis in mice. <i>Neuroscience Letters</i> , 2012, 506, 287-291.	1.0	16
45	Central administration of l- and d-aspartate attenuates stress behaviors by social isolation and CRF in neonatal chicks. <i>Amino Acids</i> , 2012, 43, 1969-1976.	1.2	23
46	Hypothesis with abnormal amino acid metabolism in depression and stress vulnerability in Wistar Kyoto rats. <i>Amino Acids</i> , 2012, 43, 2101-2111.	1.2	42
47	Physiological and Behavioral Responses of Young Chicks to High Ambient Temperature. <i>Journal of Poultry Science</i> , 2012, 49, 212-218.	0.7	47
48	Hypothalamic gonadotropin-inhibitory hormone precursor mRNA is increased during depressed food intake in heat-exposed chicks. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2012, 162, 227-233.	0.8	47
49	Impacts of acute imipramine treatment on plasma and brain amino acid metabolism in mice given graded levels of dietary chicken protein. <i>Animal Science Journal</i> , 2012, 83, 777-787.	0.6	2
50	Î²-Alanine Enhances Brain and Muscle Carnosine Levels in Broiler Chicks. <i>Journal of Poultry Science</i> , 2012, 49, 308-312.	0.7	22
51	Oral Administration of L-Serine Increases L- and D-Serine Levels in the Plasma and Brain of Fasted Rats. <i>Letters in Drug Design and Discovery</i> , 2012, 9, 663-667.	0.4	7
52	Alaska Pollack Protein Decreases Brain 3-methoxy-4-hydroxyphenylglycol Levels in Fasting Chicks. <i>Journal of Poultry Science</i> , 2012, 49, 171-177.	0.7	0
53	l-Ornithine attenuates corticotropin-releasing factor-induced stress responses acting at GABAA receptors in neonatal chicks. <i>Neuroscience</i> , 2011, 172, 226-231.	1.1	23
54	Orally administered l-ornithine elevates brain l-ornithine levels and has an anxiolytic-like effect in mice. <i>Nutritional Neuroscience</i> , 2011, 14, 243-248.	1.5	28

#	ARTICLE	IF	CITATIONS
55	Norepinephrine does not alter NPY and POMC mRNA expression in neonatal chicks. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2010, 156, 143-146.	0.8	7
56	Decreased Exploratory Activity in a Mouse Model of 15q Duplication Syndrome; Implications for Disturbance of Serotonin Signaling. <i>PLoS ONE</i> , 2010, 5, e15126.	1.1	98
57	Brain-specific Phgdh Deletion Reveals a Pivotal Role for L-Serine Biosynthesis in Controlling the Level of d-Serine, an N-methyl-d-aspartate Receptor Co-agonist, in Adult Brain. <i>Journal of Biological Chemistry</i> , 2010, 285, 41380-41390.	1.6	110
58	Conditional Phgdh deletion results in reduced D,L-serine levels and alters monoamine metabolism in the postnatal brain. <i>Neuroscience Research</i> , 2010, 68, e119.	1.0	0
59	Oral administration of Excitin-1 (l ² -alanyl-L-leucine) alters behavior and brain monoamine and amino acid concentrations in rats. <i>Nutritional Neuroscience</i> , 2009, 12, 175-182.	1.5	1
60	Forced swimming and imipramine modify plasma and brain amino acid concentrations in mice. <i>European Journal of Pharmacology</i> , 2009, 602, 73-77.	1.7	30
61	Changes in free amino acids in the brain during embryonic development in layer and broiler chickens. <i>Amino Acids</i> , 2009, 36, 303-308.	1.2	14
62	L-Proline is a sedative regulator of acute stress in the brain of neonatal chicks. <i>Amino Acids</i> , 2009, 37, 377-382.	1.2	53
63	Reduced glutathione decreases energy expenditure in chicks exposed to separation stress. <i>Animal Science Journal</i> , 2009, 80, 291-295.	0.6	0
64	Abnormal Behavior in a Chromosome- Engineered Mouse Model for Human 15q11-13 Duplication Seen in Autism. <i>Cell</i> , 2009, 137, 1235-1246.	13.5	432
65	Central L-proline attenuates stress-induced dopamine and serotonin metabolism in the chick forebrain. <i>Neuroscience Letters</i> , 2009, 460, 78-81.	1.0	17
66	Changes in Carnosine and its Related Constituents during Embryonic Development in the Breast Muscle of Layer and Broiler Chickens. <i>Journal of Poultry Science</i> , 2009, 46, 229-233.	0.7	1
67	Relationships between the sedative and hypnotic effects of intracerebroventricular administration of L-serine and its metabolites, pyruvate and the derivative amino acids contents in the neonatal chicks under acute stressful conditions. <i>Amino Acids</i> , 2008, 34, 55-60.	1.2	22
68	Intracerebroventricular injection of L-arginine induces sedative and hypnotic effects under an acute stress in neonatal chicks. <i>Amino Acids</i> , 2008, 35, 139-146.	1.2	65
69	Central L-arginine reduced stress responses are mediated by L-ornithine in neonatal chicks. <i>Amino Acids</i> , 2008, 35, 107-113.	1.2	46
70	Carnosine-induced antidepressant-like activity in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2008, 89, 627-632.	1.3	58
71	Reverse structure of carnosine-induced sedative and hypnotic effects in the chick under acute stress. <i>Life Sciences</i> , 2008, 82, 1065-1069.	2.0	9
72	Central Administration of L-Ser-L-His and L-Ile-L-His Induced Sedative Effects Under an Acute Stressful Condition in Chicks. <i>Letters in Drug Design and Discovery</i> , 2008, 5, 65-68.	0.4	6

#	ARTICLE	IF	CITATIONS
73	Oral administration of chicken breast extract increases brain carnosine and anserine concentrations in rats. <i>Nutritional Neuroscience</i> , 2007, 10, 181-186.	1.5	29
74	Galloyl Group is not Necessary for a Sedative Effect of Catechin Through GABAergic System. <i>Letters in Drug Design and Discovery</i> , 2007, 4, 163-167.	0.4	3
75	Effects of in utero TPTCL Exposure on the Learned Behaviors of Mice after Birth. <i>Journal of Applied Animal Research</i> , 2007, 31, 13-20.	0.4	0
76	Intracerebroventricular injection of glutathione and its derivative induces sedative and hypnotic effects under an acute stress in neonatal chicks. <i>Neuroscience Letters</i> , 2007, 418, 87-91.	1.0	24
77	Neuropeptidergic Regulation of Food Intake in the Neonatal Chick: A Review. <i>Journal of Poultry Science</i> , 2007, 44, 349-356.	0.7	33
78	Central administration of dipeptides, beta-alanyl-BCAAs, induces hyperactivity in chicks. <i>BMC Neuroscience</i> , 2007, 8, 37.	0.8	16
79	Stress responses in neonatal meat and layer Nagoya chicks. <i>Animal Science Journal</i> , 2007, 78, 541-545.	0.6	1
80	Intracerebroventricular injection of l-serine analogs and derivatives induces sedative and hypnotic effects under an acute stressful condition in neonatal chicks. <i>Behavioural Brain Research</i> , 2006, 170, 71-77.	1.2	53
81	Dietary beta-alanine enhances brain, but not muscle, carnosine and anserine concentrations in broilers. <i>Animal Science Journal</i> , 2006, 77, 79-86.	0.6	24
82	(-)-Epigallocatechin gallate attenuates acute stress responses through GABAergic system in the brain. <i>European Journal of Pharmacology</i> , 2006, 531, 171-175.	1.7	82
83	Effect of Centrally Administered Sphingomyelin on Food Intake and HPA Axis in Chicks. <i>Journal of Applied Animal Research</i> , 2006, 29, 91-96.	0.4	0
84	Oral administration of beta-alanine modifies carnosine concentrations in the muscles and brains of chickens. <i>Animal Science Journal</i> , 2005, 76, 249-254.	0.6	26
85	Nitric oxide involves in carnosine-induced hyperactivity in chicks. <i>European Journal of Pharmacology</i> , 2005, 524, 84-88.	1.7	35
86	Central administration of phosphatidylserine attenuates isolation stress-induced behavior in chicks. <i>Neurochemistry International</i> , 2005, 47, 183-189.	1.9	49
87	Inhibitory effect of ghrelin on food intake is mediated by the corticotropin-releasing factor system in neonatal chicks. <i>Regulatory Peptides</i> , 2005, 125, 201-208.	1.9	266
88	Differences in catecholamine metabolism and behaviour in neonatal broiler and layer chicks. <i>British Poultry Science</i> , 2004, 45, 158-162.	0.8	23
89	Effect of central administration of carnosine and its constituents on behaviors in chicks. <i>Brain Research Bulletin</i> , 2004, 63, 75-82.	1.4	59
90	Effect of central administration of prolactin-releasing peptide on feeding in chicks. <i>Physiology and Behavior</i> , 2004, 80, 713-719.	1.0	52

#	ARTICLE	IF	CITATIONS
91	Anorexigenic effects of pituitary adenylate cyclase-activating polypeptide and vasoactive intestinal peptide in the chick brain are mediated by corticotrophin-releasing factor. <i>Regulatory Peptides</i> , 2004, 120, 99-105.	1.9	52
92	Comparison of brain arginine-vasotocin and corticotrophin-releasing factor for physiological responses in chicks. <i>Neuroscience Letters</i> , 2004, 360, 165-169.	1.0	61
93	Beta 3-adrenergic receptor is involved in feeding regulation in chicks. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2003, 135, 403-409.	0.8	11
94	Intracerebroventricular administration of GABA-A and GABA-B receptor antagonists attenuate feeding and sleeping-like behavior induced by L-pipecolic acid in neonatal chicks. <i>Journal of Neuroscience Research</i> , 2003, 73, 270-275.	1.3	38
95	Intracerebroventricular injection of vasoactive intestinal peptide and pituitary adenylate cyclase-activating polypeptide inhibits feeding in chicks. <i>Neuroscience Letters</i> , 2003, 339, 203-206.	1.0	74
96	Pituitary adenylate cyclase activating polypeptide and vasoactive intestinal peptide inhibit feeding in the chick brain by different mechanisms. <i>Neuroscience Letters</i> , 2003, 348, 25-28.	1.0	30
97	Central pipecolic acid increases food intake under ad libitum feeding conditions in the neonatal chick. <i>Neuroscience Letters</i> , 2003, 347, 93-96.	1.0	9
98	Central administration of cocaine- and amphetamine-regulated transcript inhibits food intake in chicks. <i>Neuroscience Letters</i> , 2003, 337, 131-134.	1.0	65
99	Changes in Catecholamines and Dopaminergic Metabolites in Pigeon Brain During Development from the Late Embryonic Stage Toward Hatch. <i>Zoological Science</i> , 2003, 20, 551-555.	0.3	4