
## Carsten Herz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7606704/publications.pdf Version: 2024-02-01



CADSTEN HEDZ

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Active Brown Adipose Tissue Is Associated With a Healthier Metabolic Phenotype in Obesity. Diabetes, 2022, 71, 93-103.   | 0.6 | 27        |
| 2  | Deletion of the Natural Killer Cell Receptor NKG2C Encoding KLR2C Gene and Kidney Transplant<br>Outcome. Frontiers in Immunology, 2022, 13, 829228.  | 4.8 | 8         |
| 3  | Brown Adipose Tissue Prevalence Is Lower in Obesity but Its Metabolic Activity Is Intact. Frontiers in Endocrinology, 2022, 13, 858417.  | 3.5 | 18        |
| 4  | High-Density Lipoprotein Particle Subclasses in Statin-Treated Patients with Peripheral Artery Disease<br>Predict Long-Term Survival. Thrombosis and Haemostasis, 2022, 122, 1804-1813.            | 3.4 | 1         |
| 5  | GlycA for long-term outcome in T2DM secondary prevention. Diabetes Research and Clinical Practice, 2021, 171, 108583.  | 2.8 | 6         |
| 6  | Evaluation of sCD163 and sTWEAK in patients with stable peripheral arterial disease and association with disease severity as well as long-term mortality. Atherosclerosis, 2021, 317, 41-46.       | 0.8 | 4         |
| 7  | Vascular peroxidase 1 is independently associated with worse kidney function in patients with peripheral artery disease. Journal of Nephrology, 2021, 34, 165-172.                                 | 2.0 | 2         |
| 8  | Decrease of dipeptidyl peptidase 4 activity is associated with weight loss after bariatric surgery.<br>Obesity Surgery, 2021, 31, 2545-2550.   | 2.1 | 3         |
| 9  | Sex differences in brown adipose tissue activity and cold-induced thermogenesis. Molecular and Cellular Endocrinology, 2021, 534, 111365.  | 3.2 | 18        |
| 10 | The Association of Cortisol Excretion with Weight and Metabolic Parameters in Nondiabetic Patients with Morbid Obesity. Obesity Facts, 2021, 14, 510-519.  | 3.4 | 4         |
| 11 | Characterization of endogenous bile acid composition in individuals with cold-activated brown adipose tissue. Molecular and Cellular Endocrinology, 2021, 536, 111403.                             | 3.2 | 4         |
| 12 | Discovery of melanin oncentrating hormone receptor 1 in brown adipose tissue. Annals of the New<br>York Academy of Sciences, 2021, 1494, 70-86.  | 3.8 | 2         |
| 13 | Thrombospondin-4 increases with the severity of peripheral arterial disease and is associated with diabetes. Heart and Vessels, 2020, 35, 52-58.   | 1.2 | 10        |
| 14 | The Transcriptional Role of Vitamin A and the Retinoid Axis in Brown Fat Function. Frontiers in Endocrinology, 2020, 11, 608.  | 3.5 | 7         |
| 15 | Predictive power of novel and established obesity indices for outcome in PAD during a five-year follow-up. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 1179-1187.                 | 2.6 | 13        |
| 16 | Peripheral arterial disease and type 2 diabetes: Older patients still exhibit a survival benefit from glucose control. Diabetes and Vascular Disease Research, 2020, 17, 147916412091484.          | 2.0 | 3         |
| 17 | The Presence of Active Brown Adipose Tissue Determines Cold-Induced Energy Expenditure and<br>Oxylipin Profiles in Humans. Journal of Clinical Endocrinology and Metabolism, 2020, 105, 2203-2216. | 3.6 | 46        |
| 18 | Albuminuria in Patients with Morbid Obesity and the Effect of Weight Loss Following Bariatric<br>Surgery. Obesity Surgery, 2019, 29, 3581-3588.  | 2.1 | 6         |

CARSTEN HERZ

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Adipose tissue browning in mice and humans. Journal of Endocrinology, 2019, 241, R97-R109.  | 2.6 | 97        |
| 20 | 464-P: Visceral Adiposity Index Identifies Both Type 2 Diabetes Mellitus and Prediabetes Better than<br>Established Indices of Visceral Obesity in a Pad Cohort. Diabetes, 2019, 68, 464-P.         | 0.6 | 1         |
| 21 | Adipose tissue browning in mice and humans. Journal of Endocrinology, 2019, 241, R97-R109.  | 2.6 | 35        |
| 22 | Angiopoietin-2 and Survival in Peripheral Artery Disease Patients. Thrombosis and Haemostasis, 2018,<br>47, 791-797.  | 3.4 | 7         |
| 23 | Prevalence of Micronutrient Deficiency in Patients with Morbid Obesity Before Bariatric Surgery.<br>Obesity Surgery, 2018, 28, 643-648.   | 2.1 | 63        |
| 24 | FABP4 and Cardiovascular Events in Peripheral Arterial Disease. Angiology, 2018, 69, 424-430.   | 1.8 | 22        |
| 25 | YKL-40 levels increase with declining ankle-brachial index and are associated with long-term cardiovascular mortality in peripheral arterial disease patients. Atherosclerosis, 2018, 274, 152-156. | 0.8 | 8         |
| 26 | Center-based patient care enhances survival of elderly patients suffering from peripheral arterial disease. Annals of Medicine, 2017, 49, 291-298.  | 3.8 | 26        |
| 27 | Moderate alcohol consumption shifts to an atheroprotective phenotype: A glass of wine keeps atherosclerosis in check?. Atherosclerosis, 2016, 254, 305-306.   | 0.8 | 2         |
| 28 | Do we need a new classification system for arteriosclerotic lesions in crural limb ischemia? Pros and<br>Cons. Atherosclerosis, 2016, 251, 493-494.   | 0.8 | 1         |
| 29 | Abstract 15880: Angiopoietin 2, a Pro-inflammatory Protein, is Associated With Major Adverse<br>Cardiovascular Events in Patients With Peripheral Arterial Disease. Circulation, 2015, 132, .       | 1.6 | 0         |
| 30 | Abstract 16877: High Serum Levels of Trefoil Factor 3 are Associated With an Increased Risk for Cardiovascular Events. Circulation, 2015, 132, .  | 1.6 | 3         |
| 31 | Abstract 17206: Osteopontin Levels in Patients at High Cardiovascular Risk. Circulation, 2015, 132, .   | 1.6 | 0         |