## Camilla Jerlang Christiani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/760702/publications.pdf

Version: 2024-02-01

22 375 9
papers citations h-index

22 22 315
all docs docs citations times ranked citing authors

16

g-index

#	Article	IF	CITATIONS
1	The Danish High Risk and Resilience Study – VIA 7 - a cohort study of 520 7-year-old children born of parents diagnosed with either schizophrenia, bipolar disorder or neither of these two mental disorders. BMC Psychiatry, 2015, 15, 233.	2.6	67
2	Psychopathology in 7â€yearâ€old children with familial high risk of developing schizophrenia spectrum psychosis or bipolar disorder – The Danish High Risk and Resilience Study ―VIA 7, a populationâ€based cohort study. World Psychiatry, 2018, 17, 210-219.	10.4	60
3	Assessment of Neurocognitive Functions in 7-Year-Old Children at Familial High Risk for Schizophrenia or Bipolar Disorder. JAMA Psychiatry, 2018, 75, 844.	11.0	60
4	Impairments of motor function among children with a familial risk of schizophrenia or bipolar disorder at 7 years old in Denmark: an observational cohort study. Lancet Psychiatry,the, 2017, 4, 400-408.	7.4	47
5	Social Cognition, Language, and Social Behavior in 7-Year-Old Children at Familial High-Risk of Developing Schizophrenia or Bipolar Disorder: The Danish High Risk and Resilience Study VIA 7—A Population-Based Cohort Study. Schizophrenia Bulletin, 2019, 45, 1218-1230.	4.3	34
6	Sustained Attention and Interference Control Among 7-Year-Old Children With a Familial High Risk of Schizophrenia or Bipolar Disorder—A Nationwide Observational Cohort Study. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2018, 3, 704-712.	1.5	26
7	Visual attention in 7-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish high risk and resilience study VIA 7. Journal of Affective Disorders, 2019, 258, 56-65.	4.1	23
8	A Nationwide Cohort Study of Nonrandom Mating in Schizophrenia and Bipolar Disorder. Schizophrenia Bulletin, 2021, 47, 1342-1350.	4.3	17
9	Quality of life and self-esteem in 7-year-old children with familial high risk of schizophrenia or bipolar disorder: the Danish High Risk and Resilience Study-VIA 7—a population-based cohort study. European Child and Adolescent Psychiatry, 2020, 29, 849-860.	4.7	10
10	Psychotic experiences in seven-year-old children with familial high risk of schizophrenia or bipolar disorder in: The Danish High Risk and Resilience Study – VIA 7; A population-based cohort study. Schizophrenia Research, 2021, 228, 510-518.	2.0	9
11	Executive functions in 7-year-old children of parents with schizophrenia or bipolar disorder compared with controls: The Danish High Risk and Resilience Study—VIA 7, a population-based cohort study. European Child and Adolescent Psychiatry, 2021, 30, 1871-1884.	4.7	7
12	Exploring protective and risk factors in the home environment in high-risk families – results from the Danish High Risk and Resilience Study—VIA 7. BMC Psychiatry, 2022, 22, 100.	2.6	4
13	Decision making and its associations to neurocognitive functions, psychopathology, and the home environment in seven-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish High Risk and Resilience Study VIA 7. Journal of Affective Disorders, 2021, 281, 609-617.	4.1	3
14	Neurocognitive heterogeneity in 7-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish high risk and resilience study - VIA 7. Journal of Affective Disorders, 2022, 302, 214-223.	4.1	3
15	Post-error adjustment among children aged 7 years with a familial high risk of schizophrenia or bipolar disorder: A population-based cohort study. Development and Psychopathology, 2022, 34, 2023-2033.	2.3	2
16	Odor identification in 7-year-old children at familial high risk of schizophrenia or bipolar disorder - the Danish high risk and resilience study VIA 7. Schizophrenia Research, 2020, 216, 77-84.	2.0	1
17	Heterogeneity of social cognitive and language functions in children at familial high-risk of severe mental illness; The Danish High Risk and Resilience Study VIA 7. European Child and Adolescent Psychiatry, 2022, 31, 991-1002.	4.7	1
18	Transmission of intelligence, working memory, and processing speed from parents to their seven-year-old offspring is function specific in families with schizophrenia or bipolar disorder. Schizophrenia Research, 2022, 246, 195-201.	2.0	1

#	Article	lF	CITATIONS
19	Development of visual attention from age 7 to age 12 in children with familial high risk for schizophrenia or bipolar disorder. Schizophrenia Research, 2021, 228, 327-335.	2.0	О
20	Accumulation of disadvantages across multiple domains amongst subgroups of children of parents with schizophrenia or bipolar disorder. Clustering data from the Danish High Risk and Resilience Study VIA 7. Schizophrenia Bulletin Open, 0, , .	1.7	0
21	Association between early risk factors and level of functioning at age seven in children at familial risk for schizophrenia or bipolar disorder - The Danish High Risk and Resilience Study VIA 7. Scandinavian Journal of Child and Adolescent Psychiatry and Psychology, 2022, 10, 12-23.	0.6	О
22	The Strengths and Difficulties Questionnaire Is of Clinical Significance Regarding Emotional and Behavioral Problems in 7-Year-Old Children With Familial Risk of Schizophrenia or Bipolar Disorder and Population-Based Controls the Danish High Risk and Resilience Study–VIA 7; A Population-Based Cohort Study. Frontiers in Psychiatry, 2022, 13, .	2.6	0