

Camilla Jerlang Christiani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/760702/publications.pdf>

Version: 2024-02-01

22
papers

375
citations

1040056

9
h-index

940533

16
g-index

22
all docs

22
docs citations

22
times ranked

315
citing authors

#	ARTICLE	IF	CITATIONS
1	Heterogeneity of social cognitive and language functions in children at familial high-risk of severe mental illness; The Danish High Risk and Resilience Study VIA 7. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 991-1002.	4.7	1
2	Post-error adjustment among children aged 7 years with a familial high risk of schizophrenia or bipolar disorder: A population-based cohort study. <i>Development and Psychopathology</i> , 2022, 34, 2023-2033.	2.3	2
3	Neurocognitive heterogeneity in 7-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish high risk and resilience study - VIA 7. <i>Journal of Affective Disorders</i> , 2022, 302, 214-223.	4.1	3
4	Exploring protective and risk factors in the home environment in high-risk families – results from the Danish High Risk and Resilience Study – VIA 7. <i>BMC Psychiatry</i> , 2022, 22, 100.	2.6	4
5	Association between early risk factors and level of functioning at age seven in children at familial risk for schizophrenia or bipolar disorder - The Danish High Risk and Resilience Study VIA 7. <i>Scandinavian Journal of Child and Adolescent Psychiatry and Psychology</i> , 2022, 10, 12-23.	0.6	0
6	The Strengths and Difficulties Questionnaire Is of Clinical Significance Regarding Emotional and Behavioral Problems in 7-Year-Old Children With Familial Risk of Schizophrenia or Bipolar Disorder and Population-Based Controls the Danish High Risk and Resilience Study – VIA 7; A Population-Based Cohort Study. <i>Frontiers in Psychiatry</i> , 2022, 13, .	2.6	0
7	Transmission of intelligence, working memory, and processing speed from parents to their seven-year-old offspring is function specific in families with schizophrenia or bipolar disorder. <i>Schizophrenia Research</i> , 2022, 246, 195-201.	2.0	1
8	Executive functions in 7-year-old children of parents with schizophrenia or bipolar disorder compared with controls: The Danish High Risk and Resilience Study – VIA 7, a population-based cohort study. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 1871-1884.	4.7	7
9	Psychotic experiences in seven-year-old children with familial high risk of schizophrenia or bipolar disorder in: The Danish High Risk and Resilience Study – VIA 7; A population-based cohort study. <i>Schizophrenia Research</i> , 2021, 228, 510-518.	2.0	9
10	Decision making and its associations to neurocognitive functions, psychopathology, and the home environment in seven-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish High Risk and Resilience Study VIA 7. <i>Journal of Affective Disorders</i> , 2021, 281, 609-617.	4.1	3
11	Development of visual attention from age 7 to age 12 in children with familial high risk for schizophrenia or bipolar disorder. <i>Schizophrenia Research</i> , 2021, 228, 327-335.	2.0	0
12	A Nationwide Cohort Study of Nonrandom Mating in Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2021, 47, 1342-1350.	4.3	17
13	Quality of life and self-esteem in 7-year-old children with familial high risk of schizophrenia or bipolar disorder: the Danish High Risk and Resilience Study-VIA 7 – a population-based cohort study. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 849-860.	4.7	10
14	Odor identification in 7-year-old children at familial high risk of schizophrenia or bipolar disorder - the Danish high risk and resilience study VIA 7. <i>Schizophrenia Research</i> , 2020, 216, 77-84.	2.0	1
15	Visual attention in 7-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish high risk and resilience study VIA 7. <i>Journal of Affective Disorders</i> , 2019, 258, 56-65.	4.1	23
16	Social Cognition, Language, and Social Behavior in 7-Year-Old Children at Familial High-Risk of Developing Schizophrenia or Bipolar Disorder: The Danish High Risk and Resilience Study VIA 7 – A Population-Based Cohort Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 1218-1230.	4.3	34
17	Sustained Attention and Interference Control Among 7-Year-Old Children With a Familial High Risk of Schizophrenia or Bipolar Disorder – A Nationwide Observational Cohort Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 704-712.	1.5	26
18	Psychopathology in 7-year-old children with familial high risk of developing schizophrenia spectrum psychosis or bipolar disorder – The Danish High Risk and Resilience Study – VIA 7, a population-based cohort study. <i>World Psychiatry</i> , 2018, 17, 210-219.	10.4	60

#	ARTICLE	IF	CITATIONS
19	Assessment of Neurocognitive Functions in 7-Year-Old Children at Familial High Risk for Schizophrenia or Bipolar Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 844.	11.0	60
20	Impairments of motor function among children with a familial risk of schizophrenia or bipolar disorder at 7 years old in Denmark: an observational cohort study. <i>Lancet Psychiatry</i> , 2017, 4, 400-408.	7.4	47
21	The Danish High Risk and Resilience Study "VIA 7" - a cohort study of 520 7-year-old children born of parents diagnosed with either schizophrenia, bipolar disorder or neither of these two mental disorders. <i>BMC Psychiatry</i> , 2015, 15, 233.	2.6	67
22	Accumulation of disadvantages across multiple domains amongst subgroups of children of parents with schizophrenia or bipolar disorder. Clustering data from the Danish High Risk and Resilience Study VIA 7. <i>Schizophrenia Bulletin Open</i> , 0, , .	1.7	0