Nagy Erzsébet

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/760905/publications.pdf

Version: 2024-02-01

42 papers

1,141 citations

394421 19 h-index 395702 33 g-index

43 all docs 43 docs citations

times ranked

43

1068 citing authors

#	Article	IF	CITATIONS
1	A novel <i>Bacteroides</i> metallo-l²-lactamase (MBL) and its gene (<i>crxA</i>) in <i>Bacteroides xylanisolvens</i> revealed by genomic sequencing and functional analysis. Journal of Antimicrobial Chemotherapy, 2022, 77, 1553-1556.	3.0	11
2	Phenotypic and Molecular Characterization of Carbapenem-Heteroresistant Bacteroides fragilis Strains. Antibiotics, 2022, 11, 590.	3.7	6
3	Molecular characterization of metronidazole resistant Bacteroides strains from Kuwait. Anaerobe, 2021, 69, 102357.	2.1	7
4	An update on ampicillin resistance and \hat{l}^2 -lactamase genes of Bacteroides spp Journal of Medical Microbiology, 2021, 70, .	1.8	5
5	Detection of beta-lactamase production in clinical Prevotella species by MALDI-TOF MS method. Anaerobe, 2020, 65, 102240.	2.1	8
6	A Europe-wide assessment of antibiotic resistance rates in Bacteroides and Parabacteroides isolates from intestinal microbiota of healthy subjects. Anaerobe, 2020, 62, 102182.	2.1	26
7	How MALDI-TOF mass spectrometry can aid the diagnosis of hard-to-identify pathogenic bacteria – the rare and the unknown. Expert Review of Molecular Diagnostics, 2019, 19, 667-682.	3.1	37
8	Comparing identification of clinically relevant Prevotella species by VITEK MS and MALDI biotyper. Acta Microbiologica Et Immunologica Hungarica, 2019, 67, 6-13.	0.8	0
9	What do we know about the diagnostics, treatment and epidemiology of Clostridioides (Clostridium) difficile infection in Europe?. Journal of Infection and Chemotherapy, 2018, 24, 164-170.	1.7	39
10	Advancing MALDI-TOF MS applications in anaerobic bacteriology. Anaerobe, 2018, 54, 189-190.	2.1	0
11	Sample preparation method influences direct identification of anaerobic bacteria from positive blood culture bottles using MALDI-TOF MS. Anaerobe, 2018, 54, 231-235.	2.1	18
12	A multicenter survey of antimicrobial susceptibility of Prevotella species as determined by Etest methodology. Anaerobe, 2018, 52, 9-15.	2.1	24
13	Performance of mass spectrometric identification of clinical Prevotella species using the VITEK MS system: A prospective multi-center study. Anaerobe, 2018, 54, 205-209.	2.1	8
14	Performance of two blood culture systems to detect anaerobic bacteria. Is there any difference?. Anaerobe, 2017, 45, 59-64.	2.1	18
15	How MALDI-TOF mass spectrometry can aid diagnosis of hard-to-identify pathogenic bacteria. Expert Review of Molecular Diagnostics, 2016, 16, 509-511.	3.1	13
16	Emergence and evolution of an international cluster of MDR <i>Bacteroides fragilis</i> Journal of Antimicrobial Chemotherapy, 2016, 71, 2441-2448.	3.0	47
17	Distribution of PCR ribotypes among recent Clostridium difficile isolates collected in two districts of Hungary using capillary gel electrophoresis and review of changes in the circulating ribotypes over time. Journal of Medical Microbiology, 2016, 65, 1158-1163.	1.8	8
18	Is there a need for the antibiotic susceptibility testing of anaerobic bacteria?. Anaerobe, 2015, 31, 2-3.	2.1	8

#	Article	IF	Citations
19	Message from the Editor-in-Chief. Anaerobe, 2015, 31, 1.	2.1	0
20	Development of EUCAST disk diffusion method for susceptibility testing of the Bacteroides fragilis group isolates. Anaerobe, 2015, 31, 65-71.	2.1	46
21	Investigation of the MICs of fidaxomicin and other antibiotics against Hungarian Clostridium difficile isolates. Anaerobe, 2015, 31, 47-49.	2.1	12
22	A study on Nim expression in Bacteroides fragilis. Microbiology (United Kingdom), 2014, 160, 616-622.	1.8	24
23	Detection of carbapenemase activities of Bacteroides fragilis strains with matrix-assisted laser desorption ionization – Time of flight mass spectrometry (MALDI-TOF MS). Anaerobe, 2014, 26, 49-52.	2.1	28
24	Use of MALDI-TOF/MS for routine detection of cfiA gene-positive Bacteroides fragilis strains. International Journal of Antimicrobial Agents, 2014, 44, 474-475.	2.5	29
25	InÂvitro antibiotic susceptibility profile of Clostridium difficile excluding PCR ribotype 027 outbreak strain in Hungary. Anaerobe, 2014, 30, 41-44.	2.1	13
26	Instant screening and verification of carbapenemase activity in Bacteroides fragilis in positive blood culture, using matrix-assisted laser desorption ionization–time of flight mass spectrometry. Journal of Medical Microbiology, 2014, 63, 1105-1110.	1.8	37
27	LED-light Activated Antibacterial Surfaces Using Silver-modified TiO2 Embedded in Polymer Matrix. Journal of Advanced Oxidation Technologies, 2014, 17, .	0.5	4
28	MALDI-TOF MS fingerprinting facilitates rapid discrimination of phylotypes I, II and III of Propionibacterium acnes. Anaerobe, 2013, 20, 20-26.	2.1	67
29	Molecular analysis of the carbapenem and metronidazole resistance mechanisms of Bacteroides strains reported in a Europe-wide antibiotic resistance survey. International Journal of Antimicrobial Agents, 2013, 41, 122-125.	2.5	52
30	The value of MALDI-TOF MS for the identification of clinically relevant anaerobic bacteria in routine laboratories. Journal of Medical Microbiology, 2012, 61, 1393-1400.	1.8	115
31	Differentiation of division I (cfiA-negative) and division II (cfiA-positive) Bacteroides fragilis strains by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. Journal of Medical Microbiology, 2011, 60, 1584-1590.	1.8	111
32	Four cases of bacteraemia caused by Fusobacterium nucleatum in febrile, neutropenic patients. Journal of Medical Microbiology, 2011, 60, 1046-1049.	1.8	13
33	Anaerobic Infections. Drugs, 2010, 70, 841-858.	10.9	87
34	In vitro activity of tigecycline and comparators against a European compilation of anaerobes collected as part of the Tigecycline Evaluation and Surveillance Trial (TEST). Scandinavian Journal of Infectious Diseases, 2010, 42, 33-38.	1.5	36
35	Coincidence of bft and cfiA genes in a multi-resistant clinical isolate of Bacteroides fragilis. Journal of Medical Microbiology, 2007, 56, 1416-1418.	1.8	8
36	The Place of Molecular Genetic Methods in the Diagnostics of Human Pathogenic Anaerobic Bacteria. Acta Microbiologica Et Immunologica Hungarica, 2006, 53, 183-194.	0.8	24

#	Article	IF	CITATIONS
37	Distribution of Clostridium difficile PCR ribotypes in regions of Hungary. Journal of Medical Microbiology, 2006, 55, 279-282.	1.8	18
38	Molecular characterization of imipenem-resistant, cfiA-positive Bacteroides fragilis isolates from the USA, Hungary and Kuwait. Journal of Medical Microbiology, 2004, 53, 413-419.	1.8	77
39	Two intriguing Bilophila wadsworthia cases from Hungary. Journal of Medical Microbiology, 2004, 53, 1167-1169.	1.8	7
40	Screening of isolates from faeces for carbapenem-resistant Bacteroides strains; existence of strains with novel types of resistance mechanisms. International Journal of Antimicrobial Agents, 2004, 24, 450-454.	2.5	18
41	In vitroactivity of cefditoren against a special collection of clinical isolates ofStreptococcus pneumoniaefrom Hungary. Acta Microbiologica Et Immunologica Hungarica, 2003, 50, 119-124.	0.8	0
42	Aetiology and antifungal susceptibility of yeast bloodstream infections in a Hungarian university hospital between 1996 and 2000. Journal of Medical Microbiology, 2002, 51, 677-681.	1.8	31