

Muhammad Miftahul Munir

List of Publications by Citations

Source:

<https://exaly.com/author-pdf/7609806/muhammad-miftahul-munir-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

104
papers

1,152
citations

18
h-index

30
g-index

111
ext. papers

1,358
ext. citations

1.9
avg, IF

4.6
L-index

#	Paper	IF	Citations
104	Scaling law on particle-to-fiber formation during electrospinning. <i>Polymer</i> , 2009 , 50, 4935-4943	3.9	120
103	Intermolecular Interactions and the Release Pattern of Electrospun Curcumin-Polyvinylpyrrolidone) Fiber. <i>Biological and Pharmaceutical Bulletin</i> , 2016 , 39, 163-73	2.3	68
102	Optical and electrical properties of indium tin oxide nanofibers prepared by electrospinning. <i>Nanotechnology</i> , 2008 , 19, 145603	3.4	58
101	Self-assembly of colloidal nanoparticles inside charged droplets during spray-drying in the fabrication of nanostructured particles. <i>Langmuir</i> , 2013 , 29, 13152-61	4	46
100	Intense green and yellow emissions from electrospun BCNO phosphor nanofibers. <i>Journal of Materials Chemistry</i> , 2011 , 21, 12629		46
99	Mangosteen pericarp extract embedded in electrospun PVP nanofiber mats: physicochemical properties and release mechanism of mangostin. <i>International Journal of Nanomedicine</i> , 2018 , 13, 4927-4941	4.4	40
98	Correlation between Structures and Antioxidant Activities of Polyvinylpyrrolidone/Garcinia mangostana L. Extract Composite Nanofiber Mats Prepared Using Electrospinning. <i>Journal of Nanomaterials</i> , 2017 , 2017, 1-10	3.2	39
97	Polyvinyl Alcohol/Soursop Leaves Extract Composite Nanofibers Synthesized Using Electrospinning Technique and their Potential as Antibacterial Wound Dressing. <i>Procedia Engineering</i> , 2017 , 170, 31-35		36
96	A constant-current electrospinning system for production of high quality nanofibers. <i>Review of Scientific Instruments</i> , 2008 , 79, 093904	1.7	34
95	Patterned indium tin oxide nanofiber films and their electrical and optical performance. <i>Nanotechnology</i> , 2008 , 19, 375601	3.4	34
94	Electrospun nanofiber from various source of expanded polystyrene (EPS) waste and their characterization as potential air filter media. <i>Waste Management</i> , 2020 , 103, 76-86	8.6	33
93	Encapsulation of Carotene in poly(vinylpyrrolidone) (PVP) by Electrospinning Technique. <i>Procedia Engineering</i> , 2017 , 170, 19-23		32
92	Air filtration media from electrospun waste high-impact polystyrene fiber membrane. <i>Materials Research Express</i> , 2018 , 5, 035049	1.7	30
91	Indium Tin Oxide Nanofiber Film Electrode for High Performance Dye Sensitized Solar Cells. <i>Japanese Journal of Applied Physics</i> , 2010 , 49, 010213	1.4	26
90	Controlled morphology of electrospun nanofibers from waste expanded polystyrene for aerosol filtration. <i>Nanotechnology</i> , 2019 , 30, 425602	3.4	25
89	High performance electrospinning system for fabricating highly uniform polymer nanofibers. <i>Review of Scientific Instruments</i> , 2009 , 80, 026106	1.7	24
88	The synthesis of nanofiber membranes from acrylonitrile butadiene styrene (ABS) waste using electrospinning for use as air filtration media.. <i>RSC Advances</i> , 2019 , 9, 30741-30751	3.7	21

87	Photoluminescent and crystalline properties of $Y_3Al_5O_{12}:Ce^{3+}$ phosphor nanofibers prepared by electrospinning. <i>Journal of Applied Physics</i> , 2009 , 105, 064311	2.5	18
86	Aerosol Chamber Characterization for Commercial Particulate Matter (PM) Sensor Evaluation. <i>Aerosol and Air Quality Research</i> , 2019 , 19, 181-194	4.6	18
85	Electrospun Polyvinylpyrrolidone (PVP) Nanofiber Mats Loaded by <i>Garcinia mangostana</i> L. Extracts. <i>Materials Science Forum</i> , 2016 , 880, 11-14	0.4	18
84	Electrospun polyvinylpyrrolidone (PVP)/green tea extract composite nanofiber mats and their antioxidant activities. <i>Materials Research Express</i> , 2018 , 5, 054001	1.7	18
83	Control of cone-jet geometry during electrospay by an electric current. <i>Advanced Powder Technology</i> , 2013 , 24, 532-536	4.6	17
82	Preparation of agglomeration-free spherical hollow silica particles using an electrospay method with colloidal templating. <i>Materials Letters</i> , 2013 , 106, 432-435	3.3	17
81	Polyvinylpyrrolidone/cellulose acetate electrospun composite nanofibres loaded by glycerine and garlic extract with antibacterial activity and release behaviour test.. <i>RSC Advances</i> , 2019 , 9, 26351-26363	3.7	16
80	Preparation of Polyacrylonitrile Nanofibers with Controlled Morphology Using a Constant-Current Electrospinning System for Filter Applications. <i>Materials Science Forum</i> , 2013 , 737, 159-165	0.4	13
79	Photoluminescent $ZrO_2:Eu^{3+}$ Nanofibers Prepared via Electrospinning. <i>Japanese Journal of Applied Physics</i> , 2010 , 49, 115003	1.4	12
78	Heating Profile Effect on Morphology, Crystallinity, and Photoluminescent Properties of $Y_2O_3:Eu^{3+}$ Phosphor Nanofibers Prepared Using an Electrospinning Method. <i>Japanese Journal of Applied Physics</i> , 2007 , 46, 6705-6709	1.4	12
77	Synthesis of Polyvinylpyrrolidone (PVP)-Green Tea Extract Composite Nanostructures using Electrohydrodynamic Spraying Technique. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 202, 012043	0.4	11
76	Rotary Forcespun Polyvinylpyrrolidone (PVP) Fibers as a Mangosteen Pericarp Extracts Carrier. <i>Procedia Engineering</i> , 2017 , 170, 14-18		10
75	A superhydrophilic bilayer structure of a nylon 6 nanofiber/cellulose membrane and its characterization as potential water filtration media.. <i>RSC Advances</i> , 2020 , 10, 17205-17216	3.7	9
74	Simply Electrospun Gelatin/Cellulose Acetate Nanofibers and their Physico-Chemical Characteristics. <i>Materials Science Forum</i> , 2016 , 880, 95-98	0.4	9
73	Morphology-controlled synthesis of chromia/titania nanofibers via electrospinning followed by annealing. <i>Materials Chemistry and Physics</i> , 2009 , 116, 169-174	4.4	9
72	A simple microcontroller-based current electrometer made from LOG112 and C8051F006 for measuring current in metal/oxide semiconductor devices. <i>Measurement Science and Technology</i> , 2007 , 18, 3019-3024	2	9
71	A simple solar simulator with highly stable controlled irradiance for solar panel characterization. <i>Measurement and Control</i> , 2019 , 52, 159-168	1.5	8
70	Synthesis of Styrofoam Fibers Using Rotary Forcespinning Technique. <i>Materials Science Forum</i> , 2015 , 827, 279-284	0.4	8

69	Mass Production of Stacked Styrofoam Nanofibers Using a Multinozzle and Drum Collector Electrospinning System. <i>Advanced Materials Research</i> , 2014 , 896, 20-23	0.5	8
68	Development of a new personal air filter test system using a low-cost particulate matter (PM) sensor. <i>Aerosol Science and Technology</i> , 2020 , 54, 203-216	3.4	8
67	Synthesis of Fibers and Particles from Polyvinyl Chloride (PVC) Waste Using Electrospinning. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 367, 012014	0.4	8
66	Design and Development of a Series-configuration Mazzilli Zero Voltage Switching Flyback Converter as a High-voltage Power Supply for Needleless Electrospinning. <i>Procedia Engineering</i> , 2017 , 170, 509-515		7
65	Electrospun Polyvinylpyrrolidone as a Carrier for Leaves Extracts of <i>Anredera cordifolia</i> (Ten.) Steenis. <i>Materials Science Forum</i> , 2015 , 827, 91-94	0.4	7
64	Ion-induced nucleation rate measurement in SO ₂ /H ₂ O/N ₂ gas mixture by soft X-ray ionization at various pressures and temperatures. <i>Advanced Powder Technology</i> , 2013 , 24, 143-149	4.6	7
63	Photocatalytic Activities of Electrospun TiO ₂ /Styrofoam Composite Nanofiber Membrane in Degradation of Waste Water. <i>Materials Science Forum</i> , 2015 , 827, 7-12	0.4	7
62	Morphology Controlled Electrospun Nanofibers for Humidity Sensor Application 2011 ,		7
61	Fabrication of Polyvinylpyrrolidone Fibers by Means of Rotary Forcespinning Method. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 367, 012044	0.4	7
60	Synthesis of High-Impact Polystyrene Fibers using Electrospinning. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 202, 012010	0.4	6
59	Structural, optical, and mechanical properties of cobalt copper oxide coatings synthesized from low concentrations of sol-gel process. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2016 , 213, 3205-3213	1.6	6
58	An Investigation on bilayer structures of electrospun polyacrylonitrile nanofibrous membrane and cellulose membrane used as filtration media for apple juice clarification. <i>Materials Research Express</i> , 2018 , 5, 054003	1.7	6
57	Single Phase Induction Motor Speed Regulation Using a PID Controller for Rotary Forcespinning Apparatus. <i>Procedia Engineering</i> , 2017 , 170, 404-409		5
56	The Synthesis of Fiber Membranes from High-Impact Polystyrene (HIPS) Waste using Needleless Electrospinning as Air Filtration Media. <i>Materials Today: Proceedings</i> , 2019 , 13, 154-159	1.4	5
55	The Influence of Non-Ionic Surfactant on the Physical Characteristics of Curcumin-Loaded Nanofiber Manufactured by Electrospinning Method. <i>Advanced Materials Research</i> , 2015 , 1112, 429-432	0.5	5
54	An AT89S52 microcontroller-based single board computer for teaching an instrumentation system course. <i>Computer Applications in Engineering Education</i> , 2007 , 15, 166-173	1.6	5
53	The Design of Mini-Rotary Forcespinning System for Nanofiber Synthesis. <i>Procedia Engineering</i> , 2017 , 170, 24-30		4
52	Optimization of Solvent System and Polymer Concentration for Synthesis of Polyvinyl Alcohol (PVA) Fiber Using Rotary Forcespinning Technique. <i>Advanced Materials Research</i> , 2015 , 1123, 20-23	0.5	4

51	Electrospinning of Poly(vinyl alcohol)/Chitosan via Multi-Nozzle Spinneret and Drum Collector. <i>Advanced Materials Research</i> , 2014 , 896, 41-44	0.5	4
50	Digital pulse analyzer for simultaneous measurement of pulse height, pulse width, and interval time on an optical particle counter. <i>Measurement Science and Technology</i> , 2020 , 31, 065901	2	4
49	Development of a simple low-scale solar simulator and its light distribution 2016 ,		4
48	Fabrication and Characterization of Monodisperse Polystyrene Latex (PSL) with Various Diameters. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 367, 012015	0.4	4
47	Stability of granular tunnel. <i>Granular Matter</i> , 2018 , 20, 1	2.6	4
46	A Simple Spectrometer Using Various LEDs and a Photodiode Sensor for Photocatalytic Performance Evaluation. <i>Applied Mechanics and Materials</i> , 2015 , 771, 17-20	0.3	3
45	Fabrication of Poly(acrylonitrile)/PAN Nanofiber Using a Drum Collector Electrospinning System for Water Purification Application. <i>Advanced Materials Research</i> , 2015 , 1123, 281-284	0.5	3
44	Formation of electrospayed composite nanoparticles from polyvinylpyrrolidone/mangosteen pericarp extract. <i>Advanced Powder Technology</i> , 2020 , 31, 1811-1824	4.6	3
43	Predicting jet radius in electrospinning by superpositioning exponential functions. <i>Journal of Physics: Conference Series</i> , 2016 , 739, 012097	0.3	3
42	Electrospayed Polyvinylpyrrolidone (PVP) Submicron Particles Loaded by Green Tea Extracts. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 367, 012036	0.4	3
41	Preparation and characterization of boron oxide-based red-emitting phosphors using Eu, Al and Ca additives. <i>Materials Chemistry and Physics</i> , 2012 , 133, 392-397	4.4	3
40	Web-Based Surface Level Measuring System Employing Ultrasonic Sensors and GSM/GPRS-Based Communication. <i>Applied Mechanics and Materials</i> , 2015 , 771, 92-95	0.3	3
39	Development of a Wireless Sensor Network for Temperature and Humidity Monitoring. <i>Applied Mechanics and Materials</i> , 2015 , 771, 42-45	0.3	3
38	Experimental evaluation of the pressure and temperature dependence of ion-induced nucleation. <i>Journal of Chemical Physics</i> , 2010 , 133, 124315	3.9	3
37	Fabrication of Electrospun Nanofiber from Waste Expanded Polystyrene for Aerosol Filtration Application. <i>Advanced Science Letters</i> , 2017 , 23, 5729-5732	0.1	3
36	Study of soil moisture sensor for landslide early warning system: Experiment in laboratory scale. <i>Journal of Physics: Conference Series</i> , 2016 , 739, 012034	0.3	3
35	Characterization of a water level measurement system developed using a commercial submersible pressure transducer 2016 ,		3
34	Dual needle corona discharge to generate stable bipolar ion for neutralizing electrospayed nanoparticles. <i>Advanced Powder Technology</i> , 2021 , 32, 166-174	4.6	3

33	Applying Pulse Height Analysis (PHA) Technique on an Optical Particle Counter (OPC) using Commercial ADC Module. <i>Materials Today: Proceedings</i> , 2019 , 13, 252-257	1.4	2
32	Synthesis and Characterization of Rotary Forcespun Polyvinylpyrrolidone Fibers Loaded by Garlic (<i>Allium sativum</i>) Extract. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019 , 515, 012005	0.4	2
31	Designing of a High Voltage Power Supply for Electrospinning Apparatus Using a High Voltage Flyback Transformer (HVFBT). <i>Applied Mechanics and Materials</i> , 2015 , 771, 145-148	0.3	2
30	Development of a Simple Single-Axis Motion Table System for Testing Tilt Sensors. <i>Procedia Engineering</i> , 2017 , 170, 378-383		2
29	Poly(Vinyl Alcohol)/Chitosan Nanofibrous Membrane Containing <i>Anredera cordifolia</i> (Ten.) Steenis. <i>Advanced Materials Research</i> , 2015 , 1112, 453-457	0.5	2
28	Design and implementation of wireless sensor network on Ground movement Detection System 2015 ,		2
27	Design and Implementation of Automatic Air Flow Rate Control System. <i>Journal of Physics: Conference Series</i> , 2016 , 739, 012011	0.3	2
26	Generation of Submicron Bubbles using Venturi Tube Method. <i>Journal of Physics: Conference Series</i> , 2016 , 739, 012058	0.3	2
25	The performance of an electrical ionizer as a bipolar aerosol charger for charging ultrafine particles. <i>Aerosol Science and Technology</i> , 1-17	3.4	2
24	Fabrication and structure optimization of expanded polystyrene (EPS) waste fiber for high-performance air filtration. <i>Powder Technology</i> , 2022 , 402, 117357	5.2	2
23	The Synthesis and Characterization of Composite Electrospun Fibers of Polyvinylpyrrolidone and Shell Extract of Melinjo (<i>Gnetum gnemon</i> L.). <i>Materials Today: Proceedings</i> , 2019 , 13, 187-192	1.4	1
22	Turmeric extract-loaded polyvinylpyrrolidone spherical submicron particles produced using electrohydrodynamic atomization: their physico-chemical properties and antioxidant activity. <i>Materials Research Express</i> , 2019 , 6, 085415	1.7	1
21	Measurement of Glucose in Blood Using a Simple Non Invasive Method. <i>Materials Science Forum</i> , 2015 , 827, 105-109	0.4	1
20	Needleless electrospinning system with wire spinneret: an alternative way to control morphology, size, and productivity of nanofibers. <i>Nano Express</i> , 2020 , 1, 010046	2	1
19	Dynamics of coupled cylinders containing identical granules as potential new granular braking system. <i>Powder Technology</i> , 2018 , 336, 506-515	5.2	1
18	A comprehensive characterization of a linear deformation sensor for applications in triaxial compression tests 2013 ,		1
17	A Computer-Based Air Flow Control System for Aerosol and Filtration Research. <i>Applied Mechanics and Materials</i> , 2015 , 771, 137-140	0.3	1
16	Design of 3D scanner for surface contour mapping by ultrasonic sensor 2015 ,		1

15	A simple and low cost tilt examiner system development for a precise landslide early warning system 2016 ,		1
14	Synthesis of LiFePO ₄ /Li ₂ SiO ₃ /reduced Graphene Oxide (rGO) Composite via Hydrothermal Method. <i>Journal of Physics: Conference Series</i> , 2016 , 739, 012087	0.3	1
13	Air temperature regulation in a chamber for rotary forcespinning 2016 ,		1
12	The Study of Velocity Measurement Using Single Light Dependent Resistor (LDR) Sensor 2018 ,		1
11	Surface structural and solar absorptance features of nitrate-based copper-cobalt oxides composite coatings: Experimental studies and molecular dynamic simulation. <i>Ceramics International</i> , 2018 , 44, 15274-15280	5.1	1
10	High-performance blow spun waste-acrylonitrile butadiene styrene (ABS) fibrous membrane for air filter. <i>Journal of Materials Research and Technology</i> , 2022 , 18, 4564-4577	5.5	1
9	Fabrication and Characterization of Rotary Forcespun Styrofoam Fibers. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019 , 515, 012039	0.4	0
8	Instrumentation system design and laboratory scale simulation of landslide disaster mitigation. <i>Journal of Physics: Conference Series</i> , 2016 , 739, 012056	0.3	0
7	High Performance Current-Voltage Characterization System for High Resistance Materials. <i>Advanced Materials Research</i> , 2014 , 896, 710-713	0.5	
6	A Simple Accelerometer Calibrator. <i>Journal of Physics: Conference Series</i> , 2016 , 739, 012099	0.3	
5	Design of Deformation Monitoring System for Volcano Mitigation. <i>Journal of Physics: Conference Series</i> , 2016 , 739, 012084	0.3	
4	Realization of Deflection-type Bridge instruments to determine soil moisture using Research-Based Learning. <i>Journal of Physics: Conference Series</i> , 2016 , 739, 012035	0.3	
3	Flexural Strength Evaluation of Dental Post Prototype Contain ZAS-PMMA Composite Fiber with Electrospinning Methods. <i>Key Engineering Materials</i> , 2019 , 829, 93-99	0.4	
2	How human age affects the signature's curvature, density and amplitude to wavelength ratio and its potential application for countering document falsification. <i>Australian Journal of Forensic Sciences</i> , 2021 , 53, 112-123	1.1	
1	Optimizing singly-charged electrospayed particle throughput of an electrospray aerosol generator utilizing a corona-based charger. <i>Aerosol Science and Technology</i> , 2022 , 56, 281-294	3.4	