

Markus Zabel

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7610056/markus-zabel-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126
papers

4,609
citations

35
h-index

65
g-index

140
ext. papers

5,309
ext. citations

5
avg, IF

4.93
L-index

#	Paper	IF	Citations
126	Telemedical cardiac risk assessment by implantable cardiac monitors in patients after myocardial infarction with autonomic dysfunction (SMART-MI-DZHK9): a prospective investigator-initiated, randomised, multicentre, open-label, diagnostic trial.. <i>The Lancet Digital Health</i> , 2022 , 4, e105-e116	14.4	2
125	A machine learning algorithm for electrocardiographic FQRS quantification validated on multi-center data.. <i>Scientific Reports</i> , 2022 , 12, 6783	4.9	0
124	Nocturnal respiratory rate predicts ICD benefit: A prospective, controlled, multicentre cohort study. <i>EClinicalMedicine</i> , 2021 , 31, 100695	11.3	2
123	Development and external validation of prediction models to predict implantable cardioverter-defibrillator efficacy in primary prevention of sudden cardiac death. <i>Europace</i> , 2021 , 23, 887-897	3.9	7
122	Clinical effectiveness of primary prevention implantable cardioverter-defibrillators: results of the EU-CERT-ICD controlled multicentre cohort study. <i>European Heart Journal</i> , 2020 , 41, 3437-3447	9.5	25
121	Electrocardiogram as a predictor of survival without appropriate shocks in primary prophylactic ICD patients: A retrospective multi-center study. <i>International Journal of Cardiology</i> , 2020 , 309, 78-83	3.2	1
120	Automated electrocardiographic quantification of myocardial scar in patients undergoing primary prevention implantable cardioverter-defibrillator implantation: Association with mortality and subsequent appropriate and inappropriate therapies. <i>Heart Rhythm</i> , 2020 , 17, 1664-1671	6.7	1
119	Appropriate Shocks and Mortality in Patients With Versus Without Diabetes With Prophylactic Implantable Cardioverter Defibrillators. <i>Diabetes Care</i> , 2020 , 43, 196-200	14.6	3
118	Repeating noninvasive risk stratification improves prediction of outcome in ICD patients. <i>Annals of Noninvasive Electrocardiology</i> , 2020 , 25, e12794	1.5	2
117	Pulmonary vein ablation in a patient with a large left common pulmonary vein joining a large right common trunk. <i>European Heart Journal - Case Reports</i> , 2020 , 4, 1-2	0.9	
116	Role of the proportion of sudden cardiac death to mortality for clinical effectiveness of primary prevention ICDs. <i>European Heart Journal</i> , 2020 , 41, 4527-4528	9.5	1
115	ICD registries and sex-specific meta-analyses 2020 , 855-866		
114	Potential drug-drug interactions in patients with indication for prophylactic implantation of a cardioverter defibrillator: a cross-sectional analysis. <i>BMC Health Services Research</i> , 2020 , 20, 271	2.9	1
113	Prediction of mortality benefit based on periodic repolarisation dynamics in patients undergoing prophylactic implantation of a defibrillator: a prospective, controlled, multicentre cohort study. <i>Lancet, The</i> , 2019 , 394, 1344-1351	40	33
112	Present criteria for prophylactic ICD implantation: Insights from the EU-CERT-ICD (Comparative Effectiveness Research to Assess the Use of Primary Prophylactic Implantable Cardioverter Defibrillators in Europe) project. <i>Journal of Electrocardiology</i> , 2019 , 57S, S34-S39	1.4	1
111	CrossTalk proposal: Heart rate variability is a valid measure of cardiac autonomic responsiveness. <i>Journal of Physiology</i> , 2019 , 597, 2595-2598	3.9	37
110	Rebuttal from Marek Malik, Katerina Hnatkova, Heikki V. Huikuri, Federico Lombardi, Georg Schmidt and Markus Zabel. <i>Journal of Physiology</i> , 2019 , 597, 2603-2604	3.9	6

109	Protein kinase/phosphatase balance mediates the effects of increased late sodium current on ventricular calcium cycling. <i>Basic Research in Cardiology</i> , 2019 , 114, 13	11.8	19
108	To the Editor- Our doubts about the usefulness of the Tpeak-Tend interval. <i>Heart Rhythm</i> , 2019 , 16, e49	6.7	3
107	Is the T-T interval as a measure of repolarization heterogeneity dead or just seriously wounded?. <i>Heart Rhythm</i> , 2019 , 16, 952-953	6.7	14
106	Rationale and design of the EU-CERT-ICD prospective study: comparative effectiveness of prophylactic ICD implantation. <i>ESC Heart Failure</i> , 2019 , 6, 182-193	3.7	14
105	Reverse left ventricular structural remodeling after catheter ablation of atrial fibrillation in patients with preserved left ventricular function: Insights from cardiovascular magnetic resonance native T1 mapping. <i>Heart Rhythm</i> , 2019 , 16, 424-432	6.7	13
104	Clinical value of different QRS-T angle expressions. <i>Europace</i> , 2018 , 20, 1352-1361	3.9	14
103	Sex differences in outcomes of primary prevention implantable cardioverter-defibrillator therapy: combined registry data from eleven European countries. <i>Europace</i> , 2018 , 20, 963-970	3.9	35
102	Data on differential multivariable risk prediction of appropriate shock vs. competing mortality. <i>Data in Brief</i> , 2018 , 21, 2110-2116	1.2	2
101	Insights into permanent pacemaker implantation following TAVR in a real-world cohort. <i>PLoS ONE</i> , 2018 , 13, e0204503	3.7	12
100	Differential multivariable risk prediction of appropriate shock versus competing mortality - A prospective cohort study to estimate benefits from ICD therapy. <i>International Journal of Cardiology</i> , 2018 , 272, 102-107	3.2	15
99	Predictors of mortality and ICD shock therapy in primary prophylactic ICD patients-A systematic review and meta-analysis. <i>PLoS ONE</i> , 2017 , 12, e0186387	3.7	10
98	T-wave loop area from a pre-implant 12-lead ECG is associated with appropriate ICD shocks. <i>PLoS ONE</i> , 2017 , 12, e0173868	3.7	6
97	Circadian pattern of short-term variability of the QT-interval in primary prevention ICD patients - EU-CERT-ICD methodological pilot study. <i>PLoS ONE</i> , 2017 , 12, e0183199	3.7	4
96	ICD risk stratification studies - EU-CERT-ICD and the European perspective. <i>Journal of Electrocardiology</i> , 2016 , 49, 831-836	1.4	6
95	Serial assessment of left atrial deformation in patients undergoing pulmonary vein isolation: a cardiovascular magnetic resonance feasibility study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016 , 18,	6.9	78
94	Sex difference in appropriate shocks but not mortality during long-term follow-up in patients with implantable cardioverter-defibrillators. <i>Europace</i> , 2016 , 18, 1194-202	3.9	25
93	Sex-dependent alterations of Ca ²⁺ cycling in human cardiac hypertrophy and heart failure. <i>Europace</i> , 2016 , 18, 1440-8	3.9	17
92	Gender Differences in Appropriate Shocks and Mortality among Patients with Primary Prophylactic Implantable Cardioverter-Defibrillators: Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2016 , 11, e0162756	3.7	18

91	153-01: Repeated assessment of non-invasive risk stratification in the EUTrigTreat study. <i>Europace</i> , 2016 , 18, i1111-i1111	3.9	
90	Changes in Implantation Patterns and Therapy Rates of Implantable Cardioverter Defibrillators over Time in Ischemic and Dilated Cardiomyopathy Patients. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016 , 39, 848-57	1.6	16
89	ICD-Therapie: Primär- und Sekundärprävention. <i>Kliniker</i> , 2016 , 45, 406-411	0	
88	Prediction of Appropriate Shocks Using 24-Hour Holter Variables and T-Wave Alternans After First Implantable Cardioverter-Defibrillator Implantation in Patients With Ischemic or Nonischemic Cardiomyopathy. <i>American Journal of Cardiology</i> , 2016 , 118, 86-94	3	11
87	Advances in heart rate variability signal analysis: joint position statement by the e-Cardiology ESC Working Group and the European Heart Rhythm Association co-endorsed by the Asia Pacific Heart Rhythm Society. <i>Europace</i> , 2015 , 17, 1341-53	3.9	386
86	Longevity of implantable cardioverter-defibrillators in a single-center population. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2015 , 44, 179-86	2.4	5
85	Natriuretic peptides for the detection of paroxysmal atrial fibrillation. <i>Open Heart</i> , 2015 , 2, e000182	3	20
84	Quality of Life in Patients with an Implantable Cardioverter Defibrillator: A Systematic Review. <i>Frontiers in Cardiovascular Medicine</i> , 2015 , 2, 34	5.4	37
83	A randomized study of remote monitoring and fluid monitoring for the management of patients with implanted cardiac arrhythmia devices. <i>Europace</i> , 2015 , 17, 1276-81	3.9	27
82	Submuscular implantation of insertable cardiac monitors improves the reliability of detection of atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2015 , 42, 143-9	2.4	2
81	Ventricular oversensing after ICD lead replacement: what is the mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014 , 37, 1076-9	1.6	4
80	A multicenter study of shock pathways for subcutaneous implantable defibrillators. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 29-35	2.7	7
79	Evaluation of machine learning methods for the long-term prediction of cardiac diseases 2014 ,		1
78	Sex differences in ICD benefit. <i>Journal of Electrocardiology</i> , 2014 , 47, 869-73	1.4	8
77	Rationale and design of the MONITOR-ICD study: a randomized comparison of economic and clinical effects of automatic remote MONITORing versus control in patients with Implantable Cardioverter Defibrillators. <i>American Heart Journal</i> , 2014 , 168, 430-7	4.9	9
76	Remote magnetic navigation for circumferential pulmonary vein ablation: single-catheter technique or additional use of a circular mapping catheter?. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2014 , 41, 65-73	2.4	3
75	Single-ring ablation compared with standard circumferential pulmonary vein isolation using remote magnetic catheter navigation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2014 , 41, 75-82	2.4	3
74	Measurement of Left Atrial Pressure is a Good Predictor of Freedom From Atrial Fibrillation. <i>Indian Pacing and Electrophysiology Journal</i> , 2014 , 14, 181-93	1.5	9

73	Passive-fixation lead failure rates and long-term patient mortality in subjects implanted with Sprint Fidelis electrodes. <i>Europace</i> , 2014 , 16, 258-64	3.9	9
72	Effects of ranolazine on torsades de pointes tachycardias in a healthy isolated rabbit heart model. <i>Cardiovascular Therapeutics</i> , 2014 , 32, 170-7	3.3	9
71	Antiarrhythmic drug therapy for maintaining sinus rhythm early after pulmonary vein ablation in patients with symptomatic atrial fibrillation. <i>Cardiovascular Therapeutics</i> , 2014 , 32, 7-12	3.3	6
70	Atrial standstill in a patient with progressive severe heart failure. <i>Clinical Research in Cardiology</i> , 2013 , 102, 473-6	6.1	2
69	Renal artery ablation instead of pulmonary vein ablation in a hypertensive patient with symptomatic, drug-resistant, persistent atrial fibrillation. <i>Clinical Research in Cardiology</i> , 2013 , 102, 315-8	6.1	23
68	Pulmonary vein anatomy predicts freedom from atrial fibrillation using remote magnetic navigation for circumferential pulmonary vein ablation. <i>Europace</i> , 2013 , 15, 1136-42	3.9	31
67	Double left ventricular pacing following accidental malpositioning of the right ventricular electrode during implantation of a cardiac resynchronization therapy device. <i>Journal of Cardiothoracic Surgery</i> , 2013 , 8, 162	1.6	2
66	Randomized Clinical evaluation of wireless fluid monitoring and remote ICD management using OptiVol alert-based predefined management to reduce cardiac decompensation and health care utilization: the CONNECT-OptiVol study. <i>Contemporary Clinical Trials</i> , 2013 , 34, 109-16	2.3	10
65	Detection of left atrial thrombus during routine diagnostic work-up prior to pulmonary vein isolation for atrial fibrillation: role of transesophageal echocardiography and multidetector computed tomography. <i>International Journal of Cardiology</i> , 2013 , 163, 26-33	3.2	59
64	Differences in clinical and echocardiographic parameters between paroxysmal and persistent atrial flutter in the AURUM 8 study: targets for prevention of persistent arrhythmia?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2013 , 36, 194-202	1.6	1
63	Supraventricular tachycardia with SA-A-VSresponse upon ventricular entrainment and transient 2:1 AV conduction block. <i>Clinical Research in Cardiology</i> , 2013 , 102, 927-9	6.1	
62	Left atrial volumetry from routine diagnostic work up prior to pulmonary vein ablation is a good predictor of freedom from atrial fibrillation. <i>European Heart Journal Cardiovascular Imaging</i> , 2013 , 14, 684-91	4.1	40
61	Ranolazine maintained sinus rhythm in a patient with refractory symptomatic atrial fibrillation. <i>Cardiovascular Therapeutics</i> , 2013 , 31, 303-6	3.3	5
60	Long-term prognostic value of restitution slope in patients with ischemic and dilated cardiomyopathies. <i>PLoS ONE</i> , 2013 , 8, e54768	3.7	9
59	Misleading long post-pacing interval after entrainment of typical atrial flutter from the cavotricuspid isthmus. <i>Journal of the American College of Cardiology</i> , 2012 , 59, 819-24	15.1	34
58	Accuracy of 64-multidetector computed tomography coronary angiography in patients with symptomatic atrial fibrillation prior to pulmonary vein isolation. <i>European Heart Journal Cardiovascular Imaging</i> , 2012 , 13, 263-70	4.1	11
57	Rationale, objectives, and design of the EUTrigTreat clinical study: a prospective observational study for arrhythmia risk stratification and assessment of interrelationships among repolarization markers and genotype. <i>Europace</i> , 2012 , 14, 416-22	3.9	10
56	Low-energy control of electrical turbulence in the heart. <i>Nature</i> , 2011 , 475, 235-9	50.4	216

55	Inappropriate sensing in a single-chamber ICD--what is the mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2011 , 34, 1699-703	1.6	
54	T-wave alternans testing in pacemaker patients: comparison of pacing modes and long-term prognostic relevance. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2011 , 34, 1054-62	1.6	2
53	Assessment of repolarization heterogeneity for prediction of mortality in cardiovascular disease: peak to the end of the T wave interval and nondipolar repolarization components. <i>Journal of Electrocardiology</i> , 2011 , 44, 301-8	1.4	112
52	Extra cardiac findings by 64-multidetector computed tomography in patients with symptomatic atrial fibrillation prior to pulmonary vein isolation. <i>International Journal of Cardiovascular Imaging</i> , 2011 , 27, 127-34	2.5	21
51	Remote magnetic versus manual catheter navigation for circumferential pulmonary vein ablation in patients with atrial fibrillation. <i>Clinical Research in Cardiology</i> , 2011 , 100, 1003-11	6.1	59
50	Chronic vagus nerve stimulation: a new and promising therapeutic approach for chronic heart failure. <i>European Heart Journal</i> , 2011 , 32, 847-55	9.5	354
49	Gold vs. platinum-iridium tip catheter for cavotricuspid isthmus ablation: the AURUM 8 study. <i>Europace</i> , 2011 , 13, 102-8	3.9	24
48	Acute and long-term feasibility of contralateral transvenous lead placement with subcutaneous, pre-sternal tunnelling in patients with chronically implanted rhythm devices. <i>Europace</i> , 2011 , 13, 1004-8	3.9	7
47	Comparison of a novel, single-lead atrial sensing system with a dual-chamber implantable cardioverter-defibrillator system in patients without antibradycardia pacing indications: results of a randomized study. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2011 , 4, 56-63	6.4	38
46	MDCT in the diagnostic algorithm in patients with symptomatic atrial fibrillation. <i>World Journal of Radiology</i> , 2011 , 3, 41-6	2.9	3
45	Ventricular oversensing due to manufacturer-related differences in implantable cardioverter-defibrillator signal processing and sensing lead properties. <i>Europace</i> , 2010 , 12, 1460-6	3.9	23
44	Interference of remote magnetic catheter navigation and ablation with implanted devices for pacing and defibrillation. <i>Europace</i> , 2010 , 12, 1574-80	3.9	14
43	Cardiac resynchronization therapy and atrial overdrive pacing for the treatment of central sleep apnoea. <i>European Journal of Heart Failure</i> , 2009 , 11, 273-80	12.3	35
42	Remote magnetic catheter navigation for cavotricuspid isthmus ablation in patients with common-type atrial flutter. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2009 , 2, 603-10	6.4	43
41	Inappropriate implantable cardioverter-defibrillator therapy during exercise: what is the mechanism?. <i>Heart Rhythm</i> , 2009 , 6, 718-9	6.7	2
40	Automatic home monitoring of implantable cardioverter defibrillators. <i>Europace</i> , 2008 , 10, 729-35	3.9	53
39	Far-field oversensing of atrial signals: an unusual cause for very short V-V intervals and inappropriate implantable cardioverter defibrillator therapy. <i>Europace</i> , 2008 , 10, 1009-11	3.9	3
38	Necessity for surgical revision of defibrillator leads implanted long-term: causes and management. <i>Circulation</i> , 2008 , 117, 2727-33	16.7	114

37	Severe pacemaker lead perforation detected by an automatic home-monitoring system. <i>European Heart Journal</i> , 2007 , 28, 1432	9.5	14
36	Role of coronary angiography before radiofrequency ablation in patients presenting with paroxysmal supraventricular tachycardia. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2007 , 12, 137-44	2.6	9
35	Unusual cause for an increase of the sensing integrity counter in a patient with inappropriate implantable cardioverter-defibrillator therapy. <i>Europace</i> , 2007 , 9, 275-7	3.9	7
34	P3-33. <i>Heart Rhythm</i> , 2006 , 3, S188-S189	6.7	3
33	Composition of approximated body-surface-potential-maps by utilizing a common 12-lead-ECG device. <i>IEEE Transactions on Biomedical Engineering</i> , 2005 , 52, 463-70	5	7
32	Arrhythmogenic right ventricular dysplasia presenting as right ventricular outflow tract tachycardia. <i>Europace</i> , 2005 , 7, 345-7	3.9	8
31	Comparison of acute and long-term effects of single-dose amiodarone and verapamil for the treatment of immediate recurrences of atrial fibrillation after transthoracic cardioversion. <i>Europace</i> , 2005 , 7, 546-53	3.9	10
30	Myocardial viability evaluation using magnetocardiography in patients with coronary artery disease. <i>Coronary Artery Disease</i> , 2004 , 15, 155-62	1.4	13
29	Practical use of T wave morphology assessment. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2002 , 6, 316-22		22
28	Analysis of T-wave morphology from the 12-lead electrocardiogram for prediction of long-term prognosis in male US veterans. <i>Circulation</i> , 2002 , 105, 1066-70	16.7	130
27	Electrophysiological basis of QT dispersion measurements. <i>Progress in Cardiovascular Diseases</i> , 2000 , 42, 311-24	8.5	41
26	Analysis of 12-lead T-wave morphology for risk stratification after myocardial infarction. <i>Circulation</i> , 2000 , 102, 1252-7	16.7	194
25	Rate-dependence of QT dispersion and the QT interval: comparison of atrial pacing and exercise testing. <i>Journal of the American College of Cardiology</i> , 2000 , 36, 1654-8	15.1	41
24	QT Dispersion—Any New Thoughts?. <i>Journal of Interventional Cardiac Electrophysiology</i> , 1999 , 3, 310-313		
23	Prevalence, characteristics and prognostic value during long-term follow-up of nonsustained ventricular tachycardia after myocardial infarction in the thrombolytic era. <i>Journal of the American College of Cardiology</i> , 1999 , 33, 1895-902	15.1	83
22	T wave alternans as a predictor of recurrent ventricular tachyarrhythmias in ICD recipients: prospective comparison with conventional risk markers. <i>Journal of Cardiovascular Electrophysiology</i> , 1998 , 9, 1258-68	2.7	164
21	Comparison of ECG variables of dispersion of ventricular repolarization with direct myocardial repolarization measurements in the human heart. <i>Journal of Cardiovascular Electrophysiology</i> , 1998 , 9, 1279-84	2.7	78
20	Assessment of QT dispersion for prediction of mortality or arrhythmic events after myocardial infarction: results of a prospective, long-term follow-up study. <i>Circulation</i> , 1998 , 97, 2543-50	16.7	259

19	Is dispersion of ventricular repolarization rate dependent?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1997 , 20, 2405-11	1.6	43
18	Heart rate variability used as an arrhythmia risk stratifier after myocardial infarction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1997 , 20, 2594-601	1.6	50
17	T wave alternans during exercise and atrial pacing in humans. <i>Journal of Cardiovascular Electrophysiology</i> , 1997 , 8, 987-93	2.7	132
16	Electrophysiologic features of torsades de pointes: insights from a new isolated rabbit heart model. <i>Journal of Cardiovascular Electrophysiology</i> , 1997 , 8, 1148-58	2.7	82
15	Differential effects of D-sotalol, quinidine, and amiodarone on dispersion of ventricular repolarization in the isolated rabbit heart. <i>Journal of Cardiovascular Electrophysiology</i> , 1997 , 8, 1239-45	2.7	44
14	Effect of sustained load on dispersion of ventricular repolarization and conduction time in the isolated intact rabbit heart. <i>Journal of Cardiovascular Electrophysiology</i> , 1996 , 7, 9-16	2.7	59
13	Myocardial vulnerability to T wave shocks: relation to shock strength, shock coupling interval, and dispersion of ventricular repolarization. <i>Journal of Cardiovascular Electrophysiology</i> , 1996 , 7, 231-42	2.7	63
12	Computer analysis of monophasic action potentials: manual validation and clinically pertinent applications. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1995 , 18, 1666-78	1.6	42
11	Electrocardiographic indexes of dispersion of ventricular repolarization: an isolated heart validation study. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 746-52	15.1	359
10	Changes in autonomic tone following thrombolytic therapy for acute myocardial infarction: assessment by analysis of heart rate variability. <i>Journal of Cardiovascular Electrophysiology</i> , 1994 , 5, 211-8	2.7	27
9	Relation of diurnal variation of ventricular repolarization to ventricular ectopic activity and modification by sotalol. <i>American Journal of Cardiology</i> , 1993 , 71, 475-8	3	13
8	Usefulness of CKMB and troponin T determinations in patients with acute myocardial infarction complicated by ventricular fibrillation. <i>Clinical Cardiology</i> , 1993 , 16, 23-5	3.3	8
7	Efficacy and safety of sotalol in patients with complex ventricular arrhythmias. <i>International Journal of Cardiology</i> , 1992 , 37, 283-91	3.2	21
6	Arrhythmias during the acute phase of reperfusion therapy for acute myocardial infarction: effects of beta-adrenergic blockade. <i>American Heart Journal</i> , 1992 , 123, 1530-5	4.9	19
5	Short- and long-term antiarrhythmic and hemodynamic effects of d,l-sotalol in patients with symptomatic ventricular arrhythmias. <i>American Heart Journal</i> , 1992 , 123, 1220-4	4.9	23
4	Intraindividual reproducibility of heart rate variability. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1992 , 15, 2211-4	1.6	51
3	Assessment of coronary artery patency after thrombolytic therapy: accurate prediction utilizing the combined analysis of three noninvasive markers. <i>Journal of the American College of Cardiology</i> , 1991 , 18, 44-9	15.1	100
2	Comparison of twice daily with thrice daily administered encainide for benign or potentially lethal ventricular arrhythmias. <i>American Journal of Cardiology</i> , 1989 , 63, 73-6	3	2

- 1 Antiarrhythmic therapy during cardiac arrest and resuscitation 667-673