## Vincent C Tam

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7611421/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	PPARα exacerbates necroptosis, leading to increased mortality in postinfluenza bacterial superinfection. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 15789-15798.	7.1	11
2	A comprehensive collection of systems biology data characterizing the host response to viral infection. Scientific Data, 2014, 1, 140033.	5.3	62
3	Systems-Level Analysis of Innate Immunity. Annual Review of Immunology, 2014, 32, 547-577.	21.8	53
4	Characterization of innate responses to influenza virus infection in a novel lung type I epithelial cell model. Journal of General Virology, 2014, 95, 350-362.	2.9	37
5	Macrophage Activation as an Effector Mechanism for Cell-Mediated Immunity. Journal of Immunology, 2014, 193, 3183-3184.	0.8	3
6	Structural analysis of H1N1 and H7N9 influenza A virus PA in the absence of PB1. Scientific Reports, 2014, 4, 5944.	3.3	10
7	Lipidomic profiling of bioactive lipids by mass spectrometry during microbial infections. Seminars in Immunology, 2013, 25, 240-248.	5.6	104
8	Lipidomic Profiling of Influenza Infection Identifies Mediators that Induce and Resolve Inflammation. Cell, 2013, 154, 213-227.	28.9	211
9	Type III Secretion Is Essential for the Rapidly Fatal Diarrheal Disease Caused by Non-O1, Non-O139 Vibrio cholerae. MBio, 2011, 2, e00106-11.	4.1	86
10	<i>vttR</i> <sub>A</sub> and <i>vttR</i> <sub>B</sub> Encode ToxR Family Proteins That Mediate Bile-Induced Expression of Type Three Secretion System Genes in a Non-O1/Non-O139 <i>Vibrio cholerae</i> Strain. Infection and Immunity, 2010, 78, 2554-2570.	2.2	32
11	Functional Analysis of VopF Activity Required for Colonization in Vibrio cholerae. MBio, 2010, 1, .	4.1	45
12	The prokaryotic enzyme DsbB may share key structural features with eukaryotic disulfide bond forming oxidoreductases. Protein Science, 2009, 14, 1630-1642.	7.6	41
13	Genomic analysis of the Mozambique strain of Vibrio cholerae O1 reveals the origin of El Tor strains carrying classical CTX prophage. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 5151-5156.	7.1	101
14	A Type III Secretion System in Vibrio cholerae Translocates a Formin/Spire Hybrid-like Actin Nucleator to Promote Intestinal Colonization. Cell Host and Microbe, 2007, 1, 95-107.	11.0	142
15	Genomic characterization of non-O1, non-O139 Vibrio cholerae reveals genes for a type III secretion system. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 3465-3470.	7.1	217
16	The Pseudomonas syringae type III-secreted protein HopPtoD2 possesses protein tyrosine phosphatase activity and suppresses programmed cell death in plants. Molecular Microbiology, 2003, 49, 377-387.	2.5	180
17	Genomewide identification of proteins secreted by the Hrp type III protein secretion system of Pseudomonas syringae pv. tomato DC3000. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 7652-7657.	7.1	266
18	The ShcA protein is a molecular chaperone that assists in the secretion of the HopPsyA effector from the type III (Hrp) protein secretion system of Pseudomonas syringae. Molecular Microbiology, 2002, 44, 1469-1481.	2.5	46