

List of Publications by Year in
Descending Order

Source: <https://exaly.com/author-pdf/7612848/juan-yu-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

47 papers	866 citations	18 h-index	28 g-index
53 ext. papers	1,150 ext. citations	6.8 avg, IF	4.71 L-index

#	Paper	IF	Citations
47	Shape-recoverable, piezoresistive, and thermally insulated xerogels based on nanochitin-stabilized Pickering foams.. <i>Carbohydrate Polymers</i> , 2022 , 278, 118934	10.3	0
46	Synthesis of pH-Sensitive and Self-Fluorescent Polymeric Micelles Derived From Rosin and Vegetable Oils ATRP. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 753808	5.8	0
45	Top-down extraction of surface carboxylated-silk nanocrystals and application in hydrogel preparation. <i>International Journal of Biological Macromolecules</i> , 2021 , 174, 162-174	7.9	1
44	Fabrication of glycerophosphate-based nanochitin hydrogels for prolonged release under in vitro physiological conditions. <i>Cellulose</i> , 2021 , 28, 4887-4897	5.5	2
43	Rosin-derived porous microspheres with robust selective cationic dye adsorption. <i>Iranian Polymer Journal (English Edition)</i> , 2021 , 30, 1041-1052	2.3	1
42	Rate-Limited Reaction in TEMPO/Laccase/O Oxidation of Cellulose. <i>Macromolecular Rapid Communications</i> , 2021 , 42, e2000501	4.8	2
41	Facile and sustainable etherification of ethyl cellulose towards excellent UV blocking and fluorescence properties. <i>Green Chemistry</i> , 2021 , 23, 479-489	10	9
40	An optimized preparation of nanofiber hydrogels derived from natural carbohydrate polymers and their drug release capacity under different pH surroundings. <i>Carbohydrate Polymers</i> , 2021 , 265, 118008	10.3	12
39	Synthesis and properties of rosin grafted polymers via grafting from ATRP: The role of rosin-based initiator. <i>Industrial Crops and Products</i> , 2021 , 168, 113610	5.9	2
38	One-Step Preparation of Chitin Nanofiber Dispersion in Full pH Surroundings Using Recyclable Solid Oxalic Acid and Evaluation of Redispersed Performance. <i>Biomacromolecules</i> , 2021 , 22, 4373-4382	6.9	2
37	Visualization and improvement of the physical gelation process during gas phase coagulation through acidBase indicator staining, monitoring and optimization. <i>Cellulose</i> , 2020 , 27, 6871-6886	5.5	4
36	Two-Step 3 D-Printing Approach toward Sustainable, Repairable, Fluorescent Shape-Memory Thermosets Derived from Cellulose and Rosin. <i>ChemSusChem</i> , 2020 , 13, 854	8.3	1
35	Preparation of Silk Nanowhisker-Composited Amphoteric Cellulose/Chitin Nanofiber Membranes. <i>Biomacromolecules</i> , 2020 , 21, 1625-1635	6.9	13
34	Preparation of Natural Multicompatible Silk Nanofibers by Green Deep Eutectic Solvent Treatment. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 4499-4510	8.3	11
33	Comparison of cast films and hydrogels based on chitin nanofibers prepared using TEMPO/NaBr/NaClO and TEMPO/NaClO/NaClO systems. <i>Carbohydrate Polymers</i> , 2020 , 237, 116125	10.3	16
32	Two-Step 3 D-Printing Approach toward Sustainable, Repairable, Fluorescent Shape-Memory Thermosets Derived from Cellulose and Rosin. <i>ChemSusChem</i> , 2020 , 13, 893-902	8.3	24
31	Influence of Chemical and Enzymatic TEMPO-Mediated Oxidation on Chemical Structure and Nanofibrillation of Lignocellulose. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 14198-14206	8.3	10

30	Strengthened cellulosic gels by the chemical gelation of cellulose via crosslinking with TEOS. <i>Cellulose</i> , 2019 , 26, 9819-9829	5.5	8
29	High Axial Ratio Nanochitins for Ultrastrong and Shape-Recoverable Hydrogels and Cryogels via Ice Templating. <i>ACS Nano</i> , 2019 , 13, 2927-2935	16.7	41
28	Preparation of natural amphoteric silk nanofibers by acid hydrolysis. <i>Journal of Materials Chemistry B</i> , 2019 , 7, 1450-1459	7.3	17
27	DDA (degree of deacetylation) and pH-dependent antibacterial properties of chitin nanofibers against <i>Escherichia coli</i> . <i>Cellulose</i> , 2019 , 26, 2279-2290	5.5	11
26	Physical nanochitin/microemulsion composite hydrogels for hydrophobic Nile Red release under in vitro physiological conditions. <i>Cellulose</i> , 2019 , 26, 1221-1230	5.5	5
25	Contribution of hemicellulose to cellulose nanofiber-based nanocomposite films with enhanced strength, flexibility and UV-blocking properties. <i>Cellulose</i> , 2019 , 26, 6023-6034	5.5	29
24	Metal-free ATRP Grafting from Technique for renewable cellulose graft copolymers. <i>Green Chemistry</i> , 2019 , 21, 2759-2770	10	35
23	High-purity lignin isolated from poplar wood meal through dissolving treatment with deep eutectic solvents. <i>Royal Society Open Science</i> , 2019 , 6, 181757	3.3	43
22	Oxidizing and Nano-dispersing the Natural Silk Fibers. <i>Nanoscale Research Letters</i> , 2019 , 14, 250	5	3
21	Investigation of Pretreatment Methods for Improving TEMPO-Mediated Oxidation and Nanofibrillation Efficiency of Chitin. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 19463-19473	8.3	14
20	High-yield preparation of cellulose nanofiber by small quantity acid assisted milling in glycerol. <i>Cellulose</i> , 2019 , 26, 3735-3745	5.5	12
19	Preparation of High-Strength Sustainable Lignocellulose Gels and Their Applications for Antiultraviolet Weathering and Dye Removal. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 2998-3009	8.3	41
18	Preparation of nanocellulose/filter paper (NC/FP) composite membranes for high-performance filtration. <i>Cellulose</i> , 2019 , 26, 1183-1194	5.5	24
17	Contribution of lignin to the microstructure and physical performance of three-dimensional lignocellulose hydrogels. <i>Cellulose</i> , 2019 , 26, 2375-2388	5.5	24
16	Chitin nanocrystals prepared by oxidation of Chitin using the O/laccase/TEMPO system. <i>Carbohydrate Polymers</i> , 2018 , 189, 178-183	10.3	37
15	Fabrication of UV-absorbent cellulose-rosin based thermoplastic elastomer via "graft from" ATRP. <i>Carbohydrate Polymers</i> , 2018 , 188, 128-135	10.3	32
14	Adsorption of Reactive Blue 19 from aqueous solution by chitin nanofiber-/nanowhisser-based hydrogels.. <i>RSC Advances</i> , 2018 , 8, 15804-15812	3.7	26
13	Fabrication of well-defined shape memory graft polymers derived from biomass: An insight into the effect of side chain architecture on shape memory properties. <i>Journal of Polymer Science Part A</i> , 2018 , 56, 1711-1720	2.5	6

12	Hypolipidemic activities of partially deacetylated chitin nanofibers/nanowhiskers in mice. <i>Food and Nutrition Research</i> , 2018 , 62,	3.1	8
11	Synthesis of lignocellulose-based composite hydrogel as a novel biosorbent for Cu ²⁺ removal. <i>Cellulose</i> , 2018 , 25, 7315-7328	5.5	26
10	Preparation and Hydrogel Properties of pH-Sensitive Amphoteric Chitin Nanocrystals. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 11372-11379	5.7	19
9	Self-assembling oxidized silk fibroin nanofibrils with controllable fractal dimensions. <i>Journal of Materials Chemistry B</i> , 2018 , 6, 4656-4664	7.3	9
8	Versatile protonic acid mediated preparation of partially deacetylated chitin nanofibers/nanowhiskers and their assembling of nano-structured hydro- and aero-gels. <i>Cellulose</i> , 2017 , 24, 5443-5454	5.5	8
7	Dissolution of Lignocelluloses with a High Lignin Content in a N-Methylmorpholine-N-oxide Monohydrate Solvent System via Simple Glycerol-Swelling and Mechanical Pretreatments. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 9587-9594	5.7	30
6	Cellulose laurate ester aerogel as a novel absorbing material for removing pollutants from organic wastewater. <i>Cellulose</i> , 2017 , 24, 5069-5078	5.5	8
5	Sustainable thermoplastic elastomers derived from cellulose, fatty acid and furfural via ATRP and click chemistry. <i>Carbohydrate Polymers</i> , 2017 , 176, 83-90	10.3	24
4	Robust Self-Standing Chitin Nanofiber/Nanowhisiker Hydrogels with Designed Surface Charges and Ultralow Mass Content via Gas Phase Coagulation. <i>Biomacromolecules</i> , 2016 , 17, 3773-3781	6.9	72
3	UV-absorbent lignin-based multi-arm star thermoplastic elastomers. <i>Macromolecular Rapid Communications</i> , 2015 , 36, 398-404	4.8	75
2	Integration of renewable cellulose and rosin towards sustainable copolymers by grafting from ATRP. <i>Green Chemistry</i> , 2014 , 16, 1854	10	65
1	Combining Renewable Eleostearic Acid and Eugenol to Fabricate Sustainable Plasticizer and Its Effect of Plasticizing on PVC. <i>Journal of Polymers and the Environment</i> , 1	4.5	2