

Alireza Sabour Rouh Aghdam

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7613463/publications.pdf>

Version: 2024-02-01

96
papers

4,190
citations

116194

36
h-index

156644

58
g-index

97
all docs

97
docs citations

97
times ranked

3246
citing authors

#	ARTICLE	IF	CITATIONS
1	Microstructural characteristics and oxidation behavior of the modified MCrAlX coatings: A critical review. <i>Vacuum</i> , 2021, 185, 109980.	1.6	60
2	Microstructural analysis and surface studies on Ag-Ge alloy coatings prepared by electrodeposition technique. <i>Journal of Materials Science</i> , 2021, 56, 6427-6447.	1.7	7
3	Characterization of MCrAlY/nano-Al ₂ O ₃ nanocomposite powder produced by high-energy mechanical milling as feedstock for high-velocity oxygen fuel spraying deposition. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2021, 28, 1534-1543.	2.4	10
4	A comprehensive study on the microstructure evolution and oxidation resistance of conventional and nanocrystalline MCrAlY coatings. <i>Scientific Reports</i> , 2021, 11, 875.	1.6	26
5	Synergistic effect of CeO ₂ and Al ₂ O ₃ nanoparticle dispersion on the oxidation behavior of MCrAlY coatings deposited by HVOF. <i>Ceramics International</i> , 2020, 46, 4556-4567.	2.3	46
6	Preparation of NiCrAlY/nano-CeO ₂ powder with the core-shell structure using high-velocity oxy-fuel spraying process. <i>Materials Chemistry and Physics</i> , 2020, 243, 122551.	2.0	19
7	The formation, microstructure and hot corrosion behaviour of slurry aluminide coating modified by Ni/Ni-Co electrodeposited layer on Ni-base superalloy. <i>Surface and Coatings Technology</i> , 2020, 402, 126283.	2.2	12
8	Isothermal and Cyclic Oxidation Behavior of HVOF-Sprayed NiCoCrAlY Coatings: Comparative Investigations on the Conventional and Nanostructured Coatings. <i>Journal of Thermal Spray Technology</i> , 2020, 29, 1926-1942.	1.6	13
9	Preparation, characterization and oxidation behavior of CeO ₂ -gradient NiCrAlY coatings applied by HVOF thermal spraying process. <i>Ceramics International</i> , 2020, 46, 20500-20509.	2.3	29
10	Impact of MCrAlY feedstock powder modification by high-energy ball milling on the microstructure and high-temperature oxidation performance of HVOF-sprayed coatings. <i>Surface and Coatings Technology</i> , 2020, 395, 125935.	2.2	21
11	Mechanism of the oxide scale formation in thermally-sprayed NiCoCrAlY coatings modified by CeO ₂ nanoparticles. <i>Materials Today Communications</i> , 2020, 24, 101357.	0.9	13
12	A comparative study on the microstructure evolution of conventional and nanostructured MCrAlY powders at high-temperature. <i>Surface and Coatings Technology</i> , 2020, 389, 125629.	2.2	12
13	Effect of vacuum heat treatment on the oxidation kinetics of freestanding nanostructured NiCoCrAlY coatings deposited by high-velocity oxy-fuel spraying. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2020, 38, .	0.9	18
14	A study on the effect of nano-CeO ₂ dispersion on the characteristics of thermally-grown oxide (TGO) formed on NiCoCrAlY powders and coatings during isothermal oxidation. <i>Journal of Alloys and Compounds</i> , 2020, 835, 155319.	2.8	16
15	A novel combined method for fabrication of stable corrosion resistance superhydrophobic surface on Al alloy. <i>Corrosion Science</i> , 2019, 159, 108144.	3.0	39
16	Synthesis and characterization of photocatalytically active crumpled-shape nanocomposites of nitrogen and sulfur co-doped ZnO@CeO ₂ . <i>Solar Energy Materials and Solar Cells</i> , 2019, 203, 110195.	3.0	12
17	A comprehensive review on ultrasonic spray pyrolysis technique: Mechanism, main parameters and applications in condensed matter. <i>Journal of Analytical and Applied Pyrolysis</i> , 2019, 141, 104631.	2.6	92
18	Structural characteristics and high-temperature oxidation behavior of HVOF sprayed nano-CeO ₂ reinforced NiCoCrAlY nanocomposite coatings. <i>Surface and Coatings Technology</i> , 2019, 373, 7-16.	2.2	49

#	ARTICLE	IF	CITATIONS
19	Electrodeposited Ni Co P hierarchical nanostructure as a cost-effective and durable electrocatalyst with superior activity for bifunctional water splitting. <i>Journal of Power Sources</i> , 2019, 429, 156-167.	4.0	120
20	Facile electrodeposition of ternary Ni-Fe-Co alloy nanostructure as a binder free, cost-effective and durable electrocatalyst for high-performance overall water splitting. <i>Journal of Colloid and Interface Science</i> , 2019, 547, 407-420.	5.0	115
21	Improvement of high velocity oxy-fuel spray coatings by thermal post-treatments: A critical review. <i>Thin Solid Films</i> , 2019, 678, 42-52.	0.8	61
22	Abrasive wear behavior of nano-ceria modified NiCoCrAlY coatings deposited by the high-velocity oxy-fuel process. <i>Materials Research Express</i> , 2019, 6, 1250d6.	0.8	22
23	Three-dimensional Ni-Co alloy hierarchical nanostructure as efficient non-noble-metal electrocatalyst for hydrogen evolution reaction. <i>Applied Surface Science</i> , 2019, 465, 846-862.	3.1	143
24	Facile fabrication of uniform hierarchical structured (UHS) nanocomposite surface with high water repellency and self-cleaning properties. <i>Applied Surface Science</i> , 2018, 436, 1134-1146.	3.1	42
25	Electrodeposition of Ni-Mo and Ni-Mo-(nano Al ₂ O ₃) multilayer coatings. <i>Surface Engineering</i> , 2018, 34, 423-432.	1.1	28
26	Oxidation Behavior of Nanostructured Ni-5Al Coating. A case Study on Monophase Coatings. <i>Protection of Metals and Physical Chemistry of Surfaces</i> , 2018, 54, 1066-1075.	0.3	1
27	Microstructural, protective, inhibitory and semiconducting properties of PEO coatings containing CeO ₂ nanoparticles formed on AZ31 Mg alloy. <i>Surface and Coatings Technology</i> , 2018, 352, 561-580.	2.2	66
28	N-doped ZnO-CuO nanocomposite prepared by one-step ultrasonic spray pyrolysis and its photocatalytic activity. <i>Chemical Physics Letters</i> , 2018, 705, 19-22.	1.2	32
29	Electrodeposition of Ni-Fe-Mn/Al ₂ O ₃ functionally graded nanocomposite coatings. <i>Surface Engineering</i> , 2017, 33, 122-130.	1.1	21
30	Conductive microbial cellulose as a novel biocathode for Cr (VI) bioreduction. <i>Carbohydrate Polymers</i> , 2017, 162, 56-61.	5.1	17
31	Electrodeposition of multilayer Ni-W and Ni-W-alumina nanocomposite coatings. <i>Surface Engineering</i> , 2017, 33, 327-336.	1.1	37
32	Electrochemical tailoring of ternary Ni-W-Co(Al ₂ O ₃) nanocomposite using pulse reverse technique. <i>Journal of Alloys and Compounds</i> , 2017, 705, 788-800.	2.8	46
33	SUPERHYDROPHOBIC COPPER SURFACES BY SHOT PEENING AND CHEMICAL TREATMENT. <i>Surface Review and Letters</i> , 2017, 24, 1750093.	0.5	22
34	Correlation between the duty cycle and the surface characteristics for the nanostructured titanium aluminum nitride coating deposited by pulsed-DC PACVD technique. <i>Journal of Alloys and Compounds</i> , 2017, 711, 530-540.	2.8	16
35	Evaluation of La containing PEO pretreatment on protective performance of epoxy coating on magnesium. <i>Progress in Organic Coatings</i> , 2017, 105, 258-266.	1.9	39
36	Growth kinetics and morphology of microarc oxidation coating on titanium. <i>Surface and Coatings Technology</i> , 2017, 315, 567-576.	2.2	37

#	ARTICLE	IF	CITATIONS
37	Morphology and corrosion resistance of hybrid plasma electrolytic oxidation on CP-Ti. Surface and Coatings Technology, 2017, 322, 59-69.	2.2	25
38	Nickel nanocones as efficient and stable catalyst for electrochemical hydrogen evolution reaction. International Journal of Hydrogen Energy, 2017, 42, 14560-14565.	3.8	83
39	Role of lanthanum nitrate in protective performance of PEO/epoxy double layer on AZ31 Mg alloy: Electrochemical and thermodynamic investigations. Journal of Industrial and Engineering Chemistry, 2017, 53, 213-227.	2.9	40
40	Effect of lanthanum nitrate on the microstructure and electrochemical behavior of PEO coatings on AZ31 Mg alloy. Journal of Alloys and Compounds, 2017, 719, 242-255.	2.8	69
41	Optimization of mechanical properties for pulsed anodizing of aluminum. Surface and Coatings Technology, 2017, 310, 17-24.	2.2	36
42	Electrical characteristics and discharge properties of hybrid plasma electrolytic oxidation on titanium. Journal of Alloys and Compounds, 2017, 728, 464-475.	2.8	31
43	Corrosion and wettability of PEO coatings on magnesium by addition of potassium stearate. Journal of Magnesium and Alloys, 2017, 5, 210-216.	5.5	52
44	Electrodeposition mechanism and corrosion behavior of multilayer nanocrystalline nickel-tungsten alloy. Electrochimica Acta, 2017, 258, 883-899.	2.6	46
45	Growth kinetics and morphology of plasma electrolytic oxidation coating on aluminum. Materials Chemistry and Physics, 2017, 185, 162-175.	2.0	41
46	Tribological properties of Ni-Fe-Co multilayer coatings fabricated by pulse electrodeposition. Tribology International, 2017, 106, 34-40.	3.0	54
47	Electrodeposition of Ni-Fe alloys, composites, and nano coatings—A review. Journal of Alloys and Compounds, 2017, 691, 841-859.	2.8	262
48	Corrosion and cathodic disbondment resistance of epoxy coating on zinc phosphate conversion coating containing Ni ²⁺ and Co ²⁺ . Journal of Industrial and Engineering Chemistry, 2017, 47, 154-168.	2.9	47
49	Evaluation of alumina nanoparticles concentration and stirring rate on wear and corrosion behavior of nanocomposite PEO coating on AZ31 magnesium alloy. Surface and Coatings Technology, 2017, 309, 124-135.	2.2	48
50	Mechanical properties of multilayer Ni-Fe and Ni-Fe-Al ₂ O ₃ nanocomposite coating. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2017, 700, 448-456.	2.6	36
51	Functionally Graded Coating of Ni-Fe Fabricated by Pulse Electrodeposition. Journal of Materials Engineering and Performance, 2016, 25, 5494-5501.	1.2	27
52	Ni-W electrodeposited coatings: Characterization, properties and applications. Surface and Coatings Technology, 2016, 307, 978-1010.	2.2	189
53	Structure and wettability of pulsed electrodeposited Ni-W-Cu-(\pm -alumina) nanocomposite. Surface and Coatings Technology, 2016, 307, 525-533.	2.2	28
54	Characterization of PEO nanocomposite coatings on titanium formed in electrolyte containing atenolol. Surface and Coatings Technology, 2016, 304, 438-449.	2.2	29

#	ARTICLE	IF	CITATIONS
55	Tribological properties of PEO nanocomposite coatings on titanium formed in electrolyte containing ketoconazole. <i>Tribology International</i> , 2016, 102, 463-471.	3.0	37
56	Ni-Fe-Al ₂ O ₃ electrodeposited nanocomposite coating with functionally graded microstructure. <i>Bulletin of Materials Science</i> , 2016, 39, 857-864.	0.8	26
57	Functionally graded nickel-tungsten coating: electrodeposition, corrosion and wear behaviour. <i>Canadian Metallurgical Quarterly</i> , 2016, 55, 303-311.	0.4	25
58	Electrodeposition of Ni-W-Al ₂ O ₃ nanocomposite coating with functionally graded microstructure. <i>Journal of Alloys and Compounds</i> , 2016, 666, 217-226.	2.8	118
59	Electrodeposition of Ni-Fe and Ni-Fe-(nano Al ₂ O ₃) multilayer coatings. <i>Journal of Alloys and Compounds</i> , 2016, 657, 526-536.	2.8	77
60	Wettability and corrosion of alumina embedded nanocomposite MAO coating on nanocrystalline AZ31B magnesium alloy. <i>Journal of Alloys and Compounds</i> , 2015, 649, 666-673.	2.8	27
61	A study on nanostructured in-situ oxide dispersed NiAl coating and its high temperature oxidation behavior. <i>Surface and Coatings Technology</i> , 2015, 276, 704-713.	2.2	26
62	Mechanical behavior of TiN/TiC multilayer coatings fabricated by plasma assisted chemical vapor deposition on AISI H13 hot work tool steel. <i>Surface and Coatings Technology</i> , 2014, 245, 156-166.	2.2	59
63	Effect of SMAT preprocessing on MAO fabricated nanocomposite coating. <i>Surface Engineering</i> , 2014, 30, 244-255.	1.1	19
64	Effect of surface nanostructuring of aluminum alloy on post plasma electrolytic oxidation. <i>Applied Surface Science</i> , 2014, 317, 962-969.	3.1	25
65	Preparation and characterization of Ni-P/nanodiamond coatings: Effects of surfactants. <i>Diamond and Related Materials</i> , 2013, 31, 30-37.	1.8	30
66	Characterization of the microstructure and texture of functionally graded nickel-Al ₂ O ₃ nano composite coating produced by pulse deposition. <i>Surface and Coatings Technology</i> , 2013, 232, 851-859.	2.2	25
67	Structure and corrosion resistance of Ti/TiC coatings fabricated by plasma immersion ion implantation and deposition on nickel-titanium. <i>Surface and Coatings Technology</i> , 2013, 229, 151-155.	2.2	31
68	Fabrication of functionally gradient nanocomposite coatings by plasma electrolytic oxidation based on variable duty cycle. <i>Applied Surface Science</i> , 2012, 258, 2093-2097.	3.1	24
69	Effects of duty cycle on microstructure and corrosion behavior of TiC coatings prepared by DC pulsed plasma CVD. <i>Applied Surface Science</i> , 2012, 258, 3051-3057.	3.1	36
70	Effect of plasma CVD operating temperature on nanomechanical properties of TiC nanostructured coating investigated by atomic force microscopy. <i>Materials Research Bulletin</i> , 2012, 47, 2200-2205.	2.7	21
71	Investigation of rare earth sealing of porous micro-arc oxidation coating formed on AZ91D magnesium alloy. <i>Journal of Rare Earths</i> , 2012, 30, 1293-1297.	2.5	56
72	Nano-Fabrication by Cathodic Plasma Electrolysis. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2011, 36, 174-190.	6.8	71

#	ARTICLE	IF	CITATIONS
73	EIS study of nano crystalline Ni-cerium oxide coating electrodeposition mechanism. Journal of Alloys and Compounds, 2011, 509, 1924-1930.	2.8	32
74	Effect of heat treatment on corrosion properties of mixed sol gel silica-titania (7\AA^3) coating. Journal of Non-Crystalline Solids, 2011, 357, 1141-1146.	1.5	14
75	Wear and coating removal mechanism of alumina/titania nanocomposite layer fabricated by plasma electrolysis. Surface and Coatings Technology, 2011, 205, S57-S62.	2.2	47
76	Improved tribological properties of TiC with porous nanostructured TiO ₂ intermediate layer. Materials Chemistry and Physics, 2011, 131, 420-424.	2.0	4
77	Improvement in corrosion resistance of micro arc oxidation coating formed on AZ91D magnesium alloy via applying a nano-crystalline sol-gel layer. Journal of Sol-Gel Science and Technology, 2011, 59, 297-303.	1.1	36
78	Fabrication of TiC/WC ultra hard nanocomposite layers by plasma electrolysis and study of its characteristics. Surface and Coatings Technology, 2010, 205, S51-S56.	2.2	26
79	Effect of the duty cycle of pulsed current on nanocomposite layers formed by pulsed electrodeposition. Rare Metals, 2010, 29, 209-213.	3.6	24
80	Abrasive wear behaviour of Si ₃ N ₄ /TiO ₂ nanocomposite coatings fabricated by plasma electrolytic oxidation. Surface and Coatings Technology, 2010, 205, S41-S46.	2.2	77
81	Effect of alumina sol addition to micro-arc oxidation electrolyte on the properties of MAO coatings formed on magnesium alloy AZ91D. Journal of Alloys and Compounds, 2010, 496, 548-552.	2.8	116
82	Si ₃ N ₄ /Ni nanocomposite formed by electroplating: Effect of average size of nanoparticulates. Transactions of Nonferrous Metals Society of China, 2010, 20, 1017-1023.	1.7	32
83	Nanostructured layer formed on CP-Ti by plasma electrolysis (effect of voltage and duty cycle of) Tj ETQq1 1 0.784314 rgBT /Overlock 21	2.0	21
84	Nanostructural and electrochemical characteristics of cerium oxide thin films deposited on AA5083-H321 aluminum alloy substrates by dip immersion and sol-gel methods. Thin Solid Films, 2009, 517, 4792-4799.	0.8	32
85	Corrosion protection of mild steel by applying TiO ₂ nanoparticle coating via sol-gel method. Protection of Metals and Physical Chemistry of Surfaces, 2009, 45, 305-311.	0.3	48
86	The influence of active screen plasma nitriding parameters on corrosion behavior of a low-alloy steel. Journal of Alloys and Compounds, 2009, 484, 222-229.	2.8	48
87	Carburizing of low-melting-point metals by pulsed nanocrystalline plasma electrolytic carburizing. Surface and Coatings Technology, 2008, 202, 5493-5496.	2.2	22
88	Neural networks prediction of different frequencies effects on corrosion resistance obtained from pulsed nanocrystalline plasma electrolytic carburizing. Materials Letters, 2008, 62, 2192-2195.	1.3	26
89	Pulsed nanocrystalline plasma electrolytic carburising for corrosion protection of a $\hat{1}^3$ -TiAl alloy. Journal of Alloys and Compounds, 2008, 460, 614-618.	2.8	27
90	Microstructure formation in thermally-sprayed duplex and functionally graded NiCrAlY/Yttria-Stabilized Zirconia coatings. Surface and Coatings Technology, 2007, 201, 6019-6024.	2.2	48

#	ARTICLE	IF	CITATIONS
91	Surface modification of 30CrNiMo8 low-alloy steel by active screen setup and conventional plasma nitriding methods. <i>Applied Surface Science</i> , 2007, 254, 1427-1435.	3.1	56
92	A novel method for preparing aluminum diffusion coating by nanocrystalline plasma electrolysis. <i>Electrochemistry Communications</i> , 2007, 9, 2686-2691.	2.3	32
93	Evaluation of Nanocrystalline Microstructure, Abrasion, and Corrosion Properties of Carbon Steel Treated by Plasma Electrolytic Boriding. <i>Plasma Processes and Polymers</i> , 2007, 4, S711-S716.	1.6	29
94	Nanocrystalline Structure Produced by Complex Surface Treatments: Plasma Electrolytic Nitrocarburizing, Boronitriding, Borocarburing, and Borocarbonitriding. <i>Plasma Processes and Polymers</i> , 2007, 4, S721-S727.	1.6	45
95	Effects of various nitriding parameters on active screen plasma nitriding behavior of a low-alloy steel. <i>Vacuum</i> , 2006, 80, 1032-1037.	1.6	68
96	The hot corrosion behaviour of HVOF sprayed MCrAlX coatings under Na ₂ SO ₄ (+NaCl) salt films. <i>Materials and Corrosion - Werkstoffe Und Korrosion</i> , 2003, 54, 687-693.	0.8	21