

Akira Honda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7613630/publications.pdf>

Version: 2024-02-01

126
papers

3,774
citations

126907

33
h-index

155660

55
g-index

127
all docs

127
docs citations

127
times ranked

4616
citing authors

#	ARTICLE	IF	CITATIONS
1	Novel bile acid biosynthetic pathways are enriched in the microbiome of centenarians. <i>Nature</i> , 2021, 599, 458-464.	27.8	251
2	Highly sensitive quantification of key regulatory oxysterols in biological samples by LC-ESI-MS/MS. <i>Journal of Lipid Research</i> , 2009, 50, 350-357.	4.2	165
3	Anticholestatic effects of bezafibrate in patients with primary biliary cirrhosis treated with ursodeoxycholic acid. <i>Hepatology</i> , 2013, 57, 1931-1941.	7.3	156
4	Highly sensitive analysis of sterol profiles in human serum by LC-ESI-MS/MS. <i>Journal of Lipid Research</i> , 2008, 49, 2063-2073.	4.2	140
5	Regulation of bile acid metabolism in mouse models with hydrophobic bile acid composition. <i>Journal of Lipid Research</i> , 2020, 61, 54-69.	4.2	115
6	Stigmasterol reduces plasma cholesterol levels and inhibits hepatic synthesis and intestinal absorption in the rat. <i>Metabolism: Clinical and Experimental</i> , 2006, 55, 292-299.	3.4	101
7	Cholesterol 25-hydroxylation activity of CYP3A. <i>Journal of Lipid Research</i> , 2011, 52, 1509-1516.	4.2	99
8	Green tea polyphenol (epigallocatechin-3-gallate) improves gut dysbiosis and serum bile acids dysregulation in high-fat diet-fed mice. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2019, 65, 34-46.	1.4	96
9	Protective effect of agaro-oligosaccharides on gut dysbiosis and colon tumorigenesis in high-fat diet-fed mice. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, G367-G375.	3.4	85
10	Cholestenic acids regulate motor neuron survival via liver X receptors. <i>Journal of Clinical Investigation</i> , 2014, 124, 4829-4842.	8.2	84
11	Bezafibrate Improves GLOBE and UKâ€PBC Scores and Longâ€Term Outcomes in Patients With Primary Biliary Cholangitis. <i>Hepatology</i> , 2019, 70, 2035-2046.	7.3	83
12	Side Chain Hydroxylations in Bile Acid Biosynthesis Catalyzed by CYP3A Are Markedly Up-regulated in Cyp27 Mice but Not in Cerebrotendinous Xanthomatosis. <i>Journal of Biological Chemistry</i> , 2001, 276, 34579-34585.	3.4	70
13	Novel and recurrentEBP mutations in X-linked dominant chondrodysplasia punctata. <i>American Journal of Medical Genetics Part A</i> , 2000, 94, 300-305.	2.4	69
14	Detection of Bis(diphenylarsine)oxide, Diphenylarsinic Acid and Phenylarsonic Acid, Compounds Probably Derived from Chemical Warfare Agents, in Drinking Well Water. <i>Journal of Health Science</i> , 2005, 51, 130-137.	0.9	68
15	Clinical features of gastroduodenal injury associated with long-term low-dose aspirin therapy. <i>World Journal of Gastroenterology</i> , 2013, 19, 1673.	3.3	68
16	Highly sensitive quantification of 7Î±-hydroxy-4-cholesten-3-one in human serum by LC-ESI-MS/MS. <i>Journal of Lipid Research</i> , 2007, 48, 458-464.	4.2	65
17	Differences in hepatic levels of intermediates in bile acid biosynthesis between Cyp27âˆ“/âˆ“ mice and CTX. <i>Journal of Lipid Research</i> , 2001, 42, 291-300.	4.2	61
18	Anti-proliferative action of endogenous dehydroepiandrosterone metabolites on human cancer cell lines. <i>Steroids</i> , 2003, 68, 73-83.	1.8	60

#	ARTICLE	IF	CITATIONS
19	Simultaneous determination of mevalonate and 7 α -hydroxycholesterol in human plasma by gas chromatography-mass spectrometry as indices of cholesterol and bile acid biosynthesis. <i>Biomedical Applications</i> , 1993, 613, 185-193.	1.7	54
20	Increased serum liver X receptor ligand oxysterols in patients with non-alcoholic fatty liver disease. <i>Journal of Gastroenterology</i> , 2012, 47, 1257-1266.	5.1	54
21	Involvement of integrin-linked kinase in carbon tetrachloride-induced hepatic fibrosis in rats. <i>Hepatology</i> , 2006, 44, 612-622.	7.3	51
22	Highly sensitive and specific analysis of sterol profiles in biological samples by HPLC-ESI-MS/MS. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2010, 121, 556-564.	2.5	49
23	Sitosterolemia: exclusion of genes involved in reduced cholesterol biosynthesis. <i>Journal of Lipid Research</i> , 1998, 39, 1055-1061.	4.2	45
24	Bile acid synthesis in the Smith-Lemli-Opitz syndrome: effects of dehydrocholesterols on cholesterol 7 α -hydroxylase and 27-hydroxylase activities in rat liver. <i>Journal of Lipid Research</i> , 1999, 40, 1520-1528.	4.2	44
25	Down-regulation of cholesterol biosynthesis in sitosterolemia: diminished activities of acetoacetyl-CoA thiolase, 3-hydroxy-3-methylglutaryl-CoA synthase, reductase, squalene synthase, and 7-dehydrocholesterol 7-reductase in liver and mononuclear leukocytes. <i>Journal of Lipid Research</i> , 1998, 39, 44-50.	4.2	42
26	Skewed X-chromosome inactivation causes intra-familial phenotypic variation of an EBP mutation in a family with X-linked dominant chondrodysplasia punctata. <i>Human Genetics</i> , 2003, 112, 78-83.	3.8	41
27	Effect of Repeated Consumption of Partially Hydrolyzed Guar Gum on Fecal Characteristics and Gut Microbiota: A Randomized, Double-Blind, Placebo-Controlled, and Parallel-Group Clinical Trial. <i>Nutrients</i> , 2019, 11, 2170.	4.1	41
28	Detection of Gut Dysbiosis due to Reduced Clostridium Subcluster XIVa Using the Fecal or Serum Bile Acid Profile. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 1035-1044.	1.9	40
29	Absence of Nceh1 augments 25-hydroxycholesterol-induced ER stress and apoptosis in macrophages. <i>Journal of Lipid Research</i> , 2014, 55, 2082-2092.	4.2	38
30	7-Dehydrocholesterol down-regulates cholesterol biosynthesis in cultured Smith-Lemli-Opitz syndrome skin fibroblasts. <i>Journal of Lipid Research</i> , 1998, 39, 647-657.	4.2	38
31	Assessment of Drug Concentrations in Tears in Therapeutic Drug Monitoring: I. Determination of Valproic Acid in Tears by Gas Chromatography/Mass Spectrometry With EC/NCI Mode. <i>Therapeutic Drug Monitoring</i> , 2000, 22, 716-722.	2.0	37
32	Increased serum oxysterol concentrations in patients with chronic hepatitis C virus infection. <i>Biochemical and Biophysical Research Communications</i> , 2014, 446, 736-740.	2.1	37
33	Reciprocal interactions between bile acids and gut microbiota in human liver diseases. <i>Hepatology Research</i> , 2018, 48, 15-27.	3.4	37
34	Rapid inhibition of MAPK signaling and anti-proliferation effect via JAK/STAT signaling by interferon- γ in hepatocellular carcinoma cell lines. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2005, 1745, 401-410.	4.1	36
35	Apoptosis and inhibition of the phosphatidylinositol 3-kinase/Akt signaling pathway in the anti-proliferative actions of dehydroepiandrosterone. <i>Journal of Gastroenterology</i> , 2005, 40, 490-497.	5.1	35
36	Increased bile acid concentration in liver tissue with cholesterol gallstone disease. <i>Journal of Gastroenterology</i> , 1995, 30, 61-66.	5.1	34

#	ARTICLE	IF	CITATIONS
37	FXR-mediated down-regulation of CYP7A1 dominates LXR β in long-term cholesterol-fed NZW rabbits. <i>Journal of Lipid Research</i> , 2003, 44, 1956-1962.	4.2	34
38	Dietary cholesterol stimulates CYP7A1 in rats because farnesoid X receptor is not activated. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 286, G730-G735.	3.4	34
39	Sterols and oxysterols in plasma from Smith-Lemli-Opitz syndrome patients. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2017, 169, 77-87.	2.5	34
40	Simultaneous assay of the activities of two key enzymes in cholesterol metabolism by gas chromatography β mass spectrometry. <i>Biomedical Applications</i> , 1991, 565, 53-66.	1.7	33
41	Bile Acid Malabsorption Deactivates Pregnane X Receptor in Patients with Crohn β s Disease. <i>Inflammatory Bowel Diseases</i> , 2013, 19, 1278-1284.	1.9	32
42	Simultaneous quantification of salivary 3-hydroxybutyrate, 3-hydroxyisobutyrate, 3-hydroxy-3-methylbutyrate, and 2-hydroxybutyrate as possible markers of amino acid and fatty acid catabolic pathways by LC β ESI β MS/MS. <i>SpringerPlus</i> , 2015, 4, 494.	1.2	31
43	Selective inhibition of CYP27A1 and of chenodeoxycholic acid synthesis in cholestatic hamster liver. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2002, 1588, 139-148.	3.8	30
44	Is patient-reported outcome improved by nalfurafine hydrochloride in patients with primary biliary cholangitis and refractory pruritus? A post-marketing, single-arm, prospective study. <i>Journal of Gastroenterology</i> , 2018, 53, 1151-1158.	5.1	29
45	Determination of 7 β -hydroxy-4-cholesten-3-one level in plasma using isotope-dilution mass spectrometry and monitoring its circadian rhythm in human as an index of bile acid biosynthesis. <i>Biomedical Applications</i> , 1994, 655, 179-187.	1.7	28
46	Small-bowel mucosal injuries in low-dose aspirin users with obscure gastrointestinal bleeding. <i>World Journal of Gastroenterology</i> , 2014, 20, 13133.	3.3	28
47	The Niemann-Pick C1 Like 1 (NPC1L1) Inhibitor Ezetimibe Improves Metabolic Disease Via Decreased Liver X Receptor (LXR) Activity in Liver of Obese Male Mice. <i>Endocrinology</i> , 2014, 155, 2810-2819.	2.8	28
48	Serum concentration of 27 β -hydroxycholesterol predicts the effects of high β cholesterol diet on plasma LDL cholesterol level. <i>Hepatology Research</i> , 2009, 39, 149-156.	3.4	26
49	Effect of BCAA supplement timing on exercise-induced muscle soreness and damage: a pilot placebo-controlled double-blind study. <i>Journal of Sports Medicine and Physical Fitness</i> , 2018, 58, 1582-1591.	0.7	26
50	Rapid identification of smith-lemli-opitz syndrome homozygotes and heterozygotes (carriers) by measurement of deficient 7-dehydrocholesterol β 7-reductase activity in fibroblasts. <i>Metabolism: Clinical and Experimental</i> , 1997, 46, 844-850.	3.4	25
51	Significance of plasma 7 β -hydroxy-4-cholesten-3-one and 27-hydroxycholesterol concentrations as markers for hepatic bile acid synthesis in cholesterol-fed rabbits. <i>Metabolism: Clinical and Experimental</i> , 2004, 53, 42-48.	3.4	25
52	Sterol concentrations in cultured Smith-Lemli-Opitz syndrome skin fibroblasts: Diagnosis of a biochemically atypical case of the syndrome. <i>American Journal of Medical Genetics Part A</i> , 1997, 68, 282-287.	2.4	23
53	Agaro-Oligosaccharides Regulate Gut Microbiota and Adipose Tissue Accumulation in Mice. <i>Journal of Nutritional Science and Vitaminology</i> , 2017, 63, 269-276.	0.6	23
54	Simultaneous determination of dehydroepiandrosterone and its 7-oxygenated metabolites in human serum by high-resolution gas chromatography β mass spectrometry. <i>Steroids</i> , 2004, 69, 817-824.	1.8	22

#	ARTICLE	IF	CITATIONS
55	The Protective Effect of Taurine Against Hepatic Damage in a Model of Liver Disease and Hepatic Stellate Cells. <i>Advances in Experimental Medicine and Biology</i> , 2009, 643, 293-303.	1.6	22
56	A SNP of NPC1L1 Affects Cholesterol Absorption in Japanese. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010, 17, 356-360.	2.0	22
57	7-Dehydrocholesterol metabolites produced by sterol 27-hydroxylase (CYP27A1) modulate liver X receptor activity. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2014, 140, 7-16.	2.5	21
58	Highly sensitive quantification of serum malonate, a possible marker for de novo lipogenesis, by LC-ESI-MS/MS. <i>Journal of Lipid Research</i> , 2009, 50, 2124-2130.	4.2	20
59	Microanalysis of bile acid composition in intrahepatic calculi and its etiological significance. <i>Gastroenterology</i> , 1991, 101, 821-830.	1.3	19
60	Hypercholesterolemia in rats with hepatomas: Increased oxysterols accelerate efflux but do not inhibit biosynthesis of cholesterol. <i>Hepatology</i> , 2006, 44, 602-611.	7.3	19
61	The benefit of elobixibat in chronic constipation is associated with faecal deoxycholic acid but not effects of altered microbiota. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 821-828.	3.7	19
62	Cholesterol and chronic hepatitis C virus infection. <i>Hepatology Research</i> , 2011, 41, 697-710.	3.4	18
63	Impaired bile acid metabolism with defectives of mitochondrial-tRNA taurine modification and bile acid taurine conjugation in the taurine depleted cats. <i>Scientific Reports</i> , 2020, 10, 4915.	3.3	18
64	The Role of Taurine on Skeletal Muscle Cell Differentiation. <i>Advances in Experimental Medicine and Biology</i> , 2013, 776, 321-328.	1.6	18
65	Regulation of early cholesterol biosynthesis in rat liver: Effects of sterols, bile acids, lovastatin, and BM 15.766 on 3-hydroxy-3-methylglutaryl coenzyme A synthase and acetoacetyl coenzyme A thiolase activities. <i>Hepatology</i> , 1998, 27, 154-159.	7.3	17
66	Highly sensitive assay of HMG-CoA reductase activity by LC-ESI-MS/MS. <i>Journal of Lipid Research</i> , 2007, 48, 1212-1220.	4.2	17
67	Hepatitis C virus infection causes hypolipidemia regardless of hepatic damage or nutritional state: An epidemiological survey of a large Japanese cohort. <i>Hepatology Research</i> , 2011, 41, 530-541.	3.4	17
68	Symptoms and health-related quality of life in Japanese patients with primary biliary cholangitis. <i>Scientific Reports</i> , 2018, 8, 12542.	3.3	17
69	Effect of YM 9429, a potent teratogen, on cholesterol biosynthesis in cultured cells and rat liver microsomes. <i>Steroids</i> , 1996, 61, 544-548.	1.8	16
70	R352Q mutation of the DHCR7 gene is common among Japanese Smith-Lemli-Opitz syndrome patients. <i>Journal of Human Genetics</i> , 2005, 50, 353-356.	2.3	16
71	Smith-Lemli-Opitz syndrome in Japan. <i>American Journal of Medical Genetics Part A</i> , 1998, 75, 118-119.	2.4	15
72	Disrupted coordinate regulation of farnesoid X receptor target genes in a patient with cerebrotendinous xanthomatosis. <i>Journal of Lipid Research</i> , 2005, 46, 287-296.	4.2	15

#	ARTICLE	IF	CITATIONS
73	Retention of acetylcarnitine in chronic kidney disease causes insulin resistance in skeletal muscle. Journal of Clinical Biochemistry and Nutrition, 2016, 59, 199-206.	1.4	15
74	3-Hydroxy-3-methylglutaryl-coenzyme A reductase activity is inhibited by cholesterol and up-regulated by sitosterol in sitosterolemic fibroblasts. Translational Research, 2000, 135, 174-179.	2.3	14
75	Assessment of tear concentrations on therapeutic drug monitoring. II. Pharmacokinetic analysis of valproic acid in guinea pig serum, cerebrospinal fluid, and tears. Pharmaceutical Research, 2001, 18, 500-509.	3.5	14
76	Plasma cholesterol-lowering and transient liver dysfunction in mice lacking squalene synthase in the liver. Journal of Lipid Research, 2015, 56, 998-1005.	4.2	14
77	A validation study of the Ursodeoxycholic Acid Response Score in Japanese patients with primary biliary cholangitis. Liver International, 2020, 40, 1926-1933.	3.9	14
78	Human Intestinal Spirochaetosis in Two Ulcerative Colitis Patients. Internal Medicine, 2014, 53, 2067-2071.	0.7	13
79	Pathophysiological analysis of primary biliary cirrhosis focusing on choline/phospholipid metabolism. Liver International, 2015, 35, 1095-1102.	3.9	13
80	FGF15/19 protein levels in the portal blood do not reflect changes in the ileal FGF15/19 or hepatic CYP7A1 mRNA levels. Journal of Lipid Research, 2013, 54, 2606-2614.	4.2	12
81	Circulating tricarboxylic acid cycle metabolite levels in citrin-deficient children with metabolic adaptation, with and without sodium pyruvate treatment. Molecular Genetics and Metabolism, 2017, 120, 207-212.	1.1	12
82	Relationship between the gut microbiota and bile acid composition in the ileal mucosa of Crohn's disease. Intestinal Research, 2022, 20, 370-380.	2.6	12
83	Regulation of 25- and 27-hydroxylation side chain cleavage pathways for cholic acid biosynthesis in humans, rabbits, and mice: assay of enzyme activities by high-resolution gas chromatography-mass spectrometry. Journal of Lipid Research, 2000, 41, 442-451.	4.2	12
84	Assessment of Tear Concentrations on Therapeutic Drug Monitoring. III. Determination of Theophylline in Tears by Gas Chromatography/Mass Spectrometry with Electron Ionization Mode. Drug Metabolism and Pharmacokinetics, 2003, 18, 139-145.	2.2	11
85	Serum carnitine as an independent biomarker of malnutrition in patients with impaired oral intake. Journal of Clinical Biochemistry and Nutrition, 2014, 55, 221-227.	1.4	11
86	Synthesis of [3β - 3 H]7-dehydrocholesterol via stable tritiated 4-phenyl-1,2,4-triazoline-3,5-dione derivative. Steroids, 1997, 62, 700-702.	1.8	9
87	Clinical Features of Gastroduodenal Ulcer in Japanese Patients Taking Low-Dose Aspirin. Digestive Diseases and Sciences, 2010, 55, 2270-2274.	2.3	9
88	Serum Amino Acid Profiling in Citrin-Deficient Children Exhibiting Normal Liver Function During the Apparently Healthy Period. JIMD Reports, 2018, 43, 53-61.	1.5	9
89	Human-specific dual regulations of FXR-activation for reduction of fatty liver using <i>in vitro</i> and <i>in vivo</i> cell culture model. Journal of Clinical Biochemistry and Nutrition, 2019, 64, 112-123.	1.4	9
90	Sex-, age-, and organ-dependent improvement of bile acid hydrophobicity by ursodeoxycholic acid treatment: A study using a mouse model with human-like bile acid composition. PLoS ONE, 2022, 17, e0271308.	2.5	9

#	ARTICLE	IF	CITATIONS
91	Hepatic cholesterol and bile acid synthesis in Japanese patients with cholesterol gallstones. <i>Gastroenterologia Japonica</i> , 1993, 28, 406-414.	0.3	8
92	Accumulation of 7 α -hydroxycholesterol in liver tissue of patients with cholesterol gallstones. <i>Journal of Gastroenterology</i> , 1995, 30, 651-656.	5.1	7
93	Short-term effects of 3-hydroxy-3-methylglutaryl-CoA reductase inhibitor on cholesterol and bile acid synthesis in humans. <i>Lipids</i> , 1997, 32, 873-878.	1.7	7
94	Increased N-Acetyltaurine in the Skeletal Muscle After Endurance Exercise in Rat. <i>Advances in Experimental Medicine and Biology</i> , 2017, 975 Pt 1, 403-411.	1.6	7
95	Circulating bile acid profiles in Japanese patients with NASH. <i>GastroHep</i> , 2019, 1, 302-310.	0.6	7
96	Western Diet Changes Gut Microbiota and Ameliorates Liver Injury in a Mouse Model with Human-Like Bile Acid Composition. <i>Hepatology Communications</i> , 2021, 5, 2052-2067.	4.3	7
97	Increased N-Acetyltaurine in Serum and Urine After Endurance Exercise in Human. <i>Advances in Experimental Medicine and Biology</i> , 2015, 803, 53-62.	1.6	7
98	Influences of Taurine Deficiency on Bile Acids of the Bile in the Cat Model. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1155, 35-44.	1.6	6
99	N-acetyltaurine and Acetylcarnitine Production for the Mitochondrial Acetyl-CoA Regulation in Skeletal Muscles during Endurance Exercises. <i>Metabolites</i> , 2021, 11, 522.	2.9	6
100	Impact of determination of hepatitis B virus subgenotype and pre-core/core promoter mutation for the prediction of acute exacerbation of asymptomatic carriers. <i>Hepatology Research</i> , 2009, 39, 341-345.	3.4	5
101	Regulation of taurine conjugation and biosynthesis by bile acids through farnesoid receptor activation. <i>Hepatology Research</i> , 2014, 44, E1-2.	3.4	5
102	Cholesterol Metabolism Is Enhanced in the Liver and Brain of Children With Citrin Deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 2488-2497.	3.6	5
103	Novel sterol 7 α -hydroxylase(S) active towards not cholesterol but side-chain oxygenated steroids in liver microsomes. <i>Gastroenterologia Japonica</i> , 1993, 28, 438-438.	0.3	4
104	The associated markers and their limitations for the primary screening of HCV carriers in public health examination. <i>Hepatology Research</i> , 2009, 39, 664-674.	3.4	4
105	Anti-Hsp210 and anti-centromere antibodies for the prediction of PBC patients with an incomplete biochemical response to UDCA and bezafibrate. <i>Hepatology Research</i> , 2015, 45, 827-828.	3.4	4
106	The comparison of the intensity of human intestinal spirochetes between <i>Brachyspira pilosicoli</i> and <i>Brachyspira aalborgi</i> infections. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2019, 64, 86-90.	1.4	4
107	Identification of colorectal neoplasia by using serum bile acid profile. <i>Biomarkers</i> , 2021, 26, 462-467.	1.9	4
108	Pharmacokinetics of Theophylline in Guinea Pig Tears. <i>Drug Metabolism and Pharmacokinetics</i> , 2007, 22, 169-177.	2.2	3

#	ARTICLE	IF	CITATIONS
109	Determination of Key Intermediates in Cholesterol and Bile Acid Biosynthesis by Stable Isotope Dilution Mass Spectrometry. <i>Analytical Chemistry Insights</i> , 2008, 3, ACI.S611.	2.7	3
110	Regulatory T cells and liver pathology in a murine graft versus host response model. <i>Hepatology Research</i> , 2009, 39, 585-594.	3.4	3
111	Post-therapeutic needle biopsy in patients with hepatocellular carcinoma is a useful tool to evaluate response to proton irradiation. <i>Hepatology Research</i> , 2014, 44, 403-409.	3.4	3
112	A New Cholesterol Biosynthesis and Absorption Disorder Associated With Epilepsy, Hypogonadism, and Cerebro-Cerebello-Bulbar Degeneration. <i>Pediatric Neurology</i> , 2014, 50, 601-604.	2.1	3
113	Differences in the Serum 4 β -hydroxycholesterol Levels of Patients with Chronic Hepatitis C Virus (HCV) Infection: A Possible Impact on the Efficacy and Safety of Interferon (IFN)-free Treatment. <i>Internal Medicine</i> , 2018, 57, 1219-1227.	0.7	3
114	Comparative study between public and occupational health examinations in Ibaraki Prefecture. <i>Acta Hepatologica Japonica</i> , 2010, 51, 528-530.	0.1	3
115	Comparison of the amino acid profile between the nontumor and tumor regions in patients with lung cancer. <i>American Journal of Cancer Research</i> , 2020, 10, 2145-2159.	1.4	3
116	Pemafibrate for primary biliary cholangitis with dyslipidemia: A proposal of a new treatment from Japan. <i>Hepatology Research</i> , 2022, 52, 495-496.	3.4	3
117	Bile acid flux through portal but not peripheral veins inhibits CYP7A1 expression without involvement of ileal FGF19 in rabbits. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, G479-G486.	3.4	2
118	Intestinal Digestion and Absorption. , 2017, , 27-41.		2
119	Retrotransposition disrupting EBP in a girl and her mother with X-linked dominant chondrodysplasia punctata. <i>Journal of Human Genetics</i> , 2022, , .	2.3	2
120	Differential Effect of Non-Purified and Semi-Purified Standard Diets on Kynurenine and Peripheral Metabolites in Male C57BL/6J Mice. <i>International Journal of Tryptophan Research</i> , 2022, 15, 117864692110662.	2.3	2
121	Taurine supplementation enhances endurance capacity by delaying blood glucose decline during prolonged exercise in rats. <i>Amino Acids</i> , 2022, 54, 251-260.	2.7	2
122	Plasma levels of mevalonate and 7 α -hydroxy-4-cholesten-3-one in chronic liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2002, 14, 150-155.	2.8	1
123	Evaluation of the Risk of Clostridium difficile Infection Using a Serum Bile Acid Profile. <i>Metabolites</i> , 2022, 12, 331.	2.9	1
124	Abnormal cholesterol metabolism in the Smith-Lemli-Opitz syndrome. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 1997, 4, 412-416.	0.6	0
125	Effects of the Concomitant Use of Low-dose Clarithromycin with an Anti-TNF α Antibody in a Patient with Intestinal Behçet Disease. <i>Internal Medicine</i> , 2018, 57, 339-342.	0.7	0
126	A case of the stenosis of the terminal ileum during taking NSAIDs. <i>Progress of Digestive Endoscopy</i> , 2010, 77, 108-109.	0.0	0