Lin Cai

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7614045/publications.pdf

Version: 2024-02-01

516710 552781 46 844 16 26 citations h-index g-index papers 61 61 61 1271 citing authors all docs docs citations times ranked

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Tobacco smoking, alcohol drinking, betel quid chewing, and the risk of head and neck cancer in an East Asian population. Head and Neck, 2019, 41, 92-102. | 2.0 | 63 |
| 2 | Risk factors for the gastric cardia cancer: a case-control study in Fujian Province. World Journal of Gastroenterology, 2003, 9, 214. | 3.3 | 58 |
| 3 | Serum copper and zinc levels and the risk of oral cancer: A new insight based on largeâ€scale case–control study. Oral Diseases, 2019, 25, 80-86. | 3.0 | 53 |
| 4 | The association between human papillomavirus infection and lung cancer: a system review and meta-analysis. Oncotarget, 2017, 8, 96419-96432. | 1.8 | 48 |
| 5 | Dietary selenium intake, aldehyde dehydrogenase-2 and X-ray repair cross-complementing 1 genetic polymorphisms, and the risk of esophageal squamous cell carcinoma. Cancer, 2006, 106, 2345-2354. | 4.1 | 42 |
| 6 | Single Nucleotide Polymorphisms of One-Carbon Metabolism and Cancers of the Esophagus, Stomach, and Liver in a Chinese Population. PLoS ONE, 2014, 9, e109235. | 2.5 | 41 |
| 7 | LncRNA MALAT-1 competitively regulates miR-124 to promote EMT and development of non-small-cell lung cancer. Anti-Cancer Drugs, 2018, 29, 628-636. | 1.4 | 35 |
| 8 | Preoperative Neutrophil-to-Lymphocyte Ratio Predicts the Prognosis ofÂOralÂSquamous Cell Carcinoma:ÂAÂLarge-Sample ProspectiveÂStudy. Journal of Oral and Maxillofacial Surgery, 2017, 75, 1275-1282. | 1.2 | 32 |
| 9 | Oral lesions, chronic diseases and the risk of head and neck cancer. Oral Oncology, 2015, 51, 1082-1087. | 1.5 | 31 |
| 10 | Construction and evaluation of two computational models for predicting the incidence of influenza in Nagasaki Prefecture, Japan. Scientific Reports, 2017, 7, 7192. | 3.3 | 27 |
| 11 | Three prognostic indexes as predictors of response to adjuvant chemoradiotherapy in patients with oral squamous cell carcinoma after radical surgery: A largeâ€scale prospective study. Head and Neck, 2019, 41, 301-308. | 2.0 | 27 |
| 12 | Nomograms and risk scores for predicting the risk of oral cancer in different sexes: a large-scale case-control study. Journal of Cancer, 2018, 9, 2543-2548. | 2.5 | 25 |
| 13 | Independent and joint exposure to passive smoking and cooking oil fumes on oral cancer in Chinese women: a hospital-based case-control study. Acta Oto-Laryngologica, 2016, 136, 1074-1078. | 0.9 | 20 |
| 14 | Oral human papillomavirus infection, sexual behaviors and risk of oral squamous cell carcinoma in southeast of China: A case-control study. Journal of Clinical Virology, 2016, 85, 7-12. | 3.1 | 20 |
| 15 | Association between mannose-binding lectin variants, haplotypes and risk of hepatocellular carcinoma: A case-control study. Scientific Reports, 2016, 6, 32147. | 3.3 | 19 |
| 16 | Dietary score and the risk of oral cancer: a case-control study in southeast China. Oncotarget, 2017, 8, 34610-34616. | 1.8 | 19 |
| 17 | Impact of oral hygiene on head and neck cancer risk in a Chinese population. Head and Neck, 2017, 39, 2549-2557. | 2.0 | 17 |
| 18 | Diet and the risk of head-and-neck cancer among never-smokers and smokers in a Chinese population. Cancer Epidemiology, 2017, 46, 20-26. | 1.9 | 15 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 19 | Independent and joint effects of tea and milk consumption on oral cancer among non-smokers and non-drinkers: a case-control study in China. Oncotarget, 2017, 8, 50091-50097. | 1.8 | 15 |
| 20 | Body mass index and the risk of head and neck cancer in the Chinese population. Cancer Epidemiology, 2019, 60, 208-215. | 1.9 | 14 |
| 21 | Passive smoking and cooking oil fumes (COF) may modify the association between tea consumption and oral cancer in Chinese women. Journal of Cancer Research and Clinical Oncology, 2016, 142, 995-1001. | 2.5 | 13 |
| 22 | A novel environmental exposure index and its interaction with familial susceptibility on oral cancer in non-smokers and non-drinkers: a case–control study. European Archives of Oto-Rhino-Laryngology, 2017, 274, 1945-1950. | 1.6 | 13 |
| 23 | Dietary patterns, BCMO1 polymorphisms, and primary lung cancer risk in a Han Chinese population: a case-control study in Southeast China. BMC Cancer, 2018, 18, 445. | 2.6 | 13 |
| 24 | Microarray profiling of differentially expressed lncRNAs and mRNAs in lung adenocarcinomas and bioinformatics analysis. Cancer Medicine, 2020, 9, 7717-7728. | 2.8 | 13 |
| 25 | Combined and interaction effect of chlamydia pneumoniae infection and smoking on lung cancer: a case-control study in Southeast China. BMC Cancer, 2020, 20, 903. | 2.6 | 13 |
| 26 | Risk factors for gastric cancer and related serological levels in Fujian, China: hospital-based case–control study. BMJ Open, 2020, 10, e042341. | 1.9 | 13 |
| 27 | FADS1 rs174549 Polymorphism May Predict a Favorable Response to Chemoradiotherapy in Oral Cancer Patients. Journal of Oral and Maxillofacial Surgery, 2017, 75, 214-220. | 1.2 | 12 |
| 28 | A functional haplotype of NFKB1 influence susceptibility to oral cancer: a population-based and in vitro study. Cancer Medicine, 2018, 7, 2211-2218. | 2.8 | 12 |
| 29 | Prognostic value of preoperative lymphocyteâ€toâ€monocyte ratio in oral cancer patients and establishment of a dynamic nomogram. Oral Diseases, 2021, 27, 1127-1136. | 3.0 | 11 |
| 30 | <p>Association between single nucleotide polymorphisms of NOTCH signaling pathway-related genes and the prognosis of NSCLC</p> . Cancer Management and Research, 2019, Volume 11, 6895-6905. | 1.9 | 10 |
| 31 | Differences in modifiable factors of oral squamous cell carcinoma in the upper and lower of oral fissure. Oncotarget, 2017, 8, 75094-75101. | 1.8 | 9 |
| 32 | <p>Genome-wide DNA methylation and RNA expression profiles identified RIPK3 as a differentially methylated gene in Chlamydia pneumoniae infection lung carcinoma patients in China</p> . Cancer Management and Research, 2019, Volume 11, 5785-5797. | 1.9 | 8 |
| 33 | Involuntary smoking and the risk of head and neck cancer in an East Asian population. Cancer Epidemiology, 2019, 59, 173-177. | 1.9 | 8 |
| 34 | Single-nucleotide polymorphism rs17548629 in RIPK1 gene may be associated with lung cancer in a young and middle-aged Han Chinese population. Cancer Cell International, 2020, 20, 143. | 4.1 | 8 |
| 35 | EGFR mutation status in non-small cell lung cancer receiving PD-1/PD-L1 inhibitors and its correlation with PD-L1 expression: a meta-analysis. Cancer Immunology, Immunotherapy, 2022, 71, 1001-1016. | 4.2 | 8 |
| 36 | A novel prognostic index for oral squamous cell carcinoma patients with surgically treated. Oncotarget, 2017, 8, 55525-55533. | 1.8 | 8 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Upregulated long noncoding RNA ENST00000470447.1 inhibits cell migration and invasion and predicts better diseaseâ€free survival of oral cancer. Head and Neck, 2019, 41, 2883-2891. | 2.0 | 7 |
| 38 | Combined effects of lung disease history, environmental exposures, and family history of lung cancer to susceptibility of lung cancer in Chinese non-smokers. Respiratory Research, 2021, 22, 210. | 3.6 | 6 |
| 39 | A composite oral hygiene score and the risk of oral cancer and its subtypes: a large-scale propensity score-based study. Clinical Oral Investigations, 2022, 26, 2429-2437. | 3.0 | 6 |
| 40 | Human papillomavirus infection maybe not associated with primary lung cancer in the Fujian population of China. Thoracic Cancer, 2020, 11, 561-569. | 1.9 | 5 |
| 41 | Novel polymorphism in FADS1 gene and fish consumption on risk of oral cancer: A case-control study in southeast China. Oncotarget, 2017, 8, 15887-15893. | 1.8 | 5 |
| 42 | Single nucleotide polymorphisms of the NF- $\hat{\mathbb{P}}$ B and STAT3 signaling pathway genes predict lung cancer prognosis in a Chinese Han population. Cancer Genetics, 2015, 208, 310-318. | 0.4 | 4 |
| 43 | Polymorphism rs144848 in BRCA2 may Reduce Lung Cancer Risk in Women: A Case-Control Study in Southeast China. Tumori, 2016, 102, 150-155. | 1.1 | 4 |
| 44 | miR-300 rs12894467 polymorphism may be associated with susceptibility to primary lung cancer in the Chinese Han population. Cancer Management and Research, 2018, Volume 10, 3579-3588. | 1.9 | 3 |
| 45 | Tea, coffee, and head and neck cancer risk in a multicenter study in east Asia. Oral Cancer, 2018, 2, 57-65. | 0.3 | 1 |
| 46 | Association between smoking and environmental tobacco smoke with lung cancer risk: a caseâ€"control study in the Fujian Chinese population. Zeitschrift Fur Gesundheitswissenschaften, 2022, 30, 2047-2057. | 1.6 | 1 |