

Thiago R De Carvalho

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7617173/publications.pdf>

Version: 2024-02-01

37
papers

314
citations

840776

11
h-index

996975

15
g-index

38
all docs

38
docs citations

38
times ranked

262
citing authors

#	ARTICLE	IF	CITATIONS
1	Complex acoustic signals in <i>Crossodactylodes</i> (Leptodactylidae, Paratelmatobiinae): a frog genus historically regarded as voiceless. <i>Bioacoustics</i> , 2022, 31, 175-190.	1.7	3
2	The advertisement call of <i>Allophryne resplendens</i> (Anura: Allophrynidae) from southwestern Brazilian Amazonia. <i>Zootaxa</i> , 2022, 5138, 196-200.	0.5	0
3	Systematics and historical biogeography of Neotropical foam-nesting frogs of the <i>Adenomera heyeri</i> clade (Leptodactylidae), with the description of six new Amazonian species. <i>Zoological Journal of the Linnean Society</i> , 2021, 191, 395-433.	2.3	16
4	Revisiting the systematics of the <i>Leptodactylus melanonotus</i> group (Anura: Leptodactylidae): Redescription of <i>L. Petersii</i> and revalidation of its junior synonyms. <i>Zoologischer Anzeiger</i> , 2021, 290, 117-134.	0.9	11
5	Systematics and cryptic diversification of <i>Leptodactylus</i> frogs in the Brazilian campo rupestre. <i>Zoologica Scripta</i> , 2021, 50, 300-317.	1.7	4
6	Systematics and biogeography of the <i>Boana albopunctata</i> species group (Anura, Hylidae), with the description of two new species from Amazonia. <i>Systematics and Biodiversity</i> , 2021, 19, 375-399.	1.2	20
7	On the availability of the recently proposed nomen <i>Leptodactylus avivoca</i> (Anura, Leptodactylidae). <i>Bionomina</i> , 2021, 22, .	0.4	0
8	The advertisement call of <i>Physalaemus caete</i> Pombal & Madureira, 1997 (Anura: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 Td Zootaxa, 2020, 4822, zootaxa.4822.3.9.	0.5	1
9	Unraveling the species diversity and relationships in the <i>Leptodactylus mystaceus</i> complex (Anura: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 467 Td zootaxa.4779.2.1.	0.5	11
10	One step beyond a broad molecular phylogenetic analysis: Species delimitation of <i>Adenomera marmorata</i> Steindachner, 1867 (Anura: Leptodactylidae). <i>PLoS ONE</i> , 2020, 15, e0229324.	2.5	9
11	The Amapá treefrog <i>Boana dentei</i> (Bokermann, 1967): diagnosis and redescription (Hylinae: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 467 Td	0.5	2
12	New acoustic and molecular data shed light on the poorly known Amazonian frog <i>Adenomera simonstuarti</i> (Leptodactylidae): implications for distribution and conservation. <i>European Journal of Taxonomy</i> , 2020, , .	0.6	3
13	Hiding in Plain Sight: A Fourth New Cryptic Species of the <i>Adenomera andreae</i> Clade (Anura: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 467 Td	0.4	2
14	A new species of <i>Paratelmatobius</i> (Anura: Leptodactylidae: Paratelmatobiinae) from the Atlantic Forest of southern Brazil. <i>Zootaxa</i> , 2019, 4648, 473-493.	0.5	11
15	The release call of <i>Rhaebo guttatus</i> (Anura: Bufonidae). <i>Studies on Neotropical Fauna and Environment</i> , 2019, 54, 236-238.	1.0	2
16	A New Amazonian Species of <i>Adenomera</i> (Anura: Leptodactylidae) from the Brazilian State of Pará: A Tody-Tyrant Voice in a Frog. <i>American Museum Novitates</i> , 2019, 3919, 1.	0.6	15
17	A New Cryptic Species of the <i>Adenomera andreae</i> Clade from Southwestern Amazonia (Anura, Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 467 Td	0.4	10
18	Vocalizations, tadpole, and natural history of <i>Crossodactylus wernerii</i> Pimenta, Cruz & Caramaschi, 2014 (Anura: Hylodidae), with comments on distribution and intraspecific variation. <i>Zootaxa</i> , 2018, 4388, 61-75.	0.5	5

#	ARTICLE	IF	CITATIONS
19	Reassessment of the vocal repertoire of a nest-building gladiator frog, <i>Boana pardalis</i> (Anura, Hylidae). <i>Tj ETQq1 1 0.784314 rgBT / Overlock 10</i> <i>Neotropical Fauna and Environment</i> , 2017, 52, 157-167.	1.0	0
20	Vocalization of <i>Scinax haddadorum</i> (Anura: Hylidae), with further notes on the vocalization of the morphologically similar <i>Scinax rupestris</i> . <i>Neotropical Biodiversity</i> , 2017, 3, 117-124.	0.5	2
21	A reassessment of the vocalization and distribution of <i>Scinax exiguus</i> (Duellman, 1986) (Anura: Hylidae) in Brazil. <i>Tj ETQq1 1 0.784314 rgBT / Overlock 10</i> <i>Neotropical Biodiversity</i> , 2017, 3, 196-202.	0.5	8
22	Advertisement and aggressive calls of <i>Pithecopus azureus</i> (Anura: Phyllomedusidae) from the border of Brazil and Paraguay. <i>Phyllomedusa</i> , 2017, 16, 47.	0.2	4
23	First record of <i>Boana alfaroi</i> (Caminer & Ron, 2014) (Anura: Hylidae) in Brazil. <i>Check List</i> , 2017, 13, 135-139.	0.4	1
24	First record of <i>Pseudopaludicola pocoto</i> Magalhães, Loebmann, Kokubum, Haddad & Garda, 2014 (Anura, Leptodactylidae, Leiuperinae) in Bahia state, northeastern Brazil, with further data on its advertisement call. <i>Check List</i> , 2017, 13, 2047.	0.4	1
25	The first record of <i>Pseudopaludicola atragula</i> Pansonato, Mudrek, Veiga-Menoncello, Rossa-Feres, Martins & Strassmann, 2014 (Anura: Leptodactylidae) in the state of Goiás, central Brazil. <i>Check List</i> , 2016, 12, 1961.	0.4	3
26	First record of <i>Pseudopaludicola boliviana</i> Parker, 1927 (Anura, Leptodactylidae, Leiuperinae) in the Brazilian state of Amapá, with comments on its advertisement call and distribution. <i>Check List</i> , 2016, 12, 1991.	0.4	4
27	The complex vocalization of <i>Scinax cardosoi</i> (Anura: Hylidae), with comments on advertisement calls in the <i>S. ruber</i> Clade. <i>Phyllomedusa</i> , 2015, 14, 127-137.	0.2	6
28	Advertisement call of <i>Rhinella major</i> (Anura: Bufonidae) from the lower Amazonas River basin with comments on intraspecific variation. <i>Zootaxa</i> , 2015, 4012, 375-8.	0.5	1
29	INTRASPECIFIC VARIATION IN ACOUSTIC TRAITS AND BODY SIZE, AND NEW DISTRIBUTIONAL RECORDS FOR <i>PSEUDOPALUDICOLA GIARETTAI</i> CARVALHO, 2012 (ANURA, LEPTODACTYLIDAE, LEIUPERINAE): IMPLICATIONS FOR ITS CONGENERIC DIAGNOSIS. <i>Papeis Avulsos De Zoologia</i> , 2015, 55, 245-254.	0.4	5
30	New bioacoustic and distributional data on <i>Bokermannohyla sapiranga</i> (Anura: Hylidae) and <i>Bokermannohyla</i> sp. nov. <i>Tj ETQq0 0.0 rgBT / Overlock 10</i> <i>Zootaxa</i> , 2012, 3271, 1-12.	0.5	12
31	Taxonomic circumscription of <i>Adenomera martinezi</i> (Anura: Leptodactylidae: Leptodactylinae) with the recognition of a new cryptic taxon through a bioacoustic approach. <i>Zootaxa</i> , 2013, 3701, 207.	0.5	24
32	A new species of <i>Leptodactylus fitzingeri</i> (Anura, Leptodactylidae, Leptodactylinae) from montane rock fields of the Chapada Diamantina, northeastern Brazil. <i>Zootaxa</i> , 2013, 3701, 349.	0.5	17
33	Bioacoustics reveals two new syntopic species of <i>Adenomera</i> (Anura: Leptodactylidae: Leptodactylinae) in the Cerrado of central Brazil. <i>Zootaxa</i> , 2013, 3731, 533.	0.5	17
34	A new species of <i>Pseudopaludicola miranda-ribeiroi</i> (Leiuperinae: Leptodactylidae: Anura) from the Cerrado of southeastern Brazil. <i>Zootaxa</i> , 2013, 3608, 389-97.	0.5	22
35	A new species of <i>Pseudopaludicola miranda-ribeiroi</i> (Leiuperinae: Leptodactylidae: Anura) from the Cerrado of southeastern Brazil with a distinctive advertisement call pattern. <i>Zootaxa</i> , 2012, 3328, 47.	0.5	26
36	A new species of the <i>Bokermannohyla circumdata</i> group (Anura: Hylidae) from southeastern Brazil, with bioacoustic data on seven species of the genus. <i>Zootaxa</i> , 2012, 3321, 37.	0.5	20

#	ARTICLE	IF	CITATIONS
37	A new species of <i>Hypsiboas</i> Wagler (Anura: Hylidae) closely related to <i>H. multifasciatus</i> Günther from southeastern Brazil. <i>Zootaxa</i> , 2010, 2521, 37.	0.5	15