## Chi-Hyuck Jun

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7617859/chi-hyuck-jun-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 194 5,433 31 h-index g-index citations papers 6,371 6.34 2.2 204 L-index ext. citations avg, IF ext. papers

#	Paper	IF	Citations
194	An Improved Time-Series Forecasting Model Using Time Series Decomposition and GRU Architecture. <i>Communications in Computer and Information Science</i> , <b>2021</b> , 587-596	0.3	
193	Monitoring Mortality Caused by COVID-19 Using Gamma-Distributed Variables Based on Generalized Multiple Dependent State Sampling. <i>Computational and Mathematical Methods in Medicine</i> , <b>2021</b> , 2021, 6634887	2.8	2
192	A mixed control chart for monitoring failure times under accelerated hybrid censoring. <i>Journal of Applied Statistics</i> , <b>2021</b> , 48, 138-153	1	O
191	An efficient multivariate feature ranking method for gene selection in high-dimensional microarray data. <i>Expert Systems With Applications</i> , <b>2021</b> , 166, 113971	7.8	11
190	Bilingual autoencoder-based efficient harmonization of multi-source private data for accurate predictive modeling. <i>Information Sciences</i> , <b>2021</b> , 568, 403-426	7.7	
189	A New Variable-Censoring Control Chart Using Lifetime Performance Index under Exponential and Weibull Distributions <i>Computational Intelligence and Neuroscience</i> , <b>2021</b> , 2021, 1350169	3	
188	Markov blanket-based universal feature selection for classification and regression of mixed-type data. <i>Expert Systems With Applications</i> , <b>2020</b> , 158, 113398	7.8	4
187	A new control chart using GINI CPK. Communications in Statistics - Theory and Methods, 2020, 1-15	0.5	3
186	Mixed EWMA©USUM chart for COM-Poisson distribution. <i>Journal of Statistics and Management Systems</i> , <b>2020</b> , 23, 511-527	0.9	3
185	A mixed double sampling plan based on Cpk. <i>Communications in Statistics - Theory and Methods</i> , <b>2020</b> , 49, 1840-1857	0.5	11
184	A new variable control chart under generalized multiple dependent state sampling. <i>Communications in Statistics Part B: Simulation and Computation</i> , <b>2020</b> , 49, 2321-2332	0.6	4
183	Design of a sign chart using a new EWMA statistic. <i>Communications in Statistics - Theory and Methods</i> , <b>2020</b> , 49, 1299-1310	0.5	8
182	Analysis of process yield in a cost-effective double acceptance sampling plan. <i>Communications in Statistics - Theory and Methods</i> , <b>2020</b> , 49, 5975-5987	0.5	O
181	Regularization-based model tree for multi-output regression. <i>Information Sciences</i> , <b>2020</b> , 507, 240-255	7.7	3
180	Control Charts for Monitoring Process Capability Index Using Median Absolute Deviation for Some Popular Distributions. <i>Processes</i> , <b>2019</b> , 7, 287	2.9	8
179	Hybrid data stream clustering by controlling decision error. <i>Intelligent Data Analysis</i> , <b>2019</b> , 23, 717-732	1.1	
178	Determination and economic design of a generalized multiple dependent state sampling plan. <i>Communications in Statistics Part B: Simulation and Computation</i> , <b>2019</b> , 1-18	0.6	6

### (2018-2019)

177	A variable sampling plan using generalized multiple dependent state based on a one-sided process capability index. <i>Communications in Statistics Part B: Simulation and Computation</i> , <b>2019</b> , 1-12	0.6	5
176	A Nonparametric HEWMA-p Control Chart for Variance in Monitoring Processes. <i>Symmetry</i> , <b>2019</b> , 11, 356	2.7	5
175	A Variable Control Chart Based on Process Capability Index Under Generalized Multiple Dependent State Sampling. <i>IEEE Access</i> , <b>2019</b> , 7, 34031-34044	3.5	9
174	A new multiple dependent state sampling plan based on the process capability index. Communications in Statistics Part B: Simulation and Computation, 2019, 1-17	0.6	17
173	Design of a t-chart using generalized multiple dependent state sampling. <i>Quality and Reliability Engineering International</i> , <b>2019</b> , 35, 1789-1802	2.6	5
172	A hybrid EWMA chart using coefficient of variation. <i>International Journal of Quality and Reliability Management</i> , <b>2019</b> , 36, 587-600	2	3
171	A Mill Set-up Model Using a Multi-output Regression Tree for a Tandem Cold Mill Producing Stainless Steel. <i>ISIJ International</i> , <b>2019</b> , 59, 1582-1590	1.7	2
170	Machine learning models based on the dimensionality reduction of standard automated perimetry data for glaucoma diagnosis. <i>Artificial Intelligence in Medicine</i> , <b>2019</b> , 94, 110-116	7.4	8
169	A new variable control chart under failure-censored reliability tests for Weibull distribution. <i>Quality and Reliability Engineering International</i> , <b>2019</b> , 35, 572-581	2.6	10
168	. IEEE Transactions on Semiconductor Manufacturing, <b>2019</b> , 32, 121-128	2.6	6
167	A EWMA control chart based on an auxiliary variable and repetitive sampling for monitoring process location. <i>Communications in Statistics Part B: Simulation and Computation</i> , <b>2019</b> , 48, 2034-2045	0.6	8
166	Multiple dependent state repetitive sampling plans with or without auxiliary variable. <i>Communications in Statistics Part B: Simulation and Computation</i> , <b>2019</b> , 48, 1055-1069	0.6	7
165	A New S2 Control Chart Using Multiple Dependent State Repetitive Sampling. <i>IEEE Access</i> , <b>2018</b> , 6, 492	2 <del>4.4</del> 92	3 <del>/</del> 6
164	Optimal designing of an SkSP-R double sampling plan. <i>Communications in Statistics - Theory and Methods</i> , <b>2018</b> , 47, 4329-4337	0.5	8
163	Sampling Plan Using EWMA Statistic of Regression Estimator <b>2018</b> , 42, 115-127		5
162	Rough set model based feature selection for mixed-type data with feature space decomposition. <i>Expert Systems With Applications</i> , <b>2018</b> , 103, 196-205	7.8	9
161	A hybrid exponentially weighted moving average chart for COM-Poisson distribution. <i>Transactions of the Institute of Measurement and Control</i> , <b>2018</b> , 40, 456-461	1.8	18
160	A multiple dependent state repetitive sampling plan for linear profiles. <i>Journal of the Operational Research Society</i> , <b>2018</b> , 69, 467-473	2	15

159	Multiple dependent state repetitive sampling plans based on one-sided process capability indices. <i>Communications in Statistics - Theory and Methods</i> , <b>2018</b> , 47, 1403-1412	0.5	20
158	Bootstrap confidence intervals of generalized process capability index Cpyk for Lindley and power Lindley distributions. <i>Communications in Statistics Part B: Simulation and Computation</i> , <b>2018</b> , 47, 249-26	2 <sup>0.6</sup>	24
157	A control chart for monitoring process variation using multiple dependent state sampling. <i>Communications in Statistics Part B: Simulation and Computation</i> , <b>2018</b> , 47, 2216-2233	0.6	7
156	Design of acceptance sampling plan using a modified EWMA statistic. <i>Communications in Statistics - Theory and Methods</i> , <b>2018</b> , 47, 2881-2891	0.5	3
155	Interleaved incremental association Markov blanket as a potential feature selection method for improving accuracy in near-infrared spectroscopic analysis. <i>Talanta</i> , <b>2018</b> , 178, 348-354	6.2	2
154	Designing of an attribute control chart for two-stage process. <i>Measurement and Control</i> , <b>2018</b> , 51, 285-	-2925	7
153	Development of service concepts that utilize health-related data: A case study with the National Health Insurance Service of South Korea. <i>IISE Transactions on Healthcare Systems Engineering</i> , <b>2018</b> , 8, 237-249	1.3	1
152	A Variable Control Chart under the Truncated Life Test for a Weibull Distribution. <i>Technologies</i> , <b>2018</b> , 6, 55	2.4	1
151	Privacy-Preserving Patient Similarity Learning in a Federated Environment: Development and Analysis. <i>JMIR Medical Informatics</i> , <b>2018</b> , 6, e20	3.6	53
150	A HEWMA-CUSUM control chart for the Weibull distribution. <i>Communications in Statistics - Theory and Methods</i> , <b>2018</b> , 47, 5973-5985	0.5	11
149	Design of a Quick Switching Sampling System Based on the Coefficient of Variation. <i>Technologies</i> , <b>2018</b> , 6, 98	2.4	1
148	A New Control Chart for Monitoring the Process Mean Using Successive Sampling and Multiple Dependent State Repetitive Sampling. <i>Technologies</i> , <b>2018</b> , 6, 70	2.4	1
147	Design of a New Variable Shewhart Control Chart Using Multiple Dependent State Repetitive Sampling. <i>Symmetry</i> , <b>2018</b> , 10, 641	2.7	3
146	A Multivariate Control Chart for Monitoring Several Exponential Quality Characteristics Using EWMA. <i>IEEE Access</i> , <b>2018</b> , 6, 70349-70358	3.5	5
145	An attribute control chart for multivariate Poisson distribution using multiple dependent state repetitive sampling. <i>Quality and Reliability Engineering International</i> , <b>2018</b> , 35, 627	2.6	2
144	A Data-Driven Procedure of Providing a Health Promotion Program for Hypertension Prevention. <i>Service Science</i> , <b>2018</b> , 10, 289-301	2.2	4
143	An attribute control chart using discriminant limits for monitoring process under the Weibull distribution. <i>Production Engineering</i> , <b>2018</b> , 12, 659-665	1.9	2
142	A new t-chart using process capability index. <i>Communications in Statistics Part B: Simulation and Computation</i> , <b>2017</b> , 46, 5141-5150	0.6	8

### (2017-2017)

141	Developing a variables two-plan sampling system for product acceptance determination. <i>Communications in Statistics - Theory and Methods</i> , <b>2017</b> , 46, 706-720	0.5	8
140	Design of sampling plan using auxiliary information. <i>Communications in Statistics - Theory and Methods</i> , <b>2017</b> , 46, 3772-3781	0.5	5
139	A control chart for multivariate Poisson distribution using repetitive sampling. <i>Journal of Applied Statistics</i> , <b>2017</b> , 44, 123-136	1	25
138	SkSP-R sampling plan based on process capability index. <i>Communications in Statistics - Theory and Methods</i> , <b>2017</b> , 46, 2955-2966	0.5	9
137	A Time Truncated Moving Average Chart for the Weibull Distribution. <i>IEEE Access</i> , <b>2017</b> , 5, 7216-7222	3.5	7
136	Bootstrap Confidence Intervals of the Modified Process Capability Index for Weibull distribution. <i>Arabian Journal for Science and Engineering</i> , <b>2017</b> , 42, 4565-4573	2.5	22
135	Developing a variable repetitive group sampling plan based on the coefficient of variation. <i>Journal of Industrial and Production Engineering</i> , <b>2017</b> , 34, 398-405	1	2
134	A Control Chart for Monitoring the Process Mean Using Successive Sampling Over Two Occasions. <i>Arabian Journal for Science and Engineering</i> , <b>2017</b> , 42, 2915-2926	2.5	7
133	Double moving average EWMA control chart for exponentially distributed quality. <i>Communications in Statistics Part B: Simulation and Computation</i> , <b>2017</b> , 46, 7351-7364	0.6	7
132	Instance categorization by support vector machines to adjust weights in AdaBoost for imbalanced data classification. <i>Information Sciences</i> , <b>2017</b> , 381, 92-103	7.7	72
131	Design of Control Chart for Processes with Multiple Independent Manufacturing Lines <b>2017</b> , 41, 901-90	08	1
130	Group SkSP-R sampling plan for accelerated life tests. <i>Sadhana - Academy Proceedings in Engineering Sciences</i> , <b>2017</b> , 42, 1783-1791	1	3
129	A control chart for COM-Poisson distribution using a modified EWMA statistic. <i>Journal of Statistical Computation and Simulation</i> , <b>2017</b> , 87, 3491-3502	0.9	17
128	The Efficacy of Process Capability Indices Using Median Absolute Deviation and Their Bootstrap Confidence Intervals. <i>Arabian Journal for Science and Engineering</i> , <b>2017</b> , 42, 4941-4955	2.5	6
127	Time-truncated attribute sampling plans using EWMA for Weibull and Burr type X distributions. <i>Communications in Statistics Part B: Simulation and Computation</i> , <b>2017</b> , 46, 4173-4184	0.6	8
126	Double moving average control chart for exponential distributed life using EWMA 2017,		5
125	A mixed control chart using process capability index. Sequential Analysis, 2017, 36, 278-289	0.7	12
124	Design of a Control Chart Using a Modified EWMA Statistic. <i>Quality and Reliability Engineering International</i> , <b>2017</b> , 33, 1095-1104	2.6	15

123	A New Attribute Control Chart Using Multiple Dependent State Repetitive Sampling. <i>IEEE Access</i> , <b>2017</b> , 5, 6192-6197	3.5	23
122	A New Control Chart for Monitoring Reliability Using Sudden Death Testing Under Weibull Distribution. <i>IEEE Access</i> , <b>2017</b> , 5, 23358-23365	3.5	4
121	Acceptance sampling plan for multiple manufacturing lines using EWMA process capability index. Journal of Advanced Mechanical Design, Systems and Manufacturing, 2017, 11, JAMDSM0004-JAMDSM0	064	10
120	Evaluation of Modified Non-Normal Process Capability Index and Its Bootstrap Confidence Intervals. <i>IEEE Access</i> , <b>2017</b> , 5, 12135-12142	3.5	9
119	An attribute control chart for a Weibull distribution under accelerated hybrid censoring. <i>PLoS ONE</i> , <b>2017</b> , 12, e0173406	3.7	22
118	A Control Chart for Gamma Distributed Variables Using Repetitive Sampling Scheme. <i>Pakistan Journal of Statistics and Operation Research</i> , <b>2017</b> , 13, 47	0.5	16
117	Multiple dependent state repetitive group sampling plan for Burr XII distribution. <i>Quality Engineering</i> , <b>2016</b> , 28, 231-237	1.4	36
116	The design of a new repetitive sampling control chart based on process capability index. <i>Transactions of the Institute of Measurement and Control</i> , <b>2016</b> , 38, 971-980	1.8	29
115	Mixed Control Charts Using EWMA Statistics. <i>IEEE Access</i> , <b>2016</b> , 4, 8286-8293	3.5	21
114	Risk assessment for hypertension and hypertension complications incidences using a Bayesian network. <i>IIE Transactions on Healthcare Systems Engineering</i> , <b>2016</b> , 6, 246-259		6
113	Acquisition of a series of temperature-varied sample spectra to induce characteristic structural changes of components and selection of target-descriptive variables among them for multivariate analysis to improve accuracy. <i>Applied Spectroscopy Reviews</i> , <b>2016</b> , 51, 718-734	4.5	3
112	A Control Chart for COM <b>P</b> oisson Distribution Using Multiple Dependent State Sampling. <i>Quality and Reliability Engineering International</i> , <b>2016</b> , 32, 2803-2812	2.6	22
111	A new generally weighted moving average control chart based on Taguchill loss function to monitor process mean and dispersion. <i>Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture</i> , <b>2016</b> , 230, 1537-1547	2.4	6
110	Mixed sampling plan based on exponentially weighted moving average statistic. <i>Communications in Statistics - Theory and Methods</i> , <b>2016</b> , 45, 6709-6719	0.5	4
109	A control chart for time truncated life tests using Pareto distribution of second kind. <i>Journal of Statistical Computation and Simulation</i> , <b>2016</b> , 86, 2113-2122	0.9	17
108	A Control Chart for COM <b>B</b> oisson Distribution Using Resampling and Exponentially Weighted Moving Average. <i>Quality and Reliability Engineering International</i> , <b>2016</b> , 32, 727-735	2.6	18
107	A EWMA Control Chart for Exponential Distributed Quality Based on Moving Average Statistics. <i>Quality and Reliability Engineering International</i> , <b>2016</b> , 32, 1179-1190	2.6	23
106	Dispersion chart for some popular distributions under repetitive sampling. <i>Journal of Advanced Mechanical Design, Systems and Manufacturing</i> , <b>2016</b> , 10, JAMDSM0058-JAMDSM0058	0.6	12

### (2015-2016)

105	An Attribute Control Chart Based on the Birnbaum-Saunders Distribution Using Repetitive Sampling. <i>IEEE Access</i> , <b>2016</b> , 4, 9350-9360	3.5	6	
104	Capability Indices for Non-Normal Distribution Using Gini Mean Difference as Measure of Variability. <i>IEEE Access</i> , <b>2016</b> , 4, 7322-7330	3.5	23	
103	Designing of two mixed variable lot-size sampling plans using repetitive sampling and resampling based on the process capability index. <i>Sequential Analysis</i> , <b>2016</b> , 35, 413-422	0.7	6	
102	Designing of a control chart using belief statistic for exponential distribution. <i>Communications in Statistics Part B: Simulation and Computation</i> , <b>2016</b> , 1-13	0.6	2	
101	A new variable sample size control chart using MDS sampling. <i>Journal of Statistical Computation and Simulation</i> , <b>2016</b> , 86, 3620-3628	0.9	9	
100	Designing of a hybrid exponentially weighted moving average control chart using repetitive sampling. <i>International Journal of Advanced Manufacturing Technology</i> , <b>2015</b> , 77, 1927-1933	3.2	98	
99	Attribute Control Charts for the Weibull Distribution under Truncated Life Tests. <i>Quality Engineering</i> , <b>2015</b> , 27, 283-288	1.4	40	
98	Acceptance sampling plans for multi-stage process based on time-truncated test for Weibull distribution. <i>International Journal of Advanced Manufacturing Technology</i> , <b>2015</b> , 79, 1779-1785	3.2	19	
97	A new S2 control chart using repetitive sampling. <i>Journal of Applied Statistics</i> , <b>2015</b> , 42, 2485-2496	1	20	
96	A mixed control chart to monitor the process. <i>International Journal of Production Research</i> , <b>2015</b> , 53, 4684-4693	7.8	38	
95	Improved Acceptance Sampling Plan Based on EWMA Statistic. Sequential Analysis, 2015, 34, 406-422	0.7	9	
94	A control chart using an auxiliary variable and repetitive sampling for monitoring process mean. <i>Journal of Statistical Computation and Simulation</i> , <b>2015</b> , 85, 3289-3296	0.9	32	
93	A control chart for an exponential distribution using multiple dependent state sampling. <i>Quality and Quantity</i> , <b>2015</b> , 49, 455-462	2.4	47	
92	A new attribute control chart using multiple dependent state sampling. <i>Transactions of the Institute of Measurement and Control</i> , <b>2015</b> , 37, 569-576	1.8	45	
91	Monitoring process mean using generally weighted moving average chart for exponentially distributed characteristics. <i>Communications in Statistics Part B: Simulation and Computation</i> , <b>2015</b> , 1-11	0.6	3	
90	Various repetitive sampling plans using process capability index of multiple quality characteristics. <i>Applied Stochastic Models in Business and Industry</i> , <b>2015</b> , 31, 823-835	1.1	16	
89	SkSP-V sampling plan for accelerated life tests. <i>Proceedings of the Institution of Mechanical Engineers, Part O: Journal of Risk and Reliability</i> , <b>2015</b> , 229, 193-199	0.8	9	
88	A new multivariate EWMA control chart via multiple testing. <i>Journal of Process Control</i> , <b>2015</b> , 26, 51-55	3.9	21	

87	A new control chart for exponential distributed life using EWMA. <i>Transactions of the Institute of Measurement and Control</i> , <b>2015</b> , 37, 205-210	1.8	24
86	Mixed Multiple Dependent State Sampling Plans Based on Process Capability Index. <i>Journal of Testing and Evaluation</i> , <b>2015</b> , 43, 20130009	1	10
85	Resubmitted Sampling Inspection Plan for Exponentiated Weibull Distribution. <i>Journal of Testing and Evaluation</i> , <b>2015</b> , 43, 20130263	1	3
84	An Economic Design of a Group Sampling Plan for a Weibull Distribution Using a Bayesian Approach. <i>Journal of Testing and Evaluation</i> , <b>2015</b> , 43, 20140041	1	14
83	A New Mixed Variable Lot Size Sampling Plan Based on Process Capability Index. <i>Journal of Testing and Evaluation</i> , <b>2015</b> , 43, 20140054	1	4
82	Economic Design of SkSP-R Skip-Lot Sampling Plan. <i>Journal of Testing and Evaluation</i> , <b>2015</b> , 43, 201400	81	15
81	Design of SkSP-R Variables Sampling Plans. <i>Revista Colombiana De Estadistica</i> , <b>2015</b> , 38, 413-429	0.4	7
80	Classification of High Dimensionality Data through Feature Selection Using Markov Blanket. <i>Industrial Engineering and Management Systems</i> , <b>2015</b> , 14, 210-219	2.5	7
79	Multiple dependent state variable sampling plans with process loss consideration. <i>International Journal of Advanced Manufacturing Technology</i> , <b>2014</b> , 71, 1337-1343	3.2	47
78	An exponentially weighted moving average chart controlling false discovery rate. <i>Journal of Statistical Computation and Simulation</i> , <b>2014</b> , 84, 1830-1840	0.9	13
77	Skip-Lot Sampling Plan of Type SkSP-2 with Two-Stage Group Acceptance Sampling Plan as Reference Plan. <i>Communications in Statistics Part B: Simulation and Computation</i> , <b>2014</b> , 43, 777-789	0.6	19
76	Designing of X-bar control charts based on process capability index using repetitive sampling. <i>Transactions of the Institute of Measurement and Control</i> , <b>2014</b> , 36, 367-374	1.8	61
75	Clustering noise-included data by controlling decision errors. <i>Annals of Operations Research</i> , <b>2014</b> , 216, 129-144	3.2	3
74	A new exponentially weighted moving average sign chart using repetitive sampling. <i>Journal of Process Control</i> , <b>2014</b> , 24, 1149-1153	3.9	44
73	Designing of a new monitoring t-chart using repetitive sampling. <i>Information Sciences</i> , <b>2014</b> , 269, 210-2	21 <del>6</del> .7	55
72	A new system of skip-lot sampling plans including resampling. <i>Scientific World Journal, The</i> , <b>2014</b> , 2014, 192412	2.2	13
71	A Multiple Dependent State Control Chart Based on Double Control Limits. <i>Research Journal of Applied Sciences, Engineering and Technology</i> , <b>2014</b> , 7, 4490-4493	0.2	17
70	Repetitive Group Sampling Plan Based on Truncated Tests for Weibull Models. <i>Research Journal of Applied Sciences, Engineering and Technology,</i> <b>2014</b> , 7, 1917-1924	0.2	19

### (2013-2014)

69	Mixed Acceptance Sampling Plans for Product Inspection Using Process Capability Index. <i>Quality Engineering</i> , <b>2014</b> , 26, 450-459	1.4	37	
68	A lot inspection sampling plan based on EWMA yield index. <i>International Journal of Advanced Manufacturing Technology</i> , <b>2014</b> , 75, 861-868	3.2	29	
67	SkSP-V Sampling Plan for the Exponentiated Weibull Distribution. <i>Journal of Testing and Evaluation</i> , <b>2014</b> , 42, 20130051	1	3	
66	Inspection of Batches Through Skip-R Lot Sampling Plan. <i>Journal of Testing and Evaluation</i> , <b>2014</b> , 42, 20130100	1	4	
65	Supervised Learning-Based Collaborative Filtering Using Market Basket Data for the Cold-Start Problem. <i>Industrial Engineering and Management Systems</i> , <b>2014</b> , 13, 421-431	2.5	3	
64	Repetitive acceptance sampling plans for burr type XII percentiles. <i>International Journal of Advanced Manufacturing Technology</i> , <b>2013</b> , 68, 495-507	3.2	27	
63	A new lot inspection procedure based on exponentially weighted moving average. <i>International Journal of Systems Science</i> , <b>2013</b> , 1-9	2.3	11	
62	Decision Rule Based on Group Sampling Plan Under the Inverse Gaussian Distribution. <i>Sequential Analysis</i> , <b>2013</b> , 32, 71-82	0.7	10	
61	A mixed repetitive sampling plan based on process capability index. <i>Applied Mathematical Modelling</i> , <b>2013</b> , 37, 10027-10035	4.5	60	
60	Multiple states repetitive group sampling plans with process loss consideration. <i>Applied Mathematical Modelling</i> , <b>2013</b> , 37, 9063-9075	4.5	25	
59	Ranking evaluation of institutions based on a Bayesian network having a latent variable. <i>Knowledge-Based Systems</i> , <b>2013</b> , 50, 87-99	7.3	4	
58	Variable sampling inspection for resubmitted lots based on process capability index Cpk for normally distributed items. <i>Applied Mathematical Modelling</i> , <b>2013</b> , 37, 667-675	4.5	88	
57	PCA-based high-dimensional noisy data clustering via control of decision errors. <i>Knowledge-Based Systems</i> , <b>2013</b> , 37, 338-345	7.3	7	
56	Optimal designing of skip-lot sampling plan of type SkSP-2 with group acceptance sampling plan as reference plan under Burr-type XII distribution. <i>Journal of Statistical Computation and Simulation</i> , <b>2013</b> , 83, 37-51	0.9	19	
55	Developing a variables repetitive group sampling plan based on process capability index C pk with unknown mean and variance. <i>Journal of Statistical Computation and Simulation</i> , <b>2013</b> , 83, 1507-1517	0.9	59	
54	Optimal Design of Skip Lot Group Acceptance Sampling Plans for the Weibull Distribution and the Generalized Exponential Distribution. <i>Quality Engineering</i> , <b>2013</b> , 25, 237-246	1.4	20	
53	Multiple Dependent State Sampling Plan Based on Process Capability Index. <i>Journal of Testing and Evaluation</i> , <b>2013</b> , 41, 20120012	1	47	
52	Two-Stage Group Acceptance Sampling Plan for Burr Type X Percentiles. <i>Journal of Testing and Evaluation</i> , <b>2013</b> , 41, 20120209	1	7	

51	Variables sampling inspection scheme for resubmitted lots based on the process capability index Cpk. <i>European Journal of Operational Research</i> , <b>2012</b> , 217, 560-566	5.6	93
50	A new mixed acceptance sampling plan based on sudden death testing under the Weibull distribution. <i>Journal of the Chinese Institute of Industrial Engineers</i> , <b>2012</b> , 29, 427-433		17
49	Two-Stage Variables Acceptance Sampling Plans Using Process Loss Functions. <i>Communications in Statistics - Theory and Methods</i> , <b>2012</b> , 41, 3633-3647	0.5	22
48	Learning Bayesian network structure using Markov blanket decomposition. <i>Pattern Recognition Letters</i> , <b>2012</b> , 33, 2134-2140	4.7	15
47	Optimal designing of an SkSP-V skip-lot sampling plan with double-sampling plan as the reference plan. <i>International Journal of Advanced Manufacturing Technology</i> , <b>2012</b> , 60, 733-740	3.2	22
46	A Process Monitoring Scheme Controlling False Discovery Rate. <i>Communications in Statistics Part B:</i> Simulation and Computation, <b>2012</b> , 41, 1912-1920	0.6	9
45	Designing of Group Sampling Plans Based on Gamma-Poisson Distribution. <i>Journal of Testing and Evaluation</i> , <b>2012</b> , 40, 103327	1	1
44	Multivariate Process Control Chart for Controlling the False Discovery Rate. <i>Industrial Engineering and Management Systems</i> , <b>2012</b> , 11, 385-389	2.5	6
43	Stability-based validation of bicluster solutions. Pattern Recognition, 2011, 44, 252-264	7.7	10
42	A new system of skip-lot sampling plans having a provision for reducing normal inspection. <i>Applied Stochastic Models in Business and Industry</i> , <b>2011</b> , 27, 348-363	1.1	23
41	Discriminant analysis of binary data following multivariate Bernoulli distribution. <i>Expert Systems With Applications</i> , <b>2011</b> , 38, 7795-7802	7.8	5
40	Design of progressively censored group sampling plans for Weibull distributions: An optimization problem. <i>European Journal of Operational Research</i> , <b>2011</b> , 211, 525-532	5.6	33
39	Variable repetitive group sampling plans with process loss consideration. <i>Journal of Statistical Computation and Simulation</i> , <b>2011</b> , 81, 1417-1432	0.9	48
38	New acceptance sampling plans based on life tests for BirnbaumBaunders distributions. <i>Journal of Statistical Computation and Simulation</i> , <b>2011</b> , 81, 461-470	0.9	35
37	Group acceptance sampling plans for resubmitted lots under Burr-type XII distributions. <i>Journal of the Chinese Institute of Industrial Engineers</i> , <b>2011</b> , 28, 606-615		13
36	A two-stage group sampling plan based on truncated life tests for a general distribution. <i>Journal of Statistical Computation and Simulation</i> , <b>2011</b> , 81, 1927-1938	0.9	6
35	A New Control Scheme Always Better Than X-Bar Chart. <i>Communications in Statistics - Theory and Methods</i> , <b>2010</b> , 39, 3492-3503	0.5	6
34	A double acceptance sampling plan for generalized log-logistic distributions with known shape parameters. <i>Journal of Applied Statistics</i> , <b>2010</b> , 37, 405-414	1	28

#### (2005-2010)

33	A variables repetitive group sampling plan under failure-censored reliability tests for Weibull distribution. <i>Journal of Applied Statistics</i> , <b>2010</b> , 37, 453-460	1	34
32	Biclustering of ARMA time series. <i>Journal of Zhejiang University: Science A</i> , <b>2010</b> , 11, 959-965	2.1	2
31	A causal discovery algorithm using multiple regressions. Pattern Recognition Letters, 2010, 31, 1924-193	<b>34</b> .7	2
30	A Two-Plan Sampling System for Life Testing Under Weibull Distribution. <i>Industrial Engineering and Management Systems</i> , <b>2010</b> , 9, 54-59	2.5	6
29	Use of partial least squares regression for variable selection and quality prediction 2009,		7
28	Use of reference distributions when dealing with unknown regression errors. <i>Journal of Statistical Computation and Simulation</i> , <b>2009</b> , 79, 1195-1204	0.9	
27	A simple and fast algorithm for K-medoids clustering. Expert Systems With Applications, 2009, 36, 3336-3	3 <b>3</b> ,£1	994
26	Classifying genes according to predefined patterns by controlling false discovery rate. <i>Expert Systems With Applications</i> , <b>2009</b> , 36, 11753-11759	7.8	4
25	A group acceptance sampling plan for truncated life test having Weibull distribution. <i>Journal of Applied Statistics</i> , <b>2009</b> , 36, 1021-1027	1	100
24	Designing of a variables two-plan system by minimizing the average sample number. <i>Journal of Applied Statistics</i> , <b>2009</b> , 36, 1159-1172	1	31
23	A data mining approach to process optimization without an explicit quality function. <i>IIE Transactions</i> , <b>2007</b> , 39, 795-804		27
22	The estimation of phase fractions in a galvannealed steel sheet using independent component analysis. Chemometrics and Intelligent Laboratory Systems, 2007, 87, 81-87	3.8	4
21	Multiple dependent state sampling plans for lot acceptance based on measurement data. <i>European Journal of Operational Research</i> , <b>2007</b> , 180, 1221-1230	5.6	142
20	Average outgoing quality of CSP-C continuous sampling plan under short run production processes. <i>Journal of Applied Statistics</i> , <b>2006</b> , 33, 139-154	1	6
19	Repetitive group sampling procedure for variables inspection. <i>Journal of Applied Statistics</i> , <b>2006</b> , 33, 327-338	1	140
18	Frequency Insertion Strategy for Channel Assignment Problem. Wireless Networks, <b>2006</b> , 12, 45-52	2.5	5
17	Designing of Variables Repetitive Group Sampling Plan Involving Minimum Average Sample Number. <i>Communications in Statistics Part B: Simulation and Computation</i> , <b>2005</b> , 34, 799-809	0.6	62
16	Classification-based collaborative filtering using market basket data. <i>Expert Systems With Applications</i> , <b>2005</b> , 29, 700-704	7.8	53

15	Performance of some variable selection methods when multicollinearity is present. <i>Chemometrics and Intelligent Laboratory Systems</i> , <b>2005</b> , 78, 103-112	3.8	1199
14	GENERALIZED CSP-(C1, C2) SAMPLING PLAN FOR CONTINUOUS PRODUCTION PROCESSES.  International Journal of Reliability, Quality and Safety Engineering, 2005, 12, 75-93	0.6	2
13	Modified CSP-T Sampling Procedures for Continuous Production Processes. <i>Quality Technology and Quantitative Management</i> , <b>2004</b> , 1, 175-188	1.9	2
12	Analysis of a batch machine fed by an unreliable discrete machine. <i>Production Planning and Control</i> , <b>2003</b> , 14, 656-661	4.3	1
11	Modeling and analysis of hierarchical cellular networks with general distributions of call and cell residence times. <i>IEEE Transactions on Vehicular Technology</i> , <b>2002</b> , 51, 1361-1374	6.8	18
10	Teletraffic analysis of cellular communication systems with general mobility based on hyper-Erlang characterization. <i>Computers and Industrial Engineering</i> , <b>2002</b> , 42, 507-520	6.4	5
9	Partial least square-based model predictive control for large-scale manufacturing processes. <i>IIE Transactions</i> , <b>2002</b> , 34, 881-890		3
8	Analysis of a Discrete-Time Queueing System with a Single Server and Heterogeneous Markovian Arrivals. <i>Queueing Systems</i> , <b>2002</b> , 42, 221-237	1.7	O
7	Partial least square-based model predictive control for large-scale manufacturing processes. <i>IIE Transactions</i> , <b>2002</b> , 34, 881-890		12
6	Near-infrared spectral data transfer using independent standardization samples: a case study on the trans-alkylation process. <i>Chemometrics and Intelligent Laboratory Systems</i> , <b>2001</b> , 55, 53-65	3.8	19
5	A Bernoulli process approximation with buffer size adjustment for the analysis of an ATM multiplexer. <i>IEEE Communications Letters</i> , <b>1997</b> , 1, 149-151	3.8	
4	Analysis of a Discrete-Time Queueing System with a Markov-Modulated input Process and constant service Rate. <i>Probability in the Engineering and Informational Sciences</i> , <b>1996</b> , 10, 429-441	0.6	1
3	Simulating the average run length for cusum schemes using variance reduction techniques. <i>Communications in Statistics Part B: Simulation and Computation</i> , <b>1993</b> , 22, 877-887	0.6	4
2	Improving the efficiency of various Shewhart control charts. <i>Journal of Statistics and Management Systems</i> ,1-16	0.9	O
1	Generalized multiple dependent state sampling plans for coefficient of variation. <i>Communications in Statistics - Theory and Methods</i> ,1-25	0.5	1