Corrie L Gallant-Behm

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7619505/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A MicroRNA-29 Mimic (Remlarsen) Represses Extracellular Matrix Expression and Fibroplasia in the Skin. Journal of Investigative Dermatology, 2019, 139, 1073-1081.	0.3	156
2	Connexin 43 regulates the expression of wound healing-related genes in human gingival and skin fibroblasts. Experimental Cell Research, 2018, 367, 150-161.	1.2	18
3	A synthetic microRNAâ€92a inhibitor (MRGâ€110) accelerates angiogenesis and wound healing in diabetic and nondiabetic wounds. Wound Repair and Regeneration, 2018, 26, 311-323.	1.5	91
4	Elevated CD26 Expression by Skin Fibroblasts Distinguishes a Profibrotic Phenotype Involved in Scar Formation Compared to Gingival Fibroblasts. American Journal of Pathology, 2017, 187, 1717-1735.	1.9	35
5	How does î"Np63α drive cancer?. Epigenomics, 2013, 5, 5-7.	1.0	2
6	Transgenic mice overexpressing <scp>CD</scp> 109 in the epidermis display decreased inflammation and granulation tissue and improved collagen architecture during wound healing. Wound Repair and Regeneration, 2013, 21, 235-246.	1.5	23
7	ΔNp63α utilizes multiple mechanisms to repress transcription in squamous cell carcinoma cells. Cell Cycle, 2013, 12, 409-416.	1.3	14
8	ΔNp63α represses anti-proliferative genes via H2A.Z deposition. Genes and Development, 2012, 26, 2325-2336.	2.7	51
9	The p53 circuit board. Biochimica Et Biophysica Acta: Reviews on Cancer, 2012, 1825, 229-244.	3.3	60
10	Epithelial Regulation of Mesenchymal Tissue Behavior. Journal of Investigative Dermatology, 2011, 131, 892-899.	0.3	34
11	Occlusion regulates epidermal cytokine production and inhibits scar formation. Wound Repair and Regeneration, 2010, 18, 235-244.	1.5	58
12	Expression of Integrin αvβ6 and TGF-β in Scarless vs Scar-forming Wound Healing. Journal of Histochemistry and Cytochemistry, 2009, 57, 543-557.	1.3	98
13	Biomechanical behavior of scar tissue and uninjured skin in a porcine model. Wound Repair and Regeneration, 2009, 17, 250-259.	1.5	83
14	Wound healing in oral mucosa results in reduced scar formation as compared with skin: Evidence from the red Duroc pig model and humans. Wound Repair and Regeneration, 2009, 17, 717-729.	1.5	172
15	Scarless healing of oral mucosa is characterized by faster resolution of inflammation and control of myofibroblast action compared to skin wounds in the red Duroc pig model. Journal of Dermatological Science, 2009, 56, 168-180.	1.0	171
16	Dermal fibroblasts from red Duroc and Yorkshire pigs exhibit intrinsic differences in the contraction of collagen gels. Wound Repair and Regeneration, 2008, 16, 132-142.	1.5	21
17	The mast cell stabilizer ketotifen prevents development of excessive skin wound contraction and fibrosis in red Duroc pigs. Wound Repair and Regeneration, 2008, 16, 226-233.	1.5	86
18	Genetic Involvement in Skin Wound Healing and Scarring in Domestic Pigs: Assessment of Molecular Expression Patterns in (Yorkshire × Red Duroc) × Yorkshire Backcross Animals. Journal of Investigative Dermatology, 2007, 127, 233-244.	0.3	25

#	Article	IF	CITATIONS
19	Genetic analysis of skin wound healing and scarring in a porcine model. Wound Repair and Regeneration, 2006, 14, 46-54.	1.5	40
20	The Basics of Soft Tissue Healing and General Factors that Influence Such Healing. Sports Medicine and Arthroscopy Review, 2005, 13, 136-144.	1.0	19
21	Comparison of in vitro disc diffusion and time kill-kinetic assays for the evaluation of antimicrobial wound dressing efficacy. Wound Repair and Regeneration, 2005, 13, 412-421.	1.5	104
22	Meetings Calendar 2005. Journal of Sexual Medicine, 2005, 2, 588.	0.3	11
23	Cytokine and Growth Factor mRNA Expression Patterns Associated with the Hypercontracted, Hyperpigmented Healing Phenotype of Red Duroc Pigs: A Model of Abnormal Human Scar Development?. Journal of Cutaneous Medicine and Surgery, 2005, 9, 165-177.	0.6	29