

Jung Eun Lee

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7620450/jung-eun-lee-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53
papers

808
citations

17
h-index

27
g-index

57
ext. papers

923
ext. citations

3.7
avg, IF

3.42
L-index

#	Paper	IF	Citations
53	Reduced residual renal function is a risk of peritonitis in continuous ambulatory peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 2653-8	4.3	72
52	Improving Outcome of Capd: Twenty-Five Years Experience in a Single Korean Center. <i>Peritoneal Dialysis International</i> , 2007 , 27, 432-440	2.8	61
51	Mesenchymal stem cell-derived microparticles ameliorate peritubular capillary rarefaction via inhibition of endothelial-mesenchymal transition and decrease tubulointerstitial fibrosis in unilateral ureteral obstruction. <i>Stem Cell Research and Therapy</i> , 2015 , 6, 18	8.3	59
50	Activation of local aldosterone system within podocytes is involved in apoptosis under diabetic conditions. <i>American Journal of Physiology - Renal Physiology</i> , 2009 , 297, F1381-90	4.3	54
49	Impaired prefrontal cognitive control over interference by food images in binge-eating disorder and bulimia nervosa. <i>Neuroscience Letters</i> , 2017 , 651, 95-101	3.3	47
48	Colchicine attenuates inflammatory cell infiltration and extracellular matrix accumulation in diabetic nephropathy. <i>American Journal of Physiology - Renal Physiology</i> , 2009 , 297, F200-9	4.3	46
47	MCP-1/CCR2 system is involved in high glucose-induced fibronectin and type IV collagen expression in cultured mesangial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 295, F749-57	4.3	39
46	FR167653 inhibits fibronectin expression and apoptosis in diabetic glomeruli and in high-glucose-stimulated mesangial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 295, F595-604	4.3	33
45	Association of inflammation and protein-energy wasting with endothelial dysfunction in peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 1266-71	4.3	29
44	Cancer in patients on chronic dialysis in Korea. <i>Journal of Korean Medical Science</i> , 2009 , 24 Suppl, S95-S101	1.7	27
43	Comparison of hydration and nutritional status between young and elderly hemodialysis patients through bioimpedance analysis. <i>Clinical Interventions in Aging</i> , 2015 , 10, 1327-34	4	22
42	Metabolic syndrome predicts mortality in non-diabetic patients on continuous ambulatory peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 599-604	4.3	21
41	Factors associated with Hypokalemia in Continuous Ambulatory Peritoneal Dialysis Patients. <i>Electrolyte and Blood Pressure</i> , 2007 , 5, 102-10	1.1	19
40	Endothelial dysfunction is associated with major adverse cardiovascular events in peritoneal dialysis patients. <i>Medicine (United States)</i> , 2014 , 93, e73	1.8	18
39	The impact of dialysis modality on skin hyperpigmentation in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 2803-9	4.3	18
38	Removal of large middle molecules via haemodialysis with medium cut-off membranes at lower blood flow rates: an observational prospective study. <i>BMC Nephrology</i> , 2019 , 21, 2	2.7	18
37	Altered functional connectivity in default mode network in Internet gaming disorder: Influence of childhood ADHD. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 75, 135-141	5.5	17

36	Gene expression patterns in glucose-stimulated podocytes. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 370, 514-8	3.4	17
35	Hyperuricemia and risk of increased arterial stiffness in healthy women based on health screening in Korean population. <i>PLoS ONE</i> , 2017 , 12, e0180406	3.7	16
34	Insulin resistance and lower plasma adiponectin increase malignancy risk in nondiabetic continuous ambulatory peritoneal dialysis patients. <i>Metabolism: Clinical and Experimental</i> , 2011 , 60, 121-6	12.7	15
33	Elevated cardiac troponin T predicts cardiovascular events in asymptomatic continuous ambulatory peritoneal dialysis patients without a history of cardiovascular disease. <i>American Journal of Nephrology</i> , 2009 , 29, 129-35	4.6	14
32	Chlamydia pneumoniae accompanied by inflammation is associated with the progression of atherosclerosis in CAPD patients: a prospective study for 3 years. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 1011-8	4.3	12
31	Serum osteoprotegerin is associated with vascular stiffness and the onset of new cardiovascular events in hemodialysis patients. <i>Korean Journal of Internal Medicine</i> , 2013 , 28, 668-77	2.5	12
30	Modifications of T-scores by quantitative ultrasonography for the diagnosis of osteoporosis in Koreans. <i>Journal of Korean Medical Science</i> , 2009 , 24, 232-6	4.7	10
29	Severity of nonalcoholic fatty liver disease is associated with subclinical cerebro-cardiovascular atherosclerosis risk in Korean men. <i>PLoS ONE</i> , 2018 , 13, e0193191	3.7	10
28	Effect of Personalized Nutritional Counseling on the Nutritional Status of Hemodialysis Patients. <i>Clinical Nutrition Research</i> , 2017 , 6, 285-295	1.7	8
27	Risk factors for developing hyponatremia in thyroid cancer patients undergoing radioactive iodine therapy. <i>PLoS ONE</i> , 2014 , 9, e106840	3.7	8
26	Two distinct functional patterns of hepatitis C Virus (HCV)-specific T cell responses in seronegative, aviremic patients. <i>PLoS ONE</i> , 2013 , 8, e62319	3.7	8
25	Glycated Albumin is Independently Associated With Arterial Stiffness in Non-Diabetic Chronic Kidney Disease Patients. <i>Medicine (United States)</i> , 2016 , 95, e3362	1.8	8
24	Loss of nighttime blood pressure dipping as a risk factor for coronary artery calcification in nondialysis chronic kidney disease. <i>Medicine (United States)</i> , 2017 , 96, e7380	1.8	7
23	Association of white blood cell count with metabolic syndrome in patients undergoing peritoneal dialysis. <i>Metabolism: Clinical and Experimental</i> , 2009 , 58, 1379-85	12.7	7
22	Glomerular glucocorticoid receptor expression is reduced in late responders to steroids in adult-onset minimal change disease. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 169-75	4.3	7
21	Epidermal Hyperplasia and Elevated HB-EGF are More Prominent in Retinoid Dermatitis Compared with Irritant Contact Dermatitis Induced by Benzalkonium Chloride. <i>Annals of Dermatology</i> , 2010 , 22, 290-9	0.4	6
20	Allergic contact dermatitis from a hydrogel dressing (Intrasite Gel) in a patient with scleroderma. <i>Contact Dermatitis</i> , 2004 , 50, 376-7	2.7	6
19	The effect of anemia and left ventricular geometric patterns on renal disease progression in type 2 diabetic nephropathy. <i>Journal of Nephrology</i> , 2011 , 24, 50-9	4.8	6

18	Association between non-alcoholic fatty liver disease and coronary calcification depending on sex and obesity. <i>Scientific Reports</i> , 2020 , 10, 1025	4.9	5
17	Idiopathic retroperitoneal fibrosis associated with Hashimoto's thyroiditis in an old-aged man. <i>Yonsei Medical Journal</i> , 2008 , 49, 1032-5	3	5
16	The relationship between hemodialysis modality and insulin resistance in non-diabetic hemodialysis patients. <i>Blood Purification</i> , 2015 , 39, 224-229	3.1	4
15	The association between the apolipoprotein B/A-I ratio and coronary calcification may differ depending on kidney function in a healthy population. <i>PLoS ONE</i> , 2017 , 12, e0185522	3.7	4
14	Severe acneiform eruption induced by cetuximab (Erbitux). <i>Yonsei Medical Journal</i> , 2008 , 49, 851-2	3	4
13	Asymptomatic renal pseudoaneurysm after percutaneous renal biopsy. <i>Kidney Research and Clinical Practice</i> , 2013 , 32, 87-9	3.6	3
12	Usefulness of multidetector row computed tomography for predicting cardiac events in asymptomatic chronic kidney disease patients at the initiation of renal replacement therapy. <i>Scientific World Journal, The</i> , 2013 , 2013, 916354	2.2	3
11	Association of Serotonin 1A Receptor Polymorphism with Variation in Health-Related Quality of Life in Korean Hemodialysis Patients. <i>Psychiatry Investigation</i> , 2017 , 14, 506-512	3.1	2
10	Regional Gray Matter Volume Related to High Occupational Stress in Firefighters.. <i>Journal of Korean Medical Science</i> , 2021 , 36, e335	4.7	1
9	No effect of vitamin D supplementation on metabolic parameters but on lipids in patients with type 2 diabetes and chronic kidney disease. <i>International Journal for Vitamin and Nutrition Research</i> , 2021 , 91, 649-658	1.7	0
8	A Case of Metastatic Hemangiopericytoma in Lung. <i>Tuberculosis and Respiratory Diseases</i> , 2005 , 59, 551	3.2	
7	A Case of Basal Cell Carcinoma in a Patient with Membranous Glomerulonephritis. <i>Yeungnam University Journal of Medicine</i> , 2012 , 29, 141		
6	A Case of Continuous Ambulatory Peritonitis Dialysis Peritonitis Due to <i>Stenotrophomonas maltophilia</i> Using Antibiotic Combination. <i>Yeungnam University Journal of Medicine</i> , 2013 , 30, 109		
5	Furosemide induced medullary nephrocalcinosis mimicking Bartter syndrome. <i>Yeungnam University Journal of Medicine</i> , 2014 , 31, 21		
4	Evaluation of a complementary cyber education program for a pathophysiology class. <i>Korean Journal of Medical Education</i> , 2009 , 21, 365-71	1.8	
3	SP599 NATURAL KILLER CELL ACTIVITY CORRELATES WITH AGE AND DIALYSIS DURATION IN HEMODIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, i294-i294	4.3	
2	SP007 HIGH URIC ACID IS SIGNIFICANTLY ASSOCIATED WITH INCREASED ARTERIAL STIFFNESS IN HEALTHY KOREAN WOMEN. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, i88-i88	4.3	
1	Altered thalamic gray matter volume in firefighters with heavy alcohol use. <i>Drug and Alcohol Dependence</i> , 2021 , 229, 109099	4.9	

