

Jung Eun Lee

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7620450/jung-eun-lee-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53
papers

808
citations

17
h-index

27
g-index

57
ext. papers

923
ext. citations

3.7
avg, IF

3.42
L-index

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 53 | Regional Gray Matter Volume Related to High Occupational Stress in Firefighters.. <i>Journal of Korean Medical Science</i> , 2021 , 36, e335 | 4.7 | 1 |
| 52 | No effect of vitamin D supplementation on metabolic parameters but on lipids in patients with type 2 diabetes and chronic kidney disease. <i>International Journal for Vitamin and Nutrition Research</i> , 2021 , 91, 649-658 | 1.7 | 0 |
| 51 | Altered thalamic gray matter volume in firefighters with heavy alcohol use. <i>Drug and Alcohol Dependence</i> , 2021 , 229, 109099 | 4.9 | |
| 50 | Association between non-alcoholic fatty liver disease and coronary calcification depending on sex and obesity. <i>Scientific Reports</i> , 2020 , 10, 1025 | 4.9 | 5 |
| 49 | Removal of large middle molecules via haemodialysis with medium cut-off membranes at lower blood flow rates: an observational prospective study. <i>BMC Nephrology</i> , 2019 , 21, 2 | 2.7 | 18 |
| 48 | Severity of nonalcoholic fatty liver disease is associated with subclinical cerebro-cardiovascular atherosclerosis risk in Korean men. <i>PLoS ONE</i> , 2018 , 13, e0193191 | 3.7 | 10 |
| 47 | Altered functional connectivity in default mode network in Internet gaming disorder: Influence of childhood ADHD. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 75, 135-141 | 5.5 | 17 |
| 46 | Impaired prefrontal cognitive control over interference by food images in binge-eating disorder and bulimia nervosa. <i>Neuroscience Letters</i> , 2017 , 651, 95-101 | 3.3 | 47 |
| 45 | Effect of Personalized Nutritional Counseling on the Nutritional Status of Hemodialysis Patients. <i>Clinical Nutrition Research</i> , 2017 , 6, 285-295 | 1.7 | 8 |
| 44 | The association between the apolipoprotein B/A-I ratio and coronary calcification may differ depending on kidney function in a healthy population. <i>PLoS ONE</i> , 2017 , 12, e0185522 | 3.7 | 4 |
| 43 | Loss of nighttime blood pressure dipping as a risk factor for coronary artery calcification in nondialysis chronic kidney disease. <i>Medicine (United States)</i> , 2017 , 96, e7380 | 1.8 | 7 |
| 42 | Hyperuricemia and risk of increased arterial stiffness in healthy women based on health screening in Korean population. <i>PLoS ONE</i> , 2017 , 12, e0180406 | 3.7 | 16 |
| 41 | Association of Serotonin 1A Receptor Polymorphism with Variation in Health-Related Quality of Life in Korean Hemodialysis Patients. <i>Psychiatry Investigation</i> , 2017 , 14, 506-512 | 3.1 | 2 |
| 40 | SP599NATURAL KILLER CELL ACTIVITY CORRELATES WITH AGE AND DIALYSIS DURATION IN HEMODIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, i294-i294 | 4.3 | |
| 39 | SP007HIGH URIC ACID IS SIGNIFICANTLY ASSOCIATED WITH INCREASED ARTERIAL STIFFNESS IN HEALTHY KOREAN WOMEN. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, i88-i88 | 4.3 | |
| 38 | Glycated Albumin is Independently Associated With Arterial Stiffness in Non-Diabetic Chronic Kidney Disease Patients. <i>Medicine (United States)</i> , 2016 , 95, e3362 | 1.8 | 8 |
| 37 | The relationship between hemodialysis modality and insulin resistance in non-diabetic hemodialysis patients. <i>Blood Purification</i> , 2015 , 39, 224-229 | 3.1 | 4 |

| | | | |
|----|---|------|----|
| 36 | Mesenchymal stem cell-derived microparticles ameliorate peritubular capillary rarefaction via inhibition of endothelial-mesenchymal transition and decrease tubulointerstitial fibrosis in unilateral ureteral obstruction. <i>Stem Cell Research and Therapy</i> , 2015 , 6, 18 | 8.3 | 59 |
| 35 | Comparison of hydration and nutritional status between young and elderly hemodialysis patients through bioimpedance analysis. <i>Clinical Interventions in Aging</i> , 2015 , 10, 1327-34 | 4 | 22 |
| 34 | Endothelial dysfunction is associated with major adverse cardiovascular events in peritoneal dialysis patients. <i>Medicine (United States)</i> , 2014 , 93, e73 | 1.8 | 18 |
| 33 | Risk factors for developing hyponatremia in thyroid cancer patients undergoing radioactive iodine therapy. <i>PLoS ONE</i> , 2014 , 9, e106840 | 3.7 | 8 |
| 32 | Furosemide induced medullary nephrocalcinosis mimicking Bartter syndrome. <i>Yeungnam University Journal of Medicine</i> , 2014 , 31, 21 | | |
| 31 | Asymptomatic renal pseudoaneurysm after percutaneous renal biopsy. <i>Kidney Research and Clinical Practice</i> , 2013 , 32, 87-9 | 3.6 | 3 |
| 30 | Two distinct functional patterns of hepatitis C Virus (HCV)-specific T cell responses in seronegative, aviremic patients. <i>PLoS ONE</i> , 2013 , 8, e62319 | 3.7 | 8 |
| 29 | Usefulness of multidetector row computed tomography for predicting cardiac events in asymptomatic chronic kidney disease patients at the initiation of renal replacement therapy. <i>Scientific World Journal, The</i> , 2013 , 2013, 916354 | 2.2 | 3 |
| 28 | Serum osteoprotegerin is associated with vascular stiffness and the onset of new cardiovascular events in hemodialysis patients. <i>Korean Journal of Internal Medicine</i> , 2013 , 28, 668-77 | 2.5 | 12 |
| 27 | A Case of Continuous Ambulatory Peritonitis Dialysis Peritonitis Due to <i>Stenotrophomonas maltophilia</i> Using Antibiotic Combination. <i>Yeungnam University Journal of Medicine</i> , 2013 , 30, 109 | | |
| 26 | A Case of Basal Cell Carcinoma in a Patient with Membranous Glomerulonephritis. <i>Yeungnam University Journal of Medicine</i> , 2012 , 29, 141 | | |
| 25 | Insulin resistance and lower plasma adiponectin increase malignancy risk in nondiabetic continuous ambulatory peritoneal dialysis patients. <i>Metabolism: Clinical and Experimental</i> , 2011 , 60, 121-6 | 12.7 | 15 |
| 24 | The effect of anemia and left ventricular geometric patterns on renal disease progression in type 2 diabetic nephropathy. <i>Journal of Nephrology</i> , 2011 , 24, 50-9 | 4.8 | 6 |
| 23 | Epidermal Hyperplasia and Elevated HB-EGF are More Prominent in Retinoid Dermatitis Compared with Irritant Contact Dermatitis Induced by Benzalkonium Chloride. <i>Annals of Dermatology</i> , 2010 , 22, 290-9 | 0.4 | 6 |
| 22 | Metabolic syndrome predicts mortality in non-diabetic patients on continuous ambulatory peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 599-604 | 4.3 | 21 |
| 21 | Association of inflammation and protein-energy wasting with endothelial dysfunction in peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 1266-71 | 4.3 | 29 |
| 20 | Cancer in patients on chronic dialysis in Korea. <i>Journal of Korean Medical Science</i> , 2009 , 24 Suppl, S95-S101 | 17 | 27 |
| 19 | Elevated cardiac troponin T predicts cardiovascular events in asymptomatic continuous ambulatory peritoneal dialysis patients without a history of cardiovascular disease. <i>American Journal of Nephrology</i> , 2009 , 29, 129-35 | 4.6 | 14 |

| | | | |
|----|---|------|----|
| 18 | Colchicine attenuates inflammatory cell infiltration and extracellular matrix accumulation in diabetic nephropathy. <i>American Journal of Physiology - Renal Physiology</i> , 2009 , 297, F200-9 | 4.3 | 46 |
| 17 | Activation of local aldosterone system within podocytes is involved in apoptosis under diabetic conditions. <i>American Journal of Physiology - Renal Physiology</i> , 2009 , 297, F1381-90 | 4.3 | 54 |
| 16 | The impact of dialysis modality on skin hyperpigmentation in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 2803-9 | 4.3 | 18 |
| 15 | Association of white blood cell count with metabolic syndrome in patients undergoing peritoneal dialysis. <i>Metabolism: Clinical and Experimental</i> , 2009 , 58, 1379-85 | 12.7 | 7 |
| 14 | Modifications of T-scores by quantitative ultrasonography for the diagnosis of osteoporosis in Koreans. <i>Journal of Korean Medical Science</i> , 2009 , 24, 232-6 | 4.7 | 10 |
| 13 | Evaluation of a complementary cyber education program for a pathophysiology class. <i>Korean Journal of Medical Education</i> , 2009 , 21, 365-71 | 1.8 | |
| 12 | Gene expression patterns in glucose-stimulated podocytes. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 370, 514-8 | 3.4 | 17 |
| 11 | MCP-1/CCR2 system is involved in high glucose-induced fibronectin and type IV collagen expression in cultured mesangial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 295, F749-57 | 4.3 | 39 |
| 10 | FR167653 inhibits fibronectin expression and apoptosis in diabetic glomeruli and in high-glucose-stimulated mesangial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 295, F595-604 | 4.3 | 33 |
| 9 | Severe acneiform eruption induced by cetuximab (Erbix). <i>Yonsei Medical Journal</i> , 2008 , 49, 851-2 | 3 | 4 |
| 8 | Idiopathic retroperitoneal fibrosis associated with Hashimoto's thyroiditis in an old-aged man. <i>Yonsei Medical Journal</i> , 2008 , 49, 1032-5 | 3 | 5 |
| 7 | Glomerular glucocorticoid receptor expression is reduced in late responders to steroids in adult-onset minimal change disease. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 169-75 | 4.3 | 7 |
| 6 | Chlamydia pneumoniae accompanied by inflammation is associated with the progression of atherosclerosis in CAPD patients: a prospective study for 3 years. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 1011-8 | 4.3 | 12 |
| 5 | Improving Outcome of Capd: Twenty-Five Years Experience in a Single Korean Center. <i>Peritoneal Dialysis International</i> , 2007 , 27, 432-440 | 2.8 | 61 |
| 4 | Factors associated with Hypokalemia in Continuous Ambulatory Peritoneal Dialysis Patients. <i>Electrolyte and Blood Pressure</i> , 2007 , 5, 102-10 | 1.1 | 19 |
| 3 | Reduced residual renal function is a risk of peritonitis in continuous ambulatory peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 2653-8 | 4.3 | 72 |
| 2 | A Case of Metastatic Hemangiopericytoma in Lung. <i>Tuberculosis and Respiratory Diseases</i> , 2005 , 59, 551 | 3.2 | |
| 1 | Allergic contact dermatitis from a hydrogel dressing (Intrasite Gel) in a patient with scleroderma. <i>Contact Dermatitis</i> , 2004 , 50, 376-7 | 2.7 | 6 |

