

Xinyu Zhang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7622559/xinyu-zhang-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81

papers

2,540

citations

26

h-index

48

g-index

83

ext. papers

3,631

ext. citations

6.8

avg, IF

5.69

L-index

#	Paper	IF	Citations
81	Effect of aspect ratio and surface defects on the photocatalytic activity of ZnO nanorods. <i>Scientific Reports</i> , 2014 , 4, 4596	4.9	624
80	Carbon-Doped ZnO Nanostructures: Facile Synthesis and Visible Light Photocatalytic Applications. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 20544-20554	3.8	163
79	Structural Transformation of MXene (V ₂ C, Cr ₂ C, and Ta ₂ C) with O Groups during Lithiation: A First-Principles Investigation. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 74-81	9.5	120
78	Heterostructured d-Ti C /TiO g-C N Nanocomposites with Enhanced Visible-Light Photocatalytic Hydrogen Production Activity. <i>ChemSusChem</i> , 2018 , 11, 4226-4236	8.3	84
77	Manipulating Crystallographic Orientation of Zinc Deposition for Dendrite-free Zinc Ion Batteries. <i>Advanced Energy Materials</i> , 2021 , 11, 2101299	21.8	77
76	A universal and facile approach to suppress dendrite formation for a Zn and Li metal anode. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 9331-9344	13	62
75	Vanadium-Based Oxide on Two-Dimensional Vanadium Carbide MXene (V ₂ O _x @V ₂ CT _x) as Cathode for Rechargeable Aqueous Zinc-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2020 , 3, 4677-4689	6.1	61
74	Oxygen defect enriched (NH ₄) ₂ V ₁₀ O ₂₅ ·BH ₂ O nanosheets for superior aqueous zinc-ion batteries. <i>Nano Energy</i> , 2021 , 84, 105876	17.1	59
73	Structural, elastic, and thermal properties of Laves phase ZrV ₂ under pressure. <i>Journal of Applied Physics</i> , 2011 , 109, 113523	2.5	55
72	Inhibition of Manganese Dissolution in Mn ₂ O ₃ Cathode with Controllable Ni ²⁺ Incorporation for High-Performance Zinc Ion Battery. <i>Advanced Functional Materials</i> , 2021 , 31, 2009412	15.6	54
71	NiMn Layered Double Hydroxide Nanosheets In-situ Anchored on Ti ₃ C ₂ MXene via Chemical Bonds for Superior Supercapacitors. <i>ACS Applied Energy Materials</i> , 2020 , 3, 5949-5964	6.1	53
70	NiCo-LDH/Ti ₃ C ₂ MXene hybrid materials for lithium ion battery with high-rate capability and long cycle life. <i>Journal of Energy Chemistry</i> , 2020 , 50, 143-153	12	51
69	WS and C-TiO Nanorods Acting as Effective Charge Separators on g-C N to Boost Visible-Light Activated Hydrogen Production from Seawater. <i>ChemSusChem</i> , 2018 , 11, 4077-4085	8.3	50
68	Mechanochemical reactions of MnO ₂ and graphite nanosheets as a durable zinc ion battery cathode. <i>Applied Surface Science</i> , 2020 , 534, 147630	6.7	45
67	Facile Electrodeposition of Ni-Cu-P Dendrite Nanotube Films with Enhanced Hydrogen Evolution Reaction Activity and Durability. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 35224-35233	9.5	44
66	First-principles structural design of superhard material of ZrB ₄ . <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 20894-9	3.6	42
65	Ultrastiff carbides uncovered in first principles. <i>Applied Physics Letters</i> , 2007 , 91, 061905	3.4	41

64	Vanadium Diboride (VB) Synthesized at High Pressure: Elastic, Mechanical, Electronic, and Magnetic Properties and Thermal Stability. <i>Inorganic Chemistry</i> , 2018 , 57, 1096-1105	5.1	39
63	Multihierarchical Structure of Hybridized Phosphates Anchored on Reduced Graphene Oxide for High Power Hybrid Energy Storage Devices. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 5679-5685	8.3	38
62	Modulating Zn deposition via ceramic-cellulose separator with interfacial polarization effect for durable zinc anode. <i>Nano Energy</i> , 2021 , 89, 106322	17.1	38
61	First principle study of elastic and thermodynamic properties of FeB ₄ under high pressure. <i>Journal of Applied Physics</i> , 2013 , 114, 183517	2.5	36
60	Strategies of regulating Zn ²⁺ solvation structures for dendrite-free and side reaction-suppressed zinc-ion batteries. <i>Energy and Environmental Science</i> ,	35.4	36
59	TMN ₄ complex embedded graphene as bifunctional electrocatalysts for high efficiency OER/ORR. <i>Journal of Energy Chemistry</i> , 2021 , 55, 437-443	12	36
58	Revealing Ni-based layered double hydroxides as high-efficiency electrocatalysts for the oxygen evolution reaction: a DFT study. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 23091-23097	13	35
57	Insights into the Li ⁺ storage mechanism of TiC@C-TiO ₂ core-shell nanostructures as high performance anodes. <i>Nano Energy</i> , 2018 , 50, 25-34	17.1	35
56	Constructing MoS ₂ /g-C ₃ N ₄ heterojunction with enhanced oxygen evolution reaction activity: A theoretical insight. <i>Applied Surface Science</i> , 2020 , 510, 145489	6.7	30
55	Enhancement of Hydrogen Evolution Reaction Performance of Graphitic Carbon Nitride with Incorporated Nickel Boride. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 16198-16204	8.3	25
54	Stabilizing zinc anode via a chelation and desolvation electrolyte additive 2021 ,		23
53	High-throughput identification of high activity and selectivity transition metal single-atom catalysts for nitrogen reduction. <i>Nano Energy</i> , 2021 , 80, 105527	17.1	23
52	Potential superhard cubic spinel CSi ₂ N ₄ : First-principles investigations. <i>Journal of Applied Physics</i> , 2008 , 103, 083533	2.5	21
51	NiMn-Layered Double Hydroxides Chemically Anchored on Ti ₃ C ₂ MXene for Superior Lithium Ion Storage. <i>ACS Applied Energy Materials</i> , 2020 , 3, 11119-11130	6.1	21
50	Elimination of Zinc Dendrites by Graphene Oxide Electrolyte Additive for Zinc-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2021 , 4, 4602-4609	6.1	21
49	Co-electrodeposition of hard Ni-W/diamond nanocomposite coatings. <i>Scientific Reports</i> , 2016 , 6, 22285	4.9	16
48	Facile synthesis of a ZnO-BiOI p-n nano-heterojunction with excellent visible-light photocatalytic activity. <i>Beilstein Journal of Nanotechnology</i> , 2018 , 9, 789-800	3	16
47	Pressure-induced zigzag phosphorus chain and superconductivity in boron monophosphide. <i>Scientific Reports</i> , 2015 , 5, 8761	4.9	16

46	Eco-Friendly Conductive Cotton-Based Textile Electrodes Using Silver- and Carbon-Coated Fabrics for Advanced Flexible Supercapacitors. <i>Energy & Fuels</i> , 2020 , 34, 8977-8986	4.1	15
45	First principle study of elastic and thermodynamic properties of ZrZn ₂ and HfZn ₂ under high pressure. <i>Journal of Applied Physics</i> , 2014 , 115, 083514	2.5	15
44	Two Birds with One Stone: Boosting Zinc-Ion Insertion/Extraction Kinetics and Suppressing Vanadium Dissolution of VO via La Incorporation Enable Advanced Zinc-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 38416-38424	9.5	15
43	Strain stiffening, high load-invariant hardness, and electronic anomalies of boron phosphide under pressure. <i>Physical Review B</i> , 2020 , 101,	3.3	14
42	Spatial Separation of Charge Carriers via Heterogeneous Structural Defects in Graphitic Carbon Nitride for Photocatalytic Hydrogen Evolution. <i>ACS Applied Nano Materials</i> , 2020 , 3, 4428-4436	5.6	14
41	Polymorphism in glassy silicon: inherited from liquid-liquid phase transition in supercooled liquid. <i>Scientific Reports</i> , 2015 , 5, 8590	4.9	14
40	Elastic, magnetic and electronic properties of iridium phosphide Ir ₂ P. <i>Scientific Reports</i> , 2016 , 6, 21787	4.9	14
39	Disorder-activated Raman spectra of cubic rocksalt-type Li(1-x)/2Ga(1-x)/2MxO (M = Mg, Zn) alloys. <i>Journal of Applied Physics</i> , 2012 , 112, 043501	2.5	13
38	Regulating solvation structure to stabilize zinc anode by fastening the free water molecules with an inorganic colloidal electrolyte. <i>Nano Energy</i> , 2022 , 93, 106839	17.1	13
37	Ti ₃ C ₂ MXene-Encapsulated NiFe-LDH Hybrid Anode for High-Performance Lithium-Ion Batteries and Capacitors. <i>ACS Applied Energy Materials</i> , 2021 , 4, 7821-7828	6.1	13
36	Supreme shear modulus predicted in the monocarbide system: the Rex W _{1-x} C alloy. <i>Physica Status Solidi - Rapid Research Letters</i> , 2009 , 3, 299-301	2.5	12
35	Ni-Co Double Hydroxide Grown on Graphene Oxide for Enhancing Lithium Ion Storage. <i>Energy & Fuels</i> , 2020 , 34, 13032-13037	4.1	12
34	Theoretical prediction of structural stability, electronic and elastic properties of ZrSi ₂ under pressure. <i>RSC Advances</i> , 2015 , 5, 36779-36786	3.7	11
33	Strongly coupled tungsten oxide/carbide heterogeneous hybrid for ultrastable aqueous rocking-chair zinc-ion batteries. <i>Chemical Engineering Journal</i> , 2021 , 426, 131893	14.7	11
32	Study on the correlation between microstructures and corrosion properties of novel ZrTiAlV alloys. <i>Materials Science and Engineering C</i> , 2019 , 101, 92-102	8.3	10
31	Anisotropy in elasticity and thermodynamic properties of zirconium tetraboride under high pressure. <i>RSC Advances</i> , 2015 , 5, 77399-77406	3.7	10
30	Effect of Ag ⁺ and PO ₄ ³⁻ ratios on the microstructure and photocatalytic activity of Ag ₃ PO ₄ . <i>Functional Materials Letters</i> , 2016 , 09, 1650063	1.2	10
29	Pressure-induced pseudoatom bonding collapse and isosymmetric phase transition in Zr ₂ Cu: first-principles predictions. <i>Journal of Chemical Physics</i> , 2013 , 139, 234504	3.9	10

28	Deformation-induced bonding evolution of iron tetraboride and its electronic origin. <i>Physica Status Solidi - Rapid Research Letters</i> , 2013 , 7, 1022-1025	2.5	10
27	Revealing the impacts of oxygen defects on Zn ²⁺ storage performance in V ₂ O ₅ . <i>Materials Today Energy</i> , 2021 , 21, 100824	7	10
26	First-principles study of ZrC x N _{1-x} alloys with electron concentration modulation. <i>Journal of Materials Science</i> , 2013 , 48, 7743-7748	4.3	9
25	The high concentration and uniform distribution of diamond particles in Ni-diamond composite coatings by sediment co-deposition. <i>Surface and Interface Analysis</i> , 2015 , 47, 331-339	1.5	9
24	First-principles investigations on thermodynamic properties of the ordered and disordered Si _{0.5} Ge _{0.5} alloys. <i>Applied Physics A: Materials Science and Processing</i> , 2014 , 115, 667-670	2.6	8
23	Atomic packing and short-to-medium range order evolution of Zr-Pd metallic glass. <i>Science Bulletin</i> , 2011 , 56, 3908-3911		7
22	Ni ₃ S ₂ Nanoparticles Anchored on d-Ti ₃ C ₂ Nanosheets with Enhanced Sodium Storage. <i>ACS Applied Energy Materials</i> , 2021 , 4, 2593-2599	6.1	7
21	Rational design and synthesis of SiC/TiC@SiO ₂ /TiO ₂ porous core-shell nanostructure with excellent Li-ion storage performance. <i>Chemical Communications</i> , 2018 , 54, 12622-12625	5.8	7
20	Strength and bonding nature of superhard Z-carbon from first-principle study. <i>AIP Advances</i> , 2012 , 2, 022160	1.5	6
19	The fluidity and molding ability of glass-forming Zr-based alloy melt 2008 , 51, 438-444		6
18	In situ high pressure synthesis of cBN-based composites. <i>Functional Materials Letters</i> , 2014 , 07, 1450040	1.2	5
17	Effect of Ag addition on the thermal stability and glass-forming ability of Zr ₃₅ Ti ₃₀ Cu _{7.5} Be _{27.5} bulk metallic glass. <i>Science Bulletin</i> , 2012 , 57, 1219-1222		5
16	Flower-like W/WO as a novel cathode for aqueous zinc-ion batteries. <i>Chemical Communications</i> , 2021 , 57, 7549-7552	5.8	5
15	Different topological insulating behavior in E ₁ GaS and GaS-II under uniaxial tension. <i>Physical Review B</i> , 2013 , 88,	3.3	4
14	Influence of Co Ions on the Microstructure and Mechanical Properties of Ni-W/Diamond Nano-Composite Coatings. <i>Journal of Nanoscience and Nanotechnology</i> , 2019 , 19, 4083-4089	1.3	3
13	Vacancy mediated alloying strengthening effects on Al/Al ₃ Zr interface and stabilization of L1 ₂ -Al ₃ Zr: A first-principles study. <i>Journal of Alloys and Compounds</i> , 2020 , 825, 153825	5.7	3
12	SiC _x /TiC _x Nanostructured Material from Ti ₃ SiC ₂ for High Rate Performance of Lithium Storage. <i>ChemistrySelect</i> , 2019 , 4, 7766-7772	1.8	3
11	A self-sacrifice template strategy to synthesize Co-LDH/MXene for lithium-ion batteries. <i>Chemical Communications</i> , 2021 , 57, 11378-11381	5.8	3

10	Taming the challenges of activity and selectivity in catalysts for electrochemical N ₂ fixation via single metal atom supported on WS ₂ . <i>Applied Surface Science</i> , 2022 , 571, 151357	6.7	3
9	Mechanical-assisted preparation and photocatalytic properties of almost-visible light-driven ZnO/ZnFe ₂ O ₄ nanocomposites. <i>Materials Research Society Symposia Proceedings</i> , 2014 , 1641, 1		2
8	Rational design of fly ash-based composites for sustainable lithium-ion battery anodes. <i>Electrochimica Acta</i> , 2022 , 410, 140035	6.7	2
7	Effect of grain size on phase selection in a ZrTiAlV alloy. <i>Science China Technological Sciences</i> , 2019 , 62, 982-988	3.5	1
6	High-Performance and Binder-Free Anodized ZrTiAlV Alloy Anode Material for Lithium Ion Microbatteries. <i>ACS Applied Energy Materials</i> , 2020 , 3, 11326-11332	6.1	1
5	Phase Transition of Shock-Loaded ZrTiCuNiBe Bulk Metallic Glass under Continuous Heating. <i>Materials Transactions</i> , 2008 , 49, 869-873	1.3	1
4	Modification Strategies of Layered Double Hydroxides for Superior Supercapacitors. <i>Advanced Energy and Sustainability Research</i> , 2100183	1.6	1
3	Atomic diffusion mediated by vacancy defects in L1 ₂ -Zr ₃ Al: A first-principles study. <i>Journal of Alloys and Compounds</i> , 2020 , 821, 153223	5.7	1
2	High-throughput screening of single metal atom anchored on N-doped boron phosphide for N reduction. <i>Nanoscale</i> , 2021 , 13, 13437-13450	7.7	1
1	Architecting Nb-TiO ₂ /(Ti _{0.9} Nb _{0.1}) ₃ C ₂ T _x MXene Nanohybrid Anode for High-Performance Lithium-Ion Batteries. <i>Advanced Materials Interfaces</i> , 2022 , 9, 2101658	4.6	1