

Zhongming Ge

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7624026/publications.pdf>

Version: 2024-02-01

106
papers

5,855
citations

61857

43
h-index

76769

74
g-index

116
all docs

116
docs citations

116
times ranked

5556
citing authors

#	ARTICLE	IF	CITATIONS
1	Convergent dysbiosis of gastric mucosa and fluid microbiome during stomach carcinogenesis. <i>Gastric Cancer</i> , 2022, 25, 837-849.	2.7	14
2	Male-Dependent Promotion of Colitis in 129 Rag2 ^{+/+} Mice Co-Infected with <i>Helicobacter pylori</i> and <i>Helicobacter hepaticus</i> . <i>International Journal of Molecular Sciences</i> , 2020, 21, 8886.	1.8	3
3	Identification of a new strain of mouse kidney parvovirus associated with inclusion body nephropathy in immunocompromised laboratory mice. <i>Emerging Microbes and Infections</i> , 2020, 9, 1814-1823.	3.0	15
4	<i>Helicobacter pylori</i> antibiotic eradication coupled with a chemically defined diet in INS-GAS mice triggers dysbiosis and vitamin K deficiency resulting in gastric hemorrhage. <i>Gut Microbes</i> , 2020, 11, 820-841.	4.3	19
5	Effects of Colonization of Gnotobiotic Swiss Webster Mice with <i>Helicobacter bilis</i> . <i>Comparative Medicine</i> , 2020, 70, 216-232.	0.4	5
6	Muc5ac null mice are predisposed to spontaneous gastric antro-pyloric hyperplasia and adenomas coupled with attenuated H.pylori-induced corpus mucous metaplasia. <i>Laboratory Investigation</i> , 2019, 99, 1887-1905.	1.7	15
7	Downregulation of tumor suppressor RACK1 by <i>Helicobacter pylori</i> infection promotes gastric carcinogenesis through the integrin β 1/NF- κ B signaling pathway. <i>Cancer Letters</i> , 2019, 450, 144-154.	3.2	39
8	Mutagenicity of <i>Helicobacter hepaticus</i> infection in the lower bowel mucosa of 129/SvEv Rag2 ^{+/+} Rag1 ^{-/-} Il10 ^{-/-} gpt ^{-/-} delta mice is influenced by sex. <i>International Journal of Cancer</i> , 2019, 145, 1042-1054.	2.3	5
9	Detection of <i>Myocoptes musculus</i> in Fur Swab and Fecal Samples by Using PCR Analysis. <i>Journal of the American Association for Laboratory Animal Science</i> , 2019, 58, 796-801.	0.6	3
10	Gamma-glutamyltranspeptidase expression by <i>Helicobacter saguini</i> , an enterohepatic <i>Helicobacter</i> species isolated from cotton top tamarins with chronic colitis. <i>Cellular Microbiology</i> , 2019, 21, e12968.	1.1	4
11	<i>Helicobacter pylori</i> CagA promotes epithelial mesenchymal transition in gastric carcinogenesis via triggering oncogenic YAP pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 280.	3.5	102
12	<i>Helicobacter pylori</i> -infected C57BL/6 mice with different gastrointestinal microbiota have contrasting gastric pathology, microbial and host immune responses. <i>Scientific Reports</i> , 2018, 8, 8014.	1.6	31
13	Cytotoxic <i>Escherichia coli</i> strains encoding colibactin isolated from immunocompromised mice with urosepsis and meningitis. <i>PLoS ONE</i> , 2018, 13, e0194443.	1.1	10
14	<i>Helicobacter hepaticus</i> cytolethal distending toxin promotes intestinal carcinogenesis in 129 Rag2-deficient mice. <i>Cellular Microbiology</i> , 2017, 19, e12728.	1.1	43
15	Activation of Gut-Associated Tertiary Lymphoid Tissue in Gnotobiotic Swiss Webster Mice Distinguishes <i>Helicobacter Bilis</i> , a 'Provocateur Pathosymbiont', from Segmented Filamentous Bacteria. <i>Gastroenterology</i> , 2017, 152, S1000.	0.6	0
16	<i>Helicobacter pylori</i> infection and low dietary iron alter behavior, induce iron deficiency anemia, and modulate hippocampal gene expression in female C57BL/6 mice. <i>PLoS ONE</i> , 2017, 12, e0173108.	1.1	11
17	Lamellipodin-Deficient Mice: A Model of Rectal Carcinoma. <i>PLoS ONE</i> , 2016, 11, e0152940.	1.1	4
18	Male Syrian Hamsters Experimentally Infected with <i>Helicobacter</i> spp. of the <i>H. bilis</i> Cluster Develop MALT-Associated Gastrointestinal Lymphomas. <i>Helicobacter</i> , 2016, 21, 201-217.	1.6	8

#	ARTICLE	IF	CITATIONS
19	Cytotoxic <i>Escherichia coli</i> strains encoding colibactin colonize laboratory mice. <i>Microbes and Infection</i> , 2016, 18, 777-786.	1.0	14
20	<i>Helicobacter pylori</i> Infection Aggravates Diet-induced Insulin Resistance in Association With Gut Microbiota of Mice. <i>EBioMedicine</i> , 2016, 12, 247-254.	2.7	29
21	<i>Helicobacter pylori</i> Infection Induces Anemia, Depletes Serum Iron Storage, and Alters Local Iron-Related and Adult Brain Gene Expression in Male INS-GAS Mice. <i>PLoS ONE</i> , 2015, 10, e0142630.	1.1	20
22	Spatial and temporal colonization dynamics of segmented filamentous bacteria is influenced by gender, age and experimental infection with <i>Helicobacter hepaticus</i> in Swiss Webster mice. <i>Microbes and Infection</i> , 2015, 17, 16-22.	1.0	5
23	Mo1695 Influence of Gastrointestinal Microbiota on Pathogenic Potential of <i>Helicobacter pylori</i> in C57BL/6 Mice. <i>Gastroenterology</i> , 2015, 148, S-688.	0.6	0
24	Mo1697 Male-Dependent Promotion of Colitis in RAG2 ^{-/-} 129 Mice Co-Infected With <i>Helicobacter pylori</i> and <i>Helicobacter Hepaticus</i> Compared to Monoinfected <i>H. hepaticus</i> Mice. <i>Gastroenterology</i> , 2015, 148, S-688.	0.6	0
25	Gut bacteria require neutrophils to promote mammary tumorigenesis. <i>Oncotarget</i> , 2015, 6, 9387-9396.	0.8	89
26	Gastric colonisation with a restricted commensal microbiota replicates the promotion of neoplastic lesions by diverse intestinal microbiota in the <i>Helicobacter pylori</i> /INS-GAS mouse model of gastric carcinogenesis. <i>Gut</i> , 2014, 63, 54-63.	6.1	246
27	<i>Helicobacter hepaticus</i> Cholesterol- α -glucosyltransferase is Essential for Establishing Colonization in Male A/JC ^r Mice. <i>Helicobacter</i> , 2014, 19, 280-288.	1.6	6
28	Helminth co-infection in <i>Helicobacter pylori</i> infected INS-GAS mice attenuates gastric premalignant lesions of epithelial dysplasia and glandular atrophy and preserves colonization resistance of the stomach to lower bowel microbiota. <i>Microbes and Infection</i> , 2014, 16, 345-355.	1.0	41
29	Sa1873 Prior Exposure of Mongolian Gerbils to Colombian Strains of <i>Helicobacter pylori</i> That Differ in CagA Activity Modulates Subsequent Susceptibility to <i>H. pylori</i> SS1 Infection and Associated Inflammation. <i>Gastroenterology</i> , 2013, 144, S-325.	0.6	0
30	An Analysis of the Role of the Indigenous Microbiota in Cholesterol Gallstone Pathogenesis. <i>PLoS ONE</i> , 2013, 8, e70657.	1.1	39
31	Pathogenic Intestinal Bacteria Enhance Prostate Cancer Development via Systemic Activation of Immune Cells in Mice. <i>PLoS ONE</i> , 2013, 8, e73933.	1.1	53
32	Abstract A100: <i>Helicobacter hepaticus</i> contributes to mammary gland carcinogenesis through bacterial translocation and subsequent expansion of cancer-promoting myeloid-derived suppressor cells. , 2013, ..		0
33	Infection-induced colitis in mice causes dynamic and tissue-specific changes in stress response and DNA damage leading to colon cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E1820-9.	3.3	209
34	Systemic Macrophage Depletion Inhibits <i>Helicobacter bilis</i> -Induced Proinflammatory Cytokine-Mediated Typhlocolitis and Impairs Bacterial Colonization Dynamics in a BALB/c Rag2 ^{-/-} Mouse Model of Inflammatory Bowel Disease. <i>Infection and Immunity</i> , 2012, 80, 4388-4397.	1.0	26
35	Natural and experimental <i>Helicobacter pullorum</i> infection in Brown Norway rats. <i>Journal of Medical Microbiology</i> , 2012, 61, 1319-1323.	0.7	15
36	59 Microbial Diversity of Gastrointestinal Flora Influences Dynamics of Gastric Cancer Progression in INS/GAS Mice. <i>Gastroenterology</i> , 2012, 142, S-15-S-16.	0.6	0

#	ARTICLE	IF	CITATIONS
37	<i>Campylobacter jejuni</i> Type VI Secretion System: Roles in Adaptation to Deoxycholic Acid, Host Cell Adherence, Invasion, and In Vivo Colonization. <i>PLoS ONE</i> , 2012, 7, e42842.	1.1	132
38	Verifying and Quantifying <i>Helicobacter pylori</i> Infection Status of Research Mice. <i>Methods in Molecular Biology</i> , 2012, 921, 143-156.	0.4	6
39	Persistent <i>Helicobacter pullorum</i> colonization in C57BL/6NTac mice: a new mouse model for an emerging zoonosis. <i>Journal of Medical Microbiology</i> , 2012, 61, 720-728.	0.7	12
40	Lack of Commensal Flora in <i>Helicobacter pylori</i> -Infected INS-GAS Mice Reduces Gastritis and Delays Intraepithelial Neoplasia. <i>Gastroenterology</i> , 2011, 140, 210-220.e4.	0.6	347
41	<i>Lactobacillus reuteri</i> promotes <i>Helicobacter hepaticus</i> -associated typhlocolitis in gnotobiotic B6.129P2-IL-10tm1Cgn (IL-10 ^{-/-}) mice. <i>Immunology</i> , 2011, 133, 165-178.	2.0	36
42	17 β -Estradiol and Tamoxifen Prevent Gastric Cancer by Modulating Leukocyte Recruitment and Oncogenic Pathways in <i>Helicobacter Pylori</i> -Infected INS-GAS Male Mice. <i>Cancer Prevention Research</i> , 2011, 4, 1426-1435.	0.7	63
43	Coinfection with Enterohepatic <i>Helicobacter</i> Species Can Ameliorate or Promote <i>Helicobacter pylori</i> -Induced Gastric Pathology in C57BL/6 Mice. <i>Infection and Immunity</i> , 2011, 79, 3861-3871.	1.0	44
44	<i>Helicobacter hepaticus</i> -Induced Liver Tumor Promotion Is Associated with Increased Serum Bile Acid and a Persistent Microbial-Induced Immune Response. <i>Cancer Research</i> , 2011, 71, 2529-2540.	0.4	25
45	17 β -Estradiol suppresses <i>Helicobacter pylori</i> -induced gastric pathology in male hypergastrinemic INS-GAS mice. <i>Carcinogenesis</i> , 2011, 32, 1244-1250.	1.3	34
46	Unifying roles for regulatory T cells and inflammation in cancer. <i>International Journal of Cancer</i> , 2010, 126, 1651-1665.	2.3	77
47	<i>Brugia filariasis</i> differentially modulates persistent <i>Helicobacter pylori</i> gastritis in the gerbil model. <i>Microbes and Infection</i> , 2010, 12, 748-758.	1.0	13
48	Concurrent <i>Helicobacter bilis</i> Infection in C57BL/6 Mice Attenuates Proinflammatory <i>H. pylori</i> -Induced Gastric Pathology. <i>Infection and Immunity</i> , 2009, 77, 2147-2158.	1.0	61
49	CD4 ⁺ lymphocytes modulate prostate cancer progression in mice. <i>International Journal of Cancer</i> , 2009, 125, 868-878.	2.3	29
50	121 Cholesterol- β -Glucosyltransferase Is Important for Establishing Colonization By <i>Helicobacter Hepaticus</i> in Male A/JCr Mice. <i>Gastroenterology</i> , 2009, 136, A-22.	0.6	0
51	M1977 Effect of Monoassociated <i>Helicobacter pylori</i> the Severity of Gastritis and Premalignancy in INS-GAS Mice. <i>Gastroenterology</i> , 2009, 136, A-459-A-460.	0.6	0
52	Vitamin C supplementation does not protect <i>Lactobacillus reuteri</i> -deficient mice from <i>Helicobacter pylori</i> -induced gastritis and gastric premalignancy. <i>International Journal of Cancer</i> , 2008, 122, 1068-1076.	2.3	19
53	<i>Helicobacter hepaticus</i> HHG11 is a pathogenicity island associated with typhlocolitis in B6.129-IL10tm1Cgn mice. <i>Microbes and Infection</i> , 2008, 10, 726-733.	1.0	20
54	In vivo virulence properties of bacterial cytolethal-distending toxin. <i>Cellular Microbiology</i> , 2008, 10, 1599-1607.	1.1	95

#	ARTICLE	IF	CITATIONS
55	1014 Lactobacillus Reuteri Promoted Helicobacter Hepaticus-Associated Typhlocolitis in Gnotobiotic IL-10 Deficient Mice. <i>Gastroenterology</i> , 2008, 134, A-153.	0.6	0
56	W1782 Helicobacter Hepaticus Urease Is Not Required for Intestinal Colonization But Promotes Hepatic Inflammation in Male a/Jcr Mice. <i>Gastroenterology</i> , 2008, 134, A-714.	0.6	0
57	Helicobacter hepaticus urease is not required for intestinal colonization but promotes hepatic inflammation in male A/JCr mice. <i>Microbial Pathogenesis</i> , 2008, 45, 18-24.	1.3	20
58	Helicobacter pylori Eradication Prevents Progression of Gastric Cancer in Hypergastrinemic INS-GAS Mice. <i>Cancer Research</i> , 2008, 68, 3540-3548.	0.4	112
59	Cytotoxic-T-Lymphocyte-Associated Antigen 4 Blockade Abrogates Protection by Regulatory T Cells in a Mouse Model of Microbially Induced Innate Immune-Driven Colitis. <i>Infection and Immunity</i> , 2008, 76, 5834-5842.	1.0	32
60	Rapid reversal of interleukin-6-dependent epithelial invasion in a mouse model of microbially induced colon carcinoma. <i>Carcinogenesis</i> , 2007, 28, 2614-2623.	1.3	59
61	Protective role of 17 β -estradiol against the development of Helicobacter pylori-induced gastric cancer in INS-GAS mice. <i>Carcinogenesis</i> , 2007, 28, 2597-2604.	1.3	64
62	Wild-Type and Interleukin-10-Deficient Regulatory T Cells Reduce Effector T-Cell-Mediated Gastroduodenitis in Rag2 ^{-/-} Mice, but Only Wild-Type Regulatory T Cells Suppress Helicobacter pylori Gastritis. <i>Infection and Immunity</i> , 2007, 75, 2699-2707.	1.0	44
63	Accelerated Progression of Gastritis to Dysplasia in the Pyloric Antrum of TFF2 ^{-/-} C57BL/6 ^J —Sv129 Helicobacter pylori-Infected Mice. <i>American Journal of Pathology</i> , 2007, 171, 1520-1528.	1.9	95
64	T-Cell Function Is Critical for Murine Cholesterol Gallstone Formation. <i>Gastroenterology</i> , 2007, 133, 1304-1315.	0.6	59
65	Bacterial cytolethal distending toxin promotes the development of dysplasia in a model of microbially induced hepatocarcinogenesis. <i>Cellular Microbiology</i> , 2007, 9, 2070-2080.	1.1	136
66	Genomics of Helicobacter Species. , 2006, , 91-107.		0
67	Disruption of Tight Junctions and Induction of Proinflammatory Cytokine Responses in Colonic Epithelial Cells by Campylobacter jejuni. <i>Infection and Immunity</i> , 2006, 74, 6581-6589.	1.0	179
68	Helicobacter pylori and cholesterol gallstone formation in C57L/J mice: a prospective study. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 290, G175-G182.	1.6	51
69	Colonization Dynamics of Altered Schaedler Flora Is Influenced by Gender, Aging, and Helicobacter hepaticus Infection in the Intestines of Swiss Webster Mice. <i>Applied and Environmental Microbiology</i> , 2006, 72, 5100-5103.	1.4	50
70	Proinflammatory CD4 ⁺ CD45RB ^{hi} Lymphocytes Promote Mammary and Intestinal Carcinogenesis in ApcMin/+ Mice. <i>Cancer Research</i> , 2006, 66, 57-61.	0.4	82
71	Innate Immune Inflammatory Response against Enteric Bacteria Helicobacter hepaticus Induces Mammary Adenocarcinoma in Mice. <i>Cancer Research</i> , 2006, 66, 7395-7400.	0.4	170
72	Different Helicobacter hepaticus Strains with Variable Genomic Content Induce Various Degrees of Hepatitis. <i>Infection and Immunity</i> , 2005, 73, 8449-8452.	1.0	28

#	ARTICLE	IF	CITATIONS
73	Cytolethal Distending Toxin Is Essential for <i>Helicobacter hepaticus</i> Colonization in Outbred Swiss Webster Mice. <i>Infection and Immunity</i> , 2005, 73, 3559-3567.	1.0	103
74	CD4+CD25+ Regulatory Lymphocytes Induce Regression of Intestinal Tumors in <i>ApcMin/+</i> Mice. <i>Cancer Research</i> , 2005, 65, 3998-4004.	0.4	194
75	Probiotic <i>Lactobacillus</i> spp. Diminish <i>Helicobacter hepaticus</i> -Induced Inflammatory Bowel Disease in Interleukin-10-Deficient Mice. <i>Infection and Immunity</i> , 2005, 73, 912-920.	1.0	149
76	Synergistic Inhibitory Effects of Gastrin and Histamine Receptor Antagonists on <i>Helicobacter</i> -Induced Gastric Cancer. <i>Gastroenterology</i> , 2005, 128, 1965-1983.	0.6	87
77	Evaluation of <i>Helicobacter hepaticus</i> bacterial shedding in fostered and sex-segregated C57BL/6 mice. <i>Comparative Medicine</i> , 2005, 55, 515-22.	0.4	10
78	Gastroenteritis in NF- κ B-Deficient Mice Is Produced with Wild-Type <i>Campylobacter jejuni</i> but Not with <i>C. jejuni</i> Lacking Cytolethal Distending Toxin despite Persistent Colonization with Both Strains. <i>Infection and Immunity</i> , 2004, 72, 1116-1125.	1.0	166
79	Coinfection Modulates Inflammatory Responses and Clinical Outcome of <i>Helicobacter felis</i> and <i>Toxoplasma gondii</i> Infections. <i>Journal of Immunology</i> , 2004, 173, 3329-3336.	0.4	79
80	Progression of Chronic Hepatitis and Preneoplasia in <i>Helicobacter hepaticus</i> -Infected A/JCr Mice. <i>Toxicologic Pathology</i> , 2004, 32, 668-677.	0.9	46
81	Spatial Distribution and Stability of the Eight Microbial Species of the Altered Schaedler Flora in the Mouse Gastrointestinal Tract. <i>Applied and Environmental Microbiology</i> , 2004, 70, 2791-2800.	1.4	115
82	Host and microbial constituents influence <i>Helicobacter pylori</i> -induced cancer in a murine model of hypergastrinemia. <i>Gastroenterology</i> , 2003, 124, 1879-1890.	0.6	176
83	Cytolethal Distending Toxin: A Potential Virulence Factor for <i>Helicobacter cinaedi</i> . <i>Journal of Infectious Diseases</i> , 2003, 188, 1892-1897.	1.9	62
84	The complete genome sequence of the carcinogenic bacterium <i>Helicobacter hepaticus</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 7901-7906.	3.3	223
85	CD4(+)CD25(+) regulatory lymphocytes require interleukin 10 to interrupt colon carcinogenesis in mice. <i>Cancer Research</i> , 2003, 63, 6042-50.	0.4	165
86	Potential of fumarate reductase as a novel therapeutic target in <i>Helicobacter pylori</i> infection. <i>Expert Opinion on Therapeutic Targets</i> , 2002, 6, 135-146.	1.5	30
87	Lewis antigens in <i>Helicobacter pylori</i> : biosynthesis and phase variation. <i>Molecular Microbiology</i> , 2002, 36, 1187-1196.	1.2	129
88	Genomic characterization of <i>Helicobacter hepaticus</i> : ordered cosmid library and comparative sequence analysis. <i>FEMS Microbiology Letters</i> , 2001, 204, 147-153.	0.7	10
89	Fluorogenic PCR-Based Quantitative Detection of a Murine Pathogen, <i>Helicobacter hepaticus</i> . <i>Journal of Clinical Microbiology</i> , 2001, 39, 2598-2602.	1.8	64
90	Characterization of Proteins in the Outer Membrane Preparation of a Murine Pathogen, <i>Helicobacter bilis</i> . <i>Infection and Immunity</i> , 2001, 69, 3502-3506.	1.0	20

#	ARTICLE	IF	CITATIONS
91	Fumarate reductase is essential for <i>Helicobacter pylori</i> colonization of the mouse stomach. <i>Microbial Pathogenesis</i> , 2000, 29, 279-287.	1.3	51
92	Identification of <i>cdtB</i> homologues and cytolethal distending toxin activity in enterohepatic <i>Helicobacter</i> spp.. <i>Journal of Medical Microbiology</i> , 2000, 49, 525-534.	0.7	107
93	Contributions of Genome Sequencing to Understanding the Biology of <i>Helicobacter pylori</i> . <i>Annual Review of Microbiology</i> , 1999, 53, 353-387.	2.9	70
94	A Novel Urease-Negative <i>Helicobacter</i> Species Associated with Colitis and Typhlitis in IL-10-Deficient Mice. <i>Infection and Immunity</i> , 1999, 67, 1757-1762.	1.0	2
95	A Novel Urease-Negative <i>Helicobacter</i> Species Associated with Colitis and Typhlitis in IL-10-Deficient Mice. <i>Infection and Immunity</i> , 1999, 67, 1757-1762.	1.0	102
96	<i>Helicobacter pylori</i> - molecular genetics and diagnostic typing. <i>British Medical Bulletin</i> , 1998, 54, 31-38.	2.7	24
97	<i>H. pylori</i> DNA Transformation by Natural Competence and Electroporation. , 1997, 8, 145-152.		42
98	Cloning and Heterologous Expression of an α 1,3-Fucosyltransferase Gene from the Gastric Pathogen <i>Helicobacter pylori</i> . <i>Journal of Biological Chemistry</i> , 1997, 272, 21357-21363.	1.6	124
99	Cloning and functional characterization of <i>Helicobacter pylori</i> fumarate reductase operon comprising three structural genes coding for subunits C, A and B. <i>Gene</i> , 1997, 204, 227-234.	1.0	27
100	Rapid Polymerase Chain Reaction Screening of <i>Helicobacter pylori</i> Chromosomal Point Mutations. <i>Helicobacter</i> , 1997, 2, 127-131.	1.6	14
101	Conservation and Diversity of the <i>Helicobacter pylori</i> Copper-Transporting ATPase Gene (<i>copA</i>) Sequence Among <i>Helicobacter</i> Species and <i>Campylobacter</i> Species Detected by PCR and RFLP. <i>Helicobacter</i> , 1996, 1, 112-117.	1.6	5
102	<i>Helicobacter pylori</i> genes <i>hcopA</i> and <i>hcopP</i> constitute a <i>cop</i> operon involved in copper export. <i>FEMS Microbiology Letters</i> , 1996, 145, 181-188.	0.7	39
103	Nucleotide sequence and mutational analysis indicate that two <i>Helicobacter pylori</i> genes encode a P-type ATPase and a cation-binding protein associated with copper transport. <i>Molecular Microbiology</i> , 1995, 15, 97-106.	1.2	89
104	The Infectious Transcripts of Sweet Clover Necrotic Mosaic Virus Bipartite Genome Constructed by the Polymerase Chain Reaction.. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 1993, 69, 113-118.	1.6	4
105	Biolistic Delivery of Foreign DNA or Genomic Transcripts of Plant Virus Full-length cDNA Clones into Monocotyledonous and Dicotyledonous Plant Tissues.. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 1993, 69, 244-247.	1.6	3
106	Viral Genome Delivery into Detached and Intact Leaf Tissues of <i>Vigna unguiculata</i> by RNA-coated Gold Particles Using the Improved Particle Gun.. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 1992, 68, 183-186.	1.6	4