

Jie Peng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7625714/publications.pdf>

Version: 2024-02-01

65
papers

1,558
citations

331670

21
h-index

330143

37
g-index

70
all docs

70
docs citations

70
times ranked

2065
citing authors

#	ARTICLE	IF	CITATIONS
1	Guideline of Prevention and Treatment for Chronic Hepatitis B (2015 Update). <i>Journal of Clinical and Translational Hepatology</i> , 2017, 5, 297-318.	1.4	181
2	A radiomics nomogram for preoperative prediction of microvascular invasion risk in hepatitis B virus-related hepatocellular carcinoma. <i>Diagnostic and Interventional Radiology</i> , 2018, 24, 121-127.	1.5	142
3	Residual convolutional neural network for predicting response of transarterial chemoembolization in hepatocellular carcinoma from CT imaging. <i>European Radiology</i> , 2020, 30, 413-424.	4.5	127
4	Association Between Negative Results From Tests for HBV DNA and RNA and Durability of Response After Discontinuation of Nucleos(t)ide Analogue Therapy. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 719-727.e7.	4.4	72
5	CXCL13-mediated recruitment of intrahepatic CXCR5+CD8+ T cells favors viral control in chronic HBV infection. <i>Journal of Hepatology</i> , 2020, 72, 420-430.	3.7	62
6	Association Between Clinical Manifestations and Prognosis in Patients with COVID-19. <i>Clinical Therapeutics</i> , 2020, 42, 964-972.	2.5	55
7	Serum Level of Antibodies Against Hepatitis B Core Protein Is Associated With Clinical Relapse After Discontinuation of Nucleos(t)ide Analogue Therapy. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 182-191.e1.	4.4	53
8	Off-Treatment Hepatitis B Virus (HBV) DNA Levels and the Prediction of Relapse After Discontinuation of Nucleos(t)ide Analogue Therapy in Patients With Chronic Hepatitis B: A Prospective Stop Study. <i>Journal of Infectious Diseases</i> , 2017, 215, 581-589.	4.0	52
9	Combining Hepatitis B Virus RNA and Hepatitis B Core-Related Antigen: Guidance for Safely Stopping Nucleos(t)ide Analogues in Hepatitis B e Antigen-Positive Patients With Chronic Hepatitis B. <i>Journal of Infectious Diseases</i> , 2020, 222, 611-618.	4.0	50
10	Risk factors associated with liver steatosis and fibrosis in chronic hepatitis B patient with component of metabolic syndrome. <i>United European Gastroenterology Journal</i> , 2018, 6, 558-566.	3.8	49
11	Comparison of entecavir monotherapy and de novo lamivudine and adefovir combination therapy in HBeAg-positive chronic hepatitis B with high viral load: 48-week result. <i>Clinical and Experimental Medicine</i> , 2016, 16, 429-436.	3.6	48
12	Serum hepatitis B core antibody levels predict HBeAg seroconversion in chronic hepatitis B patients with high viral load treated with nucleos(t)ide analogs. <i>Infection and Drug Resistance</i> , 2018, Volume 11, 469-477.	2.7	39
13	Dynamic comparison between Daan real-time PCR and Cobas TaqMan for quantification of HBV DNA levels in patients with CHB. <i>BMC Infectious Diseases</i> , 2014, 14, 85.	2.9	38
14	Potential effects of telbivudine and entecavir on renal function: a systematic review and meta-analysis. <i>Virology Journal</i> , 2016, 13, 64.	3.4	38
15	A noninvasive diagnostic model to assess nonalcoholic hepatic steatosis in patients with chronic hepatitis B. <i>Therapeutic Advances in Gastroenterology</i> , 2017, 10, 207-217.	3.2	38
16	Intestinal Microbiota Can Predict Acute Graft-versus-Host Disease Following Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1944-1955.	2.0	38
17	Denoise diffusion-weighted images using higher-order singular value decomposition. <i>NeuroImage</i> , 2017, 156, 128-145.	4.2	33
18	Mean platelet volume/platelet count ratio predicts severe pneumonia of COVID-19. <i>Journal of Clinical Laboratory Analysis</i> , 2021, 35, e23607.	2.1	33

#	ARTICLE	IF	CITATIONS
19	Durability of Response After Hepatitis B Surface Antigen Seroclearance During Nucleos(t)ide Analogue Treatment in a Multiethnic Cohort of Chronic Hepatitis B Patients: Results After Treatment Cessation. <i>Clinical Infectious Diseases</i> , 2017, 65, 680-683.	5.8	30
20	Lower Expression of MicroRNA-155 Contributes to Dysfunction of Natural Killer Cells in Patients with Chronic Hepatitis B. <i>Frontiers in Immunology</i> , 2017, 8, 1173.	4.8	24
21	Non-invasive assessment of liver fibrosis in patients with chronic hepatitis B. <i>Hepatology International</i> , 2013, 7, 356-368.	4.2	22
22	Factors associated with adherence to nucleos(t)ide analogs in chronic hepatitis B patients: results from a 1-year follow-up study. <i>Patient Preference and Adherence</i> , 2015, 9, 41.	1.8	22
23	Impaired expression and function of TLR8 in chronic HBV infection and its association with treatment responses during peg-IFN-1±2a antiviral therapy. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2017, 41, 386-398.	1.5	22
24	Predictors of sustained virologic response after discontinuation of nucleos(t)ide analog treatment for chronic hepatitis B. <i>Saudi Journal of Gastroenterology</i> , 2015, 21, 245.	1.1	16
25	<p>>Serum Hepatitis B Virus RNA Levels Predict HBeAg Seroconversion and Virological Response in Chronic Hepatitis B Patients with High Viral Load Treated with Nucleos(t)ide Analog</p><p></p>Infection and Drug Resistance, 2020, Volume 13, 1881-1888.	2.7	15
26	Elevated Expression of Chemokine CXCL13 in Chronic Hepatitis B Patients Links to Immune Control during Antiviral Therapy. <i>Frontiers in Immunology</i> , 2017, 8, 323.	4.8	14
27	Association of central obesity with hepatocellular carcinoma in patients with chronic hepatitis B receiving antiviral therapy. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 329-338.	3.7	14
28	Immunogenicity and safety of an inactivated SARSâ€CoVâ€2 vaccine in people living with HIV: A crossâ€sectional study. <i>Journal of Medical Virology</i> , 2022, 94, 4224-4233.	5.0	13
29	Serum hepatitis B virus RNA level is associated with biochemical relapse in patients with chronic hepatitis B infection who discontinue nucleos(t)ide analogue treatment. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 709-714.	3.7	12
30	Association of Serum Hepatitis B Virus RNA With Hepatocellular Carcinoma Risk in Chronic Hepatitis B Patients Under Nucleos(t)ide Analogues Therapy. <i>Journal of Infectious Diseases</i> , 2022, 226, 881-890.	4.0	12
31	Combining routine markers improves the accuracy of transient elastography for hepatitis B cirrhosis detection. <i>Digestive and Liver Disease</i> , 2016, 48, 512-518.	0.9	11
32	Combined procalcitonin and hemogram parameters contribute to early differential diagnosis of Gramâ€negative/Gramâ€positive bloodstream infections. <i>Journal of Clinical Laboratory Analysis</i> , 2021, 35, e23927.	2.1	11
33	Association between hypertension and prognosis of patients with COVID-19: A systematic review and meta-analysis. <i>Clinical and Experimental Hypertension</i> , 2022, 44, 451-458.	1.3	11
34	Circulating miR-122 Is a Predictor for Virological Response in CHB Patients With High Viral Load Treated With Nucleos(t)ide Analogs. <i>Frontiers in Genetics</i> , 2019, 10, 243.	2.3	10
35	Plasma CXCL13 is a predictive factor for HBsAg loss and clinical relapse after discontinuation of nucleos(t)ide analogue treatment. <i>Clinical Immunology</i> , 2019, 198, 31-38.	3.2	10
36	Generation of sphingosine-1-phosphate by sphingosine kinase 1 protects nonalcoholic fatty liver from ischemia/reperfusion injury through alleviating reactive oxygen species production in hepatocytes. <i>Free Radical Biology and Medicine</i> , 2020, 159, 136-149.	2.9	10

#	ARTICLE	IF	CITATIONS
37	Methodology-dependent performance of serum HBV RNA in predicting treatment outcomes in chronic hepatitis B patients. <i>Antiviral Research</i> , 2021, 189, 105037.	4.1	10
38	TLR1/2 Agonist Enhances Reversal of HIV-1 Latency and Promotes NK Cell-Induced Suppression of HIV-1-Infected Autologous CD4 ⁺ T Cells. <i>Journal of Virology</i> , 2021, 95, e0081621.	3.4	10
39	Association Between Nutritional Risk Screening Score and Prognosis of Patients with Sepsis. <i>Infection and Drug Resistance</i> , 2021, Volume 14, 3817-3825.	2.7	10
40	A changing profile of infective endocarditis at a tertiary hospital in China: a retrospective study from 2001 to 2018. <i>BMC Infectious Diseases</i> , 2019, 19, 945.	2.9	9
41	Longitudinal Change of Body Mass Index Is Associated With Alanine Aminotransferase Elevation After Complete Viral Suppression in Chronic Hepatitis B Patients. <i>Journal of Infectious Diseases</i> , 2019, 220, 1469-1476.	4.0	7
42	Hepatitis B surface antigen kinetics after discontinuation of and retreatment with oral antivirals in non-irradiated HBeAg-positive chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2021, 28, 1121-1129.	2.0	7
43	Rapid Monitoring of Vancomycin Concentration in Serum Using Europium (III) Chelate Nanoparticle-Based Lateral Flow Immunoassay. <i>Frontiers in Chemistry</i> , 2021, 9, 763686.	3.6	7
44	A standardized assay for the quantitative detection of serum HBV RNA in chronic hepatitis B patients. <i>Emerging Microbes and Infections</i> , 2022, 11, 775-785.	6.5	7
45	Hepatitis B Core-Related Antigen is a Biomarker for off-Treatment Relapse After Long-Term Nucleos(t)ide Analog Therapy in Patients with Chronic Hepatitis B. <i>International Journal of General Medicine</i> , 2021, Volume 14, 4967-4976.	1.8	6
46	Nomogram based on neutrophil-to-platelet ratio to predict in-hospital mortality in infective endocarditis. <i>Biomarkers in Medicine</i> , 2021, 15, 1233-1243.	1.4	6
47	Increased mediator complex subunit 15 expression is associated with poor prognosis in hepatocellular carcinoma. <i>Oncology Letters</i> , 2018, 15, 4303-4313.	1.8	5
48	Insufficient knowledge and inappropriate practices of emergency doctors towards tetanus prevention in trauma patients: a pilot survey. <i>Human Vaccines and Immunotherapeutics</i> , 2020, 16, 349-357.	3.3	5
49	Platelet microparticles-derived miR-25b promotes the hepatocyte proliferation and cell autophagy via reducing cell translocation gene 2. <i>Journal of Cellular Biochemistry</i> , 2020, 121, 4959-4973.	2.6	5
50	Patients with tuberculous meningitis and hepatitis B co-infection have increased risk for antituberculosis drug-induced liver injury and poor outcomes. <i>Infectious Diseases</i> , 2020, 52, 793-800.	2.8	5
51	Clinical and histological characteristics of chronic hepatitis B with negative hepatitis B e-antigen. <i>Chinese Medical Journal</i> , 2003, 116, 1312-7.	2.3	5
52	Elevated expression of serum soluble ST2 in clinical relapse after stopping long-term Nucleos(t)ide analogue therapy for chronic hepatitis B. <i>BMC Infectious Diseases</i> , 2019, 19, 640.	2.9	4
53	Genetic variations in the CXCR5 gene decrease the risk of clinical relapse after discontinuation of nucleos(t)ide analogue therapy in patients with chronic hepatitis B. <i>Infection, Genetics and Evolution</i> , 2020, 78, 104124.	2.3	4
54	aMAP Score as a Predictor for Long-Term Outcomes in Patients with HBV-Related Acute-on-Chronic Liver Failure. <i>International Journal of General Medicine</i> , 2022, Volume 15, 407-415.	1.8	4

#	ARTICLE	IF	CITATIONS
55	Preoperative false-negative transthoracic echocardiographic results in native valve infective endocarditis patients: a retrospective study from 2001 to 2018. <i>Cardiovascular Ultrasound</i> , 2021, 19, 2.	1.6	3
56	Clinical features of actinomycosis: A 20-year experience of a single institute in Southern China. <i>Journal De Mycologie Medicale</i> , 2021, 31, 101169.	1.5	3
57	Soluble Programmed Cell Death-1 is a Novel Predictor of HBsAg Loss in Chronic Hepatitis B Patients When Long-Term Nucleos(t)ide Analog Treatment is Discontinued. <i>Infection and Drug Resistance</i> , 2022, Volume 15, 2347-2357.	2.7	3
58	Improved Liver R2* Mapping by Averaging Decay Curves. <i>Scientific Reports</i> , 2017, 7, 6158.	3.3	2
59	Thyroid dysfunction is associated with the loss of hepatitis B surface antigen in patients with chronic hepatitis B undergoing treatment with \pm -interferon. <i>Journal of International Medical Research</i> , 2021, 49, 030006052110251.	1.0	2
60	Effect of preemptive local injection of ropivocaine with dexmedetomidine on mirror pain in rats and its mechanism. <i>Asian Pacific Journal of Tropical Medicine</i> , 2015, 8, 836-840.	0.8	1
61	A model for predicting high BMI of people living with HIV after receiving antiretroviral therapy. <i>Therapeutic Advances in Chronic Disease</i> , 2022, 13, 204062232211027.	2.5	1
62	Reply. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 1001-1002.	4.4	0
63	Editorial: only steps away from primetime? Hepatitis B virus RNA as a routine marker to guide HBV treatment decisions—authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 972-973.	3.7	0
64	A GUT Microbiota Score Predicting for ACUTE GRAFT-Versus-Host Disease. <i>Blood</i> , 2019, 134, 1991-1991.	1.4	0
65	Construction of recombinant eukaryotic expression plasmid containing hepatitis B virus genome with partial deletion of the core promoter. <i>Di 1 Jun Yi Da Xue Xue Bao = Academic Journal of the First Medical College of PLA</i> , 2001, 21, 806-808.	0.1	0