

# Jie Peng

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7625714/publications.pdf>

Version: 2024-02-01

65  
papers

1,558  
citations

377584

21  
h-index

371746

37  
g-index

70  
all docs

70  
docs citations

70  
times ranked

2174  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | aMAP Score as a Predictor for Long-Term Outcomes in Patients with HBV-Related Acute-on-Chronic Liver Failure. <i>International Journal of General Medicine</i> , 2022, Volume 15, 407-415.   | 0.8 | 4         |
| 2  | A standardized assay for the quantitative detection of serum HBV RNA in chronic hepatitis B patients. <i>Emerging Microbes and Infections</i> , 2022, 11, 775-785.   | 3.0 | 7         |
| 3  | Association of Serum Hepatitis B Virus RNA With Hepatocellular Carcinoma Risk in Chronic Hepatitis B Patients Under Nucleos(t)ide Analogues Therapy. <i>Journal of Infectious Diseases</i> , 2022, 226, 881-890.                               | 1.9 | 12        |
| 4  | Soluble Programmed Cell Death-1 is a Novel Predictor of HBsAg Loss in Chronic Hepatitis B Patients When Long-Term Nucleos(t)ide Analog Treatment is Discontinued. <i>Infection and Drug Resistance</i> , 2022, Volume 15, 2347-2357.           | 1.1 | 3         |
| 5  | Association between hypertension and prognosis of patients with COVID-19: A systematic review and meta-analysis. <i>Clinical and Experimental Hypertension</i> , 2022, 44, 451-458.  | 0.5 | 11        |
| 6  | Immunogenicity and safety of an inactivated SARS-CoV-2 vaccine in people living with HIV: A cross-sectional study. <i>Journal of Medical Virology</i> , 2022, 94, 4224-4233.   | 2.5 | 13        |
| 7  | A model for predicting high BMI of people living with HIV after receiving antiretroviral therapy. <i>Therapeutic Advances in Chronic Disease</i> , 2022, 13, 204062232211027.  | 1.1 | 1         |
| 8  | Mean platelet volume/platelet count ratio predicts severe pneumonia of COVID-19. <i>Journal of Clinical Laboratory Analysis</i> , 2021, 35, e23607.  | 0.9 | 33        |
| 9  | Preoperative false-negative transthoracic echocardiographic results in native valve infective endocarditis patients: a retrospective study from 2001 to 2018. <i>Cardiovascular Ultrasound</i> , 2021, 19, 2.                                  | 0.5 | 3         |
| 10 | Hepatitis B surface antigen kinetics after discontinuation of and retreatment with oral antivirals in non-cirrhotic HBeAg-positive chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2021, 28, 1121-1129.                               | 1.0 | 7         |
| 11 | Methodology-dependent performance of serum HBV RNA in predicting treatment outcomes in chronic hepatitis B patients. <i>Antiviral Research</i> , 2021, 189, 105037.  | 1.9 | 10        |
| 12 | Thyroid dysfunction is associated with the loss of hepatitis B surface antigen in patients with chronic hepatitis B undergoing treatment with $\pm$ -interferon. <i>Journal of International Medical Research</i> , 2021, 49, 030006052110251. | 0.4 | 2         |
| 13 | Association of central obesity with hepatocellular carcinoma in patients with chronic hepatitis B receiving antiviral therapy. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 329-338.  | 1.9 | 14        |
| 14 | Serum hepatitis B virus RNA level is associated with biochemical relapse in patients with chronic hepatitis B infection who discontinue nucleos(t)ide analogue treatment. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 709-714. | 1.9 | 12        |
| 15 | Combined procalcitonin and hemogram parameters contribute to early differential diagnosis of Gram-negative/Gram-positive bloodstream infections. <i>Journal of Clinical Laboratory Analysis</i> , 2021, 35, e23927.                            | 0.9 | 11        |
| 16 | TLR1/2 Agonist Enhances Reversal of HIV-1 Latency and Promotes NK Cell-Induced Suppression of HIV-1-Infected Autologous CD4 <sup>+</sup> T Cells. <i>Journal of Virology</i> , 2021, 95, e0081621.   | 1.5 | 10        |
| 17 | Hepatitis B Core-Related Antigen is a Biomarker for off-Treatment Relapse After Long-Term Nucleos(t)ide Analog Therapy in Patients with Chronic Hepatitis B. <i>International Journal of General Medicine</i> , 2021, Volume 14, 4967-4976.    | 0.8 | 6         |
| 18 | Association Between Nutritional Risk Screening Score and Prognosis of Patients with Sepsis. <i>Infection and Drug Resistance</i> , 2021, Volume 14, 3817-3825.   | 1.1 | 10        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Clinical features of actinomycosis: A 20-year experience of a single institute in Southern China. <i>Journal De Mycologie Medicale</i> , 2021, 31, 101169.   | 0.7 | 3         |
| 20 | Editorial: only steps away from primetime? Hepatitis B virus RNA as a routine marker to guide HBV treatment decisionsâ€”authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 972-973.   | 1.9 | 0         |
| 21 | Nomogram based on neutrophil-to-platelet ratio to predict in-hospital mortality in infective endocarditis. <i>Biomarkers in Medicine</i> , 2021, 15, 1233-1243.  | 0.6 | 6         |
| 22 | Rapid Monitoring of Vancomycin Concentration in Serum Using Europium (III) Chelate Nanoparticle-Based Lateral Flow Immunoassay. <i>Frontiers in Chemistry</i> , 2021, 9, 763686.   | 1.8 | 7         |
| 23 | Insufficient knowledge and inappropriate practices of emergency doctors towards tetanus prevention in trauma patients: a pilot survey. <i>Human Vaccines and Immunotherapeutics</i> , 2020, 16, 349-357.   | 1.4 | 5         |
| 24 | CXCL13-mediated recruitment of intrahepatic CXCR5+CD8+ T cells favors viral control in chronic HBV infection. <i>Journal of Hepatology</i> , 2020, 72, 420-430.  | 1.8 | 62        |
| 25 | Residual convolutional neural network for predicting response of transarterial chemoembolization in hepatocellular carcinoma from CT imaging. <i>European Radiology</i> , 2020, 30, 413-424.   | 2.3 | 127       |
| 26 | Association Between Negative Results From Tests for HBV DNA and RNA and Durability of Response After Discontinuation of Nucleos(t)ide Analogue Therapy. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 719-727.e7.  | 2.4 | 72        |
| 27 | Genetic variations in the CXCR5 gene decrease the risk of clinical relapse after discontinuation of nucleos(t)ide analogue therapy in patients with chronic hepatitis B. <i>Infection, Genetics and Evolution</i> , 2020, 78, 104124.                                  | 1.0 | 4         |
| 28 | Platelet microparticlesâ€”derived miRâ€”25â€”3p promotes the hepatocyte proliferation and cell autophagy via reducing Bâ€”cell translocation gene 2. <i>Journal of Cellular Biochemistry</i> , 2020, 121, 4959-4973.   | 1.2 | 5         |
| 29 | Generation of sphingosine-1-phosphate by sphingosine kinase 1 protects nonalcoholic fatty liver from ischemia/reperfusion injury through alleviating reactive oxygen species production in hepatocytes. <i>Free Radical Biology and Medicine</i> , 2020, 159, 136-149. | 1.3 | 10        |
| 30 | Association Between Clinical Manifestations and Prognosis in Patients with COVID-19. <i>Clinical Therapeutics</i> , 2020, 42, 964-972.   | 1.1 | 55        |
| 31 | Combining Hepatitis B Virus RNA and Hepatitis B Coreâ€”Related Antigen: Guidance for Safely Stopping Nucleos(t)ide Analogues in Hepatitis B e Antigenâ€”Positive Patients With Chronic Hepatitis B. <i>Journal of Infectious Diseases</i> , 2020, 222, 611-618.        | 1.9 | 50        |
| 32 | Patients with tuberculous meningitis and hepatitis B co-infection have increased risk for antituberculosis drug-induced liver injury and poor outcomes. <i>Infectious Diseases</i> , 2020, 52, 793-800.  | 1.4 | 5         |
| 33 | &lt;p&gt;Serum Hepatitis B Virus RNA Levels Predict HBeAg Seroconversion and Virological Response in Chronic Hepatitis B Patients with High Viral Load Treated with Nucleos(t)ide Analog&lt;p&gt;. <i>Infection and Drug Resistance</i> , 2020, Volume 13, 1881-1888.  | 1.1 | 15        |
| 34 | Longitudinal Change of Body Mass Index Is Associated With Alanine Aminotransferase Elevation After Complete Viral Suppression in Chronic Hepatitis B Patients. <i>Journal of Infectious Diseases</i> , 2019, 220, 1469-1476.   | 1.9 | 7         |
| 35 | Intestinal Microbiota Can Predict Acute Graft-versus-Host Disease Following Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1944-1955.  | 2.0 | 38        |
| 36 | Elevated expression of serum soluble ST2 in clinical relapse after stopping long-term Nucleos(t)ide analogue therapy for chronic hepatitis B. <i>BMC Infectious Diseases</i> , 2019, 19, 640.  | 1.3 | 4         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Reply. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 1001-1002.   | 2.4 | 0         |
| 38 | Circulating miR-122 Is a Predictor for Virological Response in CHB Patients With High Viral Load Treated With Nucleos(t)ide Analogs. <i>Frontiers in Genetics</i> , 2019, 10, 243.  | 1.1 | 10        |
| 39 | A changing profile of infective endocarditis at a tertiary hospital in China: a retrospective study from 2001 to 2018. <i>BMC Infectious Diseases</i> , 2019, 19, 945.  | 1.3 | 9         |
| 40 | Plasma CXCL13 is a predictive factor for HBsAg loss and clinical relapse after discontinuation of nucleos(t)ide analogue treatment. <i>Clinical Immunology</i> , 2019, 198, 31-38.  | 1.4 | 10        |
| 41 | Serum Level of Antibodies Against Hepatitis B Core Protein Is Associated With Clinical Relapse After Discontinuation of Nucleos(t)ide Analogue Therapy. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 182-191.e1.                                     | 2.4 | 53        |
| 42 | A GUT Microbiota Score Predicting for ACUTE GRAFT-Versus-Host Disease. <i>Blood</i> , 2019, 134, 1991-1991.   | 0.6 | 0         |
| 43 | Risk factors associated with liver steatosis and fibrosis in chronic hepatitis B patient with component of metabolic syndrome. <i>United European Gastroenterology Journal</i> , 2018, 6, 558-566.  | 1.6 | 49        |
| 44 | Increased mediator complex subunit 15 expression is associated with poor prognosis in hepatocellular carcinoma. <i>Oncology Letters</i> , 2018, 15, 4303-4313.  | 0.8 | 5         |
| 45 | A radiomics nomogram for preoperative prediction of microvascular invasion risk in hepatitis B virus-related hepatocellular carcinoma. <i>Diagnostic and Interventional Radiology</i> , 2018, 24, 121-127.  | 0.7 | 142       |
| 46 | Serum hepatitis B core antibody levels predict HBeAg seroconversion in chronic hepatitis B patients with high viral load treated with nucleos(t)ide analogs. <i>Infection and Drug Resistance</i> , 2018, Volume 11, 469-477.                                       | 1.1 | 39        |
| 47 | A noninvasive diagnostic model to assess nonalcoholic hepatic steatosis in patients with chronic hepatitis B. <i>Therapeutic Advances in Gastroenterology</i> , 2017, 10, 207-217.  | 1.4 | 38        |
| 48 | Impaired expression and function of TLR8 in chronic HBV infection and its association with treatment responses during peg-IFN- $\alpha$ -2a antiviral therapy. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2017, 41, 386-398.                  | 0.7 | 22        |
| 49 | Denoise diffusion-weighted images using higher-order singular value decomposition. <i>NeuroImage</i> , 2017, 156, 128-145.  | 2.1 | 33        |
| 50 | Off-Treatment Hepatitis B Virus (HBV) DNA Levels and the Prediction of Relapse After Discontinuation of Nucleos(t)ide Analogue Therapy in Patients With Chronic Hepatitis B: A Prospective Stop Study. <i>Journal of Infectious Diseases</i> , 2017, 215, 581-589.  | 1.9 | 52        |
| 51 | Durability of Response After Hepatitis B Surface Antigen Seroclearance During Nucleos(t)ide Analogue Treatment in a Multiethnic Cohort of Chronic Hepatitis B Patients: Results After Treatment Cessation. <i>Clinical Infectious Diseases</i> , 2017, 65, 680-683. | 2.9 | 30        |
| 52 | Improved Liver R2* Mapping by Averaging Decay Curves. <i>Scientific Reports</i> , 2017, 7, 6158.  | 1.6 | 2         |
| 53 | Guideline of Prevention and Treatment for Chronic Hepatitis B (2015 Update). <i>Journal of Clinical and Translational Hepatology</i> , 2017, 5, 297-318.  | 0.7 | 181       |
| 54 | Elevated Expression of Chemokine CXCL13 in Chronic Hepatitis B Patients Links to Immune Control during Antiviral Therapy. <i>Frontiers in Immunology</i> , 2017, 8, 323.  | 2.2 | 14        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Lower Expression of MicroRNA-155 Contributes to Dysfunction of Natural Killer Cells in Patients with Chronic Hepatitis B. <i>Frontiers in Immunology</i> , 2017, 8, 1173.   | 2.2 | 24        |
| 56 | Combining routine markers improves the accuracy of transient elastography for hepatitis B cirrhosis detection. <i>Digestive and Liver Disease</i> , 2016, 48, 512-518.  | 0.4 | 11        |
| 57 | Potential effects of telbivudine and entecavir on renal function: a systematic review and meta-analysis. <i>Virology Journal</i> , 2016, 13, 64.  | 1.4 | 38        |
| 58 | Comparison of entecavir monotherapy and de novo lamivudine and adefovir combination therapy in HBeAg-positive chronic hepatitis B with high viral load: 48-week result. <i>Clinical and Experimental Medicine</i> , 2016, 16, 429-436.                  | 1.9 | 48        |
| 59 | Effect of preemptive local injection of ropivocaine with dexmedetomidine on mirror pain in rats and its mechanism. <i>Asian Pacific Journal of Tropical Medicine</i> , 2015, 8, 836-840.  | 0.4 | 1         |
| 60 | Factors associated with adherence to nucleos(t)ide analogs in chronic hepatitis B patients: results from a 1-year follow-up study. <i>Patient Preference and Adherence</i> , 2015, 9, 41.   | 0.8 | 22        |
| 61 | Predictors of sustained virologic response after discontinuation of nucleos(t)ide analog treatment for chronic hepatitis B. <i>Saudi Journal of Gastroenterology</i> , 2015, 21, 245.   | 0.5 | 16        |
| 62 | Dynamic comparison between Daan real-time PCR and Cobas TaqMan for quantification of HBV DNA levels in patients with CHB. <i>BMC Infectious Diseases</i> , 2014, 14, 85.  | 1.3 | 38        |
| 63 | Non-invasive assessment of liver fibrosis in patients with chronic hepatitis B. <i>Hepatology International</i> , 2013, 7, 356-368.   | 1.9 | 22        |
| 64 | Clinical and histological characteristics of chronic hepatitis B with negative hepatitis B e-antigen. <i>Chinese Medical Journal</i> , 2003, 116, 1312-7.   | 0.9 | 5         |
| 65 | Construction of recombinant eukaryotic expression plasmid containing hepatitis B virus genome with partial deletion of the core promoter. <i>Di 1 Jun Yi Da Xue Xue Bao = Academic Journal of the First Medical College of PLA</i> , 2001, 21, 806-808. | 0.1 | 0         |