

Gretchen E Hofmann

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7627080/gretchen-e-hofmann-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63

papers

4,418

citations

33

h-index

66

g-index

66

ext. papers

5,211

ext. citations

4.6

avg, IF

5.98

L-index

#	Paper	IF	Citations
63	Exploring impacts of marine heatwaves: paternal heat exposure diminishes fertilization success in the purple sea urchin (<i>Strongylocentrotus purpuratus</i>). <i>Marine Biology</i> , 2021 , 168, 1	2.5	3
62	Gene expression patterns of red sea urchins (<i>Mesocentrotus franciscanus</i>) exposed to different combinations of temperature and pCO during early development. <i>BMC Genomics</i> , 2021 , 22, 32	4.5	2
61	Changes in Genome-Wide Methylation and Gene Expression in Response to Future pCO ₂ Extremes in the Antarctic Pteropod <i>Limacina helicina antarctica</i> . <i>Frontiers in Marine Science</i> , 2020 , 6,	4.5	11
60	Ocean acidification promotes broad transcriptomic responses in marine metazoans: a literature survey. <i>Frontiers in Zoology</i> , 2020 , 17, 7	2.8	26
59	The effects of temperature and pCO ₂ on the size, thermal tolerance and metabolic rate of the red sea urchin (<i>Mesocentrotus franciscanus</i>) during early development. <i>Marine Biology</i> , 2020 , 167, 1	2.5	5
58	Examining the Role of DNA Methylation in Transcriptomic Plasticity of Early Stage Sea Urchins: Developmental and Maternal Effects in a Kelp Forest Herbivore. <i>Frontiers in Marine Science</i> , 2020 , 7,	4.5	11
57	Combined stress of ocean acidification and warming influence survival and drives differential gene expression patterns in the Antarctic pteropod, 2020 , 8, coaa013		8
56	Transcriptional profiles of early stage red sea urchins (<i>Mesocentrotus franciscanus</i>) reveal differential regulation of gene expression across development. <i>Marine Genomics</i> , 2019 , 48, 100692	1.9	8
55	Transgenerational effects in an ecological context: Conditioning of adult sea urchins to upwelling conditions alters maternal provisioning and progeny phenotype. <i>Journal of Experimental Marine Biology and Ecology</i> , 2019 , 517, 65-77	2.1	19
54	Variability of Seawater Chemistry in a Kelp Forest Environment Is Linked to in situ Transgenerational Effects in the Purple Sea Urchin, <i>Strongylocentrotus purpuratus</i> . <i>Frontiers in Marine Science</i> , 2019 , 6,	4.5	24
53	Seasonal transcriptomes of the Antarctic pteropod, <i>Limacina helicina antarctica</i> . <i>Marine Environmental Research</i> , 2019 , 143, 49-59	3.3	7
52	Transcriptomics reveal transgenerational effects in purple sea urchin embryos: Adult acclimation to upwelling conditions alters the response of their progeny to differential pCO levels. <i>Molecular Ecology</i> , 2018 , 27, 1120-1137	5.7	41
51	Host and Symbionts in <i>Pocillopora damicornis</i> Larvae Display Different Transcriptomic Responses to Ocean Acidification and Warming. <i>Frontiers in Marine Science</i> , 2018 , 5,	4.5	9
50	Transcriptomic responses to seawater acidification among sea urchin populations inhabiting a natural pH mosaic. <i>Molecular Ecology</i> , 2017 , 26, 2257-2275	5.7	45
49	Sensitivity of sea urchin fertilization to pH varies across a natural pH mosaic. <i>Ecology and Evolution</i> , 2017 , 7, 1737-1750	2.8	16
48	Lipid consumption in coral larvae differs among sites: a consideration of environmental history in a global ocean change scenario. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017 , 284,	4.4	14
47	Transcriptomic response of the Antarctic pteropod <i>Limacina helicina antarctica</i> to ocean acidification. <i>BMC Genomics</i> , 2017 , 18, 812	4.5	28

46	The effect of temperature adaptation on the ubiquitin-proteasome pathway in notothenioid fishes. <i>Journal of Experimental Biology</i> , 2017 , 220, 369-378	3	36
45	Additive effects of CO and temperature on respiration rates of the Antarctic pteropod 2017 , 5, cox064		13
44	Ecological Epigenetics in Marine Metazoans. <i>Frontiers in Marine Science</i> , 2017 , 4,	4.5	43
43	Mitochondrial genome architecture of the giant red sea urchin <i>Mesocentrotus franciscanus</i> (Strongylocentrotidae, Echinoidea). <i>Mitochondrial DNA</i> , 2016 , 27, 591-2		4
42	Beyond the benchtop and the benthos: Dataset management planning and design for time series of ocean carbonate chemistry associated with Durafet [®] -based pH sensors. <i>Ecological Informatics</i> , 2016 , 36, 209-220	4.2	17
41	Improving Conservation Outcomes with a New Paradigm for Understanding Species' Fundamental and Realized Adaptive Capacity. <i>Conservation Letters</i> , 2016 , 9, 131-137	6.9	88
40	High pCO ₂ affects body size, but not gene expression in larvae of the California mussel (<i>Mytilus californianus</i>). <i>ICES Journal of Marine Science</i> , 2016 , 73, 962-969	2.7	10
39	Interacting environmental mosaics drive geographic variation in mussel performance and predation vulnerability. <i>Ecology Letters</i> , 2016 , 19, 771-9	10	84
38	Ocean pH time-series and drivers of variability along the northern Channel Islands, California, USA. <i>Limnology and Oceanography</i> , 2016 , 61, 953-968	4.8	61
37	A transcriptome resource for the Antarctic pteropod <i>Limacina helicina antarctica</i> . <i>Marine Genomics</i> , 2016 , 28, 25-28	1.9	16
36	Ocean acidification research in the 'post-genomic' era: Roadmaps from the purple sea urchin <i>Strongylocentrotus purpuratus</i> . <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2015 , 185, 33-42	2.6	15
35	Near-shore Antarctic pH variability has implications for the design of ocean acidification experiments. <i>Scientific Reports</i> , 2015 , 5,	4.9	48
34	Assessing the components of adaptive capacity to improve conservation and management efforts under global change. <i>Conservation Biology</i> , 2015 , 29, 1268-78	6	79
33	Effects of temperature and pCO ₂ on lipid use and biological parameters of planulae of <i>Pocillopora damicornis</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 2015 , 473, 43-52	2.1	16
32	Ocean acidification and fertilization in the antarctic sea urchin <i>Sterechinus neumayeri</i> : the importance of polyspermy. <i>Environmental Science & Technology</i> , 2014 , 48, 713-22	10.3	30
31	Signals of resilience to ocean change: high thermal tolerance of early stage Antarctic sea urchins (<i>Sterechinus neumayeri</i>) reared under present-day and future pCO ₂ and temperature. <i>Polar Biology</i> , 2014 , 37, 967-980	2	32
30	Calcification in a changing ocean: perspectives on a virtual symposium in the biological bulletin. <i>Biological Bulletin</i> , 2014 , 226, 167-8	1.5	
29	Responses of the metabolism of the larvae of <i>Pocillopora damicornis</i> to ocean acidification and warming. <i>PLoS ONE</i> , 2014 , 9, e96172	3.7	49

28	Abiotic versus biotic drivers of ocean pH variation under fast sea ice in McMurdo Sound, Antarctica. <i>PLoS ONE</i> , 2014 , 9, e107239	3.7	19
27	Natural variation and the capacity to adapt to ocean acidification in the keystone sea urchin <i>Strongylocentrotus purpuratus</i> . <i>Global Change Biology</i> , 2013 , 19, 2536-46	11.4	152
26	Adaptation and the physiology of ocean acidification. <i>Functional Ecology</i> , 2013 , 27, 980-990	5.6	128
25	Temperature and CO ₂ additively regulate physiology, morphology and genomic responses of larval sea urchins, <i>Strongylocentrotus purpuratus</i> . <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013 , 280, 20130155	4.4	69
24	Transcriptomic responses to ocean acidification in larval sea urchins from a naturally variable pH environment. <i>Molecular Ecology</i> , 2013 , 22, 1609-25	5.7	91
23	Defining the limits of physiological plasticity: how gene expression can assess and predict the consequences of ocean change. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2012 , 367, 1733-45	5.8	112
22	High-frequency dynamics of ocean pH: a multi-ecosystem comparison. <i>PLoS ONE</i> , 2011 , 6, e28983	3.7	629
21	High-frequency observations of pH under Antarctic sea ice in the southern Ross Sea. <i>Antarctic Science</i> , 2011 , 23, 607-613	1.7	25
20	Antarctic echinoids and climate change: a major impact on the brooding forms. <i>Global Change Biology</i> , 2011 , 17, 734-744	11.4	40
19	The ocean acidification seascape and its relationship to the performance of calcifying marine invertebrates: Laboratory experiments on the development of urchin larvae framed by environmentally-relevant pCO ₂ /pH. <i>Journal of Experimental Marine Biology and Ecology</i> , 2011 , 400, 288-295	2.1	95
18	The Effect of Ocean Acidification on Calcifying Organisms in Marine Ecosystems: An Organism-to-Ecosystem Perspective. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2010 , 41, 127-147	13.5	355
17	Living in the now: physiological mechanisms to tolerate a rapidly changing environment. <i>Annual Review of Physiology</i> , 2010 , 72, 127-45	23.1	417
16	A laboratory-based, experimental system for the study of ocean acidification effects on marine invertebrate larvae. <i>Limnology and Oceanography: Methods</i> , 2010 , 8, 441-452	2.6	72
15	Physiological tolerances across latitudes: thermal sensitivity of larval marine snails (spp.). <i>Marine Biology</i> , 2010 , 157, 707-714	2.5	42
14	Thermal tolerance of early life history stages: mortality, stress-induced gene expression and biogeographic patterns. <i>Marine Biology</i> , 2010 , 157, 2677-2687	2.5	41
13	Transcriptomic response of sea urchin larvae <i>Strongylocentrotus purpuratus</i> to CO ₂ -driven seawater acidification. <i>Journal of Experimental Biology</i> , 2009 , 212, 2579-94	3	211
12	Predicted impact of ocean acidification on a marine invertebrate: elevated CO ₂ alters response to thermal stress in sea urchin larvae. <i>Marine Biology</i> , 2009 , 156, 439-446	2.5	102
11	Differing patterns of hsp70 gene expression in invasive and native kelp species: evidence for acclimation-induced variation. <i>Journal of Applied Phycology</i> , 2008 , 20, 915-924	3.2	34

10	Spatial and temporal variation in distribution and protein ubiquitination for <i>Mytilus</i> congeners in the California hybrid zone. <i>Marine Biology</i> , 2008 , 154, 1067-1075	2.5	18
9	Is cold the new hot? Elevated ubiquitin-conjugated protein levels in tissues of Antarctic fish as evidence for cold-denaturation of proteins in vivo. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2007 , 177, 857-66	2.2	95
8	MOSAIC PATTERNS OF THERMAL STRESS IN THE ROCKY INTERTIDAL ZONE: IMPLICATIONS FOR CLIMATE CHANGE. <i>Ecological Monographs</i> , 2006 , 76, 461-479	9	319
7	Genomics-fueled approaches to current challenges in marine ecology. <i>Trends in Ecology and Evolution</i> , 2005 , 20, 305-11	10.9	45
6	Thermotolerance and heat-shock protein expression in Northeastern Pacific <i>Nucella</i> species with different biogeographical ranges. <i>Marine Biology</i> , 2005 , 146, 985-993	2.5	70
5	Constitutive expression of a stress-inducible heat shock protein gene, hsp70, in phylogenetically distant Antarctic fish. <i>Polar Biology</i> , 2005 , 28, 261-267	2	105
4	Patterns of Hsp gene expression in ectothermic marine organisms on small to large biogeographic scales. <i>Integrative and Comparative Biology</i> , 2005 , 45, 247-55	2.8	103
3	Constitutive roles for inducible genes: evidence for the alteration in expression of the inducible hsp70 gene in Antarctic notothenioid fishes. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2004 , 287, R429-36	3.2	86
2	Shell dissolution observed in <i>Limacina helicina antarctica</i> from the Ross Sea, Antarctica: paired shell characteristics and in situ seawater chemistry		2
1	Gene regulation by DNA methylation is contingent on chromatin accessibility during transgenerational plasticity in the purple sea urchin		1