

Jeffrey L Wrana

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7627548/jeffrey-l-wrana-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

14,305
citations

49
h-index

119
g-index

149
ext. papers

16,657
ext. citations

16.4
avg, IF

6.28
L-index

#	Paper	IF	Citations
99	A scalable serology solution for profiling humoral immune responses to SARS-CoV-2 infection and vaccination.. <i>Clinical and Translational Immunology</i> , 2022 , 11, e1380	6.8	3
98	Myofibroblast YAP/TAZ activation is a key step in organ fibrogenesis.. <i>JCI Insight</i> , 2022 , 7,	9.9	2
97	NUAK1 promotes organ fibrosis via YAP and TGF- β /SMAD signaling.. <i>Science Translational Medicine</i> , 2022 , 14, eaaz4028	17.5	2
96	Sugar defeats the Hippo: Glycogen regulation of the Hippo pathway in liver. <i>Molecular Cell</i> , 2021 , 81, 4768-4770	17.6	
95	Somatic driver mutation prevalence in 1844 prostate cancers identifies ZNRF3 loss as a predictor of metastatic relapse. <i>Nature Communications</i> , 2021 , 12, 6248	17.4	3
94	Hospital outbreak of the severe acute respiratory coronavirus virus 2 (SARS-CoV-2) delta variant in partially and fully vaccinated patients and healthcare workers in Toronto, Canada. <i>Infection Control and Hospital Epidemiology</i> , 2021 , 1-4	2	2
93	Enteric glial cell heterogeneity regulates intestinal stem cell niches. <i>Cell Stem Cell</i> , 2021 ,	18	7
92	A multiplexed, next generation sequencing platform for high-throughput detection of SARS-CoV-2. <i>Nature Communications</i> , 2021 , 12, 1405	17.4	13
91	Comparison of SARS-CoV-2 indirect and direct RT-qPCR detection methods. <i>Virology Journal</i> , 2021 , 18, 99	6.1	8
90	Overexpression of the Severe Acute Respiratory Syndrome Coronavirus-2 Receptor, Angiotensin-Converting Enzyme 2, in Diabetic Kidney Disease: Implications for Kidney Injury in Novel Coronavirus Disease 2019. <i>Canadian Journal of Diabetes</i> , 2021 , 45, 162-166.e1	2.1	13
89	A glucose meter interface for point-of-care gene circuit-based diagnostics. <i>Nature Communications</i> , 2021 , 12, 724	17.4	17
88	Binary pan-cancer classes with distinct vulnerabilities defined by pro- or anti-cancer YAP/TEAD activity. <i>Cancer Cell</i> , 2021 , 39, 1115-1134.e12	24.3	19
87	TNFAIP8 is a central regulator of intestinal homeostasis and regeneration. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
86	Robust production of uniform human cerebral organoids from pluripotent stem cells. <i>Life Science Alliance</i> , 2020 , 3,	5.8	22
85	TNFAIP8 controls murine intestinal stem cell homeostasis and regeneration by regulating microbiome-induced Akt signaling. <i>Nature Communications</i> , 2020 , 11, 2591	17.4	7
84	Modeling the Control of TGF- β /Smad Nuclear Accumulation by the Hippo Pathway Effectors, Taz/Yap. <i>IScience</i> , 2020 , 23, 101416	6.1	6
83	Persistence of serum and saliva antibody responses to SARS-CoV-2 spike antigens in COVID-19 patients. <i>Science Immunology</i> , 2020 , 5,	28	396

82	A novel negative regulatory mechanism of Smurf2 in BMP/Smad signaling in bone. <i>Bone Research</i> , 2020 , 8, 41	13.3	11
81	Functional characterization of a PROTAC directed against BRAF mutant V600E. <i>Nature Chemical Biology</i> , 2020 , 16, 1170-1178	11.7	34
80	Atypical function of a centrosomal module in WNT signalling drives contextual cancer cell motility. <i>Nature Communications</i> , 2019 , 10, 2356	17.4	10
79	Single-cell transcriptomes of the regenerating intestine reveal a revival stem cell. <i>Nature</i> , 2019 , 569, 121-125	50.4	164
78	Cell competition during reprogramming gives rise to dominant clones. <i>Science</i> , 2019 , 364,	33.3	51
77	Regulation of Rho GTPases from the lateral sides of migrating cells. <i>Small GTPases</i> , 2018 , 9, 345-348	2.7	4
76	DNA Methylation Reduces the Yes-Associated Protein 1/WW Domain Containing Transcription Regulator 1 Pathway and Prevents Pathologic Remodeling during Bladder Obstruction by Limiting Expression of BDNF. <i>American Journal of Pathology</i> , 2018 , 188, 2177-2194	5.8	3
75	A feed forward loop enforces YAP/TAZ signaling during tumorigenesis. <i>Nature Communications</i> , 2018 , 9, 3510	17.4	37
74	Crucial Role of Postsynaptic Syntaxin 4 in Mediating Basal Neurotransmission and Synaptic Plasticity in Hippocampal CA1 Neurons. <i>Cell Reports</i> , 2018 , 23, 2955-2966	10.6	13
73	TGF- β Family Signaling in Embryonic and Somatic Stem-Cell Renewal and Differentiation. <i>Cold Spring Harbor Perspectives in Biology</i> , 2017 , 9,	10.2	61
72	Multilayered Control of Alternative Splicing Regulatory Networks by Transcription Factors. <i>Molecular Cell</i> , 2017 , 65, 539-553.e7	17.6	65
71	LUMIER: A Discovery Tool for Mammalian Protein Interaction Networks. <i>Methods in Molecular Biology</i> , 2017 , 1550, 137-148	1.4	11
70	Hippo signalling in intestinal regeneration and cancer. <i>Current Opinion in Cell Biology</i> , 2017 , 48, 17-25	9	37
69	Recent advances in understanding contextual TGF β signaling. <i>F1000Research</i> , 2017 , 6, 749	3.6	20
68	Exosomes Mediate Mobilization of Autocrine Wnt10b to Promote Axonal Regeneration in the Injured CNS. <i>Cell Reports</i> , 2017 , 20, 99-111	10.6	59
67	KATapulting toward Pluripotency and Cancer. <i>Journal of Molecular Biology</i> , 2017 , 429, 1958-1977	6.5	15
66	The RNF146 and tankyrase pathway maintains the junctional Crumbs complex through regulation of angiomin. <i>Journal of Cell Science</i> , 2016 , 129, 3396-411	5.3	16
65	A critical role for NF2 and the Hippo pathway in branching morphogenesis. <i>Nature Communications</i> , 2016 , 7, 12309	17.4	41

64	YAP and TAZ control peripheral myelination and the expression of laminin receptors in Schwann cells. <i>Nature Neuroscience</i> , 2016 , 19, 879-87	25.5	99
63	TCF1 links GIPR signaling to the control of beta cell function and survival. <i>Nature Medicine</i> , 2016 , 22, 84-90	50.5	75
62	YAP/TAZ Are Mechanoregulators of TGF- β Smad Signaling and Renal Fibrogenesis. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 3117-3128	12.7	201
61	Multiple roles for the hippo effector yap in gut regeneration and cancer initiation. <i>Molecular and Cellular Oncology</i> , 2016 , 3, e1143992	1.2	0
60	Analysis of Hippo and TGF- β signaling in polarizing epithelial cells and mouse embryos. <i>Differentiation</i> , 2016 , 91, 109-18	3.5	7
59	Reciprocal stabilization of ABL and TAZ regulates osteoblastogenesis through transcription factor RUNX2. <i>Journal of Clinical Investigation</i> , 2016 , 126, 4482-4496	15.9	49
58	A lateral signalling pathway coordinates shape volatility during cell migration. <i>Nature Communications</i> , 2016 , 7, 11714	17.4	27
57	Seeing is believing: Wnt3 localization in the gut epithelium. <i>Cell Research</i> , 2016 , 26, 515-6	24.7	1
56	Disulfiram when Combined with Copper Enhances the Therapeutic Effects of Temozolomide for the Treatment of Glioblastoma. <i>Clinical Cancer Research</i> , 2016 , 22, 3860-75	12.9	107
55	Distinct polarity cues direct Taz/Yap and TGF- β receptor localization to differentially control TGF- β induced Smad signaling. <i>Developmental Cell</i> , 2015 , 32, 652-6	10.2	55
54	Human ortholog of Drosophila Melted impedes SMAD2 release from TGF- β receptor I to inhibit TGF- β signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E3000-9	11.5	15
53	Myc and SAGA rewire an alternative splicing network during early somatic cell reprogramming. <i>Genes and Development</i> , 2015 , 29, 803-16	12.6	55
52	Integrative analysis of kinase networks in TRAIL-induced apoptosis provides a source of potential targets for combination therapy. <i>Science Signaling</i> , 2015 , 8, rs3	8.8	26
51	PTEN regulates cilia through Dishevelled. <i>Nature Communications</i> , 2015 , 6, 8388	17.4	36
50	Yap-dependent reprogramming of Lgr5(+) stem cells drives intestinal regeneration and cancer. <i>Nature</i> , 2015 , 526, 715-8	50.4	311
49	Integrative genomics positions MKRN1 as a novel ribonucleoprotein within the embryonic stem cell gene regulatory network. <i>EMBO Reports</i> , 2015 , 16, 1334-57	6.5	20
48	Cancer Cells Hijack PRC2 to Modify Multiple Cytokine Pathways. <i>PLoS ONE</i> , 2015 , 10, e0126466	3.7	22
47	CHIP-MYTH: a novel interactive proteomics method for the assessment of agonist-dependent interactions of the human β adrenergic receptor. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 445, 746-56	3.4	12

46	The emerging role of exosomes in Wnt secretion and transport. <i>Current Opinion in Genetics and Development</i> , 2014 , 27, 14-9	4.9	56
45	Next-generation RNA sequencing of archival formalin-fixed paraffin-embedded urothelial bladder cancer. <i>European Urology</i> , 2014 , 66, 982-6	10.2	27
44	Loss of the Timp gene family is sufficient for the acquisition of the CAF-like cell state. <i>Nature Cell Biology</i> , 2014 , 16, 889-901	23.4	139
43	A systematic approach to identify novel cancer drug targets using machine learning, inhibitor design and high-throughput screening. <i>Genome Medicine</i> , 2014 , 6, 57	14.4	67
42	A highly conserved program of neuronal microexons is misregulated in autistic brains. <i>Cell</i> , 2014 , 159, 1511-23	56.2	356
41	Protein interaction network of the mammalian Hippo pathway reveals mechanisms of kinase-phosphatase interactions. <i>Science Signaling</i> , 2013 , 6, rs15	8.8	305
40	Signaling by the TGF β superfamily. <i>Cold Spring Harbor Perspectives in Biology</i> , 2013 , 5, a011197	10.2	70
39	Switch enhancers interpret TGF β and Hippo signaling to control cell fate in human embryonic stem cells. <i>Cell Reports</i> , 2013 , 5, 1611-24	10.6	196
38	The TGF β superfamily in stem cell biology and early mammalian embryonic development. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013 , 1830, 2268-79	4	59
37	MBNL proteins repress ES-cell-specific alternative splicing and reprogramming. <i>Nature</i> , 2013 , 498, 241-5	50.4	222
36	Yap- and Cdc42-dependent nephrogenesis and morphogenesis during mouse kidney development. <i>PLoS Genetics</i> , 2013 , 9, e1003380	6	182
35	Signal integration in TGF β -WNT, and Hippo pathways. <i>F1000prime Reports</i> , 2013 , 5, 17		106
34	Coordinating developmental signaling: novel roles for the Hippo pathway. <i>Trends in Cell Biology</i> , 2012 , 22, 88-96	18.3	83
33	Exosomes mediate stromal mobilization of autocrine Wnt-PCP signaling in breast cancer cell migration. <i>Cell</i> , 2012 , 151, 1542-56	56.2	906
32	A late transition in somatic cell reprogramming requires regulators distinct from the pluripotency network. <i>Cell Stem Cell</i> , 2012 , 11, 769-82	18	126
31	Essential gene profiles in breast, pancreatic, and ovarian cancer cells. <i>Cancer Discovery</i> , 2012 , 2, 172-189	24.4	221
30	Protein interaction networks in medicine and disease. <i>Proteomics</i> , 2012 , 12, 1706-16	4.8	40
29	Structural basis for specificity of TGF β family receptor small molecule inhibitors. <i>Cellular Signalling</i> , 2012 , 24, 476-483	4.9	33

28	Looking into the black box: insights into the mechanisms of somatic cell reprogramming. <i>Genes</i> , 2011 , 2, 81-106	4.2	4
27	ProHits: integrated software for mass spectrometry-based interaction proteomics. <i>Nature Biotechnology</i> , 2010 , 28, 1015-7	44.5	156
26	The Hippo pathway regulates Wnt/beta-catenin signaling. <i>Developmental Cell</i> , 2010 , 18, 579-91	10.2	430
25	The Crumbs complex couples cell density sensing to Hippo-dependent control of the TGF- β /SMAD pathway. <i>Developmental Cell</i> , 2010 , 19, 831-44	10.2	515
24	Functional genomics reveals a BMP-driven mesenchymal-to-epithelial transition in the initiation of somatic cell reprogramming. <i>Cell Stem Cell</i> , 2010 , 7, 64-77	18	785
23	A role for the TGFbeta-Par6 polarity pathway in breast cancer progression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 14028-33	11.5	103
22	Dynamic modularity in protein interaction networks predicts breast cancer outcome. <i>Nature Biotechnology</i> , 2009 , 27, 199-204	44.5	568
21	An experimentally derived confidence score for binary protein-protein interactions. <i>Nature Methods</i> , 2009 , 6, 91-7	21.6	342
20	The secret life of Smad4. <i>Cell</i> , 2009 , 136, 13-4	56.2	17
19	TAZ controls Smad nucleocytoplasmic shuttling and regulates human embryonic stem-cell self-renewal. <i>Nature Cell Biology</i> , 2008 , 10, 837-48	23.4	482
18	Genome-wide identification of Smad/Foxh1 targets reveals a role for Foxh1 in retinoic acid regulation and forebrain development. <i>Developmental Cell</i> , 2008 , 14, 411-23	10.2	45
17	Regulation of Par6 by extracellular signals. <i>Current Opinion in Cell Biology</i> , 2006 , 18, 206-12	9	62
16	An expanded WW domain recognition motif revealed by the interaction between Smad7 and the E3 ubiquitin ligase Smurf2. <i>Journal of Biological Chemistry</i> , 2006 , 281, 17069-17075	5.4	45
15	High-throughput mapping of a dynamic signaling network in mammalian cells. <i>Science</i> , 2005 , 307, 1621-5	33.3	587
14	Regulation of the polarity protein Par6 by TGFbeta receptors controls epithelial cell plasticity. <i>Science</i> , 2005 , 307, 1603-9	33.3	729
13	The disparate role of BMP in stem cell biology. <i>Oncogene</i> , 2005 , 24, 5713-21	9.2	159
12	Regulation of cell polarity and protrusion formation by targeting RhoA for degradation. <i>Science</i> , 2003 , 302, 1775-9	33.3	452
11	Phosphoserine-dependent regulation of protein-protein interactions in the Smad pathway. <i>Structure</i> , 2002 , 10, 5-7	5.2	14

10	Signal transduction by the TGF-beta superfamily. <i>Science</i> , 2002 , 296, 1646-7	33.3	1109
9	TGF-beta induces assembly of a Smad2-Smurf2 ubiquitin ligase complex that targets SnoN for degradation. <i>Nature Cell Biology</i> , 2001 , 3, 587-95	23.4	267
8	FoxH1 (Fast) functions to specify the anterior primitive streak in the mouse. <i>Genes and Development</i> , 2001 , 15, 1257-71	12.6	172
7	Structural basis of Smad2 recognition by the Smad anchor for receptor activation. <i>Science</i> , 2000 , 287, 92-7	33.3	251
6	Bone morphogenetic proteins regulate the developmental program of human hematopoietic stem cells. <i>Journal of Experimental Medicine</i> , 1999 , 189, 1139-48	16.6	325
5	A SMAD ubiquitin ligase targets the BMP pathway and affects embryonic pattern formation. <i>Nature</i> , 1999 , 400, 687-93	50.4	690
4	Smad2 and Smad3 positively and negatively regulate TGF beta-dependent transcription through the forkhead DNA-binding protein FAST2. <i>Molecular Cell</i> , 1998 , 2, 109-20	17.6	469
3	A Made-in-Canada serology solution for profiling humoral immune responses to SARS-CoV-2 infection and vaccination		4
2	Comparison of SARS-CoV-2 Indirect and Direct Detection Methods		5
1	Regulation of homeostasis and regeneration in the adult intestinal epithelium by the TGF- β superfamily. <i>Developmental Dynamics</i> ,	2.9	1