Samuel Yeung-Shan Wong

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7628804/publications.pdf

Version: 2024-02-01

336 papers 12,620 citations

53 h-index 92 g-index

351 all docs

351 docs citations

times ranked

351

17266 citing authors

#	Article	IF	CITATIONS
1	Cognitive Tests to Detect Dementia. JAMA Internal Medicine, 2015, 175, 1450.	5.1	614
2	Influenza vaccine uptake, COVID-19 vaccination intention and vaccine hesitancy among nurses: A survey. International Journal of Nursing Studies, 2021, 114, 103854.	5 . 6	477
3	Herd immunity – estimating the level required to halt the COVID-19 epidemics in affected countries. Journal of Infection, 2020, 80, e32-e33.	3.3	396
4	Global Incidence and Mortality for Prostate Cancer: Analysis of Temporal Patterns and Trends in 36 Countries. European Urology, 2016, 70, 862-874.	1.9	392
5	Vertebral Bone Mineral Density, Marrow Perfusion, and Fat Content in Healthy Men and Men with Osteoporosis: Dynamic Contrast-enhanced MR Imaging and MR Spectroscopy. Radiology, 2005, 236, 945-951.	7.3	384
6	Intention of nurses to accept coronavirus disease 2019 vaccination and change of intention to accept seasonal influenza vaccination during the coronavirus disease 2019 pandemic: A cross-sectional survey. Vaccine, 2020, 38, 7049-7056.	3.8	330
7	Community Responses during Early Phase of COVID-19 Epidemic, Hong Kong. Emerging Infectious Diseases, 2020, 26, 1575-1579.	4.3	327
8	Vertebral Marrow Fat Content and Diffusion and Perfusion Indexes in Women with Varying Bone Density: MR Evaluation. Radiology, 2006, 241, 831-838.	7.3	309
9	Impact of COVID-19 on loneliness, mental health, and health service utilisation: a prospective cohort study of older adults with multimorbidity in primary care. British Journal of General Practice, 2020, 70, e817-e824.	1.4	277
10	Epidemiology of multimorbidity in China and implications for the healthcare system: cross-sectional survey among 162,464 community household residents in southern China. BMC Medicine, 2014, 12, 188.	5 . 5	203
11	Change of Willingness to Accept COVID-19 Vaccine and Reasons of Vaccine Hesitancy of Working People at Different Waves of Local Epidemic in Hong Kong, China: Repeated Cross-Sectional Surveys. Vaccines, 2021, 9, 62.	4.4	188
12	Willingness of Hong Kong healthcare workers to accept pre-pandemic influenza vaccination at different WHO alert levels: two questionnaire surveys. BMJ: British Medical Journal, 2009, 339, b3391-b3391.	2.3	173
13	Mindfulness-based interventions: an overall review. British Medical Bulletin, 2021, 138, 41-57.	6.9	152
14	COVID-19 pandemic, infodemic and the role of eHealth literacy. International Journal of Nursing Studies, 2020, 108, 103644.	5.6	148
15	Receptive Music Therapy Is More Effective than Interactive Music Therapy to Relieve Behavioral and Psychological Symptoms of Dementia: A Systematic Review and Meta-Analysis. Journal of the American Medical Directors Association, 2018, 19, 568-576.e3.	2.5	132
16	Comparison of the immunogenicity of <scp>BNT162b2</scp> and <scp>CoronaVac COVID</scp> â€19 vaccines in Hong Kong. Respirology, 2022, 27, 301-310.	2.3	127
17	Validation of a Chinese Version of the Five Facet Mindfulness Questionnaire in Hong Kong and Development of a Short Form. Assessment, 2014, 21, 363-371.	3.1	125
18	Angiotensin converting enzyme inhibitor use is associated with higher bone mineral density in elderly Chinese. Bone, 2006, 38, 584-588.	2.9	123

#	Article	IF	Citations
19	Effect of facemasks on empathy and relational continuity: a randomised controlled trial in primary care. BMC Family Practice, 2013, 14, 200.	2.9	116
20	Sociodemographic Predictors of Health Risk Perception, Attitude and Behavior Practices Associated with Health-Emergency Disaster Risk Management for Biological Hazards: The Case of COVID-19 Pandemic in Hong Kong, SAR China. International Journal of Environmental Research and Public Health, 2020, 17, 3869.	2.6	116
21	Nutrient intake and psychological health in an elderly Chinese population. International Journal of Geriatric Psychiatry, 2006, 21, 1036-1043.	2.7	115
22	Patient enablement requires physician empathy: a cross-sectional study of general practice consultations in areas of high and low socioeconomic deprivation in Scotland. BMC Family Practice, 2012, 13, 6.	2.9	115
23	The Effects of Mindfulness-Based Stress Reduction Program on the Mental Health of Family Caregivers: A Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2014, 83, 45-53.	8.8	108
24	Acupuncture and Related Therapies for Symptom Management in Palliative Cancer Care. Medicine (United States), 2016, 95, e2901.	1.0	108
25	Public preference for COVIDâ€19 vaccines in China: A discrete choice experiment. Health Expectations, 2020, 23, 1543-1578.	2.6	108
26	Bone mineral density and the risk of peripheral arterial disease in men and women: results from Mr. and Ms Os, Hong Kong. Osteoporosis International, 2005, 16, 1933-1938.	3.1	107
27	Bone marrow diffusion in osteoporosis: Evaluation with quantitative MR diffusion imaging. Journal of Magnetic Resonance Imaging, 2004, 19, 222-228.	3.4	102
28	Safety of Acupuncture: Overview of Systematic Reviews. Scientific Reports, 2017, 7, 3369.	3.3	101
29	Effectiveness of acupuncture and related therapies for palliative care of cancer: overview of systematic reviews. Scientific Reports, 2015, 5, 16776.	3.3	97
30	The association between shift duty and abnormal eating behavior among nurses working in a major hospital: A cross-sectional study. International Journal of Nursing Studies, 2010, 47, 1021-1027.	5 . 6	93
31	Views on traditional <scp>C</scp> hinese medicine amongst <scp>C</scp> hinese population: a systematic review of qualitative and quantitative studies. Health Expectations, 2014, 17, 622-636.	2.6	93
32	Incidence and mortality of kidney cancer: temporal patterns and global trends in 39 countries. Scientific Reports, 2017, 7, 15698.	3.3	92
33	Depression and bone mineral density: is there a relationship in elderly Asian men? Results from Mr. Os (Hong Kong). Osteoporosis International, 2005, 16, 610-615.	3.1	90
34	Integrated care for older populations and its implementation facilitators and barriers: A rapid scoping review. International Journal for Quality in Health Care, 2017, 29, 327-334.	1.8	90
35	Comparing the Effectiveness of Mindfulness-based Stress Reduction and Multidisciplinary Intervention Programs for Chronic Pain. Clinical Journal of Pain, 2011, 27, 724-734.	1.9	85
36	Comparison of primary care experiences among adults in general outpatient clinics and private general practice clinics in Hong Kong. BMC Public Health, 2010, 10, 397.	2.9	83

#	Article	IF	CITATIONS
37	Knowledge, Attitudes, and Preferences of Advance Decisions, End-of-Life Care, and Place of Care and Death in Hong Kong. AÂPopulation-Based Telephone Survey of 1067 Adults. Journal of the American Medical Directors Association, 2017, 18, 367.e19-367.e27.	2.5	78
38	Lower urinary tract symptoms and depressive symptoms in elderly men. Journal of Affective Disorders, 2006, 96, 83-88.	4.1	77
39	Neighbouring green space and mortality in community-dwelling elderly Hong Kong Chinese: a cohort study. BMJ Open, 2017, 7, e015794.	1.9	77
40	What can countries learn from Hong Kong's response to the COVID-19 pandemic?. Cmaj, 2020, 192, E511-E515.	2.0	72
41	Informal home care providers: the forgotten health-care workers during the COVID-19 pandemic. Lancet, The, 2020, 395, 1957-1959.	13.7	72
42	The Effects of Family-Based Mindfulness Intervention on ADHD Symptomology in Young Children and Their Parents: A Randomized Control Trial. Journal of Attention Disorders, 2020, 24, 667-680.	2.6	67
43	Patients' Experiences in Different Models of Community Health Centers in Southern China. Annals of Family Medicine, 2013, 11, 517-526.	1.9	66
44	Hypertonic dextrose injections (prolotherapy) in the treatment of symptomatic knee osteoarthritis: A systematic review and meta-analysis. Scientific Reports, 2016, 6, 25247.	3.3	66
45	Mindfulness-based cognitive therapy <i>v.</i> group psychoeducation for people with generalised anxiety disorder: Randomised controlled trial. British Journal of Psychiatry, 2016, 209, 68-75.	2.8	65
46	The influence of multi-morbidity and self-reported socio-economic standing on the prevalence of depression in an elderly Hong Kong population. BMC Public Health, 2008, 8, 119.	2.9	62
47	Chinese Herbal Medicine for Symptom Management in Cancer Palliative Care. Medicine (United States), 2016, 95, e2793.	1.0	61
48	Healthcare workers' duty concerns of working in the isolation ward during the novel H1N1 pandemic. Journal of Clinical Nursing, 2012, 21, 1466-1475.	3.0	60
49	Will the community nurse continue to function during H1N1 influenza pandemic: a cross-sectional study of Hong Kong community nurses?. BMC Health Services Research, 2010, 10, 107.	2.2	59
50	Deprivation is associated with worse physical and mental health beyond income poverty: a population-based household survey among Chinese adults. Quality of Life Research, 2018, 27, 2127-2135.	3.1	58
51	Internal migration and depressive symptoms among migrant factory workers in Shenzhen, China. Journal of Community Psychology, 2011, 39, 212-230.	1.8	57
52	Geriatric syndromes, multimorbidity, and disability overlap and increase healthcare use among older Chinese. BMC Geriatrics, 2018, 18, 147.	2.7	57
53	The development of urban community health centres for strengthening primary care in China: a systematic literature review. British Medical Bulletin, 2015, 116, ldv043.	6.9	56
54	Relationships of Multimorbidity and Income With Hospital Admissions in 3 Health Care Systems. Annals of Family Medicine, 2015, 13, 164-167.	1.9	56

#	Article	IF	CITATIONS
55	Effectiveness of Chinese herbal medicine for cancer palliative care: overview of systematic reviews with meta-analyses. Scientific Reports, 2015, 5, 18111.	3.3	55
56	Depressive symptoms and lifestyle factors as risk factors of lower urinary tract symptoms in Southern Chinese men: a prospective study. Aging Male, 2010, 13, 113-119.	1.9	54
57	Epidemiological characteristics of the first 53 laboratory-confirmed cases of COVID-19 epidemic in Hong Kong, 13 February 2020. Eurosurveillance, 2020, 25, .	7. 0	54
58	Comparing the Effects of Mindfulness-Based Cognitive Therapy and Sleep Psycho-Education with Exercise on Chronic Insomnia: A Randomised Controlled Trial. Psychotherapy and Psychosomatics, 2017, 86, 241-253.	8.8	53
59	Effectiveness of smartphone technologies on glycaemic control in patients with type 2 diabetes: systematic review with metaâ€analysis of 17 trials. Obesity Reviews, 2018, 19, 825-838.	6.5	53
60	How did general practitioners protect themselves, their family, and staff during the SARS epidemic in Hong Kong?. Journal of Epidemiology and Community Health, 2004, 58, 180-185.	3.7	52
61	Socioeconomic Determinants of Multimorbidity: A Population-Based Household Survey of Hong Kong Chinese. PLoS ONE, 2015, 10, e0140040.	2.5	51
62	Prevalence and risk factors of community-associated methicillin-resistant Staphylococcus aureus carriage in Asia-Pacific region from 2000 to 2016: a systematic review and meta-analysis. Clinical Epidemiology, 2018, Volume 10, 1489-1501.	3.0	50
63	Comparative Effectiveness and Safety of Monodrug Therapies for Lower Urinary Tract Symptoms Associated With Benign Prostatic Hyperplasia. Medicine (United States), 2015, 94, e974.	1.0	49
64	Recall Tests Are Effective to Detect Mild Cognitive Impairment: A Systematic Review and Meta-analysis of 108 Diagnostic Studies. Journal of the American Medical Directors Association, 2017, 18, 807.e17-807.e29.	2.5	48
65	A randomized placebo controlled trial of vitamin B12 supplementation to prevent cognitive decline in older diabetic people with borderline low serum vitamin B12. Clinical Nutrition, 2017, 36, 1509-1515.	5.0	48
66	The Safety of Mindfulness-Based Interventions: a Systematic Review of Randomized Controlled Trials. Mindfulness, 2018, 9, 1344-1357.	2.8	46
67	Prevalence of and risk factors for androgen deficiency in middle-aged men in Hong Kong. Metabolism: Clinical and Experimental, 2006, 55, 1488-1494.	3.4	45
68	Detection and management of depression in adult primary care patients in Hong Kong: a cross-sectional survey conducted by a primary care practice-based research network. BMC Family Practice, 2014, 15, 30.	2.9	43
69	Methodological quality of meta-analyses on treatments for chronic obstructive pulmonary disease: a cross-sectional study using the AMSTAR (Assessing the Methodological Quality of Systematic Reviews) tool. Npj Primary Care Respiratory Medicine, 2015, 25, 14102.	2.6	43
70	Depression and Antidepressants as Potential Risk Factors in Dementia: A Systematic Review and Meta-analysis of 18 Longitudinal Studies. Journal of the American Medical Directors Association, 2019, 20, 279-286.e1.	2.5	41
71	How to provide an effective primary health care in fighting against severe acute respiratory syndrome: The experiences of two cities. American Journal of Infection Control, 2007, 35, 50-55.	2.3	40
72	Referral to and attitude towards traditional Chinese medicine amongst western medical doctors in postcolonial Hong Kong. Social Science and Medicine, 2011, 72, 247-255.	3.8	40

#	Article	IF	Citations
73	Care Toward the End of Life in Older Populations and Its Implementation Facilitators and Barriers: A Scoping Review. Journal of the American Medical Directors Association, 2017, 18, 1000-1009.e4.	2.5	40
74	Comparing Quality of Public Primary Care between Hong Kong and Shanghai Using Validated Patient Assessment Tools. PLoS ONE, 2015, 10, e0121269.	2.5	39
7 5	Self-Perceived Social Status and Health in Older Hong Kong Chinese Women Compared with Men. Women and Health, 2008, 48, 209-234.	1.0	38
76	Evaluation of chronic disease self-management programme (CDSMP) for older adults in Hong Kong. Journal of Nutrition, Health and Aging, 2011, 15, 209-214.	3.3	38
77	Short-term reproducibility of ambulatory blood pressure measurements: a systematic review and meta-analysis of 35 observational studies. Journal of Hypertension, 2020, 38, 2095-2109.	0.5	38
78	Housing affordability effects on physical and mental health: household survey in a population with the world's greatest housing affordability stress. Journal of Epidemiology and Community Health, 2020, 74, 164-172.	3.7	38
79	Psychobehavioral Responses and Likelihood of Receiving COVID-19 Vaccines during the Pandemic, Hong Kong. Emerging Infectious Diseases, 2021, 27, 1802-1810.	4.3	38
80	Comparison of perceived quality amongst migrant and local patients using primary health care delivered by community health centres in Shenzhen, China. BMC Family Practice, 2014, 15, 76.	2.9	37
81	Chinese Herbal Medicine for Improving Quality of Life Among Nonsmall Cell Lung Cancer Patients. Medicine (United States), 2016, 95, e2410.	1.0	37
82	The Cross-cultural Validity of the Five-Facet Mindfulness Questionnaire Across 16 Countries. Mindfulness, 2020, 11, 1226-1237.	2.8	37
83	Risk of depression in patients with chronic respiratory diseases: results from two large cohort studies in Chinese elderly from Hong Kong. International Journal of Geriatric Psychiatry, 2006, 21, 233-238.	2.7	36
84	Association between Air Pollution and General Outpatient Clinic Consultations for Upper Respiratory Tract Infections in Hong Kong. PLoS ONE, 2014, 9, e86913.	2.5	36
85	Changes in the perceived quality of primary care in Shanghai and Shenzhen, China: a difference-in-difference analysis. Bulletin of the World Health Organization, 2015, 93, 407-416.	3.3	36
86	A Cross-Diagnostic Investigation of the Differential Impact of Discrimination on Clinical and Personal Recovery. Psychiatric Services, 2017, 68, 159-166.	2.0	36
87	Mindfulness-Based Intervention for Chinese Children with ADHD and Their Parents: a Pilot Mixed-Method Study. Mindfulness, 2017, 8, 859-872.	2.8	35
88	Acupuncture and related therapies used as add-on or alternative to prokinetics for functional dyspepsia: overview of systematic reviews and network meta-analysis. Scientific Reports, 2017, 7, 10320.	3.3	35
89	Experience of famine and bone health in post-menopausal women. International Journal of Epidemiology, 2007, 36, 1143-1150.	1.9	34
90	The association between multimorbidity and poor adherence with cardiovascular medications. International Journal of Cardiology, 2014, 177, 477-482.	1.7	34

#	Article	IF	Citations
91	Novel coronavirus (2019-nCoV) cases in Hong Kong and implications for further spread. Journal of Infection, 2020, 80, 671-693.	3.3	34
92	Comparing Public Perceptions and Preventive Behaviors During the Early Phase of the COVID-19 Pandemic in Hong Kong and the United Kingdom: Cross-sectional Survey Study. Journal of Medical Internet Research, 2021, 23, e23231.	4.3	33
93	Is dietary counselling effective in increasing dietary calcium, protein and energy intake in patients with osteoporotic fractures? A randomized controlled clinical trial. Journal of Human Nutrition and Dietetics, 2004, 17, 359-364.	2.5	32
94	Correlates for a low ankle–brachial index in elderly Chinese. Atherosclerosis, 2006, 186, 360-366.	0.8	32
95	Effect and Acceptability of Mindfulness-Based Stress Reduction Program on Patients With Elevated Blood Pressure or Hypertension. Hypertension, 2020, 76, 1992-2001.	2.7	32
96	Risk factors for lower urinary tract symptoms in southern Chinese men. Urology, 2006, 68, 1009-1014.	1.0	31
97	Reduced prostate cancer risk with green tea and epigallocatechin 3-gallate intake among Hong Kong Chinese men. Prostate Cancer and Prostatic Diseases, 2017, 20, 318-322.	3.9	31
98	Night shift work exposure profile and obesity: Baseline results from a Chinese night shift worker cohort. PLoS ONE, 2018, 13, e0196989.	2.5	31
99	Comparison of diagnostic performance of Two-Question Screen and 15 depression screening instruments for older adults: Systematic review and meta-analysis. British Journal of Psychiatry, 2017, 210, 255-260.	2.8	30
100	Night shift work and abnormal liver function: is non-alcohol fatty liver a necessary mediator?. Occupational and Environmental Medicine, 2019, 76, 83-89.	2.8	30
101	The Chinese-version of the CARE Measure reliably differentiates between doctors in primary care: a cross-sectional study in Hong Kong. BMC Family Practice, 2011, 12, 43.	2.9	29
102	Comparison of three models of ownership of community health centres in China: a qualitative study. Journal of Health Services Research and Policy, 2015, 20, 162-169.	1.7	29
103	Combination Therapy Showed Limited Superiority Over Monotherapy for Alzheimer Disease: A Meta-analysis of 14 Randomized Trials. Journal of the American Medical Directors Association, 2016, 17, 863.e1-863.e8.	2.5	29
104	Applying Mindfulness to Benefit Economically Disadvantaged Families: A Randomized Controlled Trial. Research on Social Work Practice, 2019, 29, 753-765.	1.9	29
105	Views on Workplace Policies and its Impact on Health-Related Quality of Life During Coronavirus Disease (COVID-19) Pandemic: Cross-Sectional Survey of Employees. International Journal of Health Policy and Management, 2020, , .	0.9	29
106	Greater Fruit Intake was Associated With Better Bone Mineral Status Among Chinese Elderly Men and Women: Results of Hong Kong Mr. Os and Ms. Os Studies. Journal of the American Medical Directors Association, 2015, 16, 309-315.	2.5	28
107	Are meta-analyses of Chinese herbal medicine trials trustworthy and clinically applicable? A cross-sectional study. Journal of Ethnopharmacology, 2015, 162, 47-54.	4.1	28
108	Associations between dietary patterns and psychological factors: a cross-sectional study among Chinese postmenopausal women. Menopause, 2016, 23, 1294-1302.	2.0	28

#	Article	IF	CITATIONS
109	Treating Subthreshold Depression in Primary Care: A Randomized Controlled Trial of Behavioral Activation With Mindfulness. Annals of Family Medicine, 2018, 16, 111-119.	1.9	28
110	Mindfulness-Based Stress Reduction (MBSR) or Psychoeducation for the Reduction of Menopausal Symptoms: A Randomized, Controlled Clinical Trial. Scientific Reports, 2018, 8, 6609.	3.3	28
111	Epidemiology, clinical spectrum, viral kinetics and impact of <scp>COVID</scp> â€19 in the <scp>Asiaâ€Pacific</scp> region. Respirology, 2021, 26, 322-333.	2.3	28
112	Lower Urinary Tract Symptoms (LUTS) as a Risk Factor for Depressive Symptoms in Elderly Men: Results from a Large Prospective Study in Southern Chinese Men. PLoS ONE, 2013, 8, e76017.	2.5	28
113	Dietary acrylamide exposure was associated with increased cancer mortality in Chinese elderly men and women: a 11-year prospective study of Mr. and Ms. OS Hong Kong. Journal of Cancer Research and Clinical Oncology, 2017, 143, 2317-2326.	2.5	27
114	Meaning and its association with happiness, health and healthcare utilization: A cross-sectional study. Journal of Affective Disorders, 2018, 227, 795-802.	4.1	27
115	Multimorbidity in middle age predicts more subsequent hospital admissions than in older age: A nine-year retrospective cohort study of 121,188 discharged in-patients. European Journal of Internal Medicine, 2019, 61, 103-111.	2.2	27
116	Efficacy of Intra-Articular Hypertonic Dextrose (Prolotherapy) for Knee Osteoarthritis: A Randomized Controlled Trial. Annals of Family Medicine, 2020, 18, 235-242.	1.9	27
117	Evolving Epidemiological Characteristics of COVID-19 in Hong Kong From January to August 2020: Retrospective Study. Journal of Medical Internet Research, 2021, 23, e26645.	4.3	27
118	COVID-19 Vaccine-Related Psychological Stress Among General Public in China. Frontiers in Psychiatry, 2021, 12, 774504.	2.6	27
119	Sexual Activity, Erectile Dysfunction and Their Correlates among 1,566 Older Chinese Men in Southern China. Journal of Sexual Medicine, 2009, 6, 74-80.	0.6	26
120	Impact of childhood experience of famine on late life health. Journal of Nutrition, Health and Aging, 2010, 14, 91-95.	3.3	26
121	A comparison of cognitive-behavioral therapy, antidepressants, their combination and standard treatment for Chinese patients with moderate–severe major depressive disorders. Journal of Affective Disorders, 2014, 152-154, 262-267.	4.1	26
122	What Happened to People with Non-Communicable Diseases during COVID-19: Implications of H-EDRM Policies. International Journal of Environmental Research and Public Health, 2020, 17, 5588.	2.6	26
123	Attributes of primary care in community health centres in China and implications for equitable care: a cross-sectional measurement of patients' experiences. QJM - Monthly Journal of the Association of Physicians, 2015, 108, 549-560.	0.5	25
124	A Comparison of the Quality of Hypertension Management in Primary Care Between Shanghai and Shenzhen. Medicine (United States), 2015, 94, e455.	1.0	25
125	Effects of nut consumption on selected inflammatory markers: a systematic review and meta-analysis of randomized controlled trials. Nutrition, 2018, 54, 129-143.	2.4	25
126	The association between isoflavone and lower urinary tract symptoms in elderly men. British Journal of Nutrition, 2007, 98, 1237-1242.	2.3	24

#	Article	IF	CITATIONS
127	Dietary acrylamide exposure was associated with mild cognition decline among non-smoking Chinese elderly men. Scientific Reports, 2017, 7, 6395.	3.3	24
128	Quality of Palliative and End-Of-Life Care in Hong Kong: Perspectives of Healthcare Providers. International Journal of Environmental Research and Public Health, 2020, 17, 5130.	2.6	24
129	Compliance with Standard Precautions and Its Relationship with Views on Infection Control and Prevention Policy among Healthcare Workers during COVID-19 Pandemic. International Journal of Environmental Research and Public Health, 2021, 18, 3420.	2.6	24
130	Fruit and Vegetable Intake in Relation to Lower Urinary Tract Symptoms and Erectile Dysfunction Among Southern Chinese Elderly Men. Medicine (United States), 2016, 95, e2557.	1.0	23
131	Electroacupuncture and splinting versus splinting alone to treat carpal tunnel syndrome: a randomized controlled trial. Cmaj, 2016, 188, 867-875.	2.0	23
132	Effects of a mindfulness-based intervention (MYmind) for children with ADHD and their parents: protocol for a randomised controlled trial. BMJ Open, 2018, 8, e022514.	1.9	23
133	Development of a simple scoring tool in the primary care setting for prediction of recurrent falls in men and women aged 65 years and over living in the community. Journal of Clinical Nursing, 2009, 18, 1038-1048.	3.0	22
134	Chronic psychosocial stress: does it modulate immunity to the influenza vaccine in Hong Kong Chinese elderly caregivers?. Age, 2013, 35, 1479-1493.	3.0	22
135	Patients' socioeconomic status and their evaluations of primary care in Hong Kong. BMC Health Services Research, 2013, 13, 487.	2.2	22
136	Integrating Traditional Chinese Medicine Services in Community Health Centers: Insights into Utilization Patterns in the Pearl River Region of China. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-8.	1.2	22
137	Prevention of anxiety and depression in Chinese: A randomized clinical trial testing the effectiveness of a stepped care program in primary care. Journal of Affective Disorders, 2014, 169, 212-220.	4.1	22
138	Collaborate across silos: Perceived barriers to integration of care for the elderly from the perspectives of service providers. International Journal of Health Planning and Management, 2018, 33, e768.	1.7	22
139	Dietary sugar intake was associated with increased body fatness but decreased cardiovascular mortality in Chinese elderly: an 11 -year prospective study of Mr and Ms OS of Hong Kong. International Journal of Obesity, 2018, 42, 808-816.	3.4	22
140	Cognitive training interventions and depression in mild cognitive impairment and dementia: a systematic review and meta-analysis of randomized controlled trials. Age and Ageing, 2020, 49, 738-747.	1.6	22
141	Will achieving herd immunity be a road to success to end the COVID-19 pandemic?. Journal of Infection, 2021, 83, 381-412.	3.3	22
142	Efficacy and practice of facemask use in general population: a systematic review and meta-analysis. Translational Psychiatry, 2022, 12, 49.	4.8	22
143	Mental Health of Migrant Children. International Journal of Mental Health, 2009, 38, 44-52.	1.3	21
144	Understanding suicidality and correlates among Chinese secondary school students in Hong Kong. Health Promotion International, 2009, 24, 156-165.	1.8	21

#	Article	IF	Citations
145	Willingness to accept H1N1 pandemic influenza vaccine: A cross-sectional study of Hong Kong community nurses. BMC Infectious Diseases, 2010, 10, 316.	2.9	21
146	Monotherapy Is Good Enough for Patients With Mildâ€toâ€Moderate Alzheimer's Disease: A Network Metaâ€Analysis of 76 Randomized Controlled Trials. Clinical Pharmacology and Therapeutics, 2019, 105, 121-130.	4.7	21
147	The Differential Effects of Social Media on Depressive Symptoms and Suicidal Ideation Among the Younger and Older Adult Population in Hong Kong During the COVID-19 Pandemic: Population-Based Cross-sectional Survey Study. JMIR Public Health and Surveillance, 2021, 7, e24623.	2.6	21
148	Influence of Vaccination Characteristics on COVID-19 Vaccine Acceptance Among Working-Age People in Hong Kong, China: A Discrete Choice Experiment. Frontiers in Public Health, 2021, 9, 793533.	2.7	21
149	Evaluation of the Impact of Human Papillomavirus DNA Self-sampling on the Uptake of Cervical Cancer Screening. Cancer Nursing, 2016, 39, E1-E11.	1.5	20
150	Performance Comparison among the Major Healthcare Financing Systems in Six Cities of the Pearl River Delta Region, Mainland China. PLoS ONE, 2012, 7, e46309.	2.5	20
151	A Prospective Study on the Association Between Lower Urinary Tract Symptoms (LUTS) and Erectile Dysfunction: Results from a Large Study in Elderly Chinese in Southern China. Journal of Sexual Medicine, 2009, 6, 2024-2031.	0.6	19
152	A randomized, controlled clinical trial: the effect of mindfulness-based cognitive therapy on generalized anxiety disorder among Chinese community patients: protocol for a randomized trial. BMC Psychiatry, 2011, 11, 187.	2.6	19
153	Is Alcohol Use Disorder Identification Test (AUDIT) or Its Shorter Versions More Useful to Identify Risky Drinkers in a Chinese Population? A Diagnostic Study. PLoS ONE, 2015, 10, e0117721.	2.5	19
154	The effect of a family-based mindfulness intervention on children with attention deficit and hyperactivity symptoms and their parents: design and rationale for a randomized, controlled clinical trial (Study protocol). BMC Psychiatry, 2016, 16, 65.	2.6	19
155	Non-specific effects of acupuncture and sham acupuncture in clinical trials from the patient's perspective: a systematic review of qualitative evidence. Acupuncture in Medicine, 2021, 39, 3-19.	1.0	19
156	Profiling vaccine believers and skeptics in nurses: A latent profile analysis. International Journal of Nursing Studies, 2022, 126, 104142.	5.6	19
157	Raw and Cooked Vegetable Consumption and Risk of Cardiovascular Disease: A Study of 400,000 Adults in UK Biobank. Frontiers in Nutrition, 2022, 9, 831470.	3.7	19
158	Does pulmonary rehabilitation give additional benefit over tiotropium therapy in primary care management of chronic obstructive pulmonary disease? Randomized controlled clinical trial in Hong Kong Chinese. Journal of Clinical Pharmacy and Therapeutics, 2005, 30, 567-573.	1.5	18
159	Primary care physicians in Hong Kong and Canada—how did their practices differ during the SARS epidemic?. Family Practice, 2005, 22, 361-366.	1.9	18
160	Antibiotic resistance rates and physician antibiotic prescription patterns of uncomplicated urinary tract infections in southern Chinese primary care. PLoS ONE, 2017, 12, e0177266.	2.5	18
161	Association of positive and adverse childhood experiences with risky behaviours and mental health indicators among Chinese university students in Hong Kong: an exploratory study. European Journal of Psychotraumatology, 2022, 13, .	2.5	18
162	Strengths, Weaknesses, and Development of Traditional Chinese Medicine in the Health System of Hong Kong: Through the Eyes of Future Western Doctors. Journal of Alternative and Complementary Medicine, 2006, 12, 185-189.	2.1	17

#	Article	IF	CITATIONS
163	The epidemiology and natural history of depressive disorders in Hong Kong's primary care. BMC Family Practice, 2011, 12, 129.	2.9	17
164	Primary care physicians' response to pandemic influenza in Hong Kong: a mixed quantitative and qualitative study. International Journal of Infectious Diseases, 2012, 16, e687-e691.	3.3	17
165	Guidance on the conversion of the Chinese versions of the Quick Inventory of Depressive Symptomatology-Self-Report (C-QIDS-SR) and the Montgomery–Asberg Scale (C-MADRS) in Chinese patients with major depression. Journal of Affective Disorders, 2014, 152-154, 530-533.	4.1	17
166	Evolving health policy for primary care in the Asia Pacific region. British Journal of General Practice, 2016, 66, e451-e453.	1.4	17
167	The association between types of regular primary care and hospitalization among people with and without multimorbidity: A household survey on 25,780 Chinese. Scientific Reports, 2016, 6, 29758.	3.3	17
168	Low DHEAS levels are associated with depressive symptoms in elderly Chinese men: results from a large study. Asian Journal of Andrology, 2011, 13, 898-902.	1.6	17
169	Characteristics and well-being of urban informal home care providers during COVID-19 pandemic: a population-based study. BMJ Open, 2020, 10, e041191.	1.9	17
170	An osteoporosis screening tool for Chinese men. Osteoporosis International, 2005, 16, 829-834.	3.1	16
171	The prevalence of Apo E4 genotype and its relationship to bone mineral density in Hong Kong Chinese. Journal of Bone and Mineral Metabolism, 2005, 23, 261-265.	2.7	16
172	Depression and lower urinary tract symptoms: Two important correlates of erectile dysfunction in middle-aged men in Hong Kong, China. International Journal of Urology, 2006, 13, 1304-1310.	1.0	16
173	The relationship between clinically relevant depressive symptoms and episodes and duration of all cause hospitalization in Southern Chinese elderly. Journal of Affective Disorders, 2009, 113, 272-278.	4.1	16
174	Postgraduate education for Chinese medicine practitioners: a Hong Kong perspective. BMC Medical Education, 2009, 9, 10.	2.4	16
175	Patient presentation and physician management of upper respiratory tract infections: a retrospective review of over 5 million primary clinic consultations in Hong Kong. BMC Family Practice, 2014, 15, 95.	2.9	16
176	Erectile Dysfunction is Associated with Subsequent Cardiovascular and Respiratory Mortality in Cohort of 1,436 Chinese Elderly Men. Journal of Sexual Medicine, 2015, 12, 1568-1576.	0.6	16
177	Physical Activity in People With Mental Illness in Hong Kong: Application of the Health Belief Model. Journal of Sport and Exercise Psychology, 2016, 38, 203-208.	1.2	16
178	What are the financial barriers to medical care among the poor, the sick and the disabled in the Special Administrative Region of China?. PLoS ONE, 2018, 13, e0205794.	2.5	16
179	Efficacy of intra-articular hypertonic dextrose prolotherapy versus normal saline for knee osteoarthritis: a protocol for a triple-blinded randomized controlled trial. BMC Complementary and Alternative Medicine, 2018, 18, 157.	3.7	16
180	The independent role of deprivation in abdominal obesity beyond income poverty. A population-based household survey in Chinese adults. Journal of Public Health, 2019, 41, 476-486.	1.8	16

#	Article	IF	Citations
181	Finding the positives from the COVID-19 pandemic: factors associated with posttraumatic growth among nurses in Hong Kong. Högre Utbildning, 2022, 13, 2005346.	3.0	16
182	Vaccine Resistance and Hesitancy among Older Adults Who Live Alone or Only with an Older Partner in Community in the Early Stage of the Fifth Wave of COVID-19 in Hong Kong. Vaccines, 2022, 10, 1118.	4.4	16
183	Maximum oxygen uptake and body composition of healthy Hong Kong Chinese adult men and women aged 20–Â64 years. Journal of Sports Sciences, 2008, 26, 295-302.	2.0	15
184	COHORT EFFECTS OF SUICIDE MORTALITY ARE SEX SPECIFIC IN THE RAPIDLY DEVELOPED HONG KONG CHINESE POPULATION, 1976-2010. Depression and Anxiety, 2016, 33, 558-566.	4.1	15
185	Sex-specific intergenerational trends in morbidity burden and multimorbidity status in Hong Kong community: an age-period-cohort analysis of repeated population surveys. BMJ Open, 2019, 9, e023927.	1.9	15
186	COVID-19 related health inequality exists even in a city where disease incidence is relatively low: a telephone survey in Hong Kong. Journal of Epidemiology and Community Health, 2021, 75, 616-623.	3.7	15
187	Brief Report: Mindfulness Training for Chinese Adolescents with Autism Spectrum Disorder and Their Parents in Hong Kong. Journal of Autism and Developmental Disorders, 2021, 51, 4147-4159.	2.7	15
188	Differential Impacts of Multimorbidity on COVID-19 Severity across the Socioeconomic Ladder in Hong Kong: A Syndemic Perspective. International Journal of Environmental Research and Public Health, 2021, 18, 8168.	2.6	15
189	Osteoporosis and transforming growth factor-beta-1 gene polymorphism in Chinese men and women. Journal of Bone and Mineral Metabolism, 2004, 22, 148-152.	2.7	14
190	Improving general practitioners' interviewing skills in managing patients with depression and anxiety: a randomized controlled clinical trial. Medical Teacher, 2007, 29, e175-e183.	1.8	14
191	Primary Care Physicians' Attitudes and Beliefs towards Chronic Low Back Pain: An Asian Study. PLoS ONE, 2015, 10, e0117521.	2.5	14
192	A Cross-Sectional Comparison of Perceived Quality of Primary Care by Hypertensive Patients in Shanghai and Shenzhen, China. Medicine (United States), 2015, 94, e1388.	1.0	14
193	Can HbA1c replace OGTT for the diagnosis of diabetes mellitus among Chinese patients with impaired fasting glucose?. Family Practice, 2015, 32, cmv077.	1.9	14
194	Epidemiological characteristics and methodological quality of meta-analyses on diabetes mellitus treatment: a systematic review. European Journal of Endocrinology, 2016, 175, 353-360.	3.7	14
195	Use of Traditional and Complementary Medicine as Self-Care Strategies in Community Health Centers. Medicine (United States), 2016, 95, e3761.	1.0	14
196	Methodological quality of systematic reviews on treatments for depression: a cross-sectional study. Epidemiology and Psychiatric Sciences, 2018, 27, 619-627.	3.9	14
197	Clinic-Based Patellar Mobilization Therapy for Knee Osteoarthritis: A Randomized Clinical Trial. Annals of Family Medicine, 2018, 16, 521-529.	1.9	14
198	Effects of Hypertonic Dextrose Injection (Prolotherapy) in Lateral Elbow Tendinosis: A Systematic Review and Meta-analysis. Archives of Physical Medicine and Rehabilitation, 2022, 103, 2209-2218.	0.9	14

#	Article	IF	CITATIONS
199	Depressive symptoms in middle-aged men: Results from a household survey in Hong Kong. Journal of Affective Disorders, 2006, 92, 215-220.	4.1	13
200	Clinically relevant depressive symptoms and peripheral arterial disease in elderly men and women. Results from a large cohort study in Southern China. Journal of Psychosomatic Research, 2007, 63, 471-476.	2.6	13
201	International primary care snapshots: Israel and China. British Journal of General Practice, 2015, 65, 250-251.	1.4	13
202	Chinese Herbal Medicine and Salmeterol and Fluticasone Propionate for Chronic Obstructive Pulmonary Disease. Medicine (United States), 2016, 95, e3702.	1.0	13
203	Help-seeking and antibiotic prescribing for acute cough in a Chinese primary care population: a prospective multicentre observational study. Npj Primary Care Respiratory Medicine, 2016, 26, 15080.	2.6	13
204	Sociodemographic moderation of the association between depression and stroke incidence in a retrospective cohort of 0.4 million primary care recipients with hypertension. Psychological Medicine, 2022, 52, 283-291.	4.5	13
205	Incidence of and Risk factors for Mild Cognitive Impairment in Chinese Older Adults with Multimorbidity in Hong Kong. Scientific Reports, 2020, 10, 4137.	3.3	13
206	Efficacy of hypertonic dextrose injection (prolotherapy) in temporomandibular joint dysfunction: a systematic review and meta-analysis. Scientific Reports, 2021, 11, 14638.	3.3	13
207	How are family doctors serving the Hong Kong community during the COVID-19 outbreak? A survey of HKCFP members., 2020, 26, 176-183.		13
208	Alcohol Tax Policy and Related Mortality. An Age-Period-Cohort Analysis of a Rapidly Developed Chinese Population, 1981–2010. PLoS ONE, 2014, 9, e99906.	2.5	13
209	The Association of Types of Training and Practice Settings with Doctors' Empathy and Patient Enablement among Patients with Chronic Illness in Hong Kong. PLoS ONE, 2015, 10, e0144492.	2.5	13
210	Population Adherence to Infection Control Behaviors during Hong Kong's First and Third COVID-19 Waves: A Serial Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2021, 18, 11176.	2.6	13
211	Depressive Symptoms and Change in Abdominal Obesity in the Elderly: Positive or Negative Association?. American Journal of Geriatric Psychiatry, 2011, 19, 730-742.	1.2	12
212	Systematic Review of Guidelines on Managing Patients with Harmful Use of Alcohol in Primary Healthcare Settings. Alcohol and Alcoholism, 2017, 52, 595-609.	1.6	12
213	Private ownership of primary care providers associated with patient perceived quality of care. Medicine (United States), 2017, 96, e5755.	1.0	12
214	Utilization of psychiatric care and antidepressants among people with different severity of depression: a population-based cohort study in Stockholm, Sweden. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 607-615.	3.1	12
215	Dietary sugar intake does not pose any risk of bone loss and non-traumatic fracture and is associated with a decrease in all-cause mortality among Chinese elderly: Finding from an 11-year longitudinal study of Mr. and Ms. OS Hong Kong. Bone, 2018, 116, 154-161.	2.9	12
216	Socioeconomic disparity in mortality risks widened across generations during rapid economic development in Hong Kong: an age-period-cohort analysis from 1976 to 2010. Annals of Epidemiology, 2018, 28, 743-752.e4.	1.9	12

#	Article	IF	Citations
217	Birth ball for pregnant women in labour research protocol: a multi-centre randomised controlled trial. BMC Pregnancy and Childbirth, 2019, 19, 153.	2.4	12
218	Cohort profile: The prospective study on Chinese elderly with multimorbidity in primary care in Hong Kong. BMJ Open, 2020, 10, e027279.	1.9	12
219	In silico prediction of influenza vaccine effectiveness by sequence analysis. Vaccine, 2021, 39, 1030-1034.	3.8	12
220	The Relationship Between Technology Use and Problem Technology Use and Potential Psychosocial Mechanisms: Population-Based Telephone Survey in Community Adults During COVID-19. Frontiers in Psychology, 2021, 12, 696271.	2.1	12
221	Healthcare needs, experiences and treatment burden in primary care patients with multimorbidity: An evaluation of process of care from patients' perspectives. Health Expectations, 2022, 25, 203-213.	2.6	12
222	Perceived poverty and health, and their roles in the poverty-health vicious cycle: a qualitative study of major stakeholders in the healthcare setting in Hong Kong. International Journal for Equity in Health, 2020, 19, 13.	3 . 5	12
223	Prevalence and Psychosocial Correlates of Depressive Symptoms in Urban Chinese Women during Midlife. PLoS ONE, 2014, 9, e110877.	2.5	12
224	Osteoporosis in Chinese patients with anorexia nervosa. International Journal of Eating Disorders, 2004, 36, 104-108.	4.0	11
225	Risk assessment model for invasive breast cancer in Hong Kong women. Medicine (United States), 2016, 95, e4515.	1.0	11
226	Recommending COVID-19 Vaccines to Patients: Practice and Concerns of Frontline Family Doctors. Vaccines, 2021, 9, 1319.	4.4	11
227	Antibiotic use among COVID-19 patients in Hong Kong, January 2018 to March 2021. Journal of Infection, 2022, 84, e129-e132.	3.3	11
228	Controlledâ€release oral melatonin supplementation for hypertension and nocturnal hypertension: A systematic review and metaâ€analysis. Journal of Clinical Hypertension, 2022, 24, 529-535.	2.0	11
229	Association between antipsychotic use and acute ischemic heart disease in women but not in men: a retrospective cohort study of over one million primary care patients. BMC Medicine, 2020, 18, 289.	5.5	10
230	Comparative Effectiveness of Interventions for Global Cognition in Patients With Mild Cognitive Impairment: A Systematic Review and Network Meta-Analysis of Randomized Controlled Trials. Frontiers in Aging Neuroscience, 2021, 13, 653340.	3.4	10
231	Effectiveness of a mindfulness intervention for older adults to improve emotional wellâ€being and cognitive function in a Chinese population: A randomized waitlistâ€controlled trial. International Journal of Geriatric Psychiatry, 2022, 37, .	2.7	10
232	Feeling Anxious Amid the COVID-19 Pandemic: Factors Associated With Anxiety Symptoms Among Nurses in Hong Kong. Frontiers in Psychology, 2021, 12, 748575.	2.1	10
233	Likelihood of COVID-19 vaccination among primary school students in Hong Kong. Clinical Microbiology and Infection, 2022, 28, 142-144.	6.0	10
234	Neuromuscular exercise for chronic musculoskeletal pain in older people: a randomised controlled trial in primary care in Hong Kong. British Journal of General Practice, 2021, 71, e226-e236.	1.4	10

#	Article	IF	CITATIONS
235	Approaches to multidrug-resistant organism prevention and control in long-term care facilities for older people: a systematic review and meta-analysis. Antimicrobial Resistance and Infection Control, 2022, 11, 7.	4.1	10
236	Differential associations among social support, health promoting behaviors, health-related quality of life and subjective well-being in older and younger persons: a structural equation modelling approach. Health and Quality of Life Outcomes, 2022, 20, 38.	2.4	10
237	Primary School Students' Online Learning During Coronavirus Disease 2019: Factors Associated With Satisfaction, Perceived Effectiveness, and Preference. Frontiers in Psychology, 2022, 13, 784826.	2.1	10
238	A qualitative study on why did the poorly-educated Chinese elderly fail to attend nurse-led case manager clinic and how to facilitate their attendance. International Journal for Equity in Health, 2015, 14, 10.	3.5	9
239	Neighbouring green space and all-cause mortality in elderly people in Hong Kong: a retrospective cohort study. Lancet, The, 2016, 388, S82.	13.7	9
240	Association between multiple skin tags and metabolic syndrome: A multicentre cross-sectional study in primary care. Diabetes and Metabolism, 2016, 42, 126-129.	2.9	9
241	Regular Source of Care for the Elderly: A Cross-National Comparative Study of Hong Kong With 11 Developed Countries. Journal of the American Medical Directors Association, 2017, 18, 807.e1-807.e8.	2.5	9
242	Clinical effectiveness of patella mobilisation therapy versus a waiting list control for knee osteoarthritis: a protocol for a pragmatic randomised clinical trial. BMJ Open, 2018, 8, e019103.	1.9	9
243	Poverty affects access to regular source of primary care among the general population in Hong Kong. Social Policy and Administration, 2019, 53, 854-871.	3.0	9
244	Chronic musculoskeletal pain prospectively predicts insomnia in older people, not moderated by age, gender or co-morbid illnesses. Scientific Reports, 2021, 11, 1593.	3.3	9
245	What are the barriers faced by general practitioners in treating depression and anxiety in Hong Kong?. International Journal of Clinical Practice, 2006, 60, 437-441.	1.7	8
246	Geographical and household variation in health-related quality of life in Hong Kong. Health and Place, 2010, 16, 315-320.	3.3	8
247	Gender differences in demographic and clinical features and prescribing patterns of psychotropic medications in patients with major depressive disorder in China. Comprehensive Psychiatry, 2013, 54, 1198-1202.	3.1	8
248	Obstetric professionals' perceptions of non-invasive prenatal testing for Down syndrome: clinical usefulness compared with existing tests and ethical implications. BMC Pregnancy and Childbirth, 2017, 17, 285.	2.4	8
249	Chinese Women's Drinking Patterns Before and After the Hong Kong Alcohol Policy Changes. Alcohol and Alcoholism, 2018, 53, 477-486.	1.6	8
250	Intra-articular and extra-articular platelet-rich plasma injections for knee osteoarthritis: A 26-week, single-arm, pilot feasibility study. Knee, 2019, 26, 1032-1040.	1.6	8
251	Noneffectiveness of electroacupuncture for comorbid generalized anxiety disorder and irritable bowel syndrome. Journal of Gastroenterology and Hepatology (Australia), 2019, 34, 1736-1742.	2.8	8
252	Preference of blood pressure measurement methods by primary care doctors in Hong Kong: a cross-sectional survey. BMC Family Practice, 2020, 21, 95.	2.9	8

#	Article	IF	Citations
253	Deprivation is associated with anxiety and stress. A population-based longitudinal household survey among Chinese adults in Hong Kong. Journal of Epidemiology and Community Health, 2021, 75, 335-342.	3.7	8
254	Comparison Between Automated Office Blood Pressure Measurements and Manual Office Blood Pressure Measurements—Implications in Individual Patients: a Systematic Review and Meta-analysis. Current Hypertension Reports, 2021, 23, 4.	3 . 5	8
255	Combined effects of chronic PM2.5 exposure and habitual exercise on cancer mortality: a longitudinal cohort study. International Journal of Epidemiology, 2022, 51, 225-236.	1.9	8
256	Using Chinese Version of MYMOP in Chinese Medicine Evaluation: Validity, Responsiveness and Minimally Important Change. Health and Quality of Life Outcomes, 2010, 8, 111.	2.4	7
257	Comparing Multimorbidity Patterns Among Discharged Middle-Aged and Older Inpatients Between Hong Kong and Zurich: A Hierarchical Agglomerative Clustering Analysis of Routine Hospital Records. Frontiers in Medicine, 2021, 8, 651925.	2.6	7
258	A Tale of 3 Asian Cities: How is Primary Care Responding to COVID-19 in Hong Kong, Singapore, and Beijing?. Annals of Family Medicine, 2021, 19, 48-54.	1.9	7
259	Hong Kong female's breast cancer awareness measure: Cross-sectional survey. World Journal of Clinical Oncology, 2019, 10, 98-109.	2.3	7
260	Comparative effectiveness of non-pharmacological interventions for depressive symptoms in mild cognitive impairment: systematic review with network meta-analysis. Aging and Mental Health, 2022, 26, 2129-2135.	2.8	7
261	Patterns and influencing factors of COVID-19 vaccination willingness among college students in China. Vaccine, 2022, 40, 3046-3054.	3.8	7
262	Mycophenolate mofetil for primary focal segmental glomerulosclerosis: systematic review. Renal Failure, 2013, 35, 914-929.	2.1	6
263	Characteristics and Methodological Quality of Metaâ€Analyses on Hypertension Treatments—A Crossâ€ S ectional Study. Journal of Clinical Hypertension, 2017, 19, 137-142.	2.0	6
264	A Brief Mindfulness-Based Family Psychoeducation Intervention for Chinese Young Adults With First Episode Psychosis: A Study Protocol. Frontiers in Psychology, 2019, 10, 516.	2.1	6
265	Behavioral activation with mindfulness in treating subthreshold depression in primary care: A cost-utility and cost-effectiveness analysis alongside a randomized controlled trial. Journal of Psychiatric Research, 2021, 132, 111-115.	3.1	6
266	A meta-regression evaluating the effectiveness and prognostic factors of oral phosphodiesterase type 5 inhibitors for the treatment of erectile dysfunction. Asian Journal of Andrology, 2016, 18, 60.	1.6	6
267	The Impact of Bedbug (Cimex spp.) Bites on Self-Rated Health and Average Hours of Sleep per Day: A Cross-Sectional Study among Hong Kong Bedbug Victims. Insects, 2021, 12, 1027.	2.2	6
268	Built Environment and Physical Activity among Adults in Hong Kong: Role of Public Leisure Facilities and Street Centrality. Land, 2022, 11, 243.	2.9	6
269	A Healthier Lifestyle Pattern for Cardiovascular Risk Reduction Is Associated With Better Bone Mass in Southern Chinese Elderly Men and Women. Medicine (United States), 2015, 94, e1283.	1.0	5
270	Randomised controlled trial of effect of whole soy replacement diet on features of metabolic syndrome in postmenopausal women: study protocol. BMJ Open, 2016, 6, e012741.	1.9	5

#	Article	IF	CITATIONS
271	Nurse-led hypertension management was well accepted and non-inferior to physician consultation in a Chinese population: a randomized controlled trial. Scientific Reports, 2018, 8, 10302.	3.3	5
272	Can voucher scheme enhance primary care provision for older adults: cross-sectional study in Hong Kong. BMC Geriatrics, 2020, 20, 442.	2.7	5
273	Prevalence and determinants of potentially inappropriate medication use in Hong Kong older patients: a cross-sectional study. BMJ Open, 2021, 11, e051527.	1.9	5
274	Unequal availability of workplace policy for prevention of coronavirus disease 2019 across occupations and its relationship with personal protection behaviours: a cross-sectional survey. International Journal for Equity in Health, 2021, 20, 200.	3.5	5
275	Caregivers' Experience of End-of-Life Stage Elderly Patients: Longitudinal Qualitative Interview. International Journal of Environmental Research and Public Health, 2022, 19, 2101.	2.6	5
276	Association of current income and reduction in income during the COVID-19 pandemic with anxiety and depression among non-healthcare workers. Journal of Mental Health, 0, , 1-12.	1.9	5
277	The relationship between worthlessness and mortality in a large cohort of Chinese elderly men. International Psychogeriatrics, 2011, 23, 609-615.	1.0	4
278	Assessing internal validity of clinical evidence on effectiveness of CHinese and integrative medicine: Proposed framework for a CHinese and Integrative Medicine Evidence RAting System (CHIMERAS). European Journal of Integrative Medicine, 2015, 7, 332-341.	1.7	4
279	Patients' experience of Chinese Medicine Primary Care Services: Implications on Improving Coordination and Continuity of Care. Scientific Reports, 2015, 5, 18853.	3.3	4
280	Sarcopenia and Chronic Musculoskeletal Pain in 729 Community-Dwelling Chinese Older Adults With Multimorbidity. Journal of the American Medical Directors Association, 2019, 20, 1349-1350.	2.5	4
281	Physical and mental health outcomes including behavior and attitudes in people having social contacts with COVID-19 patients. PLoS ONE, 2021, 16, e0245945.	2.5	4
282	Risk factors associated with bedbug (Cimex spp.) infestations among Hong Kong households: a cross-sectional study. Journal of Housing and the Built Environment, 0 , 1 .	1.8	4
283	Impact of interprofessional service-learning on the effectiveness of knowledge transfer of antimicrobial resistance to Hong Kong elders: a quasi-experiment. Antimicrobial Resistance and Infection Control, 2021, 10, 145.	4.1	4
284	Estimation of early phase local-to-local transmissibility and importation hazard of Coronavirus Disease 2019 (COVID-19) epidemic under assorted containment measures in Hong Kong. Travel Medicine and Infectious Disease, 2021, 45, 102226.	3.0	4
285	Does It Matter Who You Live with during COVID-19 Lockdown? Association of Living Arrangements with Psychosocial Health, Life Satisfaction, and Quality of Life: A Pilot Study. International Journal of Environmental Research and Public Health, 2022, 19, 1827.	2.6	4
286	Assessment of the severity of dementia: validity and reliability of the Chinese (Cantonese) version of the Hierarchic Dementia Scale (CVâ€HDS). International Journal of Geriatric Psychiatry, 2008, 23, 909-914.	2.7	3
287	Emotionless holism: Factor and rasch analysis of the Chinese Integrative Medicine Attitude Questionnaire. Chinese Journal of Integrative Medicine, 2012, 18, 457-465.	1.6	3
288	Association of Circulating 25(OH)D and Lower Urinary Tract Symptoms: A Four-Year Prospective Study among Elderly Chinese Men. Nutrients, 2016, 8, 273.	4.1	3

#	Article	IF	Citations
289	Ad Hoc Influenza Vaccination During Years of Significant Antigenic Drift in a Tropical City With 2 Seasonal Peaks. Medicine (United States), 2016, 95, e3359.	1.0	3
290	Electroacupuncture plus standard of care for managing refractory functional dyspepsia: protocol of a pragmatic trial with economic evaluation. BMJ Open, 2018, 8, e018430.	1.9	3
291	Trial Protocol: The use of mindfulness-based intervention for improving bracing compliance for adolescent idiopathic scoliosis patients: protocol for a randomised, controlled trial. Journal of Physiotherapy, 2018, 64, 193.	1.7	3
292	Translation, cross-cultural adaptation and validation of the traditional Chinese intermittent and constant osteoarthritis pain (ICOAP) questionnaire for knee osteoarthritis. BMJ Open, 2019, 9, e026006.	1.9	3
293	Facilitators and Barriers to Take Up Clinician-Collected and Self-Collected HPV Tests among Chinese Men Who Have Sex with Men. Viruses, 2021, 13, 705.	3.3	3
294	Effectiveness of nurse-led peri-discharge interventions for reducing 30-day hospital readmissions: Network meta-analysis. International Journal of Nursing Studies, 2021, 117, 103904.	5.6	3
295	Comparison of adaptive versions of the Hong Kong-specific criteria and 2015 Beers criteria for assessing potentially inappropriate medication use in Hong Kong older patients. BMC Geriatrics, 2021, 21, 379.	2.7	3
296	Joint effect between bisphenol A and alcohol consumption on benign prostatic hyperplasia: A case–control study in Hong Kong Chinese males. Prostate, 2021, 81, 1214-1224.	2.3	3
297	Mindfulness Awareness Is Associated With a Lower Risk of Anxiety and Depressive Symptoms in Older Adults With Neurocognitive Disorders. Frontiers in Psychiatry, 2021, 12, 721583.	2.6	3
298	A Pilot Cross-Sectional Study of Postpartum Wrist Pain in an Urban Chinese Population: Its Prevalence and Risk Factors. Pain Physician, 2017, 20, E711-E719.	0.4	3
299	Patient Perceptions of Expression of Empathy From Chinese Medicine Clinicians in a Chinese Population. Medicine (United States), 2016, 95, e3316.	1.0	2
300	A prospective cohort study of community functioning among psychiatric outpatients. Psychiatry Research, 2018, 259, 125-134.	3.3	2
301	Utility and Cost-effectiveness of Motivational Messaging to Increase Survey Response in Physicians. Field Methods, 2018, 30, 37-55.	0.8	2
302	The adoption of hypertension reference framework: An investigation among primary care physicians of Hong Kong. PLoS ONE, 2018, 13, e0205529.	2.5	2
303	Prevalence and risk factors of community-associated methicillin-resistant Staphylococcus aureus (CA-MRSA) carriage in Asia-Pacific region from 2000 to 2016: A systematic review and meta-analysis. International Journal of Infectious Diseases, 2018, 73, 135-136.	3.3	2
304	Incontinence and loneliness among Chinese older adults with multimorbidity in primary care: A cross-sectional study. Journal of Psychosomatic Research, 2019, 127, 109863.	2.6	2
305	Effectiveness of One-Stop Screening for Colorectal, Breast, and Prostate Cancers: A Population-Based Feasibility Study. Frontiers in Oncology, 2021, 11, 631666.	2.8	2
306	Synergistic Effect of Combination Interventions for Methicillin-Resistant Staphylococcus aureus Transmission Control in Nursing Homes: A Computation Modelling Evaluation with Heterogeneous Contact Mixing. Antibiotics, 2021, 10, 227.	3.7	2

#	Article	IF	CITATIONS
307	A Cross-Sectional Study Comparing Two Opt-Out HIV Testing Strategies in the Out-Patient Setting. Frontiers in Public Health, 2021, 9, 664494.	2.7	2
308	Provision of physical activity advice for patients with chronic diseases in Shenzhen, China. BMC Public Health, 2021, 21, 2143.	2.9	2
309	Public Rental Housing and Obesogenic Behaviors among Adults in Hong Kong: Mediator Role of Food and Physical Activity Environment. International Journal of Environmental Research and Public Health, 2022, 19, 2960.	2.6	2
310	Mindfulness-Based Intervention for Caregivers of Frail Older Chinese Adults: A Study Protocol. International Journal of Environmental Research and Public Health, 2022, 19, 5447.	2.6	2
311	Trajectory patterns of SARS-CoV-2 neutralising antibody response in convalescent COVID-19 patients. Communications Medicine, 2022, 2, .	4.2	2
312	Exercise Intervention to Normalize Blood Pressure and Nocturnal Dipping in HyperTensive Patients (END-HT): Protocol of a Randomized Controlled Trial. American Journal of Hypertension, 2021, 34, 753-759.	2.0	1
313	How common are Chinese patients with multimorbidity involved in decisionâ€making and having a treatment plan? A crossâ€sectional study. International Journal of Clinical Practice, 2021, 75, e14286.	1.7	1
314	Interfacing between primary and secondary care is needed. BMJ: British Medical Journal, 2004, 329, 403.3.	2.3	1
315	Health Inequality in Hong Kong. , 2017, , 89-116.		1
316	Comparative accuracies of automated and manual office blood pressure measurements in a Chinese population. Hypertension Research, 2021, , .	2.7	1
317	Effectiveness of Peri-Discharge Complex Interventions for Reducing 30-Day Readmissions among COPD Patients: Overview of Systematic Reviews and Network Meta-Analysis. International Journal of Integrated Care, 2022, 22, 7.	0.2	1
318	Health belief model for empowering parental toothbrushing and sugar intake control in reducing early childhood caries among young childrenâ€"study protocol for a cluster randomized controlled trial. Trials, 2022, 23, 298.	1.6	1
319	Prevalence and association of chronic musculoskeletal pain on self-management, glycemic control and quality of life among Chinese type 2 diabetes patients in primary care. Primary Care Diabetes, 2022, , .	1.8	1
320	Association between Information Dissemination and Compliance with Preventive Measures during the Coronavirus Disease Pandemic in Hong Kong Working Population: Cross-Sectional Survey. Challenges, 2022, 13, 17.	1.7	1
321	Morbidity Patterns in Primary Care in Hong Kong: Protocol for a Practice-Based Morbidity Survey. JMIR Research Protocols, 2022, 11, e37334.	1.0	1
322	Future of psychotherapy in the NHS: Psychotherapists require more than evidence based services to be recognised as professionals. BMJ: British Medical Journal, 2004, 329, 514.2.	2.3	0
323	Elderly healthcare service at the community health centers in the Pearl River Delta region, China. Family Medicine and Community Health, 2013, 1, 30-36.	1.6	0
324	OS 22-02 Hypertensive patients with multimorbidity in mainland China, Scotland, and Hong Kong. Journal of Hypertension, 2016, 34, e238.	0.5	0

#	Article	IF	CITATIONS
325	[LB.02.13] NURSE-LED REPEAT PRESCRIPTIONS FOR PATIENTS WITH CONTROLLED HYPERTENSION – A RANDOMIZED CONTROLLED TRIAL. Journal of Hypertension, 2017, 35, e255.	0.5	O
326	Authors' reply. British Journal of Psychiatry, 2017, 210, 85-85.	2.8	O
327	Efficacy of intra-articular hypertonic dextrose prolotherapy versus normal saline for knee osteoarthritis: a triple-blinded randomized controlled trial. Osteoarthritis and Cartilage, 2018, 26, S295.	1.3	O
328	IDDF2018-ABS-0047â€Acupuncture and related therapies for treating irritable bowel syndrome: overview of systematic reviews and network meta-analysis. , 2018, , .		0
329	INTENSIVE ANTIHYPERTENSIVE TREATMENT ON PATIENTS WITH LOW BLOOD PRESSURE VARIATION REDUCES RISK OF DEATH FROM CARDIOVASCULAR DISEASES. Journal of Hypertension, 2018, 36, e174.	0.5	O
330	IDDF2021-ABS-0182â€Effectiveness of complex interventions for reducing 30-day hospital readmissions among colorectal surgery patients: overview of systematic reviews and network meta-analysis. , 2021, , .		0
331	Role of computed tomography imaging in identifying COVID-19 cases. , 2020, 26, 167-168.		O
332	Are we more than the sum of our parts? Should we listen to Albert Einstein?. Australian Family Physician, 2005, 34, 291-2.	0.5	0
333	Outside Back Cover: Volume 25 Issue 1. Health Expectations, 2022, 25, .	2.6	O
334	Effect of prior outbreak work experience to future outbreak responses for nurses in Hong Kong: A cross-sectional study. Collegian, 2022, , .	1.3	0
335	Handgrip strength but not SARC-F score predicts cognitive impairment in older adults with multimorbidity in primary care: a cohort study. BMC Geriatrics, 2022, 22, 342.	2.7	O
336	Telephone Psychotherapy and Care Management for Depression. JAMA - Journal of the American Medical Association, 2004, 292, 2720.	7.4	0