
Hiroshi Keino

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7631461/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prognostic value of subfoveal choroidal thickness in newâ€onset acute <scp>Vogtâ€Koyanagiâ€Harada</scp> disease. Clinical and Experimental Ophthalmology, 2022, , .	2.6	0
2	Evaluation of disease activity in uveoretinitis associated with Behçet's disease. Immunological Medicine, 2021, 44, 86-97.	2.6	7
3	Long-term efficacy of early infliximab-induced remission for refractory uveoretinitis associated with BehA§et's disease. British Journal of Ophthalmology, 2021, 105, 1525-1533.	3.9	7
4	Anti-Inflammatory Effect of Dehydroxymethylepoxyquinomicin, a Nuclear factor‑κB Inhibitor, on Endotoxin-Induced Uveitis in Rats In vivo and In vitro. Ocular Immunology and Inflammation, 2020, 28, 240-248.	1.8	13
5	Effect of In Vivo Expansion of Regulatory T Cells with IL-2/anti-IL-2 Antibody Complex Plus Rapamycin on Experimental Autoimmune Uveoretinitis. Ocular Immunology and Inflammation, 2020, , 1-10.	1.8	3
6	Clinical features and visual outcomes of 111 patients with new-onset acute Vogt-Koyanagi-Harada disease treated with pulse intravenous corticosteroids. British Journal of Ophthalmology, 2019, 103, 274-278.	3.9	42
7	Efficacy of Infliximab for Early Remission Induction in Refractory Uveoretinitis Associated with Behçet Disease: A 2-year Follow-up Study. Ocular Immunology and Inflammation, 2017, 25, 46-51.	1.8	33
8	Retinoic acid receptor stimulation ameliorates experimental autoimmune optic neuritis. Clinical and Experimental Ophthalmology, 2015, 43, 558-567.	2.6	2
9	Development and validation of new diagnostic criteria for acute retinal necrosis. Japanese Journal of Ophthalmology, 2015, 59, 14-20.	1.9	63
10	Dehydroxymethylepoxyquinomicin, a novel nuclear factor–κB inhibitor, reduces chemokines and adhesion molecule expression induced by IL-1β in human corneal fibroblasts. Graefe's Archive for Clinical and Experimental Ophthalmology, 2015, 253, 557-563.	1.9	7
11	Behçet's disease ocular attack score 24: evaluation of ocular disease activity before and after initiation of infliximab. Japanese Journal of Ophthalmology, 2014, 58, 120-130.	1.9	47
12	Evaluation of the Long-Term Efficacy and Safety of Infliximab Treatment for Uveitis in Behçet's Disease. Ophthalmology, 2014, 121, 1877-1884.	5.2	103
13	Effect of Infliximab on Gene Expression Profiling in Behçet's Disease. , 2011, 52, 7681.		26
14	Decreased ocular inflammatory attacks and background retinal and disc vascular leakage in patients with Behcet's disease on infliximab therapy. British Journal of Ophthalmology, 2011, 95, 1245-1250.	3.9	67
15	Oral Administration of Retinoic Acid Receptor-α/β-Specific Ligand Am80 Suppresses Experimental Autoimmune Uveoretinitis. , 2011, 52, 1548.		18
16	Anti-inflammatory effect of retinoic acid on experimental autoimmune uveoretinitis. British Journal of Ophthalmology, 2010, 94, 802-807.	3.9	27
17	Penicillium endophthalmitis in necrotizing scleritis treated with topical corticosteroid and cyclosporin A. Japanese Journal of Ophthalmology, 2008, 52, 506-508.	1.9	1
18	Therapeutic effect of the potent IL-12/IL-23 inhibitor STA-5326 on experimental autoimmune uveoretinitis. Arthritis Research and Therapy, 2008, 10, R122.	3.5	22

#	Article	IF	CITATIONS
19	Compromised blood flow of the optic nerve head in acute retinal necrosis. Clinical and Experimental Ophthalmology, 0, , .	2.6	0