

Giuseppe Mancia

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7632477/giuseppe-mancia-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

647 papers	69,214 citations	111 h-index	252 g-index
693 ext. papers	80,234 ext. citations	5 avg, IF	7.51 L-index

#	Paper	IF	Citations
647	Uric Acid, Hypertensive Phenotypes, and Organ Damage: Data from the Pamela Study.. <i>Current Hypertension Reports</i> , 2022 , 24, 29	4.7	1
646	White-Coat Hypertension Without Organ Damage: Impact on Long-Term Mortality, New Hypertension, and New Organ Damage.. <i>Hypertension</i> , 2022 , HYPERTENSIONAHA12118792	8.5	3
645	Do recent meta-analyses truly prove that treatment with blood pressure-lowering drugs is beneficial at any blood pressure value, no matter how low? A critical review.. <i>Journal of Hypertension</i> , 2022 ,	1.9	2
644	Insights From Matched Office and Ambulatory Blood Pressure in Youth: Clinical Relevance.. <i>Hypertension</i> , 2022 , 101161HYPERTENSIONAHA12218993	8.5	0
643	Individualized Beta-Blocker Treatment for High Blood Pressure Dictated by Medical Comorbidities: Indications Beyond the 2018 European Society of Cardiology/European Society of Hypertension Guidelines.. <i>Hypertension</i> , 2022 , 101161HYPERTENSIONAHA12219020	8.5	1
642	Prescribing blood pressure lowering drugs irrespective of blood pressure?. <i>Journal of Hypertension</i> , 2022 , 40, 1050-1051	1.9	
641	Relationships between sympathetic markers and heart rate thresholds for cardiovascular risk in chronic heart failure.. <i>Clinical Research in Cardiology</i> , 2022 , 1	6.1	0
640	Methodological Aspects of Meta-Analyses Assessing the Effect of Blood Pressure-Lowering Treatment on Clinical Outcomes.. <i>Hypertension</i> , 2021 , HYPERTENSIONAHA12118413	8.5	3
639	The pressioni arteriose monitorate e loro associazioni (PAMELA) research project: a 25-year long journey. <i>Panminerva Medica</i> , 2021 ,	2	2
638	Regression of left ventricular hypertrophy in primary aldosteronism after adrenalectomy: a meta-analysis of echocardiographic studies. <i>Journal of Hypertension</i> , 2021 , 39, 775-783	1.9	3
637	Incident aortic root dilatation in the general population: findings from the Pamela study. <i>Journal of Hypertension</i> , 2021 , 40,	1.9	1
636	Left ventricular mass reduction and hypertrophy regression following renal artery revascularization: a meta-analysis. <i>Journal of Hypertension</i> , 2021 , 39, 4-11	1.9	1
635	2021 European Society of Hypertension practice guidelines for office and out-of-office blood pressure measurement. <i>Journal of Hypertension</i> , 2021 , 39, 1293-1302	1.9	69
634	Reverse dipping and subclinical cardiac organ damage: a meta-analysis of echocardiographic studies. <i>Journal of Hypertension</i> , 2021 , 39, 1505-1512	1.9	2
633	Predictive Importance of Blood Pressure Characteristics With Increasing Age in Healthy Men and Women: The MORGAM Project. <i>Hypertension</i> , 2021 , 77, 1076-1085	8.5	2
632	Highlights of the May issue. <i>Journal of Hypertension</i> , 2021 , 39, 815-818	1.9	
631	Seasonal variation in estimated cardiovascular risk in patients with type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 1494-1500	4.5	3

630	Adherence to Treatment by Initial Antihypertensive Mono and Combination Therapies. <i>American Journal of Hypertension</i> , 2021 , 34, 1083-1091	2.3	3
629	Short- and Long-Term Reproducibility of Nighttime Blood Pressure Phenotypes and Nocturnal Blood Pressure Reduction. <i>Hypertension</i> , 2021 , 77, 1745-1755	8.5	1
628	Pharmacological blood pressure lowering for primary and secondary prevention of cardiovascular disease across different levels of blood pressure: an individual participant-level data meta-analysis. <i>Lancet, The</i> , 2021 , 397, 1625-1636	4.0	101
627	Myocardial strain in hypertension: a meta-analysis of two-dimensional speckle tracking echocardiographic studies. <i>Journal of Hypertension</i> , 2021 , 39, 2103-2112	1.9	5
626	Omega-3 Fatty Acids and Coronary Artery Disease: More Questions Than Answers. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
625	Renal denervation in patients with versus without chronic kidney disease: results from the global SYMPLICITY Registry with follow-up data of 3 years. <i>Nephrology Dialysis Transplantation</i> , 2021 ,	4.3	6
624	Myocardial strain and left ventricular geometry: a meta-analysis of echocardiographic studies in systemic hypertension. <i>Journal of Hypertension</i> , 2021 , 39, 2297-2306	1.9	0
623	Polygenic risk scores predict diabetes complications and their response to intensive blood pressure and glucose control. <i>Diabetologia</i> , 2021 , 64, 2012-2025	10.3	6
622	Home blood pressure monitoring: methodology, clinical relevance and practical application: a 2021 position paper by the Working Group on Blood Pressure Monitoring and Cardiovascular Variability of the European Society of Hypertension. <i>Journal of Hypertension</i> , 2021 , 39, 1742-1767	1.9	15
621	CENTRAL AND PERIPHERAL SYMPATHETIC ACTIVATION IN HEART FAILURE. <i>Cardiovascular Research</i> , 2021 ,	9.9	3
620	Monotherapy vs combination treatments of different complexity: a meta-analysis of blood pressure lowering randomized outcome trials. <i>Journal of Hypertension</i> , 2021 , 39, 846-855	1.9	1
619	Cardiovascular outcomes at recommended blood pressure targets in middle-aged and elderly patients with type 2 diabetes mellitus compared to all middle-aged and elderly hypertensive study patients with high cardiovascular risk. <i>Blood Pressure</i> , 2021 , 30, 90-97	1.7	2
618	Cardiovascular outcomes at recommended blood pressure targets in middle-aged and elderly patients with type 2 diabetes mellitus and hypertension. <i>Blood Pressure</i> , 2021 , 30, 82-89	1.7	1
617	Adding Home and/or Ambulatory Blood Pressure to Office Blood Pressure for Cardiovascular Risk Prediction. <i>Hypertension</i> , 2021 , 77, 640-649	8.5	5
616	Renin-angiotensin-system inhibitors and all-cause mortality in patients with COVID-19: a systematic review and meta-analysis of observational studies. <i>Journal of Hypertension</i> , 2021 , 39, 784-794	1.9	17
615	Coronavirus disease 2019 and cardiovascular complications: focused clinical review. <i>Journal of Hypertension</i> , 2021 , 39, 1282-1292	1.9	23
614	Highlights of the March issue. <i>Journal of Hypertension</i> , 2021 , 39, 389-390	1.9	
613	Missing Verification of Source Data in Hypertension Research: The HYGIA PROJECT in Perspective. <i>Hypertension</i> , 2021 , 78, 555-558	8.5	6

612	Adherence to Lipid-Lowering Treatment by Single-Pill Combination of Statin and Ezetimibe. <i>Advances in Therapy</i> , 2021 , 38, 5270-5285	4.1	2
611	Sympathetic Neural Mechanisms Underlying Attended and Unattended Blood Pressure Measurement. <i>Hypertension</i> , 2021 , 78, 1126-1133	8.5	5
610	Elevated heart rate and cardiovascular risk in hypertension. <i>Journal of Hypertension</i> , 2021 , 39, 1060-1069	1.9	11
609	White-Coat Hypertension: Pathophysiological and Clinical Aspects: Excellence Award for Hypertension Research 2020. <i>Hypertension</i> , 2021 , 78, 1677-1688	8.5	12
608	Nocturnal blood pressure: the dark side of white-coat hypertension. <i>Journal of Hypertension</i> , 2020 , 38, 2404-2408	1.9	1
607	Blood Pressure-Lowering Profiles and Clinical Effects of Angiotensin Receptor Blockers Versus Calcium Channel Blockers. <i>Hypertension</i> , 2020 , 75, 1584-1592	8.5	6
606	Isolated Nocturnal Hypertension: What Do We Know and What Can We Do?. <i>Integrated Blood Pressure Control</i> , 2020 , 13, 63-69	3.5	7
605	Sympathetic overdrive in the metabolic syndrome: meta-analysis of published studies. <i>Journal of Hypertension</i> , 2020 , 38, 565-572	1.9	10
604	Update of the position paper on arterial hypertension and erectile dysfunction. <i>Journal of Hypertension</i> , 2020 , 38, 1220-1234	1.9	9
603	Antihypertensive Treatment in Elderly Frail Patients: Evidence From a Large Italian Database. <i>Hypertension</i> , 2020 , 76, 442-449	8.5	7
602	Association Between the European Society of Cardiology/European Society of Hypertension Heart Rate Thresholds for Cardiovascular Risk and Neuroadrenergic Markers. <i>Hypertension</i> , 2020 , 76, 577-582	8.5	13
601	Nonalcoholic Fatty Liver Disease and Advanced Fibrosis in US Adults Across Blood Pressure Categories. <i>Hypertension</i> , 2020 , 76, 562-568	8.5	14
600	Ambulatory blood pressure monitoring by a novel cuffless device: a pilot study. <i>Blood Pressure</i> , 2020 , 29, 375-381	1.7	1
599	Alternative kidney filtration markers and the risk of major macrovascular and microvascular events, and all-cause mortality in individuals with type 2 diabetes in the ADVANCE trial. <i>Journal of Diabetes</i> , 2020 , 12, 929-941	3.8	0
598	Circadian variations in blood pressure and their implications for the administration of antihypertensive drugs: is dosing in the evening better than in the morning?. <i>Journal of Hypertension</i> , 2020 , 38, 1396-1406	1.9	9
597	Hypertension in aortic stenosis: a focused review and recommendations for clinical practice. <i>Journal of Hypertension</i> , 2020 , 38, 1211-1219	1.9	11
596	American Versus European Hypertension Guidelines: The Case of White Coat Hypertension. <i>American Journal of Hypertension</i> , 2020 , 33, 629-633	2.3	2
595	Renin-Angiotensin-Aldosterone System Blockers and the Risk of Covid-19. <i>New England Journal of Medicine</i> , 2020 , 382, 2431-2440	59.2	709

594	Nutraceuticals and blood pressure control: a European Society of Hypertension position document. <i>Journal of Hypertension</i> , 2020 , 38, 799-812	1.9	22
593	Renal denervation in patients with end-stage renal disease and resistant hypertension on long-term haemodialysis. <i>Journal of Hypertension</i> , 2020 , 38, 936-942	1.9	11
592	Clinical correlates and subclinical cardiac organ damage in different extreme dipping patterns. <i>Journal of Hypertension</i> , 2020 , 38, 858-863	1.9	3
591	Left ventricular hypertrophy in isolated and dual masked hypertension. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 673-677	2.3	4
590	Balancing cardiovascular benefit and diabetogenic harm of therapy with statins: Real-world evidence from Italy. <i>Diabetes Research and Clinical Practice</i> , 2020 , 164, 108197	7.4	2
589	Statin treatment reduces the risk of death among elderly frail patients: evidence from a large population-based cohort. <i>European Journal of Preventive Cardiology</i> , 2020 ,	3.9	3
588	Women discontinue antihypertensive drug therapy more than men. Evidence from an Italian population-based study. <i>Journal of Hypertension</i> , 2020 , 38, 142-149	1.9	3
587	Targeting Concentric Left Ventricular Hypertrophy in Obstructive Sleep Apnea Syndrome. A Meta-analysis of Echocardiographic Studies. <i>American Journal of Hypertension</i> , 2020 , 33, 310-315	2.3	5
586	Severe impaired blood pressure control caused by baroreflex failure as a late sequela of neck irradiation. <i>Journal of Hypertension</i> , 2020 , 38, 553-556	1.9	0
585	Sex differences in the adherence of antihypertensive drugs: a systematic review with meta-analyses. <i>BMJ Open</i> , 2020 , 10, e036418	3	8
584	Salt and cardiovascular disease: insufficient evidence to recommend low sodium intake. <i>European Heart Journal</i> , 2020 , 41, 3363-3373	9.5	33
583	The U-shaped association between achieved blood pressure and risk of cardiovascular events and mortality in elderly and younger patients. <i>Journal of Hypertension</i> , 2020 , 38, 1559-1566	1.9	1
582	COVID-19, hypertension, and RAAS blockers: the BRACE-CORONA trial. <i>Cardiovascular Research</i> , 2020 , 116, e198-e199	9.9	10
581	Beta-blockers in hypertension: overview and meta-analysis of randomized outcome trials. <i>Journal of Hypertension</i> , 2020 , 38, 1669-1681	1.9	17
580	Obstructive sleep apnoea syndrome and left ventricular hypertrophy: a meta-analysis of echocardiographic studies. <i>Journal of Hypertension</i> , 2020 , 38, 1640-1649	1.9	2
579	Visit-to-visit blood pressure variability and renal outcomes: results from ONTARGET and TRANSCEND trials. <i>Journal of Hypertension</i> , 2020 , 38, 2050-2058	1.9	4
578	Visit-to-visit blood pressure variability in patients with type 2 diabetes with and without previous history of cardiovascular disease. <i>Journal of Hypertension</i> , 2020 , 38, 1737-1744	1.9	6
577	The impact of systolic and diastolic blood pressure variability on mortality is age dependent: Data from the Dublin Outcome Study. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 355-364	3.9	8

576	Limited reproducibility of MUCH and WUCH: evidence from the ELSA study. <i>European Heart Journal</i> , 2020 , 41, 1565-1571	9.5	23
575	Current perspective on the use of calcium channel blockers to treat hypertensive patients: the role of lercanidipine. <i>Future Cardiology</i> , 2019 , 15, 259-266	1.3	
574	Blood Pressure Non-Dipping and Obstructive Sleep Apnea Syndrome: A Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	27
573	Different effects of antihypertensive treatment on office and ambulatory blood pressure: a meta-analysis. <i>Journal of Hypertension</i> , 2019 , 37, 467-475	1.9	10
572	Sympathetic and baroreflex alterations in congestive heart failure with preserved, midrange and reduced ejection fraction. <i>Journal of Hypertension</i> , 2019 , 37, 443-448	1.9	26
571	Incident Left Ventricular Hypertrophy in Masked Hypertension. <i>Hypertension</i> , 2019 , 74, 56-62	8.5	12
570	Response to 'Comment on 2018 ESC/ESH Guidelines for the management of arterial hypertension'. <i>European Heart Journal</i> , 2019 , 40, 2093	9.5	1
569	Extreme Dipping: Always Means Nocturnal Hypotension?. <i>American Journal of Hypertension</i> , 2019 , 32, 842-847	2.3	8
568	Left atrial function in elite athletes: A meta-analysis of two-dimensional speckle tracking echocardiographic studies. <i>Clinical Cardiology</i> , 2019 , 42, 579-587	3.3	20
567	Cardiovascular outcomes and achieved blood pressure in patients with and without diabetes at high cardiovascular risk. <i>European Heart Journal</i> , 2019 , 40, 2032-2043	9.5	23
566	Left atrial volume in elite athletes: A meta-analysis of echocardiographic studies. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019 , 29, 922-932	4.6	4
565	Prevention and Treatment of Heart Failure in Hypertension Guidelines. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2019 , 393-402	0.1	
564	Two-Drug Combinations as First-Step Antihypertensive Treatment. <i>Circulation Research</i> , 2019 , 124, 1113-1123	11.23	28
563	Patterns of cardiovascular variability after long-term sino-aortic denervation in unanesthetized adult rats. <i>Scientific Reports</i> , 2019 , 9, 1232	4.9	3
562	Gender-related differences in serum uric acid in treated hypertensive patients from central and east European countries: findings from the Blood Pressure control rate and Cardiovascular Risk profile study. <i>Journal of Hypertension</i> , 2019 , 37, 380-388	1.9	30
561	Closed-Loop Cardiovascular Interactions and the Baroreflex Cardiac Arm: Modulations Over the 24 h and the Effect of Hypertension. <i>Frontiers in Physiology</i> , 2019 , 10, 477	4.6	6
560	Resistant Hypertension Management: Comparison of the 2017 American and 2018 European High Blood Pressure Guidelines. <i>Current Hypertension Reports</i> , 2019 , 21, 67	4.7	7
559	The relationship between eGFR slope and subsequent risk of vascular outcomes and all-cause mortality in type 2 diabetes: the ADVANCE-ON study. <i>Diabetologia</i> , 2019 , 62, 1988-1997	10.3	21

558	Response to: Myocardial fibrosis and arrhythmogenesis in elite athletes. <i>Clinical Cardiology</i> , 2019 , 42, 789	3.3	
557	Pheochromocytoma as a Clinical Model of Peripheral Sympathetic Overdrive: Old and New Findings. <i>Current Hypertension Reports</i> , 2019 , 21, 90	4.7	1
556	Effectiveness of two-drug therapy versus monotherapy as initial regimen in hypertension: A propensity score-matched cohort study in the UK Clinical Practice Research Datalink. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1572-1582	2.6	8
555	Extreme dipping: is the cardiovascular risk increased? An unsolved issue. <i>Journal of Hypertension</i> , 2019 , 37, 1917-1926	1.9	11
554	The Prognostic Effect of Circadian Blood Pressure Pattern on Long-Term Cardiovascular Outcome is Independent of Left Ventricular Remodeling. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	8
553	Acute Increases in Serum Creatinine After Starting Angiotensin-Converting Enzyme Inhibitor-Based Therapy and Effects of its Continuation on Major Clinical Outcomes in Type 2 Diabetes Mellitus. <i>Hypertension</i> , 2019 , 73, 84-91	8.5	24
552	Relationships between residual blood pressure variability and cognitive function in the general population of the PAMELA study. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 39-45	2.3	5
551	High Normal Blood Pressure and Left Ventricular Hypertrophy Echocardiographic Findings From the PAMELA Population. <i>Hypertension</i> , 2019 , 73, 612-619	8.5	16
550	Blood Pressure Measurement, White-Coat and Masked Hypertension. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2019 , 383-394	0.1	
549	Pre-hypertension and subclinical carotid damage: a meta-analysis. <i>Journal of Human Hypertension</i> , 2019 , 33, 34-40	2.6	5
548	Global Impact of the 2017 American College of Cardiology/American Heart Association Hypertension Guidelines: A Perspective From Italy. <i>Circulation</i> , 2018 , 137, 889-890	16.7	18
547	Target blood pressure and kidney protection. <i>Lancet Diabetes and Endocrinology</i> , 2018 , 6, 521-523	18.1	4
546	Carotid intima-media thickness and anti-hypertensive treatment: Focus on angiotensin II receptor blockers. <i>Pharmacological Research</i> , 2018 , 129, 20-26	10.2	2
545	Blood pressure targets in type 2 diabetes. Evidence against or in favour of an aggressive approach. <i>Diabetologia</i> , 2018 , 61, 517-525	10.3	9
544	Blood pressure variability and risk of cardiovascular events and death in patients with hypertension and different baseline risks. <i>European Heart Journal</i> , 2018 , 39, 2243-2251	9.5	109
543	Resistant hypertension: Renal denervation or intensified medical treatment?. <i>European Journal of Internal Medicine</i> , 2018 , 50, 6-11	3.9	11
542	Haemoglobin glycation index and risk for diabetes-related complications in the Action in Diabetes and Vascular Disease: Preterax and Diamicon Modified Release Controlled Evaluation (ADVANCE) trial. <i>Diabetologia</i> , 2018 , 61, 780-789	10.3	23
541	'Keep an eye' on the heart: retinal microcirculation disarray in congestive heart failure. <i>European Heart Journal</i> , 2018 , 39, 57-59	9.5	3

540	The importance of pulse pressure on cardiovascular risk and total mortality in the general population: Is sex relevant?. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 1001-1007	2.3	5
539	Isolated systolic hypertension in the young: a position paper endorsed by the European Society of Hypertension. <i>Journal of Hypertension</i> , 2018 , 36, 1222-1236	1.9	36
538	Uric acid and risk of new-onset metabolic syndrome, impaired fasting glucose and diabetes mellitus in a general Italian population: data from the Pressioni Arteriose Monitorate E Loro Associazioni study. <i>Journal of Hypertension</i> , 2018 , 36, 1492-1498	1.9	43
537	Treatment of hypertension: The ESH/ESC guidelines recommendations. <i>Pharmacological Research</i> , 2018 , 128, 315-321	10.2	44
536	Good adherence to therapy with statins reduces the risk of adverse clinical outcomes even among very elderly. Evidence from an Italian real-life investigation. <i>European Journal of Internal Medicine</i> , 2018 , 47, 25-31	3.9	10
535	Adherence to Antihypertensive and Cardiovascular Preventive Treatment: The Contribution of the Lombardy Database. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2018 , 43-56	0.1	
534	Early cardiovascular protection by initial two-drug fixed-dose combination treatment vs. monotherapy in hypertension. <i>European Heart Journal</i> , 2018 , 39, 3654-3661	9.5	42
533	Big Data and Blood Pressure Control: Insights from the PAMELA and BP-CARE Study Cohorts. <i>Current Hypertension Reports</i> , 2018 , 20, 82	4.7	3
532	Sympathetic Nervous System, Sleep, and Hypertension. <i>Current Hypertension Reports</i> , 2018 , 20, 74	4.7	23
531	The Sympathetic Nervous System in Hypertension. <i>Contemporary Endocrinology</i> , 2018 , 201-212	0.3	2
530	2018 ESC/ESH Guidelines for the management of arterial hypertension. <i>European Heart Journal</i> , 2018 , 39, 3021-3104	9.5	3698
529	White-Coat Hypertension: the Neglected Subgroup in Hypertension. <i>Korean Circulation Journal</i> , 2018 , 48, 552-564	2.2	10
528	Achieved diastolic blood pressure and pulse pressure at target systolic blood pressure (120-140 mmHg) and cardiovascular outcomes in high-risk patients: results from ONTARGET and TRANSCEND trials. <i>European Heart Journal</i> , 2018 , 39, 3105-3114	9.5	54
527	Pre-hypertension and subclinical cardiac damage: A meta-analysis of echocardiographic studies. <i>International Journal of Cardiology</i> , 2018 , 270, 302-308	3.2	12
526	Sympathetic Nerve Traffic Activation in Essential Hypertension and Its Correlates: Systematic Reviews and Meta-Analyses. <i>Hypertension</i> , 2018 , 72, 483-491	8.5	51
525	Neurogenic Hypertension 2018 , 381-382		
524	Treatment of Resistant Hypertension. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2018 , 639-652		
523	Uric Acid-Hypertension Relationships. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2018 , 351-382		

522	Association of metabolic syndrome with carotid thickening and plaque in the general population: A meta-analysis. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 4-10	2.3	11
521	Risk of new-onset metabolic syndrome associated with white-coat and masked hypertension: data from a general population. <i>Journal of Hypertension</i> , 2018 , 36, 1833-1839	1.9	15
520	MASKed-unconTrolled hypERTension management based on office BP or on ambulatory blood pressure measurement (MASTER) Study: a randomised controlled trial protocol. <i>BMJ Open</i> , 2018 , 8, e021038	2.3	20
519	Renal nerve ablation. <i>European Heart Journal</i> , 2018 , 39, 4060-4061	9.5	1
518	Exercise Treadmill Testing in Moderate or Severe Aortic Stenosis: The Left Ventricular Correlates of an Exaggerated Blood Pressure Rise. <i>Journal of the American Heart Association</i> , 2018 , 7, e010735	6	14
517	Initial Antihypertensive Treatment Strategies and Therapeutic Inertia. <i>Hypertension</i> , 2018 , 72, 846-853	8.5	33
516	2018 ESC/ESH Guidelines for the management of arterial hypertension: The Task Force for the management of arterial hypertension of the European Society of Cardiology and the European Society of Hypertension: The Task Force for the management of arterial hypertension of the European Society of Cardiology and the European Society of Hypertension. <i>Journal of Hypertension</i> , 2018 , 36, 1915-1920	1.9	1262
515	Perindopril 3.5 mg/amlodipine 2.5 mg versus renin-angiotensin system inhibitor monotherapy as first-line treatment in hypertension: a combined analysis. <i>Journal of Hypertension</i> , 2018 , 36, 1915-1920	1.9	3
514	Updated American Heart Association/American College of Cardiology; European Society of Hypertension/European Society of Cardiology Guidelines 2018 , 459-468		1
513	Ten Commandments of the 2018 ESC/ESH HTN Guidelines on Hypertension in Adults. <i>European Heart Journal</i> , 2018 , 39, 3007-3008	9.5	158
512	Night-time heart rate nondipping: clinical and prognostic significance in the general population. <i>Journal of Hypertension</i> , 2018 , 36, 1311-1317	1.9	15
511	Consensus statement on the definition of neurogenic supine hypertension in cardiovascular autonomic failure by the American Autonomic Society (AAS) and the European Federation of Autonomic Societies (EFAS) : Endorsed by the European Academy of Neurology (EAN) and the European Society of Hypertension (ESH). <i>Journal of Hypertension</i> , 2018 , 36, 1311-1317	4.3	102
510	The technical report on sodium intake and cardiovascular disease in low- and middle-income countries by the joint working group of the World Heart Federation, the European Society of Hypertension and the European Public Health Association. <i>European Heart Journal</i> , 2017 , 38, 712-719	9.5	52
509	The polypill in cardiovascular prevention: evidence, limitations and perspective - position paper of the European Society of Hypertension. <i>Journal of Hypertension</i> , 2017 , 35, 1546-1553	1.9	33
508	Improvement in health-related quality of life after renal sympathetic denervation in real-world hypertensive patients: 12-month outcomes in the Global SYMPPLICITY Registry. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 833-839	2.3	9
507	Renin-Angiotensin-Aldosterone System Is Not Involved in the Arterial Stiffening Induced by Acute and Prolonged Exposure to High Altitude. <i>Hypertension</i> , 2017 , 70, 75-84	8.5	5
506	Is night-time hypertension worse than daytime hypertension? A study on cardiac damage in a general population: the PAMELA study. <i>Journal of Hypertension</i> , 2017 , 35, 506-512	1.9	13
505	Long-term Saxagliptin Treatment Improves Endothelial Function but not Pulse Wave Velocity and Intima-Media Thickness in Type 2 Diabetic Patients. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2017 , 24, 393-400	2.9	11

504	Hypertension: Quarter dose quadpill combinations: a new therapeutic approach. <i>Nature Reviews Nephrology</i> , 2017 , 13, 266-267	14.9	2
503	Achieved blood pressure and cardiovascular outcomes in high-risk patients: results from ONTARGET and TRANSCEND trials. <i>Lancet, The</i> , 2017 , 389, 2226-2237	4.0	171
502	Protective effects of antihypertensive treatment in patients aged 85 years or older. <i>Journal of Hypertension</i> , 2017 , 35, 1432-1441	1.9	21
501	Annexin A5 in treated hypertensive patients and its association with target organ damage. <i>Journal of Hypertension</i> , 2017 , 35, 154-161	1.9	6
500	Blood pressure control in hypertension. Pros and cons of available treatment strategies. <i>Journal of Hypertension</i> , 2017 , 35, 225-233	1.9	30
499	Non-invasive cardiovascular imaging for evaluating subclinical target organ damage in hypertensive patients: A consensus paper from the European Association of Cardiovascular Imaging (EACVI), the European Society of Cardiology Council on Hypertension, and the European Society of Hypertension (ESH). <i>European Heart Journal: Cardiovascular Imaging</i> , 2017 , 18, 215-218	4.1	27
498	Relative and Combined Prognostic Importance of On-Treatment Mean and Visit-to-Visit Blood Pressure Variability in ONTARGET and TRANSCEND Patients. <i>Hypertension</i> , 2017 , 70, 938-948	8.5	19
497	Multicenter Randomized Double-Blind Comparison of Nebivolol plus HCTZ and Irbesartan plus HCTZ in the Treatment of Isolated Systolic Hypertension in Elderly Patients: Results of the NEHIS Study. <i>Advances in Therapy</i> , 2017 , 33, 2173-2187	4.1	7
496	Restoration of normal sympathetic neural function in heart failure following baroreflex activation therapy: final 43-month study report. <i>Journal of Hypertension</i> , 2017 , 35, 2532-2536	1.9	21
495	Clinical significance of diabetes likely induced by statins: Evidence from a large population-based cohort. <i>Diabetes Research and Clinical Practice</i> , 2017 , 133, 60-68	7.4	12
494	Cardiovascular Risk Associated With White-Coat Hypertension: Pro Side of the Argument. <i>Hypertension</i> , 2017 , 70, 668-675	8.5	28
493	Clinical and prognostic significance of a reverse dipping pattern on ambulatory monitoring: An updated review. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 713-721	2.3	53
492	Noninvasive cardiovascular imaging for evaluating subclinical target organ damage in hypertensive patients: a consensus article from the European Association of Cardiovascular Imaging, the European Society of Cardiology Council on Hypertension and the European Society of Hypertension. <i>Journal of Hypertension</i> , 2017 , 35, 1727-1741	1.9	24
491	Reliability of heart rate as neuroadrenergic marker in the metabolic syndrome. <i>Journal of Hypertension</i> , 2017 , 35, 1685-1690	1.9	13
490	Clinical and prognostic value of hypertensive cardiac damage in the PAMELA Study. <i>Hypertension Research</i> , 2017 , 40, 329-335	4.7	12
489	Uric Acid and New Onset Left Ventricular Hypertrophy: Findings From the PAMELA Population. <i>American Journal of Hypertension</i> , 2017 , 30, 279-285	2.3	19
488	Reply. <i>Journal of Hypertension</i> , 2017 , 35, 2551-2552	1.9	
487	Developing and validating a novel multisource comorbidity score from administrative data: a large population-based cohort study from Italy. <i>BMJ Open</i> , 2017 , 7, e019503	3	43

486	From 'essential' hypertension to intensive blood pressure lowering: the pros and cons of lower target values. <i>European Heart Journal</i> , 2017 , 38, 3258-3271	9.5	12
485	Reduced blood pressure-lowering effect of catheter-based renal denervation in patients with isolated systolic hypertension: data from SYMPLICITY HTN-3 and the Global SYMPLICITY Registry. <i>European Heart Journal</i> , 2017 , 38, 93-100	9.5	79
484	Should blood pressure reduction be aggressive in patients with hypertension and coronary artery disease?. <i>Lancet, The</i> , 2016 , 388, 2061-2062	4.0	2
483	A Case for Less Intensive Blood Pressure Control: It Matters to Achieve Target Blood Pressure Early and Sustained Below 140/90mmHg. <i>Progress in Cardiovascular Diseases</i> , 2016 , 59, 209-218	8.5	9
482	Treatment of high blood pressure in elderly and octogenarians: European Society of Hypertension statement on blood pressure targets. <i>Blood Pressure</i> , 2016 , 25, 333-336	1.7	24
481	Specific Blood Pressure Targets for Patients With Diabetic Nephropathy?. <i>Diabetes Care</i> , 2016 , 39 Suppl 2, S228-33	14.6	12
480	White Coat Hypertension: to Treat or Not to Treat?. <i>Current Hypertension Reports</i> , 2016 , 18, 80	4.7	19
479	New-onset left atrial enlargement in a general population. <i>Journal of Hypertension</i> , 2016 , 34, 1838-45	1.9	10
478	Nondipping pattern and carotid atherosclerosis: a systematic review and meta-analysis. <i>Journal of Hypertension</i> , 2016 , 34, 385-91; discussion 391-2	1.9	21
477	Medical treatment of stable angina: A tailored therapeutic approach. <i>International Journal of Cardiology</i> , 2016 , 220, 445-53	3.2	25
476	Methodology and technology for peripheral and central blood pressure and blood pressure variability measurement: current status and future directions - Position statement of the European Society of Hypertension Working Group on blood pressure monitoring and cardiovascular variability. <i>Journal of Hypertension</i> , 2016 , 34, 1665-77	1.9	89
475	Visit-to-Visit Blood Pressure Variability: An Insight Into the Mechanisms. <i>Hypertension</i> , 2016 , 68, 32-3	8.5	12
474	2016 European Guidelines on cardiovascular disease prevention in clinical practice: The Sixth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of 10 societies and by invited experts). Developed with the special contribution of the European Association for Cardiovascular Prevention & Rehabilitation (EACPR). <i>European Journal of Preventive Cardiology</i> , 2016 , 23, NP1-NP96	3.9	445
473	Effects of hypobaric hypoxia exposure at high altitude on left ventricular twist in healthy subjects: data from HIGHCARE study on Mount Everest. <i>European Heart Journal Cardiovascular Imaging</i> , 2016 , 17, 635-43	4.1	19
472	Preventing new-onset diabetes in thiazide-treated patients. <i>Lancet Diabetes and Endocrinology, the</i> , 2016 , 4, 90-2	18.1	8
471	Differential effects of enalapril-felodipine versus enalapril-lercanidipine combination drug treatment on sympathetic nerve traffic and metabolic profile in obesity-related hypertension. <i>Journal of the American Society of Hypertension</i> , 2016 , 10, 244-51		7
470	Cardiovascular outcomes at different on-treatment blood pressures in the hypertensive patients of the VALUE trial. <i>European Heart Journal</i> , 2016 , 37, 955-64	9.5	68
469	No evidence for a J-shaped curve in treated hypertensive patients with increased cardiovascular risk: The VALUE trial. <i>Blood Pressure</i> , 2016 , 25, 83-92	1.7	41

468	Optimization of Antihypertensive Drug Treatment in Resistant Hypertension. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2016 , 139-149	0.1	
467	Effects of the lercanidipine-enalapril combination vs. the corresponding monotherapies on home blood pressure in hypertension: evidence from a large database. <i>Journal of Hypertension</i> , 2016 , 34, 139-48	1.9	8
466	Nifedipine GITS/Candesartan Combination Therapy Lowers Blood Pressure Across Different Baseline Systolic and Diastolic Blood Pressure Categories: DISTINCT Study Subanalyses. <i>Journal of Clinical Pharmacology</i> , 2016 , 56, 1120-9	2.9	2
465	Risks associated with permanent discontinuation of blood pressure-lowering medications in patients with type 2 diabetes. <i>Journal of Hypertension</i> , 2016 , 34, 781-7	1.9	30
464	Renal denervation reduces office and ambulatory heart rate in patients with uncontrolled hypertension: 12-month outcomes from the global SYMPLICITY registry. <i>Journal of Hypertension</i> , 2016 , 34, 2480-2486	1.9	17
463	2016 European Society of Hypertension guidelines for the management of high blood pressure in children and adolescents. <i>Journal of Hypertension</i> , 2016 , 34, 1887-920	1.9	582
462	Hypertension types defined by clinic and ambulatory blood pressure in 14 143 patients referred to hypertension clinics worldwide. Data from the ARTEMIS study. <i>Journal of Hypertension</i> , 2016 , 34, 2187-98	1.9	64
461	Unattended Blood Pressure Measurements in the Systolic Blood Pressure Intervention Trial: Implications for Entry and Achieved Blood Pressure Values Compared With Other Trials. <i>Hypertension</i> , 2016 , 67, 808-12	8.5	148
460	Guía ESC 2016 sobre prevención de la enfermedad cardiovascular en la práctica clínica. <i>Revista Española De Cardiología</i> , 2016 , 69, 939.e1-939.e87	1.5	10
459	Impact of Empagliflozin on Blood Pressure in Patients With Type 2 Diabetes Mellitus and Hypertension by Background Antihypertensive Medication. <i>Hypertension</i> , 2016 , 68, 1355-1364	8.5	68
458	Nocturnal Hypertension and Subclinical Cardiac and Carotid Damage: An Updated Review and Meta-Analysis of Echocardiographic Studies. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 913-20	2.3	12
457	Trends in Prevalence, Awareness, Treatment, and Control of Blood Pressure Recorded From 2004 to 2014 During World Hypertension Day in Italy. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 551-6	2.3	36
456	First report of the Global SYMPLICITY Registry on the effect of renal artery denervation in patients with uncontrolled hypertension. <i>Hypertension</i> , 2015 , 65, 766-74	8.5	139
455	Generating evidence from computerized healthcare utilization databases. <i>Hypertension</i> , 2015 , 65, 490-8	8.5	51
454	Adherence with antihypertensive drug therapy and the risk of heart failure in clinical practice. <i>Hypertension</i> , 2015 , 66, 742-9	8.5	52
453	Non-Dipping Pattern and Subclinical Cardiac Damage in Untreated Hypertension: A Systematic Review and Meta-Analysis of Echocardiographic Studies. <i>American Journal of Hypertension</i> , 2015 , 28, 1392-402	2.3	22
452	Clinical value of ambulatory blood pressure: evidence and limits. <i>Circulation Research</i> , 2015 , 116, 1034-45	5.7	120
451	Ambulatory blood pressure in untreated and treated hypertensive patients at high altitude: the High Altitude Cardiovascular Research-Andes study. <i>Hypertension</i> , 2015 , 65, 1266-72	8.5	45

450	Statins use and the risk of all and subtype hematological malignancies: a meta-analysis of observational studies. <i>Cancer Medicine</i> , 2015 , 4, 770-80	4.8	23
449	Diagnostic and therapeutic problems of isolated systolic hypertension. <i>Journal of Hypertension</i> , 2015 , 33, 33-43	1.9	17
448	White-coat hypertension, as defined by ambulatory blood pressure monitoring, and subclinical cardiac organ damage: a meta-analysis. <i>Journal of Hypertension</i> , 2015 , 33, 24-32	1.9	60
447	Blood pressure responses to renal denervation precede and are independent of the sympathetic and baroreflex effects. <i>Hypertension</i> , 2015 , 65, 1209-16	8.5	47
446	Is white-coat hypertension a risk factor for carotid atherosclerosis? A review and meta-analysis. <i>Blood Pressure Monitoring</i> , 2015 , 20, 57-63	1.3	35
445	Ethnic differences in the degree of morning blood pressure surge and in its determinants between Japanese and European hypertensive subjects: data from the ARTEMIS study. <i>Hypertension</i> , 2015 , 66, 750-6	8.5	69
444	Antihypertensive Medications, Loop Diuretics, and Risk of Hip Fracture in the Elderly: A Population-Based Cohort Study of 81,617 Italian Patients Newly Treated Between 2005 and 2009. <i>Drugs and Aging</i> , 2015 , 32, 927-36	4.7	39
443	Untreated Masked Hypertension and Subclinical Cardiac Damage: A Systematic Review and Meta-analysis. <i>American Journal of Hypertension</i> , 2015 , 28, 806-13	2.3	50
442	Systolic and diastolic blood pressure changes in relation with myocardial infarction and stroke in patients with coronary artery disease. <i>Hypertension</i> , 2015 , 65, 108-14	8.5	52
441	Sympathetic activation in cardiovascular disease: evidence, clinical impact and therapeutic implications. <i>European Journal of Clinical Investigation</i> , 2015 , 45, 1367-75	4.6	116
440	Within-visit BP variability, cardiovascular risk factors, and BP control in central and eastern Europe: findings from the BP-CARE study. <i>Journal of Hypertension</i> , 2015 , 33, 2250-6	1.9	11
439	Blood pressure variability predicts cardiovascular events independently of traditional cardiovascular risk factors and target organ damage: a LIFE substudy. <i>Journal of Hypertension</i> , 2015 , 33, 2422-30	1.9	35
438	Sympathetic nerve traffic and baroreflex function in optimal, normal, and high-normal blood pressure states. <i>Journal of Hypertension</i> , 2015 , 33, 1411-7	1.9	48
437	Blood pressure variability after catheter-based renal sympathetic denervation in patients with resistant hypertension. <i>Journal of Hypertension</i> , 2015 , 33, 2512-8	1.9	17
436	Comparison of single-pill strategies first line in hypertension: perindopril/amlodipine versus valsartan/amlodipine. <i>Journal of Hypertension</i> , 2015 , 33, 401-11	1.9	29
435	Serum uric acid and the risk of cardiovascular and renal disease. <i>Journal of Hypertension</i> , 2015 , 33, 1729-41; discussion 1741	1.9	267
434	Effects of verapamil SR and atenolol on 24-hour blood pressure and heart rate in hypertension patients with coronary artery disease: an international verapamil SR-trandolapril ambulatory monitoring substudy. <i>PLoS ONE</i> , 2015 , 10, e0122726	3.7	3
433	Adverse prognostic value of persistent office blood pressure elevation in white coat hypertension. <i>Hypertension</i> , 2015 , 66, 437-44	8.5	33

432	White Coat Hypertension 2015 ,		2
431	Untreated masked hypertension and carotid atherosclerosis: a meta-analysis. <i>Blood Pressure</i> , 2015 , 24, 65-71	1.7	25
430	Systolic blood pressure variation and mean heart rate is associated with cognitive dysfunction in patients with high cardiovascular risk. <i>Hypertension</i> , 2015 , 65, 651-61	8.5	60
429	White Coat Hypertension and Cardiovascular Morbidity and Mortality 2015 , 113-122		
428	White Coat Hypertension, Metabolic Risk Factors and Cardiovascular Risk Profile 2015 , 97-111		
427	White Coat Hypertension: To Treat or Not to Treat 2015 , 123-135		
426	Reducing Cardiovascular Mortality Through Prevention and Management of Raised Blood Pressure: A World Heart Federation Roadmap. <i>Global Heart</i> , 2015 , 10, 111-22	2.9	73
425	The autonomic nervous system and hypertension. <i>Circulation Research</i> , 2014 , 114, 1804-14	15.7	306
424	Hypertension: Strengths and limitations of the JNC 8 hypertension guidelines. <i>Nature Reviews Cardiology</i> , 2014 , 11, 189-90	14.8	4
423	Changes in 24 h ambulatory blood pressure and effects of angiotensin II receptor blockade during acute and prolonged high-altitude exposure: a randomized clinical trial. <i>European Heart Journal</i> , 2014 , 35, 3113-22	9.5	70
422	Effect of long-term antihypertensive treatment on white-coat hypertension. <i>Hypertension</i> , 2014 , 64, 1388-98	8.5	40
421	Follow-up of blood-pressure lowering and glucose control in type 2 diabetes. <i>New England Journal of Medicine</i> , 2014 , 371, 1392-406	59.2	415
420	Mortality and morbidity in relation to changes in albuminuria, glucose status and systolic blood pressure: an analysis of the ONTARGET and TRANSCEND studies. <i>Diabetologia</i> , 2014 , 57, 2019-29	10.3	34
419	Effects of combination of perindopril, indapamide, and calcium channel blockers in patients with type 2 diabetes mellitus: results from the Action In Diabetes and Vascular Disease: Preterax and Diamicron Controlled Evaluation (ADVANCE) trial. <i>Hypertension</i> , 2014 , 63, 259-64	8.5	45
418	Are generic and brand-name statins clinically equivalent? Evidence from a real data-base. <i>European Journal of Internal Medicine</i> , 2014 , 25, 745-50	3.9	31
417	Statins and the risk of diabetes: evidence from a large population-based cohort study. <i>Diabetes Care</i> , 2014 , 37, 2225-32	14.6	72
416	Degree of blood pressure reduction and recurrent stroke: the PROGRESS trial. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014 , 85, 1284-5	5.5	13
415	Medication persistence and the use of generic and brand-name blood pressure-lowering agents. <i>Journal of Hypertension</i> , 2014 , 32, 1146-53; discussion 1153	1.9	22

414	Factors involved in the discontinuation of antihypertensive drug therapy: an analysis from real life data. <i>Journal of Hypertension</i> , 2014 , 32, 1708-15; discussion 1716	1.9	47
413	Blood pressure and LDL-cholesterol targets for prevention of recurrent strokes and cognitive decline in the hypertensive patient: design of the European Society of Hypertension-Chinese Hypertension League Stroke in Hypertension Optimal Treatment randomized trial. <i>Journal of Hypertension</i> , 2014 , 32, 1888-97	1.9	55
412	Regional differences in sympathetic activation in lean and obese normotensive individuals with obstructive sleep apnoea. <i>Journal of Hypertension</i> , 2014 , 32, 383-8	1.9	19
411	Impact of age and gender on the prevalence and prognostic importance of the metabolic syndrome and its components in Europeans. The MORGAM Prospective Cohort Project. <i>PLoS ONE</i> , 2014 , 9, e107294	2.7	75
410	Similarities and differences between renal sympathetic denervation and carotid baroreceptor stimulation. <i>Current Vascular Pharmacology</i> , 2014 , 12, 63-8	3.3	8
409	Prognostic significance of left atrial enlargement in a general population: results of the PAMELA study. <i>Hypertension</i> , 2014 , 64, 1205-11	8.5	42
408	Aggressive blood pressure lowering is dangerous: the J-curve: pro side of the argument. <i>Hypertension</i> , 2014 , 63, 29-36	8.5	27
407	Effects on office and home blood pressure of the lercanidipine-enalapril combination in patients with Stage 2 hypertension: a European randomized, controlled clinical trial. <i>Journal of Hypertension</i> , 2014 , 32, 1700-7; discussion 1707	1.9	18
406	Nifedipine plus candesartan combination increases blood pressure control regardless of race and improves the side effect profile: DISTINCT randomized trial results. <i>Journal of Hypertension</i> , 2014 , 32, 2488-98; discussion 2498	1.9	12
405	The new American guidelines on hypertension: a favorable opinion. <i>Journal of Clinical Hypertension</i> , 2014 , 16, 255-6	2.3	4
404	Marked sympathetic activation and baroreflex dysfunction in true resistant hypertension. <i>International Journal of Cardiology</i> , 2014 , 177, 1020-5	3.2	75
403	Similarity between generic and brand-name antihypertensive drugs for primary prevention of cardiovascular disease: evidence from a large population-based study. <i>European Journal of Clinical Investigation</i> , 2014 , 44, 933-9	4.6	24
402	Chronic baroreflex activation effects on sympathetic nerve traffic, baroreflex function, and cardiac haemodynamics in heart failure: a proof-of-concept study. <i>European Journal of Heart Failure</i> , 2014 , 16, 977-83	12.3	121
401	2013 ESH/ESC Practice Guidelines for the Management of Arterial Hypertension. <i>Blood Pressure</i> , 2014 , 23, 3-16	1.7	474
400	Aggressive Blood Pressure Lowering Is Dangerous: The J-Curve. <i>Hypertension</i> , 2014 , 63, 29-36	8.5	78
399	Relationship among morning blood pressure surge, 24-hour blood pressure variability, and cardiovascular outcomes in a white population. <i>Hypertension</i> , 2014 , 64, 943-50	8.5	54
398	Blood pressure and low-density lipoprotein-cholesterol lowering for prevention of strokes and cognitive decline: a review of available trial evidence. <i>Journal of Hypertension</i> , 2014 , 32, 1741-50	1.9	31
397	European Society of Hypertension practice guidelines for ambulatory blood pressure monitoring. <i>Journal of Hypertension</i> , 2014 , 32, 1359-66	1.9	547

396	Aliskiren alone or with other antihypertensives in the elderly with borderline and stage 1 hypertension: the APOLLO trial. <i>European Heart Journal</i> , 2014 , 35, 1743-51	9.5	18
395	Target blood pressure in elderly hypertensive patients and in patients with diabetes mellitus. <i>Journal of Hypertension</i> , 2014 , 32, 1551-2	1.9	12
394	National survey on excellence centers and reference centers for hypertension diagnosis and treatment: geographical distribution, medical facilities and diagnostic opportunities. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2014 , 21, 29-36	2.9	5
393	Role of ambulatory blood pressure monitoring in resistant hypertension. <i>Current Hypertension Reports</i> , 2013 , 15, 232-7	4.7	15
392	2012 consensus document of the Italian Society of Hypertension (SIIA): strategies to improve blood pressure control in Italy: from global cardiovascular risk stratification to combination therapy. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2013 , 20, 45-52	2.9	47
391	Individualization of antihypertensive drug treatment. <i>Diabetes Care</i> , 2013 , 36 Suppl 2, S301-6	14.6	8
390	The Pamela study: main findings and perspectives. <i>Current Hypertension Reports</i> , 2013 , 15, 238-43	4.7	18
389	Guía de práctica clínica de la ESH/ESC para el manejo de la hipertensión arterial (2013). <i>Hipertension Y Riesgo Vascular</i> , 2013 , 30, 4-91	0.5	7
388	Vascular inflammation and aortic stiffness relate to early left ventricular diastolic dysfunction in prehypertension. <i>Blood Pressure</i> , 2013 , 22, 94-100	1.7	20
387	Cost-effectiveness of enhancing adherence to therapy with blood pressure-lowering drugs in the setting of primary cardiovascular prevention. <i>Value in Health</i> , 2013 , 16, 318-24	3.3	9
386	International expert consensus statement: Percutaneous transluminal renal denervation for the treatment of resistant hypertension. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 2031-45	15.1	104
385	The central sympathetic nervous system in hypertension. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2013 , 117, 329-35	3	7
384	Nighttime blood pressure and new-onset left ventricular hypertrophy: findings from the Pamela population. <i>Hypertension</i> , 2013 , 62, 78-84	8.5	46
383	Long-term prognostic value of white coat hypertension: an insight from diagnostic use of both ambulatory and home blood pressure measurements. <i>Hypertension</i> , 2013 , 62, 168-74	8.5	116
382	Clinical management of resistant hypertension: practical recommendations from the Italian Society of Hypertension (SIIA). <i>High Blood Pressure and Cardiovascular Prevention</i> , 2013 , 20, 251-6	2.9	7
381	Left ventricular geometry and diastolic function in the hypertensive heart: impact of age. <i>Blood Pressure</i> , 2013 , 22, 1-8	1.7	9
380	White Coat and Masked Hypertension 2013 , 64-68		2
379	European and British Guidelines on Hypertension 2013 , 433-440		

378	Guía de práctica clínica de la ESH/ESC para el manejo de la hipertensión arterial (2013). <i>Revista Española De Cardiología</i> , 2013 , 66, 880.e1-880.e64	1.5	13
377	Differential patterns of regional neuroadrenergic cardiovascular drive in acromegalic disease. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2013 , 40, 333-7	3	2
376	2013 ESH/ESC Guidelines for the Management of Arterial Hypertension. <i>Blood Pressure</i> , 2013 , 22, 193-278	1.5	286
375	2013 ESH/ESC guidelines for the management of arterial hypertension: the Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2013 , 34, 2159-219	9.5	3400
374	Clinical management of coronary heart disease in hypertension : practical recommendations from the Italian Society of Hypertension (SIIA). <i>High Blood Pressure and Cardiovascular Prevention</i> , 2013 , 20, 129-34	2.9	5
373	Targets for body fat, blood pressure, lipids, and glucose-lowering interventions in healthy older people. <i>Diabetes Care</i> , 2013 , 36 Suppl 2, S292-300	14.6	4
372	Does the 9p region affect arterial stiffness? Results from a cohort of hypertensive individuals. <i>Blood Pressure</i> , 2013 , 22, 302-6	1.7	9
371	European Society of Hypertension position paper on ambulatory blood pressure monitoring. <i>Journal of Hypertension</i> , 2013 , 31, 1731-68	1.9	898
370	The unappreciated importance of blood pressure in recent and older atrial fibrillation trials. <i>Journal of Hypertension</i> , 2013 , 31, 2109-17; discussion 2117	1.9	14
369	2013 ESH/ESC Guidelines for the management of arterial hypertension: the Task Force for the management of arterial hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). <i>Journal of Hypertension</i> , 2013 , 31, 1281-357	1.9	3363
368	Prevalence and clinical characteristics of patients with true resistant hypertension in central and Eastern Europe: data from the BP-CARE study. <i>Journal of Hypertension</i> , 2013 , 31, 2018-24	1.9	51
367	Effects of visit-to-visit variability in systolic blood pressure on macrovascular and microvascular complications in patients with type 2 diabetes mellitus: the ADVANCE trial. <i>Circulation</i> , 2013 , 128, 1325-34	16.7	155
366	Seasonal blood pressure changes: an independent relationship with temperature and daylight hours. <i>Hypertension</i> , 2013 , 61, 908-14	8.5	92
365	Metabolic syndrome, left ventricular hypertrophy and carotid atherosclerosis in hypertension: a gender-based study. <i>Blood Pressure</i> , 2013 , 22, 138-43	1.7	12
364	Impact of blood glucose variability on carotid artery intima media thickness and distensibility in type 1 diabetes mellitus. <i>Blood Pressure</i> , 2013 , 22, 355-61	1.7	9
363	Assessment of target organ damage in the evaluation and follow-up of hypertensive patients: where do we stand?. <i>Journal of Clinical Hypertension</i> , 2013 , 15, 742-7	2.3	18
362	An update on telmisartan/hydrochlorothiazide combinations for the management of hypertensive patients with additional cardiovascular risk factors. <i>Expert Review of Cardiovascular Therapy</i> , 2013 , 11, 673-82	2.5	1
361	Response to nondipping and cardiovascular risk after morning renin-angiotensin blockade. <i>Hypertension</i> , 2013 , 61, e16	8.5	

360	Guidelines for the management of hypertension and target organ damage: reply. <i>Journal of Hypertension</i> , 2013 , 31, 2464-5	1.9	19
359	Reply to blood pressure target in chronic kidney disease. <i>Journal of Hypertension</i> , 2013 , 31, 2321-2	1.9	1
358	Infusion of Escherichia coli lipopolysaccharide toxin in rats produces an early and severe impairment of baroreflex function in absence of blood pressure changes. <i>Shock</i> , 2013 , 39, 204-9	3.4	11
357	Muscle and skin sympathetic nerve traffic during physician and nurse blood pressure measurement. <i>Journal of Hypertension</i> , 2013 , 31, 1131-5	1.9	17
356	Incidence of cardiovascular events in Italian patients with early discontinuations of antihypertensive, lipid-lowering, and antidiabetic treatments. <i>American Journal of Hypertension</i> , 2012 , 25, 549-55	2.3	10
355	Risk stratification in cardiovascular disease primary prevention - scoring systems, novel markers, and imaging techniques. <i>Fundamental and Clinical Pharmacology</i> , 2012 , 26, 163-74	3.1	24
354	Effects of blood pressure lowering on cardiovascular outcomes in different cardiovascular risk groups among participants with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2012 , 98, 83-90	7.4	16
353	Renal artery denervation for treating resistant hypertension : definition of the disease, patient selection and description of the procedure. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2012 , 19, 237-44	2.9	17
352	Safety and efficacy of low blood pressures among patients with diabetes: subgroup analyses from the ONTARGET (ONGOing Telmisartan Alone and in combination with Ramipril Global Endpoint Trial). <i>Journal of the American College of Cardiology</i> , 2012 , 59, 74-83	15.1	126
351	External adjustment for unmeasured confounders improved drug-outcome association estimates based on health care utilization data. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 1190-9	5.7	13
350	Novel antihypertensive therapies: renal sympathetic nerve ablation and carotid baroreceptor stimulation. <i>Current Hypertension Reports</i> , 2012 , 14, 567-72	4.7	9
349	Coronary artery disease in Africa and the Middle East. <i>Therapeutics and Clinical Risk Management</i> , 2012 , 8, 65-72	2.9	59
348	Total cardiovascular risk, blood pressure variability and adrenergic overdrive in hypertension: evidence, mechanisms and clinical implications. <i>Current Hypertension Reports</i> , 2012 , 14, 333-8	4.7	61
347	Nocturnal hypertension and organ damage in dippers and nondippers. <i>American Journal of Hypertension</i> , 2012 , 25, 869-75	2.3	54
346	Usefulness of heart rate to predict cardiac events in treated patients with high-risk systemic hypertension. <i>American Journal of Cardiology</i> , 2012 , 109, 685-92	3	131
345	Incidence of adverse events with telmisartan compared with ACE inhibitors: evidence from a pooled analysis of clinical trials. <i>Patient Preference and Adherence</i> , 2012 , 6, 1-9	2.4	8
344	Microalbuminuria and sRAGE in high-risk hypertensive patients treated with nifedipine/telmisartan combination treatment: a substudy of TALENT. <i>Mediators of Inflammation</i> , 2012 , 2012, 874149	4.3	9
343	Age related prevalence of severe left ventricular hypertrophy in essential hypertension: echocardiographic findings from the ETODH study. <i>Blood Pressure</i> , 2012 , 21, 139-45	1.7	13

342	Blood pressure control in Italian essential hypertensives treated by general practitioners. <i>American Journal of Hypertension</i> , 2012 , 25, 1182-7	2.3	11
341	Short- and long-term blood pressure variability: present and future. <i>Hypertension</i> , 2012 , 60, 512-7	8.5	186
340	Impact of age on the importance of systolic and diastolic blood pressures for stroke risk: the MONica, Risk, Genetics, Archiving, and Monograph (MORGAM) Project. <i>Hypertension</i> , 2012 , 60, 1117-23	8.5	65
339	Masked hypertension and echocardiographic left ventricular hypertrophy: an updated overview. <i>Blood Pressure Monitoring</i> , 2012 , 17, 8-13	1.3	12
338	Blood Pressure Targets with Antihypertensive Treatment 2012 , 267-277		
337	Short-Term and Long-Term Blood Pressure Variability 2012 , 91-102		3
336	Early alterations in left ventricular diastolic function in normotensive diabetic patients. <i>Blood Pressure</i> , 2012 , 21, 110-5	1.7	1
335	Association of left atrial enlargement with left ventricular hypertrophy and diastolic dysfunction: a tissue Doppler study in echocardiographic practice. <i>Blood Pressure</i> , 2012 , 21, 24-30	1.7	28
334	Left ventricular diastolic dysfunction in newly diagnosed untreated hypertensive patients. <i>Blood Pressure</i> , 2012 , 21, 331-7	1.7	8
333	Visit-to-visit blood pressure variability, carotid atherosclerosis, and cardiovascular events in the European Lacidipine Study on Atherosclerosis. <i>Circulation</i> , 2012 , 126, 569-78	16.7	111
332	Ambulatory blood pressure values in the Ongoing Telmisartan Alone and in Combination with Ramipril Global Endpoint Trial (ONTARGET). <i>Hypertension</i> , 2012 , 60, 1400-6	8.5	41
331	Effects of blood pressure lowering on intracranial and extracranial bleeding in patients on antithrombotic therapy: the PROGRESS trial. <i>Stroke</i> , 2012 , 43, 1675-7	6.7	42
330	Cardiovascular outcomes in hypertensive patients: comparing single-agent therapy with combination therapy. <i>Journal of Hypertension</i> , 2012 , 30, 2213-22	1.9	21
329	Visit-to-visit blood pressure variability in the European Lacidipine Study on Atherosclerosis: methodological aspects and effects of antihypertensive treatment. <i>Journal of Hypertension</i> , 2012 , 30, 1241-51	1.9	68
328	Cardiovascular risk assessment beyond Systemic Coronary Risk Estimation: a role for organ damage markers. <i>Journal of Hypertension</i> , 2012 , 30, 1056-64	1.9	63
327	Blood pressure control in Italy: analysis of clinical data from 2005-2011 surveys on hypertension. <i>Journal of Hypertension</i> , 2012 , 30, 1065-74	1.9	62
326	Normal values of left-ventricular mass: echocardiographic findings from the PAMELA study. <i>Journal of Hypertension</i> , 2012 , 30, 997-1003	1.9	43
325	Hypertension and atrial fibrillation: diagnostic approach, prevention and treatment. Position paper of the Working Group 'Hypertension Arrhythmias and Thrombosis' of the European Society of Hypertension. <i>Journal of Hypertension</i> , 2012 , 30, 239-52	1.9	138

324	Position paper on the management of patients with obstructive sleep apnea and hypertension: joint recommendations by the European Society of Hypertension, by the European Respiratory Society and by the members of European COST (COoperation in Scientific and Technological research) ACTION P25 on obstructive sleep apnea. <i>Journal of Hypertension</i> , 2012 , 30, 633-46	1.9	144
323	Blood pressure and other determinants of new-onset atrial fibrillation in patients at high cardiovascular risk in the Ongoing Telmisartan Alone and in Combination With Ramipril Global Endpoint Trial/Telmisartan Randomized Assessment Study in ACE iNtolerant subjects with cardiovascular Disease studies. <i>Journal of Hypertension</i> , 2012 , 30, 1004-14	1.9	46
322	ESH position paper: renal denervation - an interventional therapy of resistant hypertension. <i>Journal of Hypertension</i> , 2012 , 30, 837-41	1.9	187
321	Prevalence of electrocardiographic left ventricular hypertrophy in human hypertension: an updated review. <i>Journal of Hypertension</i> , 2012 , 30, 2066-73	1.9	46
320	Comparison of echotracking and magnetic resonance assessment of abdominal aorta distensibility and relationships with pulse wave velocity. <i>Ultrasound in Medicine and Biology</i> , 2011 , 37, 1970-6	3.5	4
319	Cost-effectiveness of enhancing adherence to therapy with statins in the setting of primary cardiovascular prevention. Evidence from an empirical approach based on administrative databases. <i>Atherosclerosis</i> , 2011 , 217, 479-85	3.1	20
318	Left ventricular hypertrophy and abdominal aorta size in essential hypertension. <i>Journal of Hypertension</i> , 2011 , 29, 1213-9	1.9	5
317	Hypertension and sexual dysfunction: time to act. <i>Journal of Hypertension</i> , 2011 , 29, 403-7	1.9	50
316	Blood pressure control by the nifedipine GITS-telmisartan combination in patients at high cardiovascular risk: the TALENT study. <i>Journal of Hypertension</i> , 2011 , 29, 600-9	1.9	35
315	Heterogeneity in antihypertensive treatment discontinuation between drugs belonging to the same class. <i>Journal of Hypertension</i> , 2011 , 29, 1012-8	1.9	32
314	Hypertension and migraine comorbidity: prevalence and risk of cerebrovascular events: evidence from a large, multicenter, cross-sectional survey in Italy (MIRACLES study). <i>Journal of Hypertension</i> , 2011 , 29, 309-18	1.9	24
313	Association between ADRA1A gene and the metabolic syndrome: candidate genes and functional counterpart in the PAMELA population. <i>Journal of Hypertension</i> , 2011 , 29, 1121-7	1.9	14
312	Better compliance to antihypertensive medications reduces cardiovascular risk. <i>Journal of Hypertension</i> , 2011 , 29, 610-8	1.9	196
311	Blood pressure control and cardiovascular risk profile in hypertensive patients from central and eastern European countries: results of the BP-CARE study. <i>European Heart Journal</i> , 2011 , 32, 218-25	9.5	60
310	Changes in albuminuria predict mortality and morbidity in patients with vascular disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2011 , 22, 1353-64	12.7	190
309	Sympathetic mechanisms, organ damage, and antihypertensive treatment. <i>Current Hypertension Reports</i> , 2011 , 13, 303-8	4.7	31
308	Prevention of microalbuminuria in diabetes mellitus: results of the ROADMAP trial. <i>Current Hypertension Reports</i> , 2011 , 13, 265-7	4.7	1
307	Impact of new clinical trials on recent guidelines on hypertension management. <i>Annals of Medicine</i> , 2011 , 43, 124-32	1.5	7

306	Hypertension and its management in countries in Africa and the Middle East, with special reference to the place of β -blockade. <i>Current Medical Research and Opinion</i> , 2011 , 27, 1223-36	2.5	8
305	Prognostic value of long-term blood pressure variability: the evidence is growing. <i>Hypertension</i> , 2011 , 57, 141-3	8.5	39
304	The new concept of total cardiovascular risk management. <i>Italian Journal of Medicine</i> , 2011 , 5, 169-174	0.5	
303	Diagnosis and management of patients with white-coat and masked hypertension. <i>Nature Reviews Cardiology</i> , 2011 , 8, 686-93	14.8	65
302	Mitral deceleration index is associated with aortic root dilatation and not to biventricular structural changes in essential hypertension. <i>Blood Pressure</i> , 2011 , 20, 190-5	1.7	1
301	Effects of intensive blood pressure reduction on myocardial infarction and stroke in diabetes: a meta-analysis in 73,913 patients. <i>Journal of Hypertension</i> , 2011 , 29, 1253-69	1.9	195
300	Cardiovascular protection by initial and subsequent combination of antihypertensive drugs in daily life practice. <i>Hypertension</i> , 2011 , 58, 566-72	8.5	93
299	Early sympathetic activation in the initial clinical stages of chronic renal failure. <i>Hypertension</i> , 2011 , 57, 846-51	8.5	223
298	Impact of body mass index and waist circumference on the long-term risk of diabetes mellitus, hypertension, and cardiac organ damage. <i>Hypertension</i> , 2011 , 58, 1029-35	8.5	72
297	Blood pressure targets recommended by guidelines and incidence of cardiovascular and renal events in the Ongoing Telmisartan Alone and in Combination With Ramipril Global Endpoint Trial (ONTARGET). <i>Circulation</i> , 2011 , 124, 1727-36	16.7	121
296	Antihypertensive treatment and blood pressure in diabetic and nondiabetic patients: the lower, the better?. <i>Diabetes Care</i> , 2011 , 34 Suppl 2, S304-7	14.6	22
295	Nocturnal blood pressure in untreated essential hypertensives. <i>Blood Pressure</i> , 2011 , 20, 335-41	1.7	21
294	Baroreceptor sensitivity and baroreceptor effectiveness index in cirrhosis: the relevance of hepatic venous pressure gradient. <i>Liver International</i> , 2010 , 30, 232-9	7.9	8
293	Structural and functional alterations of subcutaneous small resistance arteries in severe human obesity. <i>Obesity</i> , 2010 , 18, 92-8	8	81
292	Electrical carotid baroreceptor stimulation in resistant hypertension. <i>Hypertension</i> , 2010 , 55, 607-9	8.5	13
291	Management of essential hypertension. <i>British Medical Bulletin</i> , 2010 , 94, 189-99	5.4	15
290	Effects of intensive blood pressure control in the management of patients with type 2 diabetes mellitus in the Action to Control Cardiovascular Risk in Diabetes (ACCORD) trial. <i>Circulation</i> , 2010 , 122, 847-9	16.7	44
289	Effects of telmisartan and amlodipine in combination on ambulatory blood pressure in stages 1-2 hypertension. <i>Blood Pressure Monitoring</i> , 2010 , 15, 205-12	1.3	37

288	Impaired midwall mechanics and biventricular hypertrophy in essential hypertension. <i>Blood Pressure</i> , 2010 , 19, 234-9	1.7	5
287	Left ventricular hypertrophy detection and body mass index in essential hypertension. <i>Blood Pressure</i> , 2010 , 19, 337-43	1.7	8
286	Genome-wide association study of blood pressure extremes identifies variant near UMOD associated with hypertension. <i>PLoS Genetics</i> , 2010 , 6, e1001177	6	255
285	Orthostatic hypotension and cardiovascular risk: defining the epidemiological and prognostic relevance. <i>European Heart Journal</i> , 2010 , 31, 12-4	9.5	5
284	Statins, antihypertensive treatment, and blood pressure control in clinic and over 24 hours: evidence from PHYLLIS randomised double blind trial. <i>BMJ, The</i> , 2010 , 340, c1197	5.9	38
283	Evaluating 24-h antihypertensive efficacy by the smoothness index: a meta-analysis of an ambulatory blood pressure monitoring database. <i>Journal of Hypertension</i> , 2010 , 28, 2177-83	1.9	34
282	What changes we may expect in 2010 hypertension diagnosis and management: Insights from the European update document. <i>Current Vascular Pharmacology</i> , 2010 , 8, 788-91	3.3	1
281	Impact of different definitions of the metabolic syndrome on the prevalence of organ damage, cardiometabolic risk and cardiovascular events. <i>Journal of Hypertension</i> , 2010 , 28, 999-1006	1.9	47
280	Time-weighted vs. conventional quantification of 24-h average systolic and diastolic ambulatory blood pressures. <i>Journal of Hypertension</i> , 2010 , 28, 459-64	1.9	29
279	Office and 24-h ambulatory blood pressure control by treatment in general practice: the 'Monitoraggio della pressione ARteriosa nella medicina TErritoriale' study. <i>Journal of Hypertension</i> , 2010 , 28, 910-7	1.9	24
278	Reduced discontinuation of antihypertensive treatment by two-drug combination as first step. Evidence from daily life practice. <i>Journal of Hypertension</i> , 2010 , 28, 1584-90	1.9	111
277	Impact of the metabolic syndrome on subcutaneous microcirculation in obese patients. <i>Journal of Hypertension</i> , 2010 , 28, 1708-14	1.9	24
276	Setting-up a blood pressure and vascular protection clinic: requirements of the European Society of Hypertension. <i>Journal of Hypertension</i> , 2010 , 28, 1780-1	1.9	9
275	Left ventricular geometry, ambulatory blood pressure and extra-cardiac organ damage in untreated essential hypertension. <i>Blood Pressure Monitoring</i> , 2010 , 15, 124-31	1.3	12
274	Awareness and behaviour of European physicians in relation to microalbuminuria and organ damage: an ESH-endorsed survey. <i>Journal of Hypertension</i> , 2010 , 28, 2204-9	1.9	7
273	Efficacy and safety of routine blood pressure lowering in older patients with diabetes: results from the ADVANCE trial. <i>Journal of Hypertension</i> , 2010 , 28, 1141-1149	1.9	39
272	Ambulatory monitoring of systolic hypertension in the elderly: Eprosartan/hydrochlorothiazide compared with losartan/hydrochlorothiazide (INSIST trial). <i>Advances in Therapy</i> , 2010 , 27, 365-80	4.1	3
271	The "J curve" problem revisited: old and new findings. <i>Current Hypertension Reports</i> , 2010 , 12, 290-5	4.7	16

270	Results of a retrospective database analysis of adherence to statin therapy and risk of nonfatal ischemic heart disease in daily clinical practice in Italy. <i>Clinical Therapeutics</i> , 2010 , 32, 300-10	3.5	64
269	Reinforcement of the adrenergic overdrive in the metabolic syndrome complicated by obstructive sleep apnea. <i>Journal of Hypertension</i> , 2010 , 28, 1313-20	1.9	33
268	Lowering blood pressure reduces renal events in type 2 diabetes. <i>Journal of the American Society of Nephrology: JASN</i> , 2009 , 20, 883-92	12.7	205
267	Baseline values but not treatment-induced changes in carotid intima-media thickness predict incident cardiovascular events in treated hypertensive patients: findings in the European Lacidipine Study on Atherosclerosis (ELSA). <i>Circulation</i> , 2009 , 120, 1084-90	16.7	97
266	Sympathetic and baroreflex cardiovascular control in hypertension-related left ventricular dysfunction. <i>Hypertension</i> , 2009 , 53, 205-9	8.5	129
265	Pulse pressure and risk of cardiovascular outcomes in patients with hypertension and coronary artery disease: an INternational VERapamil SR-trandolapril STudy (INVEST) analysis. <i>European Heart Journal</i> , 2009 , 30, 1395-401	9.5	74
264	Targeting blood pressure in the management of total cardiovascular risk. <i>European Heart Journal Supplements</i> , 2009 , 11, F27-F32	1.5	2
263	Comparing methods for assessing cardiovascular risk. <i>Journal of Hypertension</i> , 2009 , 27, 2342-3	1.9	3
262	Long-term risk of sustained hypertension in white-coat or masked hypertension. <i>Hypertension</i> , 2009 , 54, 226-32	8.5	211
261	Albuminuria and kidney function independently predict cardiovascular and renal outcomes in diabetes. <i>Journal of the American Society of Nephrology: JASN</i> , 2009 , 20, 1813-21	12.7	640
260	Should white-coat hypertension in diabetes be treated? Pro. <i>Diabetes Care</i> , 2009 , 32 Suppl 2, S305-9	14.6	7
259	Reappraisal of European guidelines on hypertension management: a European Society of Hypertension Task Force document. <i>Journal of Hypertension</i> , 2009 , 27, 2121-58	1.9	1004
258	Heart rate, sympathetic cardiovascular influences, and the metabolic syndrome. <i>Progress in Cardiovascular Diseases</i> , 2009 , 52, 31-7	8.5	60
257	Antihypertensive treatment and stroke prevention: from recent meta-analyses to the PROfESS trial. <i>Current Hypertension Reports</i> , 2009 , 11, 265-70	4.7	6
256	Differential sympathetic activation in muscle and skin neural districts in the metabolic syndrome. <i>Metabolism: Clinical and Experimental</i> , 2009 , 58, 1446-51	12.7	16
255	Reappraisal of European guidelines on hypertension management: a European Society of Hypertension Task Force document. <i>Blood Pressure</i> , 2009 , 18, 308-47	1.7	186
254	Metabolic syndrome and cardiometabolic risk: an update. <i>Blood Pressure</i> , 2009 , 18, 7-16	1.7	11
253	Prescription Data Related to the Use of Calcium Channel Blockers, ACE Inhibitors and Angiotensin II Type 1 Receptor Antagonists (Angiotensin Receptor Blockers) in Combination Identify Savings Opportunities. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2009 , 16, 21-26	2.9	

252	INVEST revisited: review of findings from the International Verapamil SR-Trandolapril Study. <i>Expert Review of Cardiovascular Therapy</i> , 2009 , 7, 1329-40	2.5	26
251	Effects of telmisartan, ramipril, and their combination on left ventricular hypertrophy in individuals at high vascular risk in the Ongoing Telmisartan Alone and in Combination With Ramipril Global End Point Trial and the Telmisartan Randomized Assessment Study in ACE Intolerant Subjects With Cardiovascular Disease. <i>Circulation</i> , 2009 , 120, 1380-9	16.7	83
250	Angiotensin II receptor blockers and myocardial infarction: an updated analysis of randomized clinical trials. <i>Journal of Hypertension</i> , 2009 , 27, 941-6	1.9	27
249	Facts and fallacies of blood pressure control in recent trials: implications in the management of patients with hypertension. <i>Journal of Hypertension</i> , 2009 , 27, 673-9	1.9	45
248	Is retinal arteriolar-venular ratio associated with cardiac and extracardiac organ damage in essential hypertension?. <i>Journal of Hypertension</i> , 2009 , 27, 1277-83	1.9	30
247	Left ventricular hypertrophy increases cardiovascular risk independently of in-office and out-of-office blood pressure values. <i>Journal of Hypertension</i> , 2009 , 27, 2458-64	1.9	127
246	The threat of diabetes to public health. Introduction. <i>Journal of Hypertension</i> , 2009 , 27, S1	1.9	2
245	Behaviour of regional adrenergic outflow in mild-to-moderate renal failure. <i>Journal of Hypertension</i> , 2009 , 27, 562-6	1.9	20
244	Home blood pressure telemonitoring improves hypertension control in general practice. The TeleBPCare study. <i>Journal of Hypertension</i> , 2009 , 27, 198-203	1.9	117
243	When should antihypertensive drug treatment be initiated and to what levels should systolic blood pressure be lowered? A critical reappraisal. <i>Journal of Hypertension</i> , 2009 , 27, 923-34	1.9	188
242	Protection of patients with diabetes, with or without hypertension: implications of ADVANCE for clinical practice. <i>Journal of Hypertension</i> , 2009 , 27, S19-23	1.9	9
241	Management of high blood pressure in children and adolescents: recommendations of the European Society of Hypertension. <i>Journal of Hypertension</i> , 2009 , 27, 1719-42	1.9	504
240	Increased long-term risk of new-onset diabetes mellitus in white-coat and masked hypertension. <i>Journal of Hypertension</i> , 2009 , 27, 1672-8	1.9	75
239	Defining blood pressure goals: is it enough to manage total cardiovascular risk?. <i>Journal of Hypertension</i> , 2009 , 27, S3-8	1.9	9
238	Mechanisms of hypertension in the cardiometabolic syndrome. <i>Journal of Hypertension</i> , 2009 , 27, 441-51	1.9	55
237	Prevalence and clinical correlates of right ventricular hypertrophy in essential hypertension. <i>Journal of Hypertension</i> , 2009 , 27, 854-60	1.9	26
236	Improving cardiovascular risk stratification in essential hypertensive patients by indexing left ventricular mass to height(2.7). <i>Journal of Hypertension</i> , 2009 , 27, 2465-71	1.9	27
235	Implementation of new evidence into hypertension guidelines: the case of the ONTARGET and TRANSCEND trials. <i>Journal of Hypertension</i> , 2009 , 27, S40-4	1.9	3

234	The dilemma of placebo controlled studies: scientific evidence, guidelines, ethics and regulatory recommendations. <i>Journal of Hypertension</i> , 2009 , 27, 1-2	1.9	4
233	Management of antihypertensive drugs in three European countries. <i>Journal of Hypertension</i> , 2009 , 27, 1917-22	1.9	20
232	Prognostic value of blood pressure in patients with high vascular risk in the Ongoing Telmisartan Alone and in combination with Ramipril Global Endpoint Trial study. <i>Journal of Hypertension</i> , 2009 , 27, 1360-9	1.9	242
231	Prevalence of cardiovascular risk factors in an unselected italian population. Results of the Cardiolab Project 2004-2008. <i>Acta Cardiologica</i> , 2009 , 64, 771-8	0.9	7
230	Intensive blood glucose control and vascular outcomes in patients with type 2 diabetes. <i>New England Journal of Medicine</i> , 2008 , 358, 2560-72	59.2	5250
229	Italian society of hypertension guidelines for conventional and automated blood pressure measurement in the office, at home and over 24 hours. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2008 , 15, 283-310	2.9	49
228	The broadening landscape for hypertension management. <i>Journal of the American Society of Hypertension</i> , 2008 , 2, S3-9		
227	Dihydropyridinic Calcium-Channel Antagonists in the 2007 ESH/ESC Hypertension Guidelines. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2008 , 15, 85-90	2.9	
226	Studies on left ventricular hypertrophy regression in arterial hypertension: a clear message for the clinician?. <i>American Journal of Hypertension</i> , 2008 , 21, 458-63	2.3	26
225	Adrenergic, metabolic, and reflex abnormalities in reverse and extreme dipper hypertensives. <i>Hypertension</i> , 2008 , 52, 925-31	8.5	143
224	Simultaneous measurement of beat-to-beat carotid diameter and pressure changes to assess arterial mechanical properties. <i>Hypertension</i> , 2008 , 52, 896-902	8.5	47
223	European Society of Hypertension guidelines for blood pressure monitoring at home: a summary report of the Second International Consensus Conference on Home Blood Pressure Monitoring. <i>Journal of Hypertension</i> , 2008 , 26, 1505-26	1.9	578
222	Increased arterial stiffness in normoglycemic normotensive offspring of type 2 diabetic parents. <i>Hypertension</i> , 2008 , 51, 182-7	8.5	26
221	Metabolic syndrome and multiple organ damage in essential hypertension. <i>Blood Pressure</i> , 2008 , 17, 195-203	1.7	15
220	Sympathetic activation in congestive heart failure: reproducibility of neuroadrenergic markers. <i>European Journal of Heart Failure</i> , 2008 , 10, 1186-91	12.3	35
219	Comparison between angiotensin-converting enzyme inhibitors and angiotensin receptor blockers on the risk of myocardial infarction, stroke and death: a meta-analysis. <i>Journal of Hypertension</i> , 2008 , 26, 1282-9	1.9	99
218	Cardioprotective effects of telmisartan in uncomplicated and complicated hypertension. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2008 , 9, 66-74	3	12
217	The Hyper-Pract Study : a multicentre survey on the accuracy of the echocardiographic assessment of hypertensive left ventricular hypertrophy in clinical practice. <i>Blood Pressure</i> , 2008 , 17, 124-8	1.7	12

216	The management of the type 2 diabetic patient with hypertension - too late and too little: suggested improvements. <i>Blood Pressure</i> , 2008 , 17, 250-9	1.7	5
215	Update the set of principles and beliefs. <i>Journal of Hypertension</i> , 2008 , 26, 374-375	1.9	1
214	The metabolic syndrome in hypertension: European society of hypertension position statement. <i>Journal of Hypertension</i> , 2008 , 26, 1891-900	1.9	92
213	Choice of antihypertensive drugs in the European Society of Hypertension-European Society of Cardiology guidelines: specific indications rather than ranking for general usage. <i>Journal of Hypertension</i> , 2008 , 26, 164-8	1.9	24
212	Prevalence of type 2 diabetes among patients with hypertension under the care of 30 Italian clinics of hypertension: results of the (Iper)tensione and (dia)bete study. <i>Journal of Hypertension</i> , 2008 , 26, 1801-8	1.9	24
211	Discontinuation of and changes in drug therapy for hypertension among newly-treated patients: a population-based study in Italy. <i>Journal of Hypertension</i> , 2008 , 26, 819-24	1.9	156
210	Long-term risk of diabetes, hypertension and left ventricular hypertrophy associated with the metabolic syndrome in a general population. <i>Journal of Hypertension</i> , 2008 , 26, 1602-11	1.9	49
209	Multiple sampling improves norepinephrine reproducibility in essential hypertension: a comparison with the microneurographic technique. <i>Journal of Hypertension</i> , 2008 , 26, 2185-90	1.9	6
208	Body mass index, nocturnal fall in blood pressure and organ damage in untreated essential hypertensive patients. <i>Blood Pressure Monitoring</i> , 2008 , 13, 318-24	1.3	21
207	Treating very elderly hypertensive patients is rewarding: the HYVET results. <i>Current Hypertension Reports</i> , 2008 , 10, 301-2	4.7	1
206	Cardiovascular protection for all individuals at high risk: evidence-based best practice. <i>Clinical Research in Cardiology</i> , 2008 , 97, 713-25	6.1	8
205	Cardiac and vascular protection: the potential of ONTARGET. <i>Medscape Journal of Medicine</i> , 2008 , 10 Suppl, S7		1
204	ADVANCE: a new era in diabetes and hypertension. Introduction. <i>Journal of Hypertension Supplement: Official Journal of the International Society of Hypertension</i> , 2008 , 26, S1		
203	Blood pressure reduction and cardiovascular outcomes: past, present, and future. <i>American Journal of Cardiology</i> , 2007 , 100, 3J-9J	3	42
202	Primary and secondary prevention of stroke by antihypertensive treatment in clinical trials. <i>Current Hypertension Reports</i> , 2007 , 9, 299-304	4.7	9
201	Excessive sympathetic activation in heart failure with obesity and metabolic syndrome: characteristics and mechanisms. <i>Hypertension</i> , 2007 , 49, 535-41	8.5	107
200	Effective ambulatory blood pressure control in medical practice: good news to be taken with caution. <i>Hypertension</i> , 2007 , 49, 17-8	8.5	16
199	HIV and metabolic syndrome: a comparison with the general population. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2007 , 45, 426-31	3.1	79

198	Long-term prognostic value of blood pressure variability in the general population: results of the Pressioni Arteriose Monitorate e Loro Associazioni Study. <i>Hypertension</i> , 2007 , 49, 1265-70	8.5	279
197	European guidelines on cardiovascular disease prevention in clinical practice: full text. Fourth Joint Task Force of the European Society of Cardiology and other societies on cardiovascular disease prevention in clinical practice (constituted by representatives of nine societies and by invited experts). <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 11, 129-148		751
196	2007 Guidelines for the Management of Arterial Hypertension: The Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). <i>Journal of Hypertension</i> , 2007 , 25, 1105-87	1.9	3825
195	Blood pressure control and improved cardiovascular outcomes in the International Verapamil SR-Trandolapril Study. <i>Hypertension</i> , 2007 , 50, 299-305	8.5	142
194	Metabolic syndrome in the Pressioni Arteriose Monitorate E Loro Associazioni (PAMELA) study: daily life blood pressure, cardiac damage, and prognosis. <i>Hypertension</i> , 2007 , 49, 40-7	8.5	194
193	Neurogenic abnormalities in masked hypertension. <i>Hypertension</i> , 2007 , 50, 537-42	8.5	99
192	2007 ESH-ESC Practice Guidelines for the Management of Arterial Hypertension: ESH-ESC Task Force on the Management of Arterial Hypertension. <i>Journal of Hypertension</i> , 2007 , 25, 1751-62	1.9	871
191	Optimal control of blood pressure in patients with diabetes reduces the incidence of macro and microvascular events. <i>Journal of Hypertension</i> , 2007 , 25, S7-12	1.9	19
190	Ambulatory blood pressure monitoring after 1 year on valsartan or amlodipine-based treatment: a VALUE substudy. <i>Journal of Hypertension</i> , 2007 , 25, 707-12	1.9	23
189	The sympathetic nervous system and the metabolic syndrome. <i>Journal of Hypertension</i> , 2007 , 25, 909-20	1.9	275
188	Assessment of long-term antihypertensive treatment by clinic and ambulatory blood pressure: data from the European Lacidipine Study on Atherosclerosis. <i>Journal of Hypertension</i> , 2007 , 25, 1087-94	1.9	46
187	A new method for assessing 24-h blood pressure variability after excluding the contribution of nocturnal blood pressure fall. <i>Journal of Hypertension</i> , 2007 , 25, 2058-66	1.9	166
186	How reliable is isolated clinical hypertension defined by a single 24-h ambulatory blood pressure monitoring?. <i>Journal of Hypertension</i> , 2007 , 25, 315-20	1.9	18
185	Reduction in estimated stroke risk associated with practice-based stroke-risk assessment and awareness in a large, representative population of hypertensive patients: results from the ForLife study in Italy. <i>Journal of Hypertension</i> , 2007 , 25, 2390-7	1.9	11
184	Left ventricular diastolic dysfunction in elderly hypertensives: results of the APROS-diadys study. <i>Journal of Hypertension</i> , 2007 , 25, 2158-67	1.9	54
183	Blood pressure control in Italy: results of recent surveys on hypertension. <i>Journal of Hypertension</i> , 2007 , 25, 1491-8	1.9	103
182	Prevalence and incidence of the metabolic syndrome in the European Lacidipine Study on Atherosclerosis (ELSA) and its relation with carotid intima-media thickness. <i>Journal of Hypertension</i> , 2007 , 25, 2463-70	1.9	62
181	European guidelines on cardiovascular disease prevention in clinical practice: executive summary. Fourth Joint Task Force of the European Society of Cardiology and other societies on cardiovascular disease prevention in clinical practice (constituted by representatives of nine societies and by invited experts). <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14 Suppl 2, E1-40		309

180	The PAMELA (Pressioni Arteriose Monitorate E Loro Associazioni) Study. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2007 , 14, 83-88	2.9	2
179	2007 Guidelines for the management of arterial hypertension: The Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2007 , 28, 1462-536	9.5	1418
178	European, American, and British Guidelines: Similarities and Differences 2007 , 571-576		
177	Guiding antihypertensive treatment decisions using ambulatory blood pressure monitoring. <i>Current Hypertension Reports</i> , 2006 , 8, 330-7	4.7	12
176	Response to White-Coat and Masked Hypertension: Selective Elevation of Blood Pressure or an Arbitrarily Partitioned Continuum?. <i>Hypertension</i> , 2006 , 48,	8.5	1
175	Long-term risk of mortality associated with selective and combined elevation in office, home, and ambulatory blood pressure. <i>Hypertension</i> , 2006 , 47, 846-53	8.5	508
174	Hypertension and the heart. <i>Seminars in Cardiothoracic and Vascular Anesthesia</i> , 2006 , 10, 198-202	1.4	4
173	Dogma disputed: can aggressively lowering blood pressure in hypertensive patients with coronary artery disease be dangerous?. <i>Annals of Internal Medicine</i> , 2006 , 144, 884-93	8	515
172	The effect of antihypertensive agents on new-onset diabetes mellitus: time to amend the guidelines?. <i>American Journal of Cardiovascular Drugs</i> , 2006 , 6, 139-47	4	15
171	Predictors of adverse outcome among patients with hypertension and coronary artery disease. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 547-51	15.1	42
170	Effects of valsartan compared to amlodipine on preventing type 2 diabetes in high-risk hypertensive patients: the VALUE trial. <i>Journal of Hypertension</i> , 2006 , 24, 1405-12	1.9	119
169	Total cardiovascular risk: a new treatment concept. <i>Journal of Hypertension</i> , 2006 , 24, S17-24	1.9	20
168	Weather-related changes in 24-hour blood pressure profile: effects of age and implications for hypertension management. <i>Hypertension</i> , 2006 , 47, 155-61	8.5	173
167	European Society of Hypertension Scientific Newsletter: Clinical value of ambulatory blood pressure monitoring. <i>Journal of Hypertension</i> , 2006 , 24, 2327-30	1.9	13
166	New-onset diabetes and antihypertensive drugs. <i>Journal of Hypertension</i> , 2006 , 24, 3-10	1.9	209
165	Identification and management of the hypertensive patient with elevated heart rate: statement of a European Society of Hypertension Consensus Meeting. <i>Journal of Hypertension</i> , 2006 , 24, 603-10	1.9	148
164	Angiotensin-sympathetic system interactions in cardiovascular and metabolic disease. <i>Journal of Hypertension</i> , 2006 , 24, S51-6	1.9	46
163	Hypertension prevalence, awareness, control and association with metabolic abnormalities in the San Marino population: the SMOOTH study. <i>Journal of Hypertension</i> , 2006 , 24, 837-43	1.9	64

162	Angiotensin receptor blockers and myocardial infarction: the importance of dosage. <i>Journal of Hypertension</i> , 2006 , 24, 1681-1682	1.9	1
161	Prevalence and clinical significance of a greater ambulatory versus office blood pressure ('reversed white coat' condition) in a general population. <i>Journal of Hypertension</i> , 2005 , 23, 513-20	1.9	28
160	How to improve the assessment of 24-h blood pressure variability. <i>Blood Pressure Monitoring</i> , 2005 , 10, 321-3	1.3	21
159	Practice guidelines of the European Society of Hypertension for clinic, ambulatory and self blood pressure measurement. <i>Journal of Hypertension</i> , 2005 , 23, 697-701	1.9	541
158	Carotid wall composition in hypertensive patients after 4-year treatment with lacidipine or atenolol: an echoreflexivity study. <i>Journal of Hypertension</i> , 2005 , 23, 1203-9	1.9	7
157	Blood pressure control and risk of stroke in untreated and treated hypertensive patients screened from clinical practice: results of the ForLife study. <i>Journal of Hypertension</i> , 2005 , 23, 1575-81	1.9	69
156	Quality control of B-mode ultrasonic measurement of carotid artery intima-media thickness: the European Lacidipine Study on Atherosclerosis. <i>Journal of Hypertension</i> , 2005 , 23, 1047-54	1.9	23
155	Different relation between 24-h blood pressure and distensibility at different peripheral arteries. Data from the European Lacidipine Study on Atherosclerosis (ELSA). <i>Journal of Hypertension</i> , 2005 , 23, 557-62	1.9	11
154	Cardiac structural and functional changes during long-term antihypertensive treatment with lacidipine and atenolol in the European Lacidipine Study on Atherosclerosis (ELSA). <i>Journal of Hypertension</i> , 2005 , 23, 1091-8	1.9	22
153	Antihypertensive treatment and new-onset diabetes mellitus. <i>Current Hypertension Reports</i> , 2005 , 7, 298-303	4.7	16
152	Angiotensin receptor blockers: therapeutic targets and cardiovascular protection. <i>Blood Pressure</i> , 2005 , 14, 196-209	1.7	59
151	Relationship of office, home, and ambulatory blood pressure to blood glucose and lipid variables in the PAMELA population. <i>Hypertension</i> , 2005 , 45, 1072-7	8.5	84
150	Cardiac, neuroadrenergic, and portal hemodynamic effects of prolonged aldosterone blockade in postviral child A cirrhosis. <i>American Journal of Gastroenterology</i> , 2005 , 100, 1110-6	0.7	46
149	Prognostic value of ambulatory and home blood pressures compared with office blood pressure in the general population: follow-up results from the Pressioni Arteriose Monitorate e Loro Associazioni (PAMELA) study. <i>Circulation</i> , 2005 , 111, 1777-83	16.7	754
148	Arterial stiffening influence of sympathetic nerve activity: evidence from hand transplantation in humans. <i>Hypertension</i> , 2005 , 45, 608-11	8.5	33
147	Joint National Committee VII and European Society of Hypertension/European Society of Cardiology guidelines for evaluating and treating hypertension: a two-way road?. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16 Suppl 1, S74-7	12.7	20
146	Obstructive sleep apnea-dependent and -independent adrenergic activation in obesity. <i>Hypertension</i> , 2005 , 46, 321-5	8.5	177
145	Prognostic and Diagnostic Value of Ambulatory Blood Pressure Monitoring 2005 , 305-317		1

144	Clinical significance of renal function in hypertensive patients at high risk: results from the INSIGHT trial. <i>Archives of Internal Medicine</i> , 2004 , 164, 2459-64		79
143	Candesartan plus hydrochlorothiazide fixed combination vs previous monotherapy plus diuretic in poorly controlled essential hypertensive patients. <i>Blood Pressure</i> , 2004 , 2, 11-7	1.7	12
142	Clinical outcomes in the diabetes cohort of the INternational VErapamil SR-Trandolapril study. <i>Hypertension</i> , 2004 , 44, 637-42	8.5	101
141	Sustained sympathoinhibitory effects of cardiac resynchronization therapy in severe heart failure. <i>Hypertension</i> , 2004 , 44, 727-31	8.5	38
140	The Hypertension Guidelines of the Seventh Joint National Committee. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2004 , 11, 55-59	2.9	1
139	Analyse des nouvelles recommandations européennes dans l'hypertension artérielle. <i>American Journal of Cardiovascular Drugs</i> , 2004 , 4, 1-6	4	
138	Different effects of antihypertensive regimens based on fosinopril or hydrochlorothiazide with or without lipid lowering by pravastatin on progression of asymptomatic carotid atherosclerosis: principal results of PHYLLIS--a randomized double-blind trial. <i>Stroke</i> , 2004 , 35, 2807-12	6.7	121
137	Sildenafil citrate for erectile dysfunction in men receiving multiple antihypertensive agents: a randomized controlled trial. <i>American Journal of Hypertension</i> , 2004 , 17, 1135-42	2.3	62
136	Prevention and treatment of stroke in patients with hypertension. <i>Clinical Therapeutics</i> , 2004 , 26, 631-48	3.5	37
135	Sympathetic and baroreflex function in hypertensive or heart failure patients with ventricular arrhythmias. <i>Journal of Hypertension</i> , 2004 , 22, 1747-53	1.9	25
134	Effect of central and peripheral body fat distribution on sympathetic and baroreflex function in obese normotensives. <i>Journal of Hypertension</i> , 2004 , 22, 2363-9	1.9	229
133	Cardiovascular risk profile and blood pressure control in Italian hypertensive patients under specialist care. <i>Journal of Hypertension</i> , 2004 , 22, 51-7	1.9	54
132	Absolute and relative changes in carotid intima-media thickness and atherosclerotic plaques during long-term antihypertensive treatment: further results of the European Lacidipine Study on Atherosclerosis (ELSA). <i>Journal of Hypertension</i> , 2004 , 22, 1201-12	1.9	31
131	Effects of the combination of low-dose nifedipine GITS 20 mg and losartan 50 mg in patients with mild to moderate hypertension. <i>Journal of Cardiovascular Pharmacology</i> , 2004 , 43, 300-5	3.1	16
130	Relationship between ambulatory blood pressure and follow-up clinic blood pressure in elderly patients with systolic hypertension. <i>Journal of Hypertension</i> , 2004 , 22, 81-7	1.9	18
129	Blood pressure measurement in research and in clinical practice: recent evidence. <i>Current Opinion in Nephrology and Hypertension</i> , 2004 , 13, 343-57	3.5	49
128	Blood pressure control according to new guidelines targets in low- to high-risk hypertensives managed in specialist practice. <i>Journal of Hypertension</i> , 2004 , 22, 2387-96	1.9	46
127	Office compared with ambulatory blood pressure in assessing response to antihypertensive treatment: a meta-analysis. <i>Journal of Hypertension</i> , 2004 , 22, 435-45	1.9	159

126	Effects of hypertension and obesity on the sympathetic activation of heart failure patients. <i>Hypertension</i> , 2003 , 42, 873-7	8.5	88
125	International Society of Hypertension (ISH). <i>Journal of Hypertension</i> , 2003 , 21, 649-650	1.9	30
124	Assessment of overall blood pressure variability and its different components. <i>Blood Pressure Monitoring</i> , 2003 , 8, 155-9	1.3	42
123	European Society of Hypertension recommendations for conventional, ambulatory and home blood pressure measurement. <i>Journal of Hypertension</i> , 2003 , 21, 821-48	1.9	1173
122	The role of blood pressure variability in end-organ damage. <i>Journal of Hypertension</i> , 2003 , 21, S17-23	1.9	94
121	Non-invasive beat-to-beat blood pressure monitoring: new developments. <i>Blood Pressure Monitoring</i> , 2003 , 8, 31-6	1.3	76
120	Behaviour of the adrenergic cardiovascular drive in atrial fibrillation and cardiac arrhythmias. <i>Acta Physiologica Scandinavica</i> , 2003 , 177, 399-404		30
119	Tolerability and treatment compliance with angiotensin II receptor antagonists. <i>American Journal of Hypertension</i> , 2003 , 16, 1066-73	2.3	36
118	The BorLife Study. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2003 , 10, 91-93	2.9	3
117	Treatment of isolated systolic hypertension: the SHELL study results. <i>Blood Pressure</i> , 2003 , 12, 160-7	1.7	82
116	A calcium antagonist vs a non-calcium antagonist hypertension treatment strategy for patients with coronary artery disease. The International Verapamil-Trandolapril Study (INVEST): a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 290, 2805-16	27.4	912
115	Outcomes with nifedipine GITS or Co-amlozide in hypertensive diabetics and nondiabetics in Intervention as a Goal in Hypertension (INSIGHT). <i>Hypertension</i> , 2003 , 41, 431-6	8.5	131
114	European guidelines on cardiovascular disease prevention in clinical practice. Third Joint Task Force of European and Other Societies on Cardiovascular Disease Prevention in Clinical Practice. <i>European Heart Journal</i> , 2003 , 24, 1601-10	9.5	1183
113	Effects of heart rate changes on arterial distensibility in humans. <i>Hypertension</i> , 2003 , 42, 253-6	8.5	70
112	Efficacy and tolerability profile of nebivolol vs atenolol in mild-to-moderate essential hypertension: Results of a double-blind randomized multicentre trial. <i>Blood Pressure</i> , 2003 , 12, 35-40	1.7	35
111	Impairment of thermoregulatory control of skin sympathetic nerve traffic in the elderly. <i>Circulation</i> , 2003 , 108, 729-35	16.7	69
110	Daily life blood pressure changes are steeper in hypertensive than in normotensive subjects. <i>Hypertension</i> , 2003 , 42, 277-82	8.5	59
109	Blood pressure variability and organ damage in a general population: results from the PAMELA study (Pressioni Arteriose Monitorate E Loro Associazioni). <i>Hypertension</i> , 2002 , 39, 710-4	8.5	228

108	Reversed white-coat hypertension: definition, mechanisms and prognostic implications. <i>Journal of Hypertension</i> , 2002 , 20, 579-81	1.9	28
107	Calcium antagonist lacidipine slows down progression of asymptomatic carotid atherosclerosis: principal results of the European Lacidipine Study on Atherosclerosis (ELSA), a randomized, double-blind, long-term trial. <i>Circulation</i> , 2002 , 106, 2422-7	16.7	439
106	Sympathetic response to ventricular extrasystolic beats in hypertension and heart failure. <i>Hypertension</i> , 2002 , 39, 886-91	8.5	25
105	Prevalence of left ventricular hypertrophy in hypertensive patients without and with blood pressure control: data from the PAMELA population. Pressioni Arteriose Monitorate E Loro Associazioni. <i>Hypertension</i> , 2002 , 39, 744-9	8.5	94
104	Hypertension staging through ambulatory blood pressure monitoring. <i>Hypertension</i> , 2002 , 40, 792-4	8.5	5
103	Short- and long-term neuroadrenergic effects of moderate dietary sodium restriction in essential hypertension. <i>Circulation</i> , 2002 , 106, 1957-61	16.7	111
102	24-hour blood pressure profile in centenarians. <i>Journal of Hypertension</i> , 2002 , 20, 1765-9	1.9	16
101	Twenty-four hour ambulatory blood pressure in the International Nifedipine GITS Study Intervention as a Goal in Hypertension Treatment (INSIGHT). <i>Journal of Hypertension</i> , 2002 , 20, 545-53	1.9	29
100	Arterial distensibility in humans. Modulating mechanisms, alterations in diseases and effects of treatment. <i>Journal of Hypertension</i> , 2002 , 20, 1889-99	1.9	40
99	Sleep apnoea and hypertension. <i>Current Opinion in Nephrology and Hypertension</i> , 2002 , 11, 201-14	3.5	13
98	Role of echocardiography and carotid ultrasonography in stratifying risk in patients with essential hypertension: the Assessment of Prognostic Risk Observational Survey. <i>Journal of Hypertension</i> , 2002 , 20, 1307-14	1.9	122
97	Systolic vs diastolic blood pressure control in the hypertensive patients of the PAMELA population. Pressioni Arteriose Monitorate E Loro Associazioni. <i>Archives of Internal Medicine</i> , 2002 , 162, 582-6		79
96	Radial, carotid and aortic distensibility in congestive heart failure: effects of high-dose angiotensin-converting enzyme inhibitor or low-dose association with angiotensin type 1 receptor blockade. <i>Journal of the American College of Cardiology</i> , 2002 , 39, 1275-82	15.1	62
95	Secondary prevention of stroke: old and new evidence. <i>Aging Clinical and Experimental Research</i> , 2002 , 14, 216-20	4.8	4
94	Clinical benefits of consistent reduction in the daily blood pressure of hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2002 , 4, 9-14	2.3	4
93	Systolic blood pressure: an underestimated cardiovascular risk factor. <i>Journal of Hypertension Supplement: Official Journal of the International Society of Hypertension</i> , 2002 , 20, S21-7		12
92	Sympathetic and reflex abnormalities in heart failure secondary to ischaemic or idiopathic dilated cardiomyopathy. <i>Clinical Science</i> , 2001 , 101, 141	6.5	13
91	Patterns of regional sympathetic nerve traffic in preascitic and ascitic cirrhosis. <i>Hepatology</i> , 2001 , 34, 1113-8	11.2	28

90	Participation of the hypothalamus-hypophysis axis in the sympathetic activation of human obesity. <i>Hypertension</i> , 2001 , 38, 1316-20	8.5	52
89	Clinical differences among angiotensin II receptor antagonists. <i>Blood Pressure</i> , 2001 , 2, 19-24	1.7	7
88	Effects of chronic clonidine administration on sympathetic nerve traffic and baroreflex function in heart failure. <i>Hypertension</i> , 2001 , 38, 286-91	8.5	27
87	Time trends of major coronary risk factors in a northern Italian population (1986-1994). How remarkable are socioeconomic differences in an industrialized low CHD incidence country?. <i>International Journal of Epidemiology</i> , 2001 , 30, 285-97	7.8	35
86	Alterations of cardiac structure in patients with isolated office, ambulatory, or home hypertension: Data from the general population (Pressione Arteriose Monitorate E Loro Associazioni [PAMELA] Study). <i>Circulation</i> , 2001 , 104, 1385-92	16.7	371
85	Importance of smooth and sustained blood pressure control in preventing cardiovascular morbidity and mortality. <i>Blood Pressure</i> , 2001 , 26-32	1.7	9
84	Baroreflex effectiveness index: an additional measure of baroreflex control of heart rate in daily life. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2001 , 280, R744-51	3.2	174
83	Twenty-four hour ambulatory blood pressure in the Hypertension Optimal Treatment (HOT) study. <i>Journal of Hypertension</i> , 2001 , 19, 1755-63	1.9	35
82	Relation between blood pressure variability and carotid artery damage in hypertension: baseline data from the European Lacidipine Study on Atherosclerosis (ELSA). <i>Journal of Hypertension</i> , 2001 , 19, 1981-9	1.9	203
81	Blood pressure variability as a risk factor. <i>Blood Pressure Monitoring</i> , 2001 , 6, 341-7	1.3	39
80	Systolic and pulse blood pressures (but not diastolic blood pressure and serum cholesterol) are associated with alterations in carotid intima-media thickness in the moderately hypercholesterolaemic hypertensive patients of the Plaque Hypertension Lipid Lowering Italian Study. PHYLLIS study group. <i>Journal of Hypertension</i> , 2001 , 19, 79-88	1.9	87
79	The importance of blood pressure variability in hypertension. <i>Blood Pressure Monitoring</i> , 2000 , 5 Suppl 1, S9-S15	1.3	27
78	Sympathetic and reflex alterations in systo-diastolic and systolic hypertension of the elderly. <i>Journal of Hypertension</i> , 2000 , 18, 587-93	1.9	69
77	Attenuation of the "white-coat effect" by antihypertensive treatment and regression of target organ damage. <i>Hypertension</i> , 2000 , 35, 614-20	8.5	50
76	Adrenergic and reflex abnormalities in obesity-related hypertension. <i>Hypertension</i> , 2000 , 36, 538-42	8.5	227
75	Modulation of sympathetic coronary vasoconstriction by cardiac renin-angiotensin system in human coronary heart disease. <i>Circulation</i> , 2000 , 101, 2277-83	16.7	26
74	Lacidipine and blood pressure variability in diabetic hypertensive patients. <i>Hypertension</i> , 2000 , 36, 622-88.5	37	
73	Ambulatory blood pressure monitoring and organ damage. <i>Hypertension</i> , 2000 , 36, 894-900	8.5	253

72	Morbidity and mortality in patients randomised to double-blind treatment with a long-acting calcium-channel blocker or diuretic in the International Nifedipine GITS study: Intervention as a Goal in Hypertension Treatment (INSIGHT). <i>Lancet, The</i> , 2000 , 356, 366-72	4.0	961
71	Antihypertensive efficacy of manidipine and enalapril in hypertensive diabetic patients. <i>Journal of Cardiovascular Pharmacology</i> , 2000 , 35, 926-31	3.1	21
70	Heart rate-dependent stiffening of large arteries in intact and sympathectomized rats. <i>Hypertension</i> , 1999 , 34, 598-602	8.5	66
69	Muscle and skin sympathetic nerve traffic during the "white-coat" effect. <i>Circulation</i> , 1999 , 100, 222-5	16.7	76
68	Sympathetic activation in the pathogenesis of hypertension and progression of organ damage. <i>Hypertension</i> , 1999 , 34, 724-8	8.5	385
67	Friday, May 21, Broadway Ballroom North, 5:00 PM: Theme II: Debate: Ambulatory blood pressure monitoring should be routine in clinical management Ambulatory blood pressure monitoring (ABPM) should be routinely performed. A critical view.. <i>American Journal of Hypertension</i> , 1999 , 12, 216	2.3	
66	Wednesday, May 19, Broadway Ballroom South, 7:00 AM to 9:30 AM: New blood pressure goals: what should they be? How well can this be achieved? Current treatments: can we do better?. <i>American Journal of Hypertension</i> , 1999 , 12, 219	2.3	
65	Early effects of total paracentesis and albumin infusion on muscle sympathetic nerve activity in cirrhotic patients with tense ascites. <i>Journal of Hepatology</i> , 1999 , 30, 95-100	13.4	10
64	Fluctuations of radial artery distensibility throughout the menstrual cycle. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999 , 19, 1925-9	9.4	58
63	Broad-band spectral analysis of 24 h continuous finger blood pressure: comparison with intra-arterial recordings. <i>Clinical Science</i> , 1999 , 97, 129	6.5	10
62	Sympathetic tone restrains arterial distensibility of healthy and atherosclerotic subjects. <i>Journal of Hypertension</i> , 1999 , 17, 1117-23	1.9	99
61	Task Force II. <i>Blood Pressure Monitoring</i> , 1999 , 4, 295-302	1.3	9
60	Blood Pressure Monitoring. Task force V: White-coat hypertension. <i>Blood Pressure Monitoring</i> , 1999 , 4, 333-41	1.3	120
59	Task force II: Ambulatory blood pressure monitoring in population studies. <i>Blood Pressure Monitoring</i> , 1999 , 4, 295-301	1.3	7
58	Prevention of coronary heart disease in clinical practice: recommendations of the Second Joint Task Force of European and other Societies on Coronary Prevention. <i>Atherosclerosis</i> , 1998 , 140, 199-270 ^{3.1}		422
57	Difference between clinic and daytime blood pressure is not a measure of the white coat effect. <i>Hypertension</i> , 1998 , 31, 1185-9	8.5	123
56	Reproducibility and clinical value of the trough-to-peak ratio of the antihypertensive effect: evidence from the sample study. <i>Hypertension</i> , 1998 , 32, 424-9	8.5	30
55	Dissociation between muscle and skin sympathetic nerve activity in essential hypertension, obesity, and congestive heart failure. <i>Hypertension</i> , 1998 , 31, 64-7	8.5	200

54	Baroreflex control of sympathetic nerve activity in essential and secondary hypertension. <i>Hypertension</i> , 1998 , 31, 68-72	8.5	400
53	Body weight reduction, sympathetic nerve traffic, and arterial baroreflex in obese normotensive humans. <i>Circulation</i> , 1998 , 97, 2037-42	16.7	281
52	Estimation of blood pressure variability from 24-hour ambulatory finger blood pressure. <i>Hypertension</i> , 1998 , 32, 52-8	8.5	46
51	Risk factors associated with alterations in carotid intima-media thickness in hypertension: baseline data from the European Lacidipine Study on Atherosclerosis. <i>Journal of Hypertension</i> , 1998 , 16, 949-61	1.9	214
50	Seasonal variations in home and ambulatory blood pressure in the PAMELA population. Pressione Arteriose Monitorate E Loro Associazioni. <i>Journal of Hypertension</i> , 1998 , 16, 1585-92	1.9	135
49	Heart rate as marker of sympathetic activity. <i>Journal of Hypertension</i> , 1998 , 16, 1635-9	1.9	183
48	Reproducibility and clinical value of nocturnal hypotension: prospective evidence from the SAMPLE study. Study on Ambulatory Monitoring of Pressure and Lisinopril Evaluation. <i>Journal of Hypertension</i> , 1998 , 16, 733-8	1.9	173
47	Prevention of coronary heart disease in clinical practice. Summary of recommendations of the Second Joint Task Force of European and other Societies on Coronary Prevention. <i>Journal of Hypertension</i> , 1998 , 16, 1407-14	1.9	111
46	Limitations of the difference between clinic and daytime blood pressure as a surrogate measure of the 'white-coat' effect. Syst-Eur investigators. <i>Journal of Hypertension</i> , 1998 , 16, 23-9	1.9	54
45	Comparison between reproducibility and sensitivity of muscle sympathetic nerve traffic and plasma noradrenaline in man. <i>Clinical Science</i> , 1997 , 92, 285-9	6.5	105
44	Blood-pressure control in the hypertensive population. <i>Lancet, The</i> , 1997 , 349, 454-7	4.0	248
43	Ambulatory blood pressure is superior to clinic blood pressure in predicting treatment-induced regression of left ventricular hypertrophy. SAMPLE Study Group. Study on Ambulatory Monitoring of Blood Pressure and Lisinopril Evaluation. <i>Circulation</i> , 1997 , 95, 1464-70	16.7	409
42	Intracoronary angiotensin II potentiates coronary sympathetic vasoconstriction in humans. <i>Circulation</i> , 1997 , 96, 148-53	16.7	44
41	Effects of chronic ACE inhibition on sympathetic nerve traffic and baroreflex control of circulation in heart failure. <i>Circulation</i> , 1997 , 96, 1173-9	16.7	142
40	Baroreflex impairment by low sodium diet in mild or moderate essential hypertension. <i>Hypertension</i> , 1997 , 29, 802-7	8.5	43
39	Ambulatory and home blood pressure normality in the elderly: data from the PAMELA population. <i>Hypertension</i> , 1997 , 30, 1-6	8.5	107
38	Broadband spectral analysis of blood pressure and heart rate variability in very elderly subjects. <i>Hypertension</i> , 1997 , 30, 803-8	8.5	32
37	Effect of sympathectomy on mechanical properties of common carotid and femoral arteries. <i>Hypertension</i> , 1997 , 30, 1085-8	8.5	84

36	Left ventricular hypertrophy and sympathetic activity. <i>Advances in Experimental Medicine and Biology</i> , 1997 , 432, 173-9	3.6	9
35	Impaired radial artery compliance in normotensive subjects with familial hypercholesterolemia. <i>Atherosclerosis</i> , 1996 , 124, 249-60	3.1	81
34	Ambulatory blood pressure monitoring. <i>Journal of Hypertension</i> , 1996 , 14, S61-6; discussion S66-8	1.9	19
33	Benefits and cost-effectiveness of antihypertensive therapy. The actuarial versus the intervention trial approach. <i>Journal of Hypertension</i> , 1996 , 14, 809-11	1.9	14
32	Heart rate-dependence of arterial distensibility in vivo. <i>Journal of Hypertension</i> , 1996 , 14, 897-901	1.9	143
31	Ambulatory blood pressure monitoring in the evaluation of antihypertensive treatment: additional information from a large data base. <i>Blood Pressure</i> , 1995 , 4, 148-56	1.7	80
30	Blood pressure variability and reflex control in the elderly. <i>Aging Clinical and Experimental Research</i> , 1995 , 7, 3-9	4.8	5
29	Calculation of trough:peak ratio of antihypertensive treatment from ambulatory blood pressure: methodological aspects. <i>Journal of Hypertension</i> , 1995 , 13, 1105-12	1.9	76
28	Ambulatory blood pressure normality. <i>Journal of Hypertension</i> , 1995 , 13, 1377-1390	1.9	306
27	Cardiac and vascular structural changes in normotensive subjects with parental hypertension. <i>Journal of Hypertension</i> , 1995 , 13, 259-264	1.9	27
26	Breakthrough during recombinant interferon alfa therapy in patients with chronic hepatitis C virus infection: Prevalence, etiology, and management. <i>Hepatology</i> , 1995 , 21, 645-649	11.2	77
25	Sympathetic activation and loss of reflex sympathetic control in mild congestive heart failure. <i>Circulation</i> , 1995 , 92, 3206-11	16.7	290
24	Sympathetic activation in obese normotensive subjects. <i>Hypertension</i> , 1995 , 25, 560-3	8.5	394
23	Sympathetic modulation of radial artery compliance in congestive heart failure. <i>Hypertension</i> , 1995 , 26, 348-54	8.5	71
22	Breakthrough during recombinant interferon alfa therapy in patients with chronic hepatitis C virus infection: Prevalence, etiology, and management 1995 , 21, 645		10
21	Time course of circulatory and humoral effects of rapid total paracentesis in cirrhotic patients with tense, refractory ascites. <i>Gastroenterology</i> , 1994 , 106, 709-19	13.3	85
20	Increase in blood pressure reproducibility by repeated semi-automatic blood pressure measurements in the clinic environment. <i>Journal of Hypertension</i> , 1994 , 12, 469-474	1.9	23
19	Ambulatory blood pressure in normotensive and hypertensive subjects. <i>Journal of Hypertension</i> , 1994 , 12, S13-S22	1.9	32

18	Ambulatory pressure decreases on long-term placebo treatment in older patients with isolated systolic hypertension. <i>Journal of Hypertension</i> , 1994 , 12, 1035-1040	1.9	16
17	Vasovagal syncope with bradycardia during lower body negative pressure in a heart transplant recipient. <i>Blood Pressure</i> , 1993 , 2, 309-11	1.7	8
16	Prognostic value of 24-hour blood pressure variability. <i>Journal of Hypertension</i> , 1993 , 11, 1133-7	1.9	463
15	Noninvasive automatic blood pressure monitoring does not attenuate nighttime hypotension. Evidence from 24 h intraarterial blood pressure monitoring. <i>American Journal of Hypertension</i> , 1992 , 5, 744-7	2.3	22
14	Persistent blood pressure increase induced by heavy smoking. <i>Journal of Hypertension</i> , 1992 , 10, 495-9	1.9	190
13	Limited reproducibility of hourly blood pressure values obtained by ambulatory blood pressure monitoring: implications for studies on antihypertensive drugs. <i>Journal of Hypertension</i> , 1992 , 10, 1531-5	1.9	51
12	Evaluation of the antihypertensive effect of once-a-day trandolapril by 24-hour ambulatory blood pressure monitoring. The Italian Trandolapril Study Group. <i>American Journal of Cardiology</i> , 1992 , 70, 60D-66D	3.66D	18
11	Reproducibility of non-invasive and intra-arterial blood pressure monitoring: implications for studies on antihypertensive treatment. <i>Journal of Hypertension</i> , 1991 , 9, 115-9	1.9	110
10	Effect of angiotensin converting enzyme inhibition on cardiovascular regulation during reflex sympathetic activation in sodium-replete patients with essential hypertension. <i>Journal of Hypertension</i> , 1989 , 7, 825-35	1.9	29
9	24-Hour blood pressure monitoring. <i>Journal of Hypertension</i> , 1988 , 6, 797-804	1.9	40
8	Relationship of 24-hour blood pressure mean and variability to severity of target-organ damage in hypertension. <i>Journal of Hypertension</i> , 1987 , 5, 93-8	1.9	684
7	Variability of the haemodynamic responses to laboratory tests employed in assessment of neural cardiovascular regulation in man. <i>Clinical Science</i> , 1985 , 69, 533-40	6.5	47
6	Reflex control of blood pressure and heart rate by arterial baroreceptors and by cardiopulmonary receptors in the unanaesthetized cat. <i>Journal of Hypertension</i> , 1985 , 3, 327-35	1.9	41
5	Blood pressure monitoring over short day and night times cannot predict 24-hour average blood pressure. <i>Journal of Hypertension</i> , 1985 , 3, 343-9	1.9	21
4	Twenty-four-hour blood pressure profile and blood pressure variability in untreated hypertension and during antihypertensive treatment by once-a-day nadolol. <i>American Heart Journal</i> , 1984 , 108, 1078-83	4.9	15
3	Evaluation of a slow-release clonidine preparation by direct continuous blood pressure recording in essential hypertensive patients. <i>Journal of Cardiovascular Pharmacology</i> , 1981 , 3, 1193-202	3.1	11
2	Hemodynamic patterns during desynchronized sleep in intact cats and in cats with sinoaortic deafferentation. <i>Circulation Research</i> , 1969 , 24, 923-7	15.7	38
1	Cardiovascular changes during preparation for fighting behaviour in the cat. <i>Nature</i> , 1968 , 220, 1239-40	50.4	34

