

Chu Liang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7632571/publications.pdf>

Version: 2024-02-01

125
papers

8,648
citations

57758

44
h-index

45317

90
g-index

127
all docs

127
docs citations

127
times ranked

9252
citing authors

#	ARTICLE	IF	CITATIONS
1	Pillared Structure Design of MXene with Ultralarge Interlayer Spacing for High-Performance Lithium-Ion Capacitors. ACS Nano, 2017, 11, 2459-2469.	14.6	700
2	Strong Sulfur Binding with Conducting MagnÃ©li-Phase Ti ₃ O ₂ Nanomaterials for Improving Lithium-Sulfur Batteries. Nano Letters, 2014, 14, 5288-5294.	9.1	643
3	Sn ⁴⁺ Ion Decorated Highly Conductive Ti ₃ C ₂ MXene: Promising Lithium-Ion Anodes with Enhanced Volumetric Capacity and Cyclic Performance. ACS Nano, 2016, 10, 2491-2499.	14.6	632
4	3D lithium metal embedded within lithiophilic porous matrix for stable lithium metal batteries. Nano Energy, 2017, 37, 177-186.	16.0	431
5	Amorphous Fe ₂ O ₃ as a high-capacity, high-rate and long-life anode material for lithium ion batteries. Nano Energy, 2014, 4, 23-30.	16.0	307
6	Efficient Activation of Li ₂ S by Transition Metal Phosphides Nanoparticles for Highly Stable Lithium-Sulfur Batteries. ACS Energy Letters, 2017, 2, 1711-1719.	17.4	252
7	Mg ₂ B ₂ O ₅ Nanowire Enabled Multifunctional Solid-State Electrolytes with High Ionic Conductivity, Excellent Mechanical Properties, and Flame-Retardant Performance. Nano Letters, 2018, 18, 3104-3112.	9.1	245
8	Lithium alloys and metal oxides as high-capacity anode materials for lithium-ion batteries. Journal of Alloys and Compounds, 2013, 575, 246-256.	5.5	233
9	Atomic Sulfur Covalently Engineered Interlayers of Ti ₃ C ₂ MXene for Ultra-Fast Sodium-Ion Storage by Enhanced Pseudocapacitance. Advanced Functional Materials, 2019, 29, 1808107.	14.9	213
10	Facilitation of sulfur evolution reaction by pyridinic nitrogen doped carbon nanoflakes for highly-stable lithium-sulfur batteries. Energy Storage Materials, 2018, 10, 1-9.	18.0	208
11	Tunable pseudocapacitance storage of MXene by cation pillaring for high performance sodium-ion capacitors. Journal of Materials Chemistry A, 2018, 6, 7794-7806.	10.3	186
12	All-solid-state batteries with slurry coated LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ composite cathode and Li ₆ PS ₅ Cl electrolyte: Effect of binder content. Journal of Power Sources, 2018, 391, 73-79.	7.8	168
13	Metal oxide nanoparticles induced step-edge nucleation of stable Li metal anode working under an ultrahigh current density of 15 mA cm ⁻² . Nano Energy, 2018, 45, 203-209.	16.0	153
14	Enhanced sulfide chemisorption using boron and oxygen dually doped multi-walled carbon nanotubes for advanced lithium-sulfur batteries. Journal of Materials Chemistry A, 2017, 5, 632-640.	10.3	151
15	Confining Sulfur in N-Doped Porous Carbon Microspheres Derived from Microalgae for Advanced Lithium-Sulfur Batteries. ACS Applied Materials & Interfaces, 2017, 9, 23782-23791.	8.0	148
16	Poly(ethylene oxide) reinforced Li ₆ PS ₅ Cl composite solid electrolyte for all-solid-state lithium battery: Enhanced electrochemical performance, mechanical property and interfacial stability. Journal of Power Sources, 2019, 412, 78-85.	7.8	141
17	Unraveling the Intra and Intercycle Interfacial Evolution of Li ₆ PS ₅ Cl-Based All-Solid-State Lithium Batteries. Advanced Energy Materials, 2020, 10, 1903311.	19.5	141
18	A facile synthesis of Fe ₃ O ₄ /C composite with high cycle stability as anode material for lithium-ion batteries. Journal of Power Sources, 2013, 239, 466-474.	7.8	139

#	ARTICLE	IF	CITATIONS
19	Ionic conductivity promotion of polymer electrolyte with ionic liquid grafted oxides for all-solid-state lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 12934-12942.	10.3	126
20	Highly dispersed surface active species of Mn/Ce/TiW catalysts for high performance at low temperature NH ₃ -SCR. <i>Chemical Engineering Journal</i> , 2017, 330, 1195-1202.	12.7	119
21	Hetero-interface constructs ion reservoir to enhance conversion reaction kinetics for sodium/lithium storage. <i>Energy Storage Materials</i> , 2019, 18, 107-113.	18.0	105
22	Green synthesis of graphite from CO ₂ without graphitization process of amorphous carbon. <i>Nature Communications</i> , 2021, 12, 119.	12.8	93
23	Silicon-Doped Argyrodite Solid Electrolyte Li ₆ PS ₅ I with Improved Ionic Conductivity and Interfacial Compatibility for High-Performance All-Solid-State Lithium Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 41538-41545.	8.0	90
24	Sustainable, inexpensive, naturally multi-functionalized biomass carbon for both Li metal anode and sulfur cathode. <i>Energy Storage Materials</i> , 2018, 15, 218-225.	18.0	88
25	Biomass derived Ni(OH) ₂ @porous carbon/sulfur composites synthesized by a novel sulfur impregnation strategy based on supercritical CO ₂ technology for advanced Li-S batteries. <i>Journal of Power Sources</i> , 2018, 378, 73-80.	7.8	87
26	A novel catalyst precursor K ₂ TiF ₆ with remarkable synergetic effects of K, Ti and F together on reversible hydrogen storage of NaAlH ₄ . <i>Chemical Communications</i> , 2011, 47, 1740-1742.	4.1	78
27	Achieving efficient and stable interface between metallic lithium and garnet-type solid electrolyte through a thin indium tin oxide interlayer. <i>Journal of Power Sources</i> , 2020, 448, 227440.	7.8	75
28	Li-Mg-Na-H-based combination systems for hydrogen storage. <i>Journal of Alloys and Compounds</i> , 2011, 509, 7844-7853.	5.5	73
29	Manganese hexacyanoferrate reinforced by PEDOT coating towards high-rate and long-life sodium-ion battery cathode. <i>Journal of Materials Chemistry A</i> , 2020, 8, 3222-3227.	10.3	73
30	The effects of tungsten and hydrothermal aging in promoting NH ₃ -SCR activity on V ₂ O ₅ /WO ₃ -TiO ₂ catalysts. <i>Applied Surface Science</i> , 2018, 459, 639-646.	6.1	72
31	Facile synthesis of porous Li ₂ S@C composites as cathode materials for lithium-sulfur batteries. <i>Journal of Power Sources</i> , 2016, 306, 200-207.	7.8	71
32	Polyiodide-Shuttle Restricting Polymer Cathode for Rechargeable Lithium/Iodine Battery with Ultralong Cycle Life. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 17933-17941.	8.0	71
33	High-capacity SiO (O ₂) as promising anode materials for next-generation lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2020, 842, 155774.	5.5	69
34	FeO/C anode materials of high capacity and cycle stability for lithium-ion batteries synthesized by carbothermal reduction. <i>Journal of Alloys and Compounds</i> , 2013, 565, 97-103.	5.5	64
35	One-pot Biotemplate Synthesis of FeS ₂ Decorated Sulfur-doped Carbon Fiber as High Capacity Anode for Lithium-ion Batteries. <i>Electrochimica Acta</i> , 2016, 209, 201-209.	5.2	63
36	2D MXene-based Energy Storage Materials: Interfacial Structure Design and Functionalization. <i>ChemSusChem</i> , 2020, 13, 1409-1419.	6.8	63

#	ARTICLE	IF	CITATIONS
37	Unprecedented Self-Healing Effect of $\text{Li}_6\text{PS}_5\text{Cl}$ -Based All-Solid-State Lithium Battery. <i>Small</i> , 2021, 17, e2101326.	10.0	54
38	Empowering Metal Phosphides Anode with Catalytic Attribute toward Superior Cyclability for Lithium-Ion Storage. <i>Advanced Functional Materials</i> , 2019, 29, 1809051.	14.9	52
39	TiC/NiO Core/Shell Nanoarchitecture with Battery-Capacitive Synchronous Lithium Storage for High-Performance Lithium-Ion Battery. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 11842-11848.	8.0	51
40	A hybrid $\text{Si@FeSi}_y/\text{SiO}_x$ anode structure for high performance lithium-ion batteries via ammonia-assisted one-pot synthesis. <i>Journal of Materials Chemistry A</i> , 2015, 3, 10767-10776.	10.3	50
41	Enhancing Catalyzed Decomposition of Na_2CO_3 with Co_2MnO_x Nanowire-Decorated Carbon Fibers for Advanced Na-CO ₂ Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 17240-17248.	8.0	49
42	Supercritical CO_2 mediated incorporation of sulfur into carbon matrix as cathode materials towards high-performance lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 212-222.	10.3	49
43	Understanding the role of K in the significantly improved hydrogen storage properties of a KOH-doped Li-Mg-N-H system. <i>Journal of Materials Chemistry A</i> , 2013, 1, 5031.	10.3	48
44	Puffed Rice Carbon with Coupled Sulfur and Metal Iron for High-Efficiency Mercury Removal in Aqueous Solution. <i>Environmental Science & Technology</i> , 2020, 54, 2539-2547.	10.0	46
45	A green and facile strategy for the low-temperature and rapid synthesis of $\text{Li}_2\text{S@PC@CNT}$ cathodes with high Li_2S content for advanced Li-S batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 9906-9914.	10.3	45
46	Homologous Strategy to Construct High-Performance Coupling Electrodes for Advanced Potassium-Ion Hybrid Capacitors. <i>Nano-Micro Letters</i> , 2021, 13, 14.	27.0	45
47	Enhanced dehydrogenation/hydrogenation kinetics of the $\text{Mg}(\text{NH}_2)_2\text{-LiH}$ system with NaOH additive. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 2137-2144.	7.1	44
48	An All-Prussian-Blue-Based Aqueous Sodium-Ion Battery. <i>ChemElectroChem</i> , 2019, 6, 4848-4853.	3.4	44
49	A new strategy for the construction of 3D TiO_2 nanowires/reduced graphene oxide for high-performance lithium/sodium batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 24256-24266.	10.3	43
50	Bio-templated fabrication of MnO nanoparticles in SiOC matrix with lithium storage properties. <i>Chemical Engineering Journal</i> , 2019, 359, 584-593.	12.7	43
51	Reaction Pathways Determined by Mechanical Milling Process for Dehydrogenation/Hydrogenation of the $\text{LiNH}_2/\text{MgH}_2$ System. <i>Chemistry - A European Journal</i> , 2010, 16, 693-702.	3.3	40
52	Interfacial Reactions in Inorganic All-Solid-State Lithium Batteries. <i>Batteries and Supercaps</i> , 2021, 4, 8-38.	4.7	39
53	Sulfur synchronously electrodeposited onto exfoliated graphene sheets as a cathode material for advanced lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 16513-16519.	10.3	37
54	High-content of sulfur uniformly embedded in mesoporous carbon: a new electrodeposition synthesis and an outstanding lithium-sulfur battery cathode. <i>Journal of Materials Chemistry A</i> , 2017, 5, 5905-5911.	10.3	37

#	ARTICLE	IF	CITATIONS
55	Enhanced sulfide chemisorption by conductive Al-doped ZnO decorated carbon nanoflakes for advanced Li-S batteries. <i>Nano Research</i> , 2018, 11, 477-489.	10.4	36
56	Ca(BH ₄) ₂ ·LiBH ₄ ·MgH ₂ : a novel ternary hydrogen storage system with superior long-term cycling performance. <i>Journal of Materials Chemistry A</i> , 2013, 1, 12285.	10.3	35
57	Improved hydrogen storage performance of Ca(BH ₄) ₂ : a synergetic effect of porous morphology and in situ formed TiO ₂ . <i>Energy and Environmental Science</i> , 2013, 6, 847.	30.8	35
58	Supercritical fluid assisted biotemplating synthesis of SiO ₂ @C microspheres from microalgae for advanced Li-ion batteries. <i>RSC Advances</i> , 2016, 6, 69764-69772.	3.6	35
59	Local defects enhanced dehydrogenation kinetics of the NaBH ₄ -added Li-Mg-N-H system. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 314-321.	2.8	34
60	Hybrid nanoarchitecture of rutile TiO ₂ nanoneedle/graphene for advanced lithium-ion batteries. <i>Solid State Ionics</i> , 2015, 269, 44-50.	2.7	34
61	A Solar-Driven Flexible Electrochromic Supercapacitor. <i>Materials</i> , 2020, 13, 1206.	2.9	34
62	Bio-templated Fabrication of Highly Defective Carbon Anchored MnO Anode Materials with High Reversible Capacity. <i>Electrochimica Acta</i> , 2015, 169, 159-167.	5.2	33
63	Electrical heating behavior of flexible thermoplastic polyurethane/Super-P nanoparticle composite films for advanced wearable heaters. <i>Journal of Industrial and Engineering Chemistry</i> , 2019, 71, 293-300.	5.8	33
64	Synthesis of hierarchical porous carbon from metal carbonates towards high-performance lithium storage. <i>Green Chemistry</i> , 2018, 20, 1484-1490.	9.0	32
65	Na ₂ Fe(SO ₄) ₂ : an anhydrous 3.6V, low-cost and good-safety cathode for a rechargeable sodium-ion battery. <i>Journal of Materials Chemistry A</i> , 2019, 7, 13197-13204.	10.3	32
66	H ₂ O-induced self-propagating synthesis of hierarchical porous carbon: a promising lithium storage material with superior rate capability and ultra-long cycling life. <i>Journal of Materials Chemistry A</i> , 2017, 5, 18221-18229.	10.3	30
67	Synthesis and electrochemical performance of poly(vinylidene fluoride)/SiO ₂ hybrid membrane for lithium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2019, 23, 519-527.	2.5	28
68	Solid-Solid Heterogeneous Catalysis: The Role of Potassium in Promoting the Dehydrogenation of the Mg(NH ₂) ₂ ·2LiH Composite. <i>ChemSusChem</i> , 2013, 6, 2181-2189.	6.8	27
69	Well-dispersed ultrafine Mn ₃ O ₄ nanocrystals on reduced graphene oxide with high electrochemical Li-storage performance. <i>New Journal of Chemistry</i> , 2014, 38, 4743-4747.	2.8	26
70	Supercritical CO ₂ -assisted synthesis of 3D porous SiOC/Se cathode for ultrahigh areal capacity and long cycle life Li-Se batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 24773-24782.	10.3	26
71	3D Printing of Powder-Based Inks into Functional Hierarchical Porous TiO ₂ Materials. <i>Advanced Engineering Materials</i> , 2020, 22, 1901088.	3.5	26
72	Rare earth-Mg-Ni-based alloys with superlattice structure for electrochemical hydrogen storage. <i>Journal of Alloys and Compounds</i> , 2021, 887, 161381.	5.5	25

#	ARTICLE	IF	CITATIONS
73	Hydrogen storage reaction over a ternary imide Li ₂ Mg ₂ N ₃ H ₃ . Physical Chemistry Chemical Physics, 2010, 12, 3108.	2.8	24
74	Toast-like porous carbon derived from one-step reduction of CaCO ₃ for electrochemical lithium storage. Carbon, 2018, 130, 559-565.	10.3	23
75	Improved high rate capability of Li[Li _{0.2} Mn _{0.534} Co _{0.133} Ni _{0.133}]O ₂ cathode material by surface modification with Co ₃ O ₄ . Journal of Alloys and Compounds, 2019, 783, 349-356.	5.5	22
76	N991/MWCNTs/PEO composite films with nano SiO ₂ particles as filler for advanced flexible electric heating elements. Materials Research Bulletin, 2017, 90, 273-279.	5.2	21
77	Synthesis and electrochemical performance of nano TiO ₂ (B)-coated Li[Li _{0.2} Mn _{0.54} Co _{0.13} Ni _{0.13}]O ₂ cathode materials for lithium-ion batteries. New Journal of Chemistry, 2017, 41, 12962-12968.	2.8	21
78	Ultraefficient Conversion of CO ₂ into Morphology-Controlled Nanocarbons: A Sustainable Strategy toward Greenhouse Gas Utilization. Small, 2019, 15, e1902249.	10.0	21
79	Supercritical fluid assisted synthesis of titanium carbide particles embedded in mesoporous carbon for advanced Li-S batteries. Journal of Alloys and Compounds, 2017, 706, 227-233.	5.5	20
80	Correlation between composition and hydrogen storage behaviors of the Li ₂ NH-MgNH combination system. Dalton Transactions, 2011, 40, 8179.	3.3	19
81	Hybrid nanoarchitecture of TiO ₂ nanotubes and graphene sheet for advanced lithium ion batteries. Materials Research Bulletin, 2017, 96, 425-430.	5.2	19
82	Submicron silica as high capacity lithium storage material with superior cycling performance. Materials Research Bulletin, 2017, 96, 347-353.	5.2	19
83	Synthesis and electrochemical properties of LiMnPO ₄ -modified Li[Li _{0.2} Mn _{0.534} Co _{0.133} Ni _{0.133}]O ₂ cathode material for Li-ion batteries. Electrochimica Acta, 2017, 235, 1-9.	5.2	19
84	Effects of Nd-modification on the activity and SO ₂ resistance of MnO _x /TiO ₂ catalysts for low-temperature NH ₃ -SCR. New Journal of Chemistry, 2018, 42, 12845-12852.	2.8	19
85	Freestanding layer-structure selenium cathodes with ultrahigh Se loading for high areal capacity Li-Se batteries. Electrochemistry Communications, 2019, 99, 16-21.	4.7	19
86	A Low-Cost and High-Efficiency Electrothermal Composite Film Composed of Hybrid Conductivity Fillers and Polymer Blends Matrix for High-Performance Plate Heater. Journal of Electronic Materials, 2021, 50, 3084-3094.	2.2	19
87	Electrochemical Performance of Structure-Dependent LiNi _{1/3} Co _{1/3} Mn _{1/3} O ₂ in Aqueous Rechargeable Lithium-Ion Batteries. Energy Technology, 2018, 6, 391-396.	3.8	18
88	3D Printed Graphene-Based 3000 K Probe. Advanced Functional Materials, 2021, 31, 2102994.	14.9	18
89	Green and Low-Temperature Synthesis of Foam-like Hierarchical Porous Carbon from CO ₂ as Superior Lithium Storage Material. ACS Applied Energy Materials, 2018, 1, 7123-7129.	5.1	17
90	Supercritical CO ₂ -Fluid-Assisted Synthesis of TiO ₂ Quantum Dots/Reduced Graphene Oxide Composites for Outstanding Sodium Storage Capability. ACS Applied Energy Materials, 2018, 1, 7213-7219.	5.1	17

#	ARTICLE	IF	CITATIONS
91	A Universal Strategy to Fabricate Metal Sulfides@Carbon Fibers As Freestanding and Flexible Anodes for High-Performance Lithium/Sodium Storage. <i>ACS Applied Energy Materials</i> , 2019, 2, 4421-4427.	5.1	17
92	A new magnesium hydride route to synthesize morphology-controlled Si/rGO nanocomposite towards high-performance lithium storage. <i>Electrochimica Acta</i> , 2020, 330, 135248.	5.2	17
93	Effect of gas back pressure on hydrogen storage properties and crystal structures of Li ₂ Mg(NH) ₂ . <i>International Journal of Hydrogen Energy</i> , 2014, 39, 17754-17764.	7.1	16
94	Hierarchically assembled mesoporous carbon nanosheets with an ultra large pore volume for high-performance lithium-sulfur batteries. <i>New Journal of Chemistry</i> , 2019, 43, 1380-1387.	2.8	16
95	Facile fabrication of red phosphorus/TiO ₂ composites for lithium ion batteries. <i>RSC Advances</i> , 2014, 4, 60914-60919.	3.6	15
96	Electrochemical properties of Sn-doped Li ₃ V ₂ (PO ₄) ₃ cathode material synthesized via a citric acid assisted sol-gel method. <i>Journal of Alloys and Compounds</i> , 2015, 652, 298-306.	5.5	15
97	A low temperature MgH ₂ -AlCl ₃ -SiO ₂ system to synthesize nano-silicon for high-performance Li-ion batteries. <i>Chemical Engineering Journal</i> , 2021, 406, 126805.	12.7	15
98	Graphene/TiO ₂ decorated N-doped carbon foam as 3D porous current collector for high loading sulfur cathode. <i>Materials Research Bulletin</i> , 2021, 135, 111129.	5.2	15
99	High-Performance All-Solid-State Lithium-Sulfur Batteries Enabled by Slurry-Coated Li ₆ PS ₅ Cl/S/C Composite Electrodes. <i>Frontiers in Energy Research</i> , 2021, 8, .	2.3	15
100	Importing Tin Nanoparticles into Biomass-Derived Silicon Oxycarbides with High-Rate Cycling Capability Based on Supercritical Fluid Technology. <i>Chemistry - A European Journal</i> , 2019, 25, 7719-7725.	3.3	14
101	Rose pollens as sustainable biotemplates for porous SiOC microellipsoids with enhanced lithium storage performance. <i>Journal of Alloys and Compounds</i> , 2020, 816, 152595.	5.5	14
102	Controllable synthesis and in situ TEM study of lithiation mechanism of high performance NaV ₃ O ₈ cathodes. <i>Journal of Materials Chemistry A</i> , 2015, 3, 3044-3050.	10.3	13
103	Supercritical CO ₂ assisted synthesis of sulfur-modified zeolites as high-efficiency adsorbents for Hg ²⁺ removal from water. <i>New Journal of Chemistry</i> , 2018, 42, 3541-3550.	2.8	13
104	Enhanced Electrochemical Performance of Lithium-Sulfur Batteries with Surface Copolymerization of Cathode. <i>Journal of the Electrochemical Society</i> , 2019, 166, A5349-A5353.	2.9	13
105	Embedding submicron SiO ₂ into porous carbon as advanced lithium-ion batteries anode with ultralong cycle life and excellent rate capability. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019, 95, 227-233.	5.3	12
106	β-Cyclodextrin-modified porous ceramic membrane with enhanced ionic conductivity and thermal stability for lithium-ion batteries. <i>Ionics</i> , 2020, 26, 173-182.	2.4	12
107	Empowering polypropylene separator with enhanced polysulfide adsorption and reutilization ability for high-performance Li-S batteries. <i>Materials Research Bulletin</i> , 2021, 134, 111108.	5.2	12
108	Hydrogen Pressure-Dependent Dehydrogenation Performance of the Mg(NH ₂) ₂ ·2LiH·0.07KOH System. <i>ACS Applied Materials & Interfaces</i> , 2020, 8.0 12, 15255-15261.	8.0	10

#	ARTICLE	IF	CITATIONS
109	CNT threaded porous carbon nitride nanoflakes as bifunctional hosts for lithium sulfide cathode. <i>Journal of Alloys and Compounds</i> , 2021, 887, 161356.	5.5	10
110	A flexible non-precious metal Fe-N/C catalyst for highly efficient oxygen reduction reaction. <i>Nanotechnology</i> , 2019, 30, 144001.	2.6	9
111	Lithium Sulfide as Cathode Materials for Lithium-Ion Batteries: Advances and Challenges. <i>Journal of Chemistry</i> , 2020, 2020, 1-17.	1.9	9
112	Lithium Batteries: Unraveling the Intra and Intercycle Interfacial Evolution of $\text{Li}_6\text{PS}_5\text{Cl}$ -Based All-Solid-State Lithium Batteries (Adv. Energy Mater. 4/2020). <i>Advanced Energy Materials</i> , 2020, 10, 2070017.	19.5	9
113	Mechanochemical synthesis of carbon from CO_2 : Mechanism for milling process-dependent morphology of carbon. <i>Journal of Alloys and Compounds</i> , 2020, 830, 154681.	5.5	9
114	Interaction of metallic magnesium with ammonia: Mechanochemical synthesis of $\text{Mg}(\text{NH}_2)_2$ for hydrogen storage. <i>Journal of Alloys and Compounds</i> , 2022, 907, 164397.	5.5	9
115	Sand/carbon composites as low-cost lithium storage materials with superior electrochemical performance. <i>New Journal of Chemistry</i> , 2019, 43, 4123-4129.	2.8	7
116	Role of lithium hydride in tuning morphology and porosity of nanocarbons derived from CO_2 . <i>Materials Today Nano</i> , 2021, 16, 100134.	4.6	6
117	Electrochemical lithium storage properties of desert sands. <i>Ionics</i> , 2018, 24, 2233-2239.	2.4	4
118	Rational design of highly efficient metal-polyaniline/carbon cloth catalyst towards enhanced oxygen reduction reaction. <i>Ionics</i> , 2020, 26, 5065-5073.	2.4	4
119	Tremella-like porous carbon derived from one-step electroreduction of molten carbonates with superior rate capability for sodium-ion batteries. <i>Ionics</i> , 2020, 26, 2899-2907.	2.4	4
120	Milling Time-Dependent Lithium/Sodium Storage Performance of Carbons Synthesized by a Mechanochemical Reaction. <i>Energy & Fuels</i> , 2021, 35, 4596-4603.	5.1	4
121	Green synthesis of fig-like $\text{Li}_2\text{S}/\text{Mo}@\text{C}$ nanocomposites for advanced lithium-sulfur batteries. <i>Electrochimica Acta</i> , 2022, 426, 140756.	5.2	3
122	Facile and efficient synthesis of Li_2Se particles towards high-areal capacity Li_2Se cathode for advanced Li/Se battery. <i>Sustainable Materials and Technologies</i> , 2021, 29, e00288.	3.3	2
123	The Effects of Surfactants on Al_2O_3 -Modified Li-rich Layered Metal Oxide Cathode Materials for Advanced Li-ion Batteries. <i>Wuli Huaxue Xuebao/ Acta Physico-Chimica Sinica</i> , 2017, 33, 1189-1196.	4.9	1
124	N-Doped Porous Carbon Microspheres Derived from Yeast as Lithium Sulfide Hosts for Advanced Lithium-Ion Batteries. <i>Processes</i> , 2021, 9, 1822.	2.8	1
125	Carbon-Based Electrodes. <i>ACS Symposium Series</i> , 0, , 1-14.	0.5	0