

Grazia Malaponte

List of Publications by Citations

Source: <https://exaly.com/author-pdf/763315/grazia-malaponte-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

37
papers

1,283
citations

20
h-index

35
g-index

38
ext. papers

1,423
ext. citations

3.9
avg, IF

3.57
L-index

#	Paper	IF	Citations
37	Matrix metalloproteinases as diagnostic (MMP-13) and prognostic (MMP-2, MMP-9) markers of prostate cancer. <i>Urological Research</i> , 2005 , 33, 44-50		139
36	High circulating levels of cytokines (IL-6 and TNFalpha), adhesion molecules (VCAM-1 and ICAM-1) and selectins in patients with peripheral arterial disease at rest and after a treadmill test. <i>Vascular Medicine</i> , 2003 , 8, 15-9	3.3	116
35	Plasma levels and zymographic activities of matrix metalloproteinases 2 and 9 in type II diabetics with peripheral arterial disease. <i>Vascular Medicine</i> , 2005 , 10, 1-6	3.3	97
34	Activation of the osteopontin/matrix metalloproteinase-9 pathway correlates with prostate cancer progression. <i>Clinical Cancer Research</i> , 2008 , 14, 7470-80	12.9	89
33	Analysis of BRAF mutation in primary and metastatic melanoma. <i>Cell Cycle</i> , 2005 , 4, 1382-4	4.7	78
32	Calorie restriction modulates inactivity-induced changes in the inflammatory markers C-reactive protein and pentraxin-3. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 3226-9	5.6	67
31	Nectin like-5 overexpression correlates with the malignant phenotype in cutaneous melanoma. <i>Oncotarget</i> , 2012 , 3, 882-92	3.3	63
30	Long pentraxin 3: a marker of inflammation in untreated psoriatic patients. <i>International Journal of Molecular Medicine</i> , 2006 , 18, 415-23	4.4	58
29	Melanoma: molecular pathogenesis and emerging target therapies (Review). <i>International Journal of Oncology</i> , 2009 , 34, 1481-9	1	51
28	Inflammation and peripheral arterial disease: the value of circulating biomarkers (Review). <i>International Journal of Molecular Medicine</i> , 2014 , 33, 777-83	4.4	49
27	NF-B inhibition is associated with OPN/MMP-9 downregulation in cutaneous melanoma. <i>Oncology Reports</i> , 2017 , 37, 737-746	3.5	47
26	IL-1beta, TNF-alpha and IL-6 release from monocytes in haemodialysis patients in relation to dialytic age. <i>Nephrology Dialysis Transplantation</i> , 2002 , 17, 1964-70	4.3	44
25	Analysis of the B-RafV600E mutation in cutaneous melanoma patients with occupational sun exposure. <i>Oncology Reports</i> , 2014 , 31, 1079-82	3.5	37
24	Increased Levels of NF-kB-Dependent Markers in Cancer-Associated Deep Venous Thrombosis. <i>PLoS ONE</i> , 2015 , 10, e0132496	3.7	29
23	Co-regulated expression of matrix metalloproteinase-2 and transforming growth factor-beta in melanoma development and progression. <i>Oncology Reports</i> , 2010 , 24, 81-7	3.5	28
22	Association of t(14;18) translocation with HCV infection in gastrointestinal MALT lymphomas. <i>Journal of Hepatology</i> , 2008 , 49, 170-4	13.4	25
21	Elevated Serum Levels of Osteopontin in HCV-Associated Lymphoproliferative Disorders. <i>Cancer Biology and Therapy</i> , 2005 , 4, 1192-4	4.6	25

20	Tumor microenvironment in diffuse large B-cell lymphoma: Matrix metalloproteinases activation is mediated by osteopontin overexpression. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2016 , 1863, 483-489	4.9	22
19	IL-6-174 G > C and MMP-9-1562 C > T polymorphisms are associated with increased risk of deep vein thrombosis in cancer patients. <i>Cytokine</i> , 2013 , 62, 64-9	4	21
18	Molecular targeted therapy in melanoma: a way to reverse resistance to conventional drugs. <i>Current Drug Delivery</i> , 2012 , 9, 17-29	3.2	21
17	Genetic polymorphisms of FOXP3 in Italian patients with systemic sclerosis. <i>Immunology Letters</i> , 2013 , 152, 109-13	4.1	20
16	Analysis of TIMP-1 gene polymorphisms in Italian sclerodermic patients. <i>Journal of Clinical Laboratory Analysis</i> , 2006 , 20, 173-6	3	20
15	Expression and localisation of osteopontin and prominin-1 (CD133) in patients with endometriosis. <i>International Journal of Molecular Medicine</i> , 2013 , 31, 1011-6	4.4	19
14	Liver immunolocalization and plasma levels of MMP-9 in non-alcoholic steatohepatitis (NASH) and hepatitis C infection. <i>Acta Histochemica</i> , 2010 , 112, 474-81	2	18
13	Raf kinase inhibitor protein (RKIP) and phospho-RKIP expression in melanomas. <i>Acta Histochemica</i> , 2013 , 115, 795-802	2	17
12	Effects of ischaemic stress on leukocyte activation processes in patients with chronic peripheral occlusive arterial disease: role of L-propionyl carnitine administration. <i>Pharmacological Research</i> , 2001 , 44, 305-9	10.2	15
11	Association of TIMP-1 +372 SNP with digital ulcer manifestation in female systemic sclerosis patients. <i>Human Immunology</i> , 2012 , 73, 950-3	2.3	10
10	FOXP3 expression is modulated by TGF- β /NOTCH1 pathway in human melanoma. <i>International Journal of Molecular Medicine</i> , 2018 , 42, 392-404	4.4	10
9	Analysis of matrix metalloproteinase-9 gene polymorphism -1562 C/T in patients suffering from systemic sclerosis with and without ulcers. <i>International Journal of Molecular Medicine</i> , 2011 , 27, 873-7	4.4	9
8	Soluble adhesion molecules and cytokines in children affected by recurrent infections of the upper respiratory tract. <i>Pediatric Research</i> , 2004 , 55, 666-73	3.2	9
7	Modulation of YY1 and p53 expression by transforming growth factor- β in prostate cell lines. <i>Cytokine</i> , 2011 , 56, 403-10	4	8
6	Dehydroxymethylepoxyquinomicin, a novel nuclear factor-kappaB inhibitor, prevents inflammatory injury induced by interferon-gamma and histamine in NCTC 2544 keratinocytes. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010 , 37, 679-83	3	6
5	Dehydroxymethylepoxyquinomicin inhibits expression and production of inflammatory mediators in interleukin-1beta-induced human chondrocytes. <i>Cellular Physiology and Biochemistry</i> , 2010 , 25, 543-50 ^{3,9}	3.9	6
4	Efficacy of an analysis of lymphocyte subsets in predicting the clinical response to alpha-interferon therapy in thalassaemia patients with chronic infection by hepatitis C virus: a pilot study. <i>British Journal of Haematology</i> , 1995 , 89, 291-8	4.5	6
3	Plasma beta-endorphin levels and natural-killer cells in two cases of congenital indifference to pain. <i>Childs Nervous System</i> , 1992 , 8, 83-5	1.7	2

2	Isoproterenol modulates matrix metalloproteinase-2 (MMP-2) and its tissue inhibitor-2 (TIMP-2) in rat parotid gland. <i>Archives of Oral Biology</i> , 2013 , 58, 370-6	2.8	1
1	Proinflammatory circulating molecules in peripheral arterial disease (Review). <i>International Journal of Molecular Medicine</i> , 2007 ,	4.4	1