

# Ian M Kronish

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7633830/ian-m-kronish-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170  
papers

5,089  
citations

34  
h-index

66  
g-index

185  
ext. papers

6,361  
ext. citations

4.7  
avg, IF

6.02  
L-index

| #   | Paper  | IF  | Citations |
|-----|--|-----|-----------|
| 170 | Medication Adherence and Blood Pressure Control: A Scientific Statement From the American Heart Association. <i>Hypertension</i> , <b>2022</b> , 79, e1-e14  | 8.5 | 11        |
| 169 | Association of depression and COVID-induced PTSD with cognitive symptoms after COVID-19 illness.. <i>General Hospital Psychiatry</i> , <b>2022</b> ,   | 5.6 | 1         |
| 168 | TASC (Telehealth After Stroke Care): a study protocol for a randomized controlled feasibility trial of telehealth-enabled multidisciplinary stroke care in an underserved urban setting.. <i>Pilot and Feasibility Studies</i> , <b>2022</b> , 8, 81 | 1.9 | 0         |
| 167 | Effectiveness of stepped depression care among patients with screen-identified depression after acute coronary syndromes: A secondary analysis of the CODIACS-QoL randomized clinical trial.. <i>General Hospital Psychiatry</i> , <b>2022</b> ,     | 5.6 |           |
| 166 | The Role of Behavioral Medicine in Addressing Climate Change-Related Health Inequities. <i>Translational Behavioral Medicine</i> , <b>2022</b> , 12, 526-534   | 3.2 | 0         |
| 165 | Home Blood Pressure Monitoring for Hypertension Diagnosis by Current Recommendations: A Long Way to Go. <i>Hypertension</i> , <b>2021</b> , HYPERTENSIONAHA12118463  | 8.5 | 1         |
| 164 | Gaps and Disparities in Primary Prevention Statin Prescription During Outpatient Care. <i>American Journal of Cardiology</i> , <b>2021</b> , 161, 36-41  | 3   | 2         |
| 163 | Using a multistakeholder collaboratory and patient surveys to inform the conduct of personalized (N-of-1) trials. <i>Health Psychology</i> , <b>2021</b> , 40, 230-241   | 5   | 0         |
| 162 | 233 COVID-19 Related Worries and Sleep Disturbances in Patients Previously Hospitalized with COVID-19 Illness. <i>Sleep</i> , <b>2021</b> , 44, A93-A93  | 1.1 | 78        |
| 161 | The Promise of Remote Patient Monitoring: Lessons Learned During the COVID-19 Surge in New York City. <i>American Journal of Medical Quality</i> , <b>2021</b> , 36, 139-144   | 1.1 | 2         |
| 160 | Psychological Distress, Persistent Physical Symptoms, and Perceived Recovery After COVID-19 Illness. <i>Journal of General Internal Medicine</i> , <b>2021</b> , 36, 2525-2527   | 4   | 6         |
| 159 | Economic outcomes of depression screening after acute coronary syndromes: The CODIACS-QoL randomized clinical trial. <i>General Hospital Psychiatry</i> , <b>2021</b> , 71, 47-54  | 5.6 | 2         |
| 158 | Medications as Traumatic Reminders in Patients With Stroke/Transient Ischemic Attack-Induced Posttraumatic Stress Disorder. <i>Stroke</i> , <b>2021</b> , 52, 321-324  | 6.7 | 3         |
| 157 | Impact of prior trauma exposure on the development of PTSD symptoms after suspected acute coronary syndrome. <i>General Hospital Psychiatry</i> , <b>2021</b> , 68, 7-11   | 5.6 | 1         |
| 156 | Telemedicine Expansion During the COVID-19 Pandemic and the Potential for Technology-Driven Disparities. <i>Journal of General Internal Medicine</i> , <b>2021</b> , 36, 256-258   | 4   | 25        |
| 155 | Measuring the multiple domains of medication nonadherence: findings from a Delphi survey of adherence experts. <i>Translational Behavioral Medicine</i> , <b>2021</b> , 11, 104-113  | 3.2 | 16        |
| 154 | Hospital Readmissions After Implementation of a Discharge Care Program for Patients with COVID-19 Illness. <i>Journal of General Internal Medicine</i> , <b>2021</b> , 36, 722-729   | 4   | 13        |

|     |   |      |     |
|-----|---|------|-----|
| 153 | Awareness, Knowledge, and Attitudes Toward Screening and Treatment of Masked Hypertension in Primary Care. <i>American Journal of Hypertension</i> , <b>2021</b> , 34, 1322-1327  | 2.3  | 1   |
| 152 | Associations between emergency department crowding and perceptions of interpersonal care in patients presenting with suspected acute coronary syndrome. <i>Emergency Medicine Journal</i> , <b>2021</b> ,   | 1.5  | 2   |
| 151 | Differences in the Prevalence of Screen-Detected Depression After Acute Coronary Syndrome Between Health Systems in the USA: Findings from CODIACS-QoL Randomized Controlled Trial. <i>Journal of General Internal Medicine</i> , <b>2021</b> , 1 | 4    |     |
| 150 | Response to letter to the editor re: Economic outcomes of depression screening after acute coronary syndromes: The CODIACS-QoL randomized clinical trial. <i>General Hospital Psychiatry</i> , <b>2021</b> , 73, 120                              | 5.6  |     |
| 149 | Association of Hispanic ethnicity and linguistic acculturation with cardiovascular medication adherence in patients with suspected acute coronary syndrome. <i>Preventive Medicine Reports</i> , <b>2021</b> , 23, 101455                         | 2.6  | 1   |
| 148 | Mindfulness-based interventions for medication adherence: A systematic review and narrative synthesis. <i>Journal of Psychosomatic Research</i> , <b>2021</b> , 149, 110585   | 4.1  | 0   |
| 147 | Reliability of Office, Home, and Ambulatory Blood Pressure Measurements and Correlation With Left Ventricular Mass. <i>Journal of the American College of Cardiology</i> , <b>2020</b> , 76, 2911-2922  | 15.1 | 20  |
| 146 | Psychological distress, coping behaviors, and preferences for support among New York healthcare workers during the COVID-19 pandemic. <i>General Hospital Psychiatry</i> , <b>2020</b> , 66, 1-8  | 5.6  | 403 |
| 145 | Additional Considerations for Screening and Treatment of Depression in Patients With Acute Coronary Syndrome-Reply. <i>JAMA Internal Medicine</i> , <b>2020</b> , 180, 473-474  | 11.5 | 1   |
| 144 | Trends in Antihypertensive Medication Monotherapy and Combination Use Among US Adults, National Health and Nutrition Examination Survey 2005-2016. <i>Hypertension</i> , <b>2020</b> , 75, 973-981  | 8.5  | 31  |
| 143 | Partner presence in the emergency department and adherence to daily cardiovascular medications in patients evaluated for acute coronary syndrome. <i>Journal of Behavioral Medicine</i> , <b>2020</b> , 43, 402-410                               | 3.6  | 0   |
| 142 | Post-traumatic Stress Disorder Following Acute Stroke. <i>Current Emergency and Hospital Medicine Reports</i> , <b>2020</b> , 8, 1-8  | 0.9  | 5   |
| 141 | Patient-Reported Barriers and Facilitators to Deprescribing Cardiovascular Medications. <i>Drugs and Aging</i> , <b>2020</b> , 37, 125-135  | 4.7  | 9   |
| 140 | Are patients afraid to go home? Disposition preferences after transient ischaemic attack and minor stroke. <i>Emergency Medicine Journal</i> , <b>2020</b> , 37, 486-488  | 1.5  |     |
| 139 | Intervening on fear after acute cardiac events: Rationale and design of the INFORM randomized clinical trial. <i>Health Psychology</i> , <b>2020</b> , 39, 736-744  | 5    | 2   |
| 138 | Interventions for posttraumatic stress disorder symptoms induced by medical events: A systematic review. <i>Journal of Psychosomatic Research</i> , <b>2020</b> , 129, 109908   | 4.1  | 8   |
| 137 | Effectiveness of interventions targeting self-regulation to improve adherence to chronic disease medications: a meta-review of meta-analyses. <i>Health Psychology Review</i> , <b>2020</b> , 14, 66-85   | 7.1  | 67  |
| 136 | Short Sleep Duration After Hospital Evaluation for Acute Coronary Syndrome Is Associated With Increased Risk of 6-Month Readmission. <i>Psychosomatic Medicine</i> , <b>2020</b> , 82, 57-63  | 3.7  | 3   |

|     |  |      |    |
|-----|--|------|----|
| 135 | Comparison of 3 Devices for 24-Hour Ambulatory Blood Pressure Monitoring in a Nonclinical Environment Through a Randomized Trial. <i>American Journal of Hypertension</i> , <b>2020</b> , 33, 1021-1029  | 2.3  | 0  |
| 134 | Impact of Self-Monitoring of Blood Pressure on Processes of Hypertension Care and Long-Term Blood Pressure Control. <i>Journal of the American Heart Association</i> , <b>2020</b> , 9, e016174  | 6    | 9  |
| 133 | Personal preferences for Personalised Trials among patients with chronic diseases: an empirical Bayesian analysis of a conjoint survey. <i>BMJ Open</i> , <b>2020</b> , 10, e036056  | 3    | 2  |
| 132 | Posttraumatic Stress Disorder and Electronically Measured Medication Adherence After Suspected Acute Coronary Syndromes. <i>Circulation</i> , <b>2020</b> , 142, 817-819   | 16.7 | 4  |
| 131 | Design and study protocol for a cluster randomized trial of a multi-faceted implementation strategy to increase the uptake of the USPSTF hypertension screening recommendations: the EMBRACE study. <i>Implementation Science</i> , <b>2020</b> , 15, 63 | 8.4  | 1  |
| 130 | Effect of Depression Screening After Acute Coronary Syndromes on Quality of Life: The CODIACS-QoL Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , <b>2020</b> , 180, 45-53  | 11.5 | 21 |
| 129 | Trends in Poor Health Indicators Among Black and Hispanic Middle-aged and Older Adults in the United States, 1999-2018. <i>JAMA Network Open</i> , <b>2020</b> , 3, e2025134   | 10.4 | 13 |
| 128 | Implementing Ambulatory Blood Pressure Monitoring in Primary Care Practice. <i>Family Practice Management</i> , <b>2020</b> , 27, 19-25  | 1.7  | 2  |
| 127 | Behavioral economics implementation: Regret lottery improves mHealth patient study adherence. <i>Contemporary Clinical Trials Communications</i> , <b>2019</b> , 15, 100387  | 1.8  | 6  |
| 126 | Antihypertensive Medication Nonpersistence and Low Adherence for Adults . <i>Hypertension</i> , <b>2019</b> , 74, 35-46  | 8.5  | 18 |
| 125 | A within-subject comparison of the effect of two putative sham light therapies on mood and fatigue in cancer survivors: Results from a series of N-of-1 trials. <i>Psychiatry Research</i> , <b>2019</b> , 279, 385-386 <sup>9.9</sup>                   | 9.9  | 2  |
| 124 | Content Validity and Reliability of a Self-Report Measure of Medication Nonadherence in Hepatitis C Treatment. <i>Digestive Diseases and Sciences</i> , <b>2019</b> , 64, 2784-2797  | 4    | 12 |
| 123 | Feasibility and impact of a guided symptom exposure augmented cognitive behavior therapy protocol to prevent symptoms of pharmacologically induced depression: A pilot study. <i>Cognitive Therapy and Research</i> , <b>2019</b> , 43, 679-692          | 2.7  | 2  |
| 122 | Early interventions to prevent posttraumatic stress disorder symptoms in survivors of life-threatening medical events: A systematic review. <i>Journal of Anxiety Disorders</i> , <b>2019</b> , 64, 24-39  | 10.9 | 19 |
| 121 | Increasing the Precision of Hypertension Treatment Through Personalized Trials: a Pilot Study. <i>Journal of General Internal Medicine</i> , <b>2019</b> , 34, 839-845   | 4    | 12 |
| 120 | Masked Hypertension: Whom and How to Screen?. <i>Current Hypertension Reports</i> , <b>2019</b> , 21, 26   | 4.7  | 8  |
| 119 | Implementing Home Blood Pressure Monitoring into Clinical Practice. <i>Current Hypertension Reports</i> , <b>2019</b> , 21, 14   | 4.7  | 15 |
| 118 | Clinical Usefulness of Bright White Light Therapy for Depressive Symptoms in Cancer Survivors: Results from a Series of Personalized (N-of-1) Trials. <i>Healthcare (Switzerland)</i> , <b>2019</b> , 8,   | 3.4  | 3  |

|     |  |     |    |
|-----|--|-----|----|
| 117 | Association of Total Medication Burden With Intensive and Standard Blood Pressure Control and Clinical Outcomes: A Secondary Analysis of SPRINT. <i>Hypertension</i> , <b>2019</b> , HYPERTENSIONAHA11912907   | 8.5 | 10 |
| 116 | Validity Of The Self-Reported Domains Of Subjective Extent Of Nonadherence (DOSE-Nonadherence) Scale In Comparison With Electronically Monitored Adherence To Cardiovascular Medications. <i>Patient Preference and Adherence</i> , <b>2019</b> , 13, 1677-1684  | 2.4 | 5  |
| 115 | Rationale, design, and baseline data for a multicenter randomized clinical trial comparing depression screening strategies after acute coronary syndrome: The comparison of depression identification after acute Coronary Syndromes-Quality of Life and Cost Outcomes (CODIACS-QOL) trial. <i>Contemporary Clinical Trials</i> , <b>2019</b> , 84, 105826 | 2.3 | 5  |
| 114 | Technological Interventions for Medication Adherence in Adult Mental Health and Substance Use Disorders: A Systematic Review. <i>JMIR Mental Health</i> , <b>2019</b> , 6, e12493  | 6   | 39 |
| 113 | Using Machine Learning to Derive Just-In-Time and Personalized Predictors of Stress: Observational Study Bridging the Gap Between Nomothetic and Ideographic Approaches. <i>Journal of Medical Internet Research</i> , <b>2019</b> , 21, e12910  | 7.6 | 6  |
| 112 | The Impact of Cardiac-induced Post-traumatic Stress Disorder Symptoms on Cardiovascular Outcomes: Design and Rationale of the Prospective Observational Reactions to Acute Care and Hospitalizations (ReACH) Study. <i>Health Psychology Bulletin</i> , <b>2019</b> , 3, 10-20   | 1.1 | 10 |
| 111 | Depression and multimorbidity: Considering temporal characteristics of the associations between depression and multiple chronic diseases. <i>Health Psychology</i> , <b>2019</b> , 38, 802-811   | 5   | 46 |
| 110 | Mindfulness-Based Blood Pressure Reduction (MB-BP): Stage 1 single-arm clinical trial. <i>PLoS ONE</i> , <b>2019</b> , 14, e0223095  | 3.7 | 18 |
| 109 | A hybrid 4-item Krousel-Wood Medication Adherence Scale predicts cardiovascular events in older hypertensive adults. <i>Journal of Hypertension</i> , <b>2019</b> , 37, 851-859  | 1.9 | 8  |
| 108 | 0931 Post-Stroke Sleep Duration And Quality Are Associated With Depression. <i>Sleep</i> , <b>2019</b> , 42, A374-A375   |     |    |
| 107 | The impact of psychological distress on long-term recovery perceptions in survivors of cardiac arrest. <i>Journal of Critical Care</i> , <b>2019</b> , 50, 227-233   | 4   | 12 |
| 106 | Nausea in the peri-traumatic period is associated with prospective risk for PTSD symptom development. <i>Neuropsychopharmacology</i> , <b>2019</b> , 44, 668-673   | 8.7 | 7  |
| 105 | Factors associated with objectively measured exercise participation after hospitalization for acute coronary syndrome. <i>International Journal of Cardiology</i> , <b>2019</b> , 275, 1-5   | 3.2 | 2  |
| 104 | Posttraumatic stress disorder and nonadherence to medications prescribed for chronic medical conditions: A meta-analysis. <i>Journal of Psychiatric Research</i> , <b>2018</b> , 102, 102-109  | 5.2 | 16 |
| 103 | N-of-1 Randomized Intervention Trials in Health Psychology: A Systematic Review and Methodology Critique. <i>Annals of Behavioral Medicine</i> , <b>2018</b> , 52, 731-742   | 4.5 | 69 |
| 102 | A Comparison of the Diagnostic Accuracy of Common Office Blood Pressure Measurement Protocols. <i>American Journal of Hypertension</i> , <b>2018</b> , 31, 827-834   | 2.3 | 4  |
| 101 | Cumplimiento terapéutico del tratamiento con estatinas: medicina de precisión para optimizar la adherencia. <i>Revista Espanola De Cardiologia</i> , <b>2018</b> , 71, 4-5   | 1.5 | 1  |
| 100 | Observational study of the differential impact of time-varying depressive symptoms on all-cause and cause-specific mortality by health status in community-dwelling adults: the REGARDS study. <i>BMJ Open</i> , <b>2018</b> , 8, e017385  | 3   | 26 |

|    |   |     |    |
|----|---|-----|----|
| 99 | Personalized (N-of-1) Trials for Depression: A Systematic Review. <i>Journal of Clinical Psychopharmacology</i> , <b>2018</b> , 38, 218-225   | 1.7 | 15 |
| 98 | Wrist-based cut-points for moderate- and vigorous-intensity physical activity for the Actical accelerometer in adults. <i>Journal of Sports Sciences</i> , <b>2018</b> , 36, 206-212  | 3.6 | 13 |
| 97 | Exploratory study of impact of cancer-related posttraumatic stress symptoms on diabetes self-management among cancer survivors. <i>Psycho-Oncology</i> , <b>2018</b> , 27, 648-653  | 3.9 | 7  |
| 96 | Parathyroid hormone is related to QT interval independent of serum calcium in patients with coronary artery disease. <i>Annals of Noninvasive Electrocardiology</i> , <b>2018</b> , 23, e12496                              | 1.5 | 9  |
| 95 | A systematic review of the inclusion of mechanisms of action in NIH-funded intervention trials to improve medication adherence. <i>Behaviour Research and Therapy</i> , <b>2018</b> , 101, 12-19                            | 5.2 | 13 |
| 94 | The Association of Posttraumatic Stress Disorder With Clinic and Ambulatory Blood Pressure in Healthy Adults. <i>Psychosomatic Medicine</i> , <b>2018</b> , 80, 55-61   | 3.7 | 15 |
| 93 | Using Behavioral Analytics to Increase Exercise: A Randomized N-of-1 Study. <i>American Journal of Preventive Medicine</i> , <b>2018</b> , 54, 559-567  | 6.1 | 56 |
| 92 | Patient preferences for personalized (N-of-1) trials: a conjoint analysis. <i>Journal of Clinical Epidemiology</i> , <b>2018</b> , 102, 12-22   | 5.7 | 6  |
| 91 | Of Signal and Noise: Overcoming Challenges in Blood Pressure Measurement to Optimize Hypertension Care. <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2018</b> , 11, e004543                                 | 5.8 | 4  |
| 90 | Interventions to Increase Depression Treatment Initiation in Primary Care Patients: a Systematic Review. <i>Journal of General Internal Medicine</i> , <b>2018</b> , 33, 1978-1989  | 4   | 6  |
| 89 | Applying Deep Learning to Understand Predictors of Tooth Mobility Among Urban Latinos. <i>Studies in Health Technology and Informatics</i> , <b>2018</b> , 251, 241-244   | 0.5 | 3  |
| 88 | Machine Learning to Identify Behavioral Determinants of Oral Health in Inner City Older Hispanic Adults. <i>Studies in Health Technology and Informatics</i> , <b>2018</b> , 251, 253-256                                   | 0.5 | 3  |
| 87 | The Impact of Antihypertensive Drugs on Adherence. <i>Updates in Hypertension and Cardiovascular Protection</i> , <b>2018</b> , 153-172   | 0.1 |    |
| 86 | A challenge for psychocardiology: Addressing the causes and consequences of patients' perceptions of enduring somatic threat. <i>American Psychologist</i> , <b>2018</b> , 73, 1160-1171                                    | 9.5 | 7  |
| 85 | Identifying targets for cardiovascular medication adherence interventions through latent class analysis. <i>Health Psychology</i> , <b>2018</b> , 37, 1006-1014   | 5   | 8  |
| 84 | Posttraumatic stress disorder due to acute cardiac events and aversive cognitions towards cardiovascular medications. <i>Journal of Behavioral Medicine</i> , <b>2018</b> , 41, 261-268                                     | 3.6 | 20 |
| 83 | Post-traumatic stress disorder symptoms and aversive cognitions regarding physical activity in patients evaluated for acute coronary syndrome. <i>European Journal of Preventive Cardiology</i> , <b>2018</b> , 25, 402-403 | 3.9 | 8  |
| 82 | Extent of Exclusions for Chronic Conditions in Breast Cancer Trials. <i>JNCI Cancer Spectrum</i> , <b>2018</b> , 2, pky059.6  | 4.6 | 4  |

|    |   |      |    |
|----|---|------|----|
| 81 | An Informatics Approach to Implement Support for Shared Decision Making for Primary Prevention Statin Therapy. <i>MDM Policy and Practice</i> , <b>2018</b> , 3, 2381468318777752   | 1.5  | 3  |
| 80 | Diagnosing Masked Hypertension Using Ambulatory Blood Pressure Monitoring, Home Blood Pressure Monitoring, or Both?. <i>Hypertension</i> , <b>2018</b> , 72, 1200-1207  | 8.5  | 39 |
| 79 | Number of Measurements Needed to Obtain a Reliable Estimate of Home Blood Pressure: Results From the Improving the Detection of Hypertension Study. <i>Journal of the American Heart Association</i> , <b>2018</b> , 7, e008658   | 6    | 11 |
| 78 | Patient Barriers and Facilitators to Ambulatory and Home Blood Pressure Monitoring: A Qualitative Study. <i>American Journal of Hypertension</i> , <b>2018</b> , 31, 919-927  | 2.3  | 19 |
| 77 | Posttraumatic stress disorder in patients who rule out versus rule in for acute coronary syndrome. <i>General Hospital Psychiatry</i> , <b>2018</b> , 53, 101-107   | 5.6  | 16 |
| 76 | Depressive symptoms and decision-making preferences in patients with comorbid illnesses. <i>Journal of Psychosomatic Research</i> , <b>2017</b> , 92, 63-66   | 4.1  | 11 |
| 75 | In Search of a "Magic Pill" for Medication Nonadherence. <i>JAMA Internal Medicine</i> , <b>2017</b> , 177, 631-632   | 11.5 | 9  |
| 74 | Objectively Measured Adherence to Physical Activity Guidelines After Acute Coronary Syndrome. <i>Journal of the American College of Cardiology</i> , <b>2017</b> , 69, 1205-1207  | 15.1 | 14 |
| 73 | Patients and primary care providers identify opportunities for personalized (N-of-1) trials in the mobile health era. <i>Journal of Clinical Epidemiology</i> , <b>2017</b> , 89, 236-237   | 5.7  | 9  |
| 72 | Psychiatric Hospitalization Increases Short-Term Risk of Stroke. <i>Stroke</i> , <b>2017</b> , 48, 1795-1801  | 6.7  | 5  |
| 71 | Does Stress Result in You Exercising Less? Or Does Exercising Result in You Being Less Stressed? Or Is It Both? Testing the Bi-directional Stress-Exercise Association at the Group and Person (N of 1) Level. <i>Annals of Behavioral Medicine</i> , <b>2017</b> , 51, 799-809 | 4.5  | 48 |
| 70 | Acute stress disorder symptoms after evaluation for acute coronary syndrome predict 30-day readmission. <i>International Journal of Cardiology</i> , <b>2017</b> , 240, 87-89   | 3.2  | 6  |
| 69 | Are Nomothetic or Ideographic Approaches Superior in Predicting Daily Exercise Behaviors?. <i>Methods of Information in Medicine</i> , <b>2017</b> , 56, 452-460  | 1.5  | 16 |
| 68 | Barriers to conducting ambulatory and home blood pressure monitoring during hypertension screening in the United States. <i>Journal of the American Society of Hypertension</i> , <b>2017</b> , 11, 573-580   |      | 55 |
| 67 | Telemonitoring Adherence to Medications in Heart Failure Patients (TEAM-HF): A Pilot Randomized Clinical Trial. <i>Journal of Cardiac Failure</i> , <b>2017</b> , 23, 345-349   | 3.3  | 12 |
| 66 | Should You Screen for and Manage Depression in Patients With a Recent Acute Coronary Syndrome?. <i>Annals of Internal Medicine</i> , <b>2017</b> , 167, 750-751   | 8    |    |
| 65 | Physical Activity After Hospitalization For Acute Coronary Syndrome. <i>Medicine and Science in Sports and Exercise</i> , <b>2017</b> , 49, 589   | 1.2  |    |
| 64 | Elucidating the Association Between Depressive Symptoms, Coronary Heart Disease, and Stroke in Black and White Adults: The REasons for Geographic And Racial Differences in Stroke (REGARDS) Study. <i>Journal of the American Heart Association</i> , <b>2016</b> , 5,         | 6    | 24 |

|    |   |     |     |
|----|---|-----|-----|
| 63 | Depression and doctor-patient communication in the emergency department. <i>General Hospital Psychiatry</i> , <b>2016</b> , 42, 49-53   | 5.6 | 5   |
| 62 | The association between Self-Reported Medication Adherence scores and systolic blood pressure control: a SPRINT baseline data study. <i>Journal of the American Society of Hypertension</i> , <b>2016</b> , 10, 857-864.e2                                      |     | 12  |
| 61 | Trends in Antihypertensive Medication Discontinuation and Low Adherence Among Medicare Beneficiaries Initiating Treatment From 2007 to 2012. <i>Hypertension</i> , <b>2016</b> , 68, 565-75   | 8.5 | 57  |
| 60 | An Electronic Adherence Measurement Intervention to Reduce Clinical Inertia in the Treatment of Uncontrolled Hypertension: The MATCH Cluster Randomized Clinical Trial. <i>Journal of General Internal Medicine</i> , <b>2016</b> , 31, 1294-1300               | 4   | 11  |
| 59 | The Association Between Antihypertensive Medication Nonadherence and Visit-to-Visit Variability of Blood Pressure: Findings From the Antihypertensive and Lipid-Lowering Treatment to Prevent Heart Attack Trial. <i>Hypertension</i> , <b>2016</b> , 68, 39-45 | 8.5 | 60  |
| 58 | Patient treatment in ED hallways and patient perception of clinician-patient communication. <i>American Journal of Emergency Medicine</i> , <b>2016</b> , 34, 1163-4  | 2.9 | 27  |
| 57 | What Should Primary Care Providers Know About the Changes in DSM-5?. <i>Current Psychiatry Reports</i> , <b>2016</b> , 18, 30   | 9.1 | 1   |
| 56 | Impact of Hospitalization for Acute Myocardial Infarction on Adherence to Statins Among Older Adults. <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2016</b> , 9, 364-71   | 5.8 | 20  |
| 55 | State of the Art Review: Depression, Stress, Anxiety, and Cardiovascular Disease. <i>American Journal of Hypertension</i> , <b>2015</b> , 28, 1295-302  | 2.3 | 396 |
| 54 | Dimensional structure and correlates of posttraumatic stress symptoms following suspected acute coronary syndrome. <i>Journal of Affective Disorders</i> , <b>2015</b> , 186, 178-85  | 6.6 | 24  |
| 53 | Are two commonly used self-report questionnaires useful for identifying antihypertensive medication nonadherence?. <i>Journal of Hypertension</i> , <b>2015</b> , 33, 1108-13   | 1.9 | 31  |
| 52 | Antihypertensive drug class and adherence: an electronic monitoring study. <i>American Journal of Hypertension</i> , <b>2015</b> , 28, 717-21   | 2.3 | 21  |
| 51 | Posttraumatic Stress Disorder and Cardiovascular Disease <b>2015</b> , 227-236  |     |     |
| 50 | The necessity-concerns framework: a multidimensional theory benefits from multidimensional analysis. <i>Annals of Behavioral Medicine</i> , <b>2014</b> , 48, 7-16  | 4.5 | 32  |
| 49 | The psychosocial context impacts medication adherence after acute coronary syndrome. <i>Annals of Behavioral Medicine</i> , <b>2014</b> , 47, 158-64  | 4.5 | 9   |
| 48 | Correlates of post-traumatic stress disorder in stroke survivors. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2014</b> , 23, 1099-105  | 2.8 | 47  |
| 47 | Stroke survivors' endorsement of a "stress belief model" of stroke prevention predicts control of risk factors for recurrent stroke. <i>Psychology, Health and Medicine</i> , <b>2014</b> , 19, 519-24  | 2.1 | 2   |
| 46 | Anxiety sensitivity and medication nonadherence in patients with uncontrolled hypertension. <i>Journal of Psychosomatic Research</i> , <b>2014</b> , 77, 283-6  | 4.1 | 24  |



|    |  |      |     |
|----|--|------|-----|
| 45 | A test of the diathesis-stress model in the emergency department: who develops PTSD after an acute coronary syndrome?. <i>Journal of Psychiatric Research</i> , <b>2014</b> , 53, 8-13   | 5.2  | 25  |
| 44 | Posttraumatic stress disorder and medication nonadherence in patients with uncontrolled hypertension. <i>JAMA Internal Medicine</i> , <b>2014</b> , 174, 468-70  | 11.5 | 22  |
| 43 | Personalizing Behavioral Interventions Through Single-Patient (N-of-1) Trials. <i>Social and Personality Psychology Compass</i> , <b>2014</b> , 8, 408-421   | 3    | 70  |
| 42 | An innovative or disconcerting approach to the psychosocial care of your patient with a cardiac condition: are you a lumpner or a splitter?. <i>JAMA Internal Medicine</i> , <b>2014</b> , 174, 936-7  | 11.5 |     |
| 41 | Depression and clinical inertia in patients with uncontrolled hypertension. <i>JAMA Internal Medicine</i> , <b>2014</b> , 174, 818-9   | 11.5 | 14  |
| 40 | Effect of peer education on stroke prevention: the prevent recurrence of all inner-city strokes through education randomized controlled trial. <i>Stroke</i> , <b>2014</b> , 45, 3330-6  | 6.7  | 48  |
| 39 | Long-term outcomes of enhanced depression treatment in patients with acute coronary syndromes. <i>American Journal of Medicine</i> , <b>2014</b> , 127, 1012-6   | 2.4  | 19  |
| 38 | Key barriers to medication adherence in survivors of strokes and transient ischemic attacks. <i>Journal of General Internal Medicine</i> , <b>2013</b> , 28, 675-82  | 4    | 54  |
| 37 | Association of acute coronary syndrome-induced posttraumatic stress disorder symptoms with self-reported sleep. <i>Annals of Behavioral Medicine</i> , <b>2013</b> , 46, 349-57  | 4.5  | 19  |
| 36 | The "perfect storm" and acute coronary syndrome onset: do psychosocial factors play a role?. <i>Progress in Cardiovascular Diseases</i> , <b>2013</b> , 55, 601-10   | 8.5  | 31  |
| 35 | Posttraumatic stress disorder and risk for coronary heart disease: a meta-analytic review. <i>American Heart Journal</i> , <b>2013</b> , 166, 806-14   | 4.9  | 217 |
| 34 | Adherence to cardiovascular medications: lessons learned and future directions. <i>Progress in Cardiovascular Diseases</i> , <b>2013</b> , 55, 590-600   | 8.5  | 135 |
| 33 | Concerns about medications mediate the association of posttraumatic stress disorder with adherence to medication in stroke survivors. <i>British Journal of Health Psychology</i> , <b>2013</b> , 18, 799-813  | 8.3  | 33  |
| 32 | Serotonin reuptake inhibitor use, depression, and long-term outcomes after an acute coronary syndrome: a prospective cohort study. <i>JAMA Internal Medicine</i> , <b>2013</b> , 173, 1150-1   | 11.5 | 28  |
| 31 | Association of posttraumatic stress disorder and depression with all-cause and cardiovascular disease mortality and hospitalization among Hurricane Katrina survivors with end-stage renal disease. <i>American Journal of Public Health</i> , <b>2013</b> , 103, e130-7 | 5.1  | 20  |
| 30 | Prevalence of PTSD in Survivors of Stroke and Transient Ischemic Attack: A Meta-Analytic Review. <i>PLoS ONE</i> , <b>2013</b> , 8, e66435   | 3.7  | 90  |
| 29 | Understanding minority patients' beliefs about hypertension to reduce gaps in communication between patients and clinicians. <i>Journal of Clinical Hypertension</i> , <b>2012</b> , 14, 38-44   | 2.3  | 31  |
| 28 | Peer education for secondary stroke prevention in inner-city minorities: design and methods of the prevent recurrence of all inner-city strokes through education randomized controlled trial. <i>Contemporary Clinical Trials</i> , <b>2012</b> , 33, 1065-73           | 2.3  | 30  |

|    |  |      |     |
|----|--|------|-----|
| 27 | Post-traumatic stress disorder and medication adherence: results from the Mind Your Heart study. <i>Journal of Psychiatric Research</i> , <b>2012</b> , 46, 1595-9   | 5.2  | 74  |
| 26 | Barriers to adherence to COPD guidelines among primary care providers. <i>Respiratory Medicine</i> , <b>2012</b> , 106, 374-81   | 4.6  | 101 |
| 25 | The effect of enhanced depression care on adherence to risk-reducing behaviors after acute coronary syndromes: findings from the COPES trial. <i>American Heart Journal</i> , <b>2012</b> , 164, 524-9                                       | 4.9  | 23  |
| 24 | Brief psychotherapy for depression: a systematic review and meta-analysis. <i>International Journal of Psychiatry in Medicine</i> , <b>2012</b> , 43, 129-51   | 1    | 64  |
| 23 | The effect of enhanced depression care on anxiety symptoms in acute coronary syndrome patients: findings from the COPES trial. <i>Psychotherapy and Psychosomatics</i> , <b>2012</b> , 81, 245-7   | 9.4  | 5   |
| 22 | Using EHRs to integrate research with patient care: promises and challenges. <i>Journal of the American Medical Informatics Association: JAMIA</i> , <b>2012</b> , 19, 684-7   | 8.6  | 51  |
| 21 | Posttraumatic stress disorder and adherence to medications in survivors of strokes and transient ischemic attacks. <i>Stroke</i> , <b>2012</b> , 43, 2192-7  | 6.7  | 89  |
| 20 | Depressive symptoms and cardiovascular health by the American Heart Association definition in the Reasons for Geographic and Racial Differences in Stroke (REGARDS) study. <i>PLoS ONE</i> , <b>2012</b> , 7, e52771                         | 7.7  | 70  |
| 19 | How Should We Treat Depression in Patients with Cardiovascular Disease? <b>2012</b> , 17, 126-133  |      | 3   |
| 18 | Hepatitis C treatment completion in individuals with psychiatric comorbidity and depression. <i>Gastroenterology Nursing</i> , <b>2011</b> , 34, 102-6   | 1    | 4   |
| 17 | HIV and HCV health beliefs in an inner-city community. <i>Journal of Viral Hepatitis</i> , <b>2011</b> , 18, 785-91  | 3.4  | 7   |
| 16 | Posttraumatic stress due to an acute coronary syndrome increases risk of 42-month major adverse cardiac events and all-cause mortality. <i>Journal of Psychiatric Research</i> , <b>2011</b> , 45, 1621-6                                    | 5.2  | 79  |
| 15 | Meta-analysis: impact of drug class on adherence to antihypertensives. <i>Circulation</i> , <b>2011</b> , 123, 1611-21   | 16.7 | 115 |
| 14 | Aspirin adherence, depression and one-year prognosis after acute coronary syndrome. <i>Psychotherapy and Psychosomatics</i> , <b>2011</b> , 80, 316-8  | 9.4  | 16  |
| 13 | Association of anhedonia with recurrent major adverse cardiac events and mortality 1 year after acute coronary syndrome. <i>Archives of General Psychiatry</i> , <b>2010</b> , 67, 480-8   |      | 103 |
| 12 | Predictors of nonadherence to statins: a systematic review and meta-analysis. <i>Annals of Pharmacotherapy</i> , <b>2010</b> , 44, 1410-21   | 2.9  | 218 |
| 11 | Enhanced depression care for patients with acute coronary syndrome and persistent depressive symptoms: coronary psychosocial evaluation studies randomized controlled trial. <i>Archives of Internal Medicine</i> , <b>2010</b> , 170, 600-8 |      | 242 |
| 10 | Depressive symptoms and all-cause mortality in unstable angina pectoris (from the Coronary Psychosocial Evaluation Studies [COPEs]). <i>American Journal of Cardiology</i> , <b>2010</b> , 106, 1104-7                                       | 3    | 26  |

|   |  |      |     |
|---|--|------|-----|
| 9 | Aspirin adherence, aspirin dosage, and C-reactive protein in the first 3 months after acute coronary syndrome. <i>American Journal of Cardiology</i> , <b>2010</b> , 106, 1090-4   | 3    | 17  |
| 8 | Is depression after an acute coronary syndrome simply a marker of known prognostic factors for mortality?. <i>Psychosomatic Medicine</i> , <b>2009</b> , 71, 697-703   | 3.7  | 24  |
| 7 | Real-time EBM: from bed board to keyboard and back. <i>Journal of General Internal Medicine</i> , <b>2007</b> , 22, 1656-60  | 4    | 12  |
| 6 | Letter by Kronish et al regarding article, "Residual arachidonic acid-induced platelet activation via an adenosine diphosphate-dependent but cyclooxygenase-1- and cyclooxygenase-2-independent pathway: a 700-patient study of aspirin resistance". <i>Circulation</i> , <b>2007</b> , 115, e45; author reply e46 | 16.7 | 1   |
| 5 | Medication utilization in an urban homebound population. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2006</b> , 61, 411-5  | 6.4  | 21  |
| 4 | Course of depressive symptoms and medication adherence after acute coronary syndromes: an electronic medication monitoring study. <i>Journal of the American College of Cardiology</i> , <b>2006</b> , 48, 2218-22 <sup>15.1</sup>   | 136  |     |
| 3 | Persistent depressive symptoms lower aspirin adherence after acute coronary syndromes. <i>American Heart Journal</i> , <b>2006</b> , 152, 922-7  | 4.9  | 96  |
| 2 | Persistent depression affects adherence to secondary prevention behaviors after acute coronary syndromes. <i>Journal of General Internal Medicine</i> , <b>2006</b> , 21, 1178-83  | 4    | 167 |
| 1 | Titanium Complex-Catalyzed Borohydride Reduction of Azobenzenes. <i>Journal of Organic Chemistry</i> , <b>1996</b> , 61, 4886-4887   | 4.2  | 12  |