

# Derek A Mann

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7636216/publications.pdf>

Version: 2024-02-01

152  
papers

11,897  
citations

23879

60  
h-index

34195

103  
g-index

162  
all docs

162  
docs citations

162  
times ranked

17179  
citing authors

#	ARTICLE	IF	CITATIONS
1	Chronic liver diseases: From development to novel pharmacological therapies: IUPHAR Review 37. <i>British Journal of Pharmacology</i> , 2023, 180, 2880-2897.	2.7	5
2	Neutrophils as potential therapeutic targets in hepatocellular carcinoma. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2022, 19, 257-273.	8.2	77
3	Metabolic dysfunction and cancer in HCV: Shared pathways and mutual interactions. <i>Journal of Hepatology</i> , 2022, 77, 219-236.	1.8	16
4	CXCR2 inhibition enables NASH-HCC immunotherapy. <i>Gut</i> , 2022, 71, 2093-2106.	6.1	66
5	TREM-2 plays a protective role in cholestasis by acting as a negative regulator of inflammation. <i>Journal of Hepatology</i> , 2022, 77, 991-1004.	1.8	22
6	TREM-2 defends the liver against hepatocellular carcinoma through multifactorial protective mechanisms. <i>Gut</i> , 2021, 70, 1345-1361.	6.1	59
7	Neutrophils induce paracrine telomere dysfunction and senescence in ROS-dependent manner. <i>EMBO Journal</i> , 2021, 40, e106048.	3.5	101
8	Immunomodulatory Effects of Lenvatinib Plus Anti-Programmed Cell Death Protein 1 in Mice and Rationale for Patient Enrichment in Hepatocellular Carcinoma. <i>Hepatology</i> , 2021, 74, 2652-2669.	3.6	95
9	Cell-free DNA TAPS provides multimodal information for early cancer detection. <i>Science Advances</i> , 2021, 7, eabh0534.	4.7	41
10	A Mammalian Target of Rapamycin-Perilipin 3 (mTORC1-Plin3) Pathway is essential to Activate Lipophagy and Protects Against Hepatosteatosis. <i>Hepatology</i> , 2021, 74, 3441-3459.	3.6	20
11	Moderate Exercise Inhibits Age-Related Inflammation, Liver Steatosis, Senescence, and Tumorigenesis. <i>Journal of Immunology</i> , 2021, 206, 904-916.	0.4	20
12	c-Rel orchestrates energy-dependent epithelial and macrophage reprogramming in fibrosis. <i>Nature Metabolism</i> , 2020, 2, 1350-1367.	5.1	16
13	cRel expression regulates distinct transcriptional and functional profiles driving fibroblast matrix production in systemic sclerosis. <i>Rheumatology</i> , 2020, 59, 3939-3951.	0.9	5
14	Anti-inflammatory treatment rescues memory deficits during aging in <i>nfkbl<sup>−/−</sup></i> mice. <i>Aging Cell</i> , 2020, 19, e13188.	3.0	38
15	Quantification of intra-articular fibrosis in patients with stiff knee arthroplasties using metal-reduction MRI. <i>Bone and Joint Journal</i> , 2020, 102-B, 1331-1340.	1.9	7
16	FPR-1 is an important regulator of neutrophil recruitment and a tissue-specific driver of pulmonary fibrosis. <i>JCI Insight</i> , 2020, 5, .	2.3	48
17	Fibrogenic Activity of MECP2 Is Regulated by Phosphorylation in Hepatic Stellate Cells. <i>Gastroenterology</i> , 2019, 157, 1398-1412.e9.	0.6	27
18	Chronic, Active Inflammation in Patients With Failed Total Knee Replacements Undergoing Revision Surgery. <i>Journal of Orthopaedic Research</i> , 2019, 37, 2316-2324.	1.2	16

#	ARTICLE	IF	CITATIONS
19	A Bioreactor Technology for Modeling Fibrosis in Human and Rodent Precision-Cut Liver Slices. <i>Hepatology</i> , 2019, 70, 1377-1391.	3.6	66
20	Platelet GPIIb/IIIa is a mediator and potential interventional target for NASH and subsequent liver cancer. <i>Nature Medicine</i> , 2019, 25, 641-655.	15.2	259
21	Rapamycin improves healthspan but not inflammaging in <i>knockout</i> mice. <i>Aging Cell</i> , 2019, 18, e12882.	3.0	59
22	Non-parenchymal TREM-2 protects the liver from immune-mediated hepatocellular damage. <i>Gut</i> , 2019, 68, 533-546.	6.1	96
23	Plasma cell-free DNA methylation: a liquid biomarker of hepatic fibrosis. <i>Gut</i> , 2018, 67, 1907-1908.	6.1	21
24	Fibroblasts Promote Inflammation and Pain via IL-1 $\beta$ Induction of the Monocyte Chemoattractant Chemokine (C-C Motif) Ligand 2. <i>American Journal of Pathology</i> , 2018, 188, 696-714.	1.9	26
25	Neutrophils: driving progression and poor prognosis in hepatocellular carcinoma?. <i>British Journal of Cancer</i> , 2018, 118, 248-257.	2.9	71
26	HDAC1 interacts with the p50 NF- $\kappa$ B subunit via its nuclear localization sequence to constrain inflammatory gene expression. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2018, 1861, 962-970.	0.9	14
27	Reduced telomere length is associated with fibrotic joint disease suggesting that impaired telomere repair contributes to joint fibrosis. <i>PLoS ONE</i> , 2018, 13, e0190120.	1.1	8
28	A Proof-of-Concept for Epigenetic Therapy of Tissue Fibrosis: Inhibition of Liver Fibrosis Progression by 3-Deazaneplanocin A. <i>Molecular Therapy</i> , 2017, 25, 218-231.	3.7	65
29	Plasma DNA methylation: a potential biomarker for stratification of liver fibrosis in non-alcoholic fatty liver disease. <i>Gut</i> , 2017, 66, 1321-1328.	6.1	172
30	The NF- $\kappa$ B1 is a key regulator of acute but not chronic renal injury. <i>Cell Death and Disease</i> , 2017, 8, e2883-e2883.	2.7	12
31	The new-generation pan-peroxisome proliferator-activated receptor agonist IVA337 protects the liver from metabolic disorders and fibrosis. <i>Hepatology Communications</i> , 2017, 1, 524-537.	2.0	97
32	Cellular senescence drives age-dependent hepatic steatosis. <i>Nature Communications</i> , 2017, 8, 15691.	5.8	673
33	Epigenetic reprogramming in liver fibrosis and cancer. <i>Advanced Drug Delivery Reviews</i> , 2017, 121, 124-132.	6.6	62
34	Variant Histone H2afv reprograms DNA methylation during early zebrafish development. <i>Epigenetics</i> , 2017, 12, 811-824.	1.3	19
35	A randomised controlled trial of losartan as an anti-fibrotic agent in non-alcoholic steatohepatitis. <i>PLoS ONE</i> , 2017, 12, e0175717.	1.1	46
36	Epigenetics in liver disease: from biology to therapeutics. <i>Gut</i> , 2016, 65, 1895-1905.	6.1	115

#	ARTICLE	IF	CITATIONS
37	Mitochondria are required for pro-aging features of the senescent phenotype. <i>EMBO Journal</i> , 2016, 35, 724-742.	3.5	527
38	TPL2 Kinase Is a Crucial Signaling Factor and Mediator of NKT Effector Cytokine Expression in Immune-Mediated Liver Injury. <i>Journal of Immunology</i> , 2016, 196, 4298-4310.	0.4	16
39	The Role of the Fibroblast in Inflammatory Upper Airway Conditions. <i>American Journal of Pathology</i> , 2016, 186, 225-233.	1.9	29
40	Osteopontin and HMGB1: novel regulators of HSC activation. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2016, 13, 320-322.	8.2	10
41	Dynamic phosphorylation of RelA on Ser42 and Ser45 in response to TNF $\pm$ stimulation regulates DNA binding and transcription. <i>Open Biology</i> , 2016, 6, 160055.	1.5	19
42	A new fluorescence-based optical imaging method to non-invasively monitor hepatic myofibroblasts in vivo. <i>Journal of Hepatology</i> , 2016, 65, 75-83.	1.8	15
43	A potential mode of action for Anakinra in patients with arthrofibrosis following total knee arthroplasty. <i>Scientific Reports</i> , 2015, 5, 16466.	1.6	29
44	Fibrosis is a common outcome following total knee arthroplasty. <i>Scientific Reports</i> , 2015, 5, 16469.	1.6	69
45	Non-Canonical Wnt Predominates in Activated Rat Hepatic Stellate Cells, Influencing HSC Survival and Paracrine Stimulation of Kupffer Cells. <i>PLoS ONE</i> , 2015, 10, e0142794.	1.1	34
46	Stellate Cell Depletion Models. , 2015, , 251-270.		1
47	Emerging and Disease-Specific Mechanisms of Hepatic Stellate Cell Activation. <i>Seminars in Liver Disease</i> , 2015, 35, 107-118.	1.8	81
48	How Reliable Are Sino-Nasal Cell Lines for Studying the Pathophysiology of Chronic Rhinosinusitis?. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2015, 124, 437-442.	0.6	9
49	Novel therapeutic targets in primary biliary cirrhosis. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2015, 12, 147-158.	8.2	110
50	Epigenetic regulation of liver fibrosis. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2015, 39, S64-S68.	0.7	8
51	Ubiquitin C-terminal hydrolase 1: A novel functional marker for liver myofibroblasts and a therapeutic target in chronic liver disease. <i>Journal of Hepatology</i> , 2015, 63, 1421-1428.	1.8	41
52	Alcohol directly stimulates epigenetic modifications in hepatic stellate cells. <i>Journal of Hepatology</i> , 2015, 62, 388-397.	1.8	76
53	Joint Stiffness Is Heritable and Associated with Fibrotic Conditions and Joint Replacement. <i>PLoS ONE</i> , 2015, 10, e0133629.	1.1	14
54	Quiescent Hepatic Stellate Cells Functionally Contribute to the Hepatic Innate Immune Response via TLR3. <i>PLoS ONE</i> , 2014, 9, e83391.	1.1	26

#	ARTICLE	IF	CITATIONS
55	Epigenetics in liver disease. <i>Hepatology</i> , 2014, 60, 1418-1425.	3.6	121
56	The Mechanisms of HSC Activation and Epigenetic Regulation of HSCs Phenotypes. <i>Current Pathobiology Reports</i> , 2014, 2, 163-170.	1.6	11
57	A TLR2/S100A9/CXCL-2 signaling network is necessary for neutrophil recruitment in acute and chronic liver injury in the mouse. <i>Journal of Hepatology</i> , 2014, 60, 782-791.	1.8	130
58	A reversible model for periportal fibrosis and a refined alternative to bile duct ligation. <i>Toxicology Research</i> , 2014, 3, 98-109.	0.9	10
59	Chronic inflammation induces telomere dysfunction and accelerates ageing in mice. <i>Nature Communications</i> , 2014, 5, 4172.	5.8	596
60	Erratum to "Clinical evidence for the regression of liver fibrosis" [Hepatology 2012;56:1171-1180]. <i>Journal of Hepatology</i> , 2014, 60, 468-469.	1.8	2
61	Epigenetic modifications as new targets for liver disease therapies. <i>Journal of Hepatology</i> , 2013, 59, 1349-1353.	1.8	35
62	The c-Rel Subunit of NF- $\kappa$ B Regulates Epidermal Homeostasis and Promotes Skin Fibrosis in Mice. <i>American Journal of Pathology</i> , 2013, 182, 2109-2120.	1.9	34
63	Serotonin paracrine signaling in tissue fibrosis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013, 1832, 905-910.	1.8	76
64	Epigenetic regulation of wound healing and fibrosis. <i>Current Opinion in Rheumatology</i> , 2013, 25, 101-107.	2.0	68
65	An experimental study to identify the potential role of pharmacogenomics in determining the occurrence of oxaliplatin-induced liver injury. <i>Hpb</i> , 2013, 15, 581-587.	0.1	7
66	Tumor progression locus 2/Cot is required for activation of extracellular regulated kinase in liver injury and toll-like receptor-induced TIMP-1 gene transcription in hepatic stellate cells in mice. <i>Hepatology</i> , 2013, 57, 1238-1249.	3.6	41
67	Inhibition of RelA Ser536 phosphorylation by a competing peptide reduces mouse liver fibrosis without blocking the innate immune response. <i>Hepatology</i> , 2013, 57, 817-828.	3.6	37
68	An experimental MODEL study to investigate the pathogenesis of oxaliplatin-induced liver injury.. <i>Journal of Clinical Oncology</i> , 2013, 31, 184-184.	0.8	0
69	Seamless replacement of <i>Autographa californica</i> multiple nucleopolyhedrovirus gp64 with each of five novel type II alphabaculovirus fusion sequences generates pseudotyped virus that fails to transduce mammalian cells. <i>Journal of General Virology</i> , 2012, 93, 1583-1590.	1.3	0
70	Reply to: "Regression of fibrosis: The need for quantitative methods of assessment". <i>Journal of Hepatology</i> , 2012, 57, 1392.	1.8	0
71	Multigenerational epigenetic adaptation of the hepatic wound-healing response. <i>Nature Medicine</i> , 2012, 18, 1369-1377.	15.2	257
72	The NF- $\kappa$ B Subunit c-Rel Stimulates Cardiac Hypertrophy and Fibrosis. <i>American Journal of Pathology</i> , 2012, 180, 929-939.	1.9	65

#	ARTICLE	IF	CITATIONS
73	The Critical Role of TAK1 in Accentuated Epithelial to Mesenchymal Transition in Obliterative Bronchiolitis after Lung Transplantation. <i>American Journal of Pathology</i> , 2012, 180, 2293-2308.	1.9	26
74	Clinical evidence for the regression of liver fibrosis. <i>Journal of Hepatology</i> , 2012, 56, 1171-1180.	1.8	366
75	Crosstalk between DNA methylation and active histone modifications regulates aberrant expression of ZAP70 in CLL. <i>Journal of Cellular and Molecular Medicine</i> , 2012, 16, 2074-2084.	1.6	10
76	Rosmarinic acid and baicalin epigenetically derepress peroxisomal proliferator-activated receptor $\beta$ in hepatic stellate cells for their antifibrotic effect. <i>Hepatology</i> , 2012, 55, 1271-1281.	3.6	114
77	Histone methyltransferase ASH1 orchestrates fibrogenic gene transcription during myofibroblast transdifferentiation. <i>Hepatology</i> , 2012, 56, 1129-1139.	3.6	108
78	Osteopontin is a novel downstream target of SOX9 with diagnostic implications for progression of liver fibrosis in humans. <i>Hepatology</i> , 2012, 56, 1108-1116.	3.6	81
79	The Tumor Necrosis Factor Receptor Stalk Regions Define Responsiveness to Soluble versus Membrane-Bound Ligand. <i>Molecular and Cellular Biology</i> , 2012, 32, 2515-2529.	1.1	49
80	Transforming Growth Factor- $\beta$ 21 (TGF- $\beta$ 21) Driven Epithelial to Mesenchymal Transition (EMT) is Accentuated by Tumour Necrosis Factor $\alpha$ (TNF $\alpha$ ) via Crosstalk Between the SMAD and NF- $\kappa$ B Pathways. <i>Cancer Microenvironment</i> , 2012, 5, 45-57.	3.1	55
81	Epigenetic cell fate regulation of hepatic stellate cells. <i>Hepatology Research</i> , 2011, 41, 675-682.	1.8	46
82	Human T-cell leukemia virus type 1 Tax transactivates the matrix metalloproteinase 7 gene via JunD/AP-1 signaling. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2011, 1813, 731-741.	1.9	20
83	Stimulating healthy tissue regeneration by targeting the 5-HT2B receptor in chronic liver disease. <i>Nature Medicine</i> , 2011, 17, 1668-1673.	15.2	177
84	The c-Rel subunit of nuclear factor- $\kappa$ B regulates murine liver inflammation, wound-healing, and hepatocyte proliferation. <i>Hepatology</i> , 2010, 51, 922-931.	3.6	52
85	Opposing Putative Roles for Canonical and Noncanonical NF $\kappa$ B Signaling on the Survival, Proliferation, and Differentiation Potential of Human Embryonic Stem Cells. <i>Stem Cells</i> , 2010, 28, 1970-1980.	1.4	33
86	Counter-selection recombineering of the baculovirus genome: a strategy for seamless modification of repeat-containing BACs. <i>Nucleic Acids Research</i> , 2010, 38, e166-e166.	6.5	13
87	A DDX5 S480A Polymorphism Is Associated with Increased Transcription of Fibrogenic Genes in Hepatic Stellate Cells. <i>Journal of Biological Chemistry</i> , 2010, 285, 5428-5437.	1.6	32
88	Role of nuclear factor $\kappa$ B in liver health and disease. <i>Clinical Science</i> , 2010, 118, 691-705.	1.8	74
89	Association between anti-tumour necrosis factor treatment response and genetic variants within the TLR and NF $\kappa$ B signalling pathways. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1315-1320.	0.5	74
90	MeCP2 Controls an Epigenetic Pathway That Promotes Myofibroblast Transdifferentiation and Fibrosis. <i>Gastroenterology</i> , 2010, 138, 705-714.e4.	0.6	341

#	ARTICLE	IF	CITATIONS
91	The PXR is a drug target for chronic inflammatory liver disease. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2010, 120, 137-148.	1.2	68
92	NF- $\kappa$ B signalling: Embracing complexity to achieve translation. <i>Journal of Hepatology</i> , 2010, 52, 285-291.	1.8	34
93	Fibrogenic signalling in hepatic stellate cells. <i>Journal of Hepatology</i> , 2010, 52, 949-950.	1.8	60
94	The NF- $\kappa$ B p50:p50:HDAC-1 repressor complex orchestrates transcriptional inhibition of multiple pro-inflammatory genes. <i>Journal of Hepatology</i> , 2010, 53, 519-527.	1.8	129
95	Allele-Specific Regulation of Matrix Metalloproteinase-3 Gene by Transcription Factor NF- $\kappa$ B. <i>PLoS ONE</i> , 2010, 5, e9902.	1.1	37
96	Telmisartan attenuates progression of steatohepatitis in mice: role of hepatic macrophage infiltration and effects on adipose tissue. <i>Liver International</i> , 2009, 29, 988-996.	1.9	74
97	Active matrix metalloproteinase-2 promotes apoptosis of hepatic stellate cells via the cleavage of cellular N-cadherin. <i>Liver International</i> , 2009, 29, 966-978.	1.9	46
98	Transcriptional regulation of hepatic stellate cells. <i>Advanced Drug Delivery Reviews</i> , 2009, 61, 497-512.	6.6	97
99	Angiotensin II Activates $\kappa$ B Kinase Phosphorylation of RelA at Ser536 to Promote Myfibroblast Survival and Liver Fibrosis. <i>Gastroenterology</i> , 2009, 136, 2334-2344.e1.	0.6	117
100	Epigenetic regulation of hepatic stellate cell activation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008, 23, S108-S111.	1.4	26
101	NF- $\kappa$ B is a critical regulator of the survival of rodent and human hepatic myofibroblasts. <i>Journal of Hepatology</i> , 2008, 48, 589-597.	1.8	55
102	The function of serotonin within the liver. <i>Journal of Hepatology</i> , 2008, 48, 666-675.	1.8	111
103	Fibrosis and Cirrhosis Reversibility – Molecular Mechanisms. <i>Clinics in Liver Disease</i> , 2008, 12, 915-937.	1.0	78
104	Control of TIMP-1 gene transcription in hepatic myofibroblasts by a combination of AP-1 proteins and novel transcription factors. <i>International Journal of Experimental Pathology</i> , 2008, 81, A18-A19.	0.6	1
105	Wound healing and local neuroendocrine regulation in the injured liver. <i>Expert Reviews in Molecular Medicine</i> , 2008, 10, e11.	1.6	14
106	Ectopic SOX9 Mediates Extracellular Matrix Deposition Characteristic of Organ Fibrosis. <i>Journal of Biological Chemistry</i> , 2008, 283, 14063-14071.	1.6	100
107	Hepatic Nuclear Factor $\kappa$ B Regulates Neutrophil Recruitment to the Injured Brain. <i>Journal of Neuropathology and Experimental Neurology</i> , 2008, 67, 223-230.	0.9	63
108	Resolving fibrosis in the diseased liver: Translating the scientific promise to the clinic. <i>International Journal of Biochemistry and Cell Biology</i> , 2007, 39, 695-714.	1.2	43

#	ARTICLE	IF	CITATIONS
109	Nuclear factor- $\kappa$ B and the hepatic inflammation-fibrosis-cancer axis. <i>Hepatology</i> , 2007, 46, 590-597.	3.6	369
110	A Role for Serotonin (5-HT) in Hepatic Stellate Cell Function and Liver Fibrosis. <i>American Journal of Pathology</i> , 2006, 169, 861-876.	1.9	161
111	Pregnane X Receptor Activators Inhibit Human Hepatic Stellate Cell Transdifferentiation In Vitro. <i>Gastroenterology</i> , 2006, 131, 194-209.	0.6	88
112	JunD is a profibrogenic transcription factor regulated by Jun N-terminal kinase-independent phosphorylation. <i>Hepatology</i> , 2006, 44, 1432-1440.	3.6	42
113	Functional Analysis of HIV Type 1 Nef Reveals a Role for PAK2 as a Regulator of Cell Phenotype and Function in the Murine Dendritic Cell Line, DC2.4. <i>Journal of Immunology</i> , 2005, 175, 6560-6569.	0.4	11
114	RNA interference mediated in human primary cells via recombinant baculoviral vectors. <i>Molecular Therapy</i> , 2005, 11, 638-644.	3.7	61
115	NF- $\kappa$ B: a signal for cancer. <i>Journal of Hepatology</i> , 2005, 42, 610-611.	1.8	20
116	Nuclear Factor- $\kappa$ B1 (p50) Limits the Inflammatory and Fibrogenic Responses to Chronic Injury. <i>American Journal of Pathology</i> , 2005, 166, 695-708.	1.9	118
117	Inhibition of inhibitor of $\kappa$ B kinases stimulates hepatic stellate cell apoptosis and accelerated recovery from rat liver fibrosis. <i>Gastroenterology</i> , 2005, 128, 108-120.	0.6	256
118	Regulation of Tissue Inhibitor of Metalloproteinase 1 Gene Transcription by RUNX1 and RUNX2. <i>Journal of Biological Chemistry</i> , 2004, 279, 24530-24539.	1.6	43
119	A Failure of Transforming Growth Factor- $\beta$ 21 Negative Regulation Maintains Sustained NF- $\kappa$ B Activation in Gut Inflammation. <i>Journal of Biological Chemistry</i> , 2004, 279, 3925-3932.	1.6	133
120	N-Cadherin cleavage during activated hepatic stellate cell apoptosis is inhibited by tissue inhibitor of metalloproteinase-1. <i>Comparative Hepatology</i> , 2004, 3, S8.	0.9	34
121	Signal transduction via the NF- $\kappa$ B pathway: a targeted treatment modality for infection, inflammation and repair. <i>Cell Biochemistry and Function</i> , 2004, 22, 67-79.	1.4	138
122	Induction of myofibroblast MMP-9 transcription in three-dimensional collagen I gel cultures: regulation by NF- $\kappa$ B, AP-1 and Sp1. <i>International Journal of Biochemistry and Cell Biology</i> , 2004, 36, 353-363.	1.2	88
123	Chromosomes and Cirrhosis: All's Well That Ends Well?. <i>Hepatology</i> , 2003, 32, 153-154.	3.6	0
124	Hepatocytes Express Nerve Growth Factor during Liver Injury. <i>American Journal of Pathology</i> , 2003, 163, 1849-1858.	1.9	108
125	Basal Expression of $\kappa$ B Is Controlled by the Mammalian Transcriptional Repressor RBP-J (CBF1) and Its Activator Notch1. <i>Journal of Biological Chemistry</i> , 2003, 278, 24359-24370.	1.6	79
126	Characterization of the Murine Nramp1 Promoter. <i>Journal of Biological Chemistry</i> , 2003, 278, 36017-36026.	1.6	10



#	ARTICLE	IF	CITATIONS
127	c-Myc Represses and Miz-1 Activates the Murine Natural Resistance-associated Protein 1 Promoter. <i>Journal of Biological Chemistry</i> , 2002, 277, 34997-35006.	1.6	21
128	CD40 Induces Interleukin-6 Gene Transcription in Dendritic Cells. <i>Journal of Biological Chemistry</i> , 2002, 277, 17125-17138.	1.6	86
129	High efficiency gene transfer into cultured primary rat and human hepatic stellate cells using baculovirus vectors. <i>Liver</i> , 2002, 22, 15-22.	0.1	30
130	Gliotoxin stimulates the apoptosis of human and rat hepatic stellate cells and enhances the resolution of liver fibrosis in rats. <i>Gastroenterology</i> , 2001, 121, 685-698.	0.6	339
131	JunD Regulates Transcription of the Tissue Inhibitor of Metalloproteinases-1 and Interleukin-6 Genes in Activated Hepatic Stellate Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 24414-24421.	1.6	91
132	Attenuation and augmentation of ischaemia-related neuronal death by tumour necrosis factor- $\alpha$ in vitro. <i>European Journal of Neuroscience</i> , 2000, 12, 3863-3870.	1.2	64
133	Cytotoxic T Lymphocyte Epitopes of HIV-1 Nef. <i>Journal of Experimental Medicine</i> , 2000, 191, 239-252.	4.2	77
134	Upstream Tissue Inhibitor of Metalloproteinases-1 (TIMP-1) Element-1, a Novel and Essential Regulatory DNA Motif in the Human TIMP-1 Gene Promoter, Directly Interacts with a 30-kDa Nuclear Protein. <i>Journal of Biological Chemistry</i> , 2000, 275, 6657-6663.	1.6	50
135	A soluble factor produced by macrophages mediates the neurotoxic effects of HIV-1 Tat in vitro. <i>Aids</i> , 1999, 13, 1443-1452.	1.0	18
136	Tissue Inhibitors of Metalloproteinases: Role in Liver Fibrosis and Alcoholic Liver Disease. <i>Alcoholism: Clinical and Experimental Research</i> , 1999, 23, 940-943.	1.4	60
137	Identification of the Nef-associated kinase as p21-activated kinase 2. <i>Current Biology</i> , 1999, 9, 1407-1411.	1.8	125
138	Control of the tissue inhibitor of metalloproteinases-1 promoter in culture-activated rat hepatic stellate cells: Regulation by activator protein-1 DNA binding proteins. <i>Hepatology</i> , 1999, 29, 839-848.	3.6	79
139	Persistent activation of nuclear factor- $\kappa$ B in cultured rat hepatic stellate cells involves the induction of potentially novel rel-like factors and prolonged changes in the expression of I $\kappa$ B family proteins. <i>Hepatology</i> , 1999, 30, 761-769.	3.6	131
140	A bi-functional activator/repressor element required for transcriptional activity of the human UCH-L1 gene assembles a neuron-specific protein: single-strand DNA complex. <i>Neuroscience Letters</i> , 1999, 272, 25-28.	1.0	7
141	Tissue inhibitors of metalloproteinases, hepatic stellate cells and liver fibrosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1998, 13, S33-S38.	1.4	118
142	Protein Kinase C-mediated Phosphorylation of HIV-1 Nef in Human Cell Lines. <i>Journal of Biological Chemistry</i> , 1997, 272, 12289-12294.	1.6	44
143	Transcriptional activity of the human tissue inhibitor of metalloproteinases 1 (TIMP-1) gene in fibroblasts involves elements in the promoter, exon 1 and intron 1. <i>Biochemical Journal</i> , 1997, 324, 611-617.	1.7	121
144	Detection of neuron-specific protein gene product (PGP) 9.5 in the rat and zebrafish using anti-human PGP9.5 antibodies. <i>Neuroscience Letters</i> , 1996, 210, 21-24.	1.0	13

#	ARTICLE	IF	CITATIONS
145	Identification of Evolutionary Conserved Regulatory Sequences in the 5' Untranscribed Region of the Neural-Specific Ubiquitin C-terminal Hydrolase (PGP9.5) Gene. <i>Journal of Neurochemistry</i> , 1996, 66, 35-46.	2.1	18
146	A Molecular Rheostat. <i>Journal of Molecular Biology</i> , 1994, 241, 193-207.	2.0	177
147	Recognition of the high affinity binding site in rev-response element RNA by the Human Immunodeficiency Virus type-1 rev protein. <i>Nucleic Acids Research</i> , 1992, 20, 6465-6472.	6.5	130
148	Alternative Splicing of the Cytoplasmic Domain of Neural Cell Adhesion Molecule Alters Its Ability to Act as a Substrate for Neurite Outgrowth. <i>Journal of Neurochemistry</i> , 1992, 58, 2338-2341.	2.1	53
149	Neurite outgrowth in response to transfected N-CAM and N-cadherin reveals fundamental differences in neuronal responsiveness to CAMs. <i>Neuron</i> , 1991, 6, 247-258.	3.8	182
150	Characterization of a regulatory region within the human neural cell adhesion molecule gene. <i>Biochemical Society Transactions</i> , 1990, 18, 410-412.	1.6	1
151	Increased Intracellular Cyclic AMP Differentially Modulates Nerve Growth Factor Induction of Three Neuronal Recognition Molecules Involved in Neurite Outgrowth. <i>Journal of Neurochemistry</i> , 1989, 53, 1581-1588.	2.1	32
152	Cholera Toxin and Dibutyryl Cyclic AMP Inhibit the Expression of Neurofilament Protein Induced by Nerve Growth Factor in Cultures of Naive and Primed PC12 Cells. <i>Journal of Neurochemistry</i> , 1987, 49, 1676-1687.	2.1	39