

Hugo A Loiciga

List of Publications by Citations

Source: <https://exaly.com/author-pdf/763644/hugo-a-loiciga-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

145
papers

2,695
citations

27
h-index

45
g-index

153
ext. papers

3,125
ext. citations

3.8
avg, IF

5.75
L-index

#	Paper	IF	Citations
145	Global warming and the hydrologic cycle. <i>Journal of Hydrology</i> , 1996 , 174, 83-127	6	193
144	Groundwater fluxes in the global hydrologic cycle: past, present and future. <i>Journal of Hydrology</i> , 1993 , 144, 405-427	6	189
143	Distributed hydrological modelling in California semi-arid shrublands: MIKE SHE model calibration and uncertainty estimation. <i>Journal of Hydrology</i> , 2006 , 317, 307-324	6	114
142	An optimization approach for groundwater quality monitoring network design. <i>Water Resources Research</i> , 1989 , 25, 1771-1782	5.4	106
141	Climate Change and Ground Water. <i>Annals of the American Association of Geographers</i> , 2003 , 93, 30-41		78
140	dendrohydrology and long-term hydrologic phenomena. <i>Reviews of Geophysics</i> , 1993 , 31, 151-171	23.1	78
139	Adaptive Reservoir Operation Rules Under Climatic Change. <i>Water Resources Management</i> , 2015 , 29, 1247-1266	3.7	70
138	Hydropower Reservoir Management Under Climate Change: The Karoon Reservoir System. <i>Water Resources Management</i> , 2015 , 29, 749-770	3.7	60
137	Analytic game-theoretic approach to ground-water extraction. <i>Journal of Hydrology</i> , 2004 , 297, 22-33	6	59
136	Sea water intrusion by sea-level rise: scenarios for the 21st century. <i>Ground Water</i> , 2012 , 50, 37-47	2.4	55
135	Weed Optimization Algorithm for Optimal Reservoir Operation. <i>Journal of Irrigation and Drainage Engineering - ASCE</i> , 2016 , 142, 04015055	1.1	53
134	Application of the Firefly Algorithm to Optimal Operation of Reservoirs with the Purpose of Irrigation Supply and Hydropower Production. <i>Journal of Irrigation and Drainage Engineering - ASCE</i> , 2016 , 142, 04016041	1.1	50
133	Biogeography-Based Optimization Algorithm for Optimal Operation of Reservoir Systems. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2016 , 142, 04015034	2.8	49
132	Twenty years of global groundwater research: A Science Citation Index Expanded-based bibliometric survey (1993-2012). <i>Journal of Hydrology</i> , 2014 , 519, 966-975	6	46
131	A location modeling approach for groundwater monitoring network augmentation. <i>Water Resources Research</i> , 1992 , 28, 643-649	5.4	46
130	Application of the gravity search algorithm to multi-reservoir operation optimization. <i>Advances in Water Resources</i> , 2016 , 98, 173-185	4.7	45
129	An early warning and control system for urban, drinking water quality protection: China's experience. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 4496-508	5.1	42

128	An optimization method for monitoring network design in multilayered groundwater flow systems. <i>Water Resources Research</i> , 1993 , 29, 2835-2845	5.4	41
127	Dynamic model for multireservoir operation. <i>Water Resources Research</i> , 1985 , 21, 619-630	5.4	40
126	Modified Firefly Algorithm for Solving Multireservoir Operation in Continuous and Discrete Domains. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2016 , 142, 04016029	2.8	40
125	Temporal variations of groundwater quality in the Western Jiangan Plain, China. <i>Science of the Total Environment</i> , 2017 , 578, 542-550	10.2	36
124	Regional-scale ground water quality monitoring via integer programming. <i>Journal of Hydrology</i> , 1995 , 164, 153-170	6	34
123	Recurrence Interval of Geophysical Events. <i>Journal of Water Resources Planning and Management - ASCE</i> , 1991 , 117, 367-382	2.8	33
122	Quadratic model for reservoir management: Application to the Central Valley Project. <i>Water Resources Research</i> , 1985 , 21, 631-641	5.4	33
121	The inverse problem for confined aquifer flow: Identification and estimation with extensions. <i>Water Resources Research</i> , 1987 , 23, 92-104	5.4	31
120	Opportunities and challenges of interbasin water transfers: a literature review with bibliometric analysis. <i>Scientometrics</i> , 2015 , 105, 279-294	3	29
119	Reservoir Water-Quality Projections under Climate-Change Conditions. <i>Water Resources Management</i> , 2019 , 33, 401-421	3.7	29
118	MUNICIPAL WATER USE AND WATER RATES DRIVEN BY SEVERE DROUGHT: A CASE STUDY1. <i>Journal of the American Water Resources Association</i> , 1997 , 33, 1313-1326	2.1	25
117	A Re-Parameterized and Improved Nonlinear Muskingum Model for Flood Routing. <i>Water Resources Management</i> , 2015 , 29, 3419-3440	3.7	24
116	Development of Adaptive Strategies for Irrigation Water Demand Management under Climate Change. <i>Journal of Irrigation and Drainage Engineering - ASCE</i> , 2017 , 143, 04016077	1.1	24
115	A self-tuning ANN model for simulation and forecasting of surface flows. <i>Water Resources Management</i> , 2016 , 30, 2907-2929	3.7	24
114	Theory of sustainable groundwater management: an urban case study. <i>Urban Water</i> , 2001 , 3, 217-228		23
113	Implementation of GIS for Water Resources Planning and Management. <i>Journal of Water Resources Planning and Management - ASCE</i> , 1993 , 119, 184-205	2.8	23
112	A real-time, dynamic early-warning model based on uncertainty analysis and risk assessment for sudden water pollution accidents. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 8878-92	5.1	22
111	Stormwater Control Measures: Optimization Methods for Sizing and Selection. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2015 , 141, 04015006	2.8	22

110	Correlated gamma variables in the analysis of microbial densities in water. <i>Advances in Water Resources</i> , 2005 , 28, 329-335	4.7	22
109	Multivariate Geostatistical Design of Ground-Water Monitoring Networks. <i>Journal of Water Resources Planning and Management - ASCE</i> , 1994 , 120, 505-522	2.8	22
108	An Approach to Parameter Estimation and Stochastic Control in Water Resources With an Application to Reservoir Operation. <i>Water Resources Research</i> , 1985 , 21, 1575-1584	5.4	22
107	Risk Analysis for Reservoir Operation. <i>Water Resources Research</i> , 1986 , 22, 483-488	5.4	22
106	Application of particle swarm optimization to water management: an introduction and overview. <i>Environmental Monitoring and Assessment</i> , 2020 , 192, 281	3.1	21
105	Consolidation Settlement in Aquifers Caused by Pumping. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2013 , 139, 1191-1204	3.4	21
104	Sustainable Ground-Water Exploitation. <i>International Geology Review</i> , 2002 , 44, 1115-1121	2.3	20
103	Ponding Analysis with Green-and-Ampt Infiltration. <i>Journal of Hydrologic Engineering - ASCE</i> , 2007 , 12, 109-112	1.8	19
102	Parameter estimation in groundwater: Classical, Bayesian, and deterministic assumptions and their impact on management policies. <i>Water Resources Research</i> , 1987 , 23, 1027-1035	5.4	19
101	The Enhanced Honey-Bee Mating Optimization Algorithm for Water Resources Optimization. <i>Water Resources Management</i> , 2017 , 31, 885-901	3.7	18
100	Droughts in river basins of the western United States. <i>Geophysical Research Letters</i> , 1992 , 19, 2051-2054	4.9	18
99	Evaluation of the VIKOR and FOWA Multi-Criteria Decision Making Methods for Climate-Change Adaptation of Agricultural Water Supply. <i>Water Resources Management</i> , 2019 , 33, 2867-2884	3.7	17
98	Reservoir Design and Operation with Variable Lake Hydrology. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2002 , 128, 399-405	2.8	17
97	A DPSIR model for ecological security assessment through indicator screening: a case study at Dianchi Lake in China. <i>PLoS ONE</i> , 2015 , 10, e0131732	3.7	17
96	A new framework for the optimal management of urban runoff with low-impact development stormwater control measures considering service-performance reduction. <i>Journal of Hydroinformatics</i> , 2019 , 21, 727-744	2.6	16
95	Sea-level rise and flooding in coastal riverine flood plains. <i>Hydrological Sciences Journal</i> , 2014 , 59, 204-220	5	16
94	Optimizing stormwater low-impact development strategies in an urban watershed considering sensitivity and uncertainty. <i>Environmental Monitoring and Assessment</i> , 2019 , 191, 340	3.1	15
93	Optimization of Run-of-River Hydropower Plant Design under Climate Change Conditions. <i>Water Resources Management</i> , 2018 , 32, 3919-3934	3.7	15

92	Residence time, groundwater age, and solute output in steady-state groundwater systems. <i>Advances in Water Resources</i> , 2004 , 27, 681-688	4.7	15
91	Optimal design of groundwater-level monitoring networks. <i>Journal of Hydroinformatics</i> , 2017 , 19, 920-926	2.6	14
90	Logical Genetic Programming (LGP) Development for Irrigation Water Supply Hedging Under Climate Change Conditions. <i>Irrigation and Drainage</i> , 2017 , 66, 530-541	1.1	14
89	On the use of change constraints in reservoir design and operation modeling. <i>Water Resources Research</i> , 1988 , 24, 1969-1975	5.4	14
88	The Safe Yield and Climatic Variability: Implications for Groundwater Management. <i>Ground Water</i> , 2017 , 55, 334-345	2.4	13
87	Managing Municipal Water Supply and Use in Water-Starved Regions: Looking Ahead. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2015 , 141, 01814003	2.8	13
86	Groundwater and earthquakes: Screening analysis for slope stability. <i>Engineering Geology</i> , 2015 , 193, 276-287	6	12
85	Probability Density Functions in the Analysis of Hydraulic Conductivity Data. <i>Journal of Hydrologic Engineering - ASCE</i> , 2006 , 11, 442-450	1.8	12
84	APPLICATION OF GEOGRAPHIC INFORMATION SYSTEMS TO GROUNDWATER MONITORING NETWORK DESIGN1. <i>Journal of the American Water Resources Association</i> , 1993 , 29, 383-390	2.1	12
83	A review of applications of animal-inspired evolutionary algorithms in reservoir operation modelling. <i>Water and Environment Journal</i> , 2021 , 35, 628-646	1.7	12
82	Long short-term memory neural network (LSTM-NN) for aquifer level time series forecasting using in-situ piezometric observations. <i>Journal of Hydrology</i> , 2021 , 601, 126800	6	12
81	Optimal operation of reservoir systems with the symbiotic organisms search (SOS) algorithm. <i>Journal of Hydroinformatics</i> , 2017 , 19, 507-521	2.6	11
80	Estimation of farmers' willingness to pay for water in the agricultural sector. <i>Agricultural Water Management</i> , 2016 , 177, 284-290	5.9	11
79	Fluid-pressure induced seismicity at regional scales. <i>Geophysical Research Letters</i> , 1993 , 20, 1683-1686	4.9	11
78	TRUNCATED DISTRIBUTIONS IN HYDROLOGIC ANALYSIS1. <i>Journal of the American Water Resources Association</i> , 1992 , 28, 853-863	2.1	11
77	Stormwater Control Measures for Runoff and Water Quality Management in Urban Landscapes. <i>Journal of the American Water Resources Association</i> , 2018 , 54, 124-133	2.1	10
76	Steady state phreatic surfaces in sloping aquifers. <i>Water Resources Research</i> , 2005 , 41,	5.4	10
75	Sampling Design for Contaminant Distribution in Lake Sediments. <i>Journal of Water Resources Planning and Management - ASCE</i> , 1995 , 121, 71-79	2.8	10

74	Error Analysis and Stochastic Differentiability in Subsurface Flow Modeling. <i>Water Resources Research</i> , 1990 , 26, 2897-2902	5.4	10
73	Extended multi-objective firefly algorithm for hydropower energy generation. <i>Journal of Hydroinformatics</i> , 2017 , 19, 734-751	2.6	9
72	Generalized Storage Equations for Flood Routing with Nonlinear Muskingum Models. <i>Water Resources Management</i> , 2019 , 33, 2677-2691	3.7	9
71	Fitting Minima of Flows Via Maximum Likelihood. <i>Journal of Water Resources Planning and Management - ASCE</i> , 1988 , 114, 78-90	2.8	9
70	Spatial and Temporal Downscaling of TRMM Precipitation with Novel Algorithms. <i>Journal of Hydrometeorology</i> , 2020 , 21, 1259-1278	3.7	9
69	Calculation of multi-objective optimal tradeoffs between environmental flows and hydropower generation. <i>Environmental Earth Sciences</i> , 2018 , 77, 1	2.9	9
68	Determination of the Optimal Level of Water Releases from a Reservoir to Control Water Quality. <i>Journal of Hazardous, Toxic, and Radioactive Waste</i> , 2016 , 20, 04015017	2.3	8
67	Real-time water allocation policies calculated with bankruptcy games and genetic programming. <i>Water Science and Technology: Water Supply</i> , 2018 , 18, 430-449	1.4	8
66	Aquifer storage capacity and maximum annual yield from long-term aquifer fluxes. <i>Hydrogeology Journal</i> , 2008 , 16, 399-403	3.1	8
65	Mass Transport Modeling in Contaminated Buried-Valley Aquifer. <i>Journal of Water Resources Planning and Management - ASCE</i> , 1991 , 117, 260-272	2.8	8
64	Modeling adaptation policies to increase the synergies of the water-climate-agriculture nexus under climate change. <i>Environmental Development</i> , 2021 , 37, 100612	4.1	8
63	Runoff Scaling in Large Rivers of the World. <i>Professional Geographer</i> , 1997 , 49, 356-364	1.7	7
62	Minimal adverse impact of discharging polluted effluents to rivers with selective locations. <i>Sustainable Cities and Society</i> , 2019 , 46, 101394	10.1	7
61	Optimization model for integrated river basin management with the hybrid WOAPSO algorithm. <i>Journal of Hydro-Environment Research</i> , 2019 , 25, 61-74	2.3	6
60	Integrated virtual water trade management considering self-sufficient production of strategic agricultural and industrial products. <i>Science of the Total Environment</i> , 2020 , 743, 140797	10.2	6
59	Coupled Infiltration and Kinematic-Wave Runoff Simulation in Slopes: Implications for Slope Stability. <i>Water (Switzerland)</i> , 2017 , 9, 327	3	6
58	Infiltration on sloping terrain and its role on runoff generation and slope stability. <i>Journal of Hydrology</i> , 2018 , 561, 584-597	6	6
57	Evaluating the risk of phosphorus loss with a distributed watershed model featuring zero-order mobilization and first-order delivery. <i>Science of the Total Environment</i> , 2017 , 609, 563-576	10.2	6

56	Comment on \bar{A} natural gradient experiment on solute transport in a sand aquifer: 2. Spatial moments and the advection and dispersion of nonreactive tracers by D. L. Freyberg. <i>Water Resources Research</i> , 1988 , 24, 1221-1222	5.4	6
55	Evaluation of River Water Transfer Alternatives with the TODIM Multi-Criteria Decision Making Method. <i>Water Resources Management</i> , 2020 , 34, 4847-4863	3.7	6
54	Independent variable selection for regression modeling of the flow duration curve for ungauged basins in the United States. <i>Journal of Hydrology</i> , 2020 , 587, 124975	6	6
53	Optimized cropping patterns under climate-change conditions. <i>Climatic Change</i> , 2017 , 143, 429-443	4.5	5
52	Multi-Criteria Environmental Impact Assessment of Alternative Irrigation Networks with an Adopted Matrix-Based Method. <i>Water Resources Management</i> , 2017 , 31, 903-928	3.7	5
51	Semi-empirical prediction method for monthly precipitation prediction based on environmental factors and comparison with stochastic and machine learning models. <i>Hydrological Sciences Journal</i> , 2020 , 65, 1928-1942	3.5	5
50	Development and application of the anarchic society algorithm (ASO) to the optimal operation of water distribution networks. <i>Water Science and Technology: Water Supply</i> , 2018 , 18, 318-332	1.4	5
49	LINEAR PROGRAMS FOR NONLINEAR HYDROLOGIC ESTIMATION1. <i>Journal of the American Water Resources Association</i> , 1990 , 26, 645-656	2.1	5
48	Long-term groundwater level changes and land subsidence in Tianjin, China. <i>Acta Geotechnica</i> , 2021 , 16, 1303-1314	4.9	5
47	Real-time detection of organic contamination events in water distribution systems by principal components analysis of ultraviolet spectral data. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 12882-12898	5.1	4
46	Green Stormwater Infrastructure (GSI) for Stormwater Management in the City of Los Angeles: Avalon Green Alleys Network. <i>Environmental Processes</i> , 2019 , 6, 265-281	2.8	4
45	Development of Real-Time Conjunctive Use Operation Rules for Aquifer-Reservoir Systems. <i>Water Resources Management</i> , 2015 , 29, 1887-1906	3.7	4
44	Conjunctive Vadose and Saturated Zone Monitoring for Subsurface Contamination. <i>Environmental Monitoring and Assessment</i> , 1999 , 59, 15-29	3.1	4
43	Assessment of potential of intraregional conflicts by developing a transferability index for inter-basin water transfers, and their impacts on the water resources. <i>Environmental Monitoring and Assessment</i> , 2019 , 192, 40	3.1	4
42	System dynamics applied to water management in lakes*. <i>Irrigation and Drainage</i> , 2020 , 69, 956-966	1.1	3
41	1-, 2-, and 3-dimensional effective conductivity of aquifers. <i>Mathematical Geosciences</i> , 1996 , 28, 563-584		3
40	Setting the Flow Accumulation Threshold Based on Environmental and Morphologic Features to Extract River Networks from Digital Elevation Models. <i>ISPRS International Journal of Geo-Information</i> , 2021 , 10, 186	2.9	3
39	Comparison of methods to calculate evaporation from reservoirs. <i>International Journal of River Basin Management</i> , 2020 , 18, 1-12	1.7	3

38	Application of bi-objective genetic programming for optimizing irrigation rules using two reservoir performance criteria. <i>International Journal of River Basin Management</i> , 2021 , 19, 55-65	1.7	3
37	Stiffness and sensitivity criteria and their application to water resources assessment. <i>Journal of Hydro-Environment Research</i> , 2018 , 20, 93-100	2.3	3
36	Simulation-Optimization of Reservoir Water Quality under Climate Change. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2021 , 147, 04021054	2.8	3
35	Special Section: Applications of Hydrologic Tracers. <i>Journal of Hydrologic Engineering - ASCE</i> , 2008 , 13, 999-1001	1.8	2
34	Aquifer Management with Logistic Recharge. <i>Water International</i> , 2001 , 26, 358-369	2.4	2
33	Correlated Versus Uncorrelated Hydrologic Samples. <i>Journal of Water Resources Planning and Management - ASCE</i> , 1989 , 115, 699-705	2.8	2
32	Comments on "Comparison of Gaussian conditional mean and kriging estimation in the geostatistical solution of the inverse problem" by R. J. Hoeksema and P. K. Kitanidis. <i>Water Resources Research</i> , 1987 , 23, 973-974	5.4	2
31	SIMULTANEOUS EQUATION SYSTEMS: A CONSISTENT ESTIMATOR FOR UNKNOWN PARAMETERS IN CONFINED AQUIFERS ¹ . <i>Journal of the American Water Resources Association</i> , 1987 , 23, 541-554	2.1	2
30	Optimal merging of multi-satellite precipitation data in urban areas. <i>Theoretical and Applied Climatology</i> , 2022 , 147, 1697-1712	3	2
29	DROUGHT, TREE RINGS, AND RESERVOIR DESIGN. <i>Journal of the American Water Resources Association</i> , 2005 , 41, 949-958	2.1	2
28	Environmental sustainability: a review of the water-energy-food nexus 2021 , 70, 138-154		2
27	Reliability-Based Multi-Objective Optimization of Groundwater Remediation. <i>Water Resources Management</i> , 2020 , 34, 3079-3097	3.7	2
26	Regional Precipitation Model Based on Geographically and Temporally Weighted Regression Kriging. <i>Remote Sensing</i> , 2020 , 12, 2547	5	2
25	Forensic engineering analysis applied to flood control. <i>Journal of Hydrology</i> , 2021 , 594, 125961	6	2
24	Optimizing urban stormwater control strategies and assessing aquifer recharge through drywells in an urban watershed. <i>Hydrogeology Journal</i> , 2021 , 29, 1379-1398	3.1	2
23	Intense extreme hydro-climatic events take a toll on society. <i>Natural Hazards</i> , 2021 , 108, 2385-2391	3	2
22	Adaptive Determination of the Flow Accumulation Threshold for Extracting Drainage Networks from DEMs. <i>Remote Sensing</i> , 2021 , 13, 2024	5	2
21	Bee-inspired metaheuristics for global optimization: a performance comparison. <i>Artificial Intelligence Review</i> , 2021 , 54, 4967-4996	9.7	2

20	A state-of-the-art review of water diplomacy. <i>Environment, Development and Sustainability</i> , 2021 , 23, 2337-2357	4.5	2
19	Comparison of methods for estimating loss from water storage by evaporation and impacts on reservoir management. <i>Water and Environment Journal</i> , 2021 , 35, 218-228	1.7	2
18	Fulfillment of river environmental flow: applying Nash theory for quantitative-qualitative conflict resolution in reservoir operation. <i>Water and Environment Journal</i> , 2021 , 35, 486-499	1.7	2
17	Multi-criteria Decision-making Approach for Environmental Impact Assessment to Reduce the Adverse Effects Of Dams. <i>Water Resources Management</i> , 2021 , 35, 4085	3.7	2
16	Investigation of Climatic Variability with Hybrid Statistical Analysis. <i>Water Resources Management</i> , 2017 , 31, 341-353	3.7	1
15	Radially convergent groundwater flow in sloping terrain. <i>Hydrological Sciences Journal</i> , 2006 , 51, 700-713	3.5	1
14	Approach to Control the Depth of Water in Basin Irrigation and Wetland Flooding. <i>Journal of Irrigation and Drainage Engineering - ASCE</i> , 2007 , 133, 500-504	1.1	1
13	Comment on Evaluation of a Reliability programming reservoir model by J. B. Strycharczyk and J. R. Stedinger. <i>Water Resources Research</i> , 1987 , 23, 1797-1799	5.4	1
12	Optimal virtual water flows for improved food security in water-scarce countries. <i>Scientific Reports</i> , 2021 , 11, 21027	4.9	1
11	Seepage Face in Steady-State Groundwater Flow between Two Water Bodies. <i>Journal of Hydrologic Engineering - ASCE</i> , 2020 , 25, 06020005	1.8	1
10	Use of surface water and groundwater under climate change: Khorramabad basin, Iran. <i>Water Management</i> , 1-13	1	1
9	New Developments in Slope Stability Analysis with Variable Groundwater Conditions and Earthquake Loading 2016 ,		1
8	Dryland farming improvement by considering the relation between rainfall variability and crop yield. <i>Environment, Development and Sustainability</i> , 2021 , 23, 5316-5327	4.5	1
7	Ranking of wastewater reuse allocation alternatives using a variance-based weighted aggregated sum product assessment method. <i>Environment, Development and Sustainability</i> , 1	4.5	0
6	Application of the Grasshopper Optimization Algorithm (GOA) to the Optimal Operation of Hydropower Reservoir Systems Under Climate Change. <i>Water Resources Management</i> , 2021 , 35, 4325	3.7	0
5	Closure to Multiobjective Reservoir Operation for Water Quality Optimization by Masoud Amirkhani, Omid Bozorg-Haddad, Elahe Fallah-Mehdipour, and Hugo A. Loaiciga. <i>Journal of Irrigation and Drainage Engineering - ASCE</i> , 2018 , 144, 07018024	1.1	
4	Closure to Recurrence Interval of Geophysical Events by Hugo A. Loaiciga and Miguel A. Marino (May/June, 1991, Vol. 117, No. 3). <i>Journal of Water Resources Planning and Management - ASCE</i> , 1992 , 118, 472-474	2.8	
3	Spatial analysis of vertical leakage in overdrafted aquifers: The Hueco bolson aquifer, Texas, 1956-1995. <i>Applied Geographic Studies</i> , 1999 , 3, 63-76		

2 Water Security and Sustainability: Global Threats and Conflicts **2019**, 1-6

1 The Effect of Climate Change on Water Resources. *Springer Water*, **2022**, 95-118

0.3