

# Jin Zhang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/763715/publications.pdf>

Version: 2024-02-01

115  
papers

2,524  
citations

236833

25  
h-index

265120

42  
g-index

124  
all docs

124  
docs citations

124  
times ranked

4311  
citing authors

#	ARTICLE	IF	CITATIONS
1	Irregular pulsation of aneurysmal wall is associated with symptomatic and ruptured intracranial aneurysms. <i>Journal of NeuroInterventional Surgery</i> , 2023, 15, 91-96.	2.0	4
2	Second-line treatment with axitinib plus toripalimab in metastatic renal cell carcinoma: a retrospective multicenter study. <i>Future Oncology</i> , 2022, 18, 1461-1471.	1.1	2
3	Efficacy of Transcranial Direct Current Stimulation Over Dorsolateral Prefrontal Cortex in Patients With Minimally Conscious State. <i>Frontiers in Neurology</i> , 2022, 13, 821286.	1.1	2
4	Prospective Clinical Trial of the Oncologic Outcomes and Safety of Extraperitoneal Laparoscopic Extended Retroperitoneal Lymph Node Dissection at Time of Nephroureterectomy for Upper Tract Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2022, 12, 791140.	1.3	2
5	Cognitive Function after Cardiopulmonary Bypass and Deep Hypothermic Circulatory Arrest in Management of Renal Cell Carcinoma with Vena Caval Thrombus. <i>Urology</i> , 2022, , .	0.5	0
6	SUV39H1 deficiency suppresses clear cell renal cell carcinoma growth by inducing ferroptosis. <i>Acta Pharmaceutica Sinica B</i> , 2021, 11, 406-419.	5.7	56
7	PRMT1 is a novel molecular therapeutic target for clear cell renal cell carcinoma. <i>Theranostics</i> , 2021, 11, 5387-5403.	4.6	36
8	Irregular pulsation of intracranial unruptured aneurysm detected by four-dimensional CT angiography is associated with increased estimated rupture risk and conventional risk factors. <i>Journal of NeuroInterventional Surgery</i> , 2021, 13, 854-859.	2.0	12
9	Development of a novel gene signature to predict prognosis and response to PD-1 blockade in clear cell renal cell carcinoma. <i>Oncolmunology</i> , 2021, 10, 1933332.	2.1	26
10	Identification of genes that correlate clear cell renal cell carcinoma and obesity and exhibit potential prognostic value. <i>Translational Andrology and Urology</i> , 2021, 10, 680-691.	0.6	7
11	Novel Mechanistic Insights and Potential Therapeutic Impact of TRPC6 in Neurovascular Coupling and Ischemic Stroke. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2074.	1.8	32
12	DNA damage repair (DDR) pathway alteration in advanced renal cell carcinoma (RCC) is association with good progression-free survival with tyrosine kinase inhibitor (TKI) therapy.. <i>Journal of Clinical Oncology</i> , 2021, 39, 346-346.	0.8	0
13	Fine-tuning p53 activity by modulating the interaction between eukaryotic translation initiation factor eIF4E and RNA-binding protein RBM38. <i>Genes and Development</i> , 2021, 35, 542-555.	2.7	6
14	Natural history and growth kinetics of clear cell renal cell carcinoma in sporadic and von Hippel-Lindau disease. <i>Translational Andrology and Urology</i> , 2021, 10, 1064-1070.	0.6	3
15	Association of Type 2 Diabetes Mellitus and Glycemic Control With Intracranial Plaque Characteristics in Patients With Acute Ischemic Stroke. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 54, 655-666.	1.9	13
16	Hypoxia-induced lncHILAR promotes renal cancer metastasis via ceRNA for the miR-613/206/1-1-3p/Jagged-1/Notch/CXCR4 signaling pathway. <i>Molecular Therapy</i> , 2021, 29, 2979-2994.	3.7	48
17	Mid-to-long term oncologic and functional outcomes of zero ischemia laparoscopic microwave ablation-assisted tumor enucleation for renal cell carcinoma: a single-center experience. <i>Translational Cancer Research</i> , 2021, 10, 2328-2336.	0.4	3
18	Intracranial Atherosclerotic Plaque Characteristics and Burden Associated With Recurrent Acute Stroke: A 3D Quantitative Vessel Wall MRI Study. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 706544.	1.7	28

#	ARTICLE	IF	CITATIONS
19	Clinical outcomes of secondâ€line treatment following firstâ€line VEGFRâ€TKI failure in patients with metastatic renal cell carcinoma: a comparison of axitinib alone and axitinib plus antiâ€PDâ€1 antibody. <i>Cancer Communications</i> , 2021, 41, 1071-1074.	3.7	4
20	Comprehensive Genomic Landscape in Chinese Clear Cell Renal Cell Carcinoma Patients. <i>Frontiers in Oncology</i> , 2021, 11, 697219.	1.3	5
21	Histone demethylase KDM4D inhibition suppresses renal cancer progression and angiogenesis through JAG1 signaling. <i>Cell Death Discovery</i> , 2021, 7, 284.	2.0	6
22	Germline Mutation Landscape and Associated Clinical Characteristics in Chinese Patients With Renal Cell Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 737547.	1.3	8
23	Assessment of hypercoagulability using thromboelastography predicts advanced status in renal cell carcinoma. <i>Journal of Clinical Laboratory Analysis</i> , 2020, 34, e23017.	0.9	7
24	Expression of PBRM1 as a prognostic predictor in metastatic renal cell carcinoma patients treated with tyrosine kinase inhibitor. <i>International Journal of Clinical Oncology</i> , 2020, 25, 338-346.	1.0	3
25	Strategies for Genetically Engineering Hypoimmunogenic Universal Pluripotent Stem Cells. <i>IScience</i> , 2020, 23, 101162.	1.9	28
26	Bilateral Posterior Uveitis and Retinal Detachment During Immunotherapy: A Case Report and Literature Review. <i>Frontiers in Oncology</i> , 2020, 10, 549168.	1.3	9
27	circPTCH1 promotes invasion and metastasis in renal cell carcinoma via regulating miR-485-5p/MMP14 axis. <i>Theranostics</i> , 2020, 10, 10791-10807.	4.6	55
28	Nuclear Magnetic Resonance-Based Metabolomic Analysis of the Anticancer Effect of Metformin Treatment on Cholangiocarcinoma Cells. <i>Frontiers in Oncology</i> , 2020, 10, 570516.	1.3	12
29	miR-30a-3p inhibits renal cancer cell invasion and metastasis through targeting ATG12. <i>Translational Andrology and Urology</i> , 2020, 9, 646-653.	0.6	14
30	ZHX2 drives cell growth and migration via activating MEK/ERK signal and induces Sunitinib resistance by regulating the autophagy in clear cell Renal Cell Carcinoma. <i>Cell Death and Disease</i> , 2020, 11, 337.	2.7	21
31	High Mobility Group Box 1 Ameliorates Cognitive Impairment in the 3Ã—Tg-AD Mouse Model. <i>Journal of Alzheimer's Disease</i> , 2020, 74, 851-864.	1.2	5
32	Epigenetic priming with decitabine followed by low dose idarubicin and cytarabine in acute myeloid leukemia evolving from myelodysplastic syndromes and higherâ€risk myelodysplastic syndromes: a prospective multicenter singleâ€arm trial. <i>Hematological Oncology</i> , 2020, 38, 531-540.	0.8	3
33	Zero ischemia laparoscopic microwave ablation assisted enucleation vs. laparoscopic partial nephrectomy in clinical T1a renal tumor: a randomized clinical trial. <i>Translational Cancer Research</i> , 2020, 9, 194-202.	0.4	6
34	The upâ€regulation of NDRG1 by HIF counteracts the cancerâ€promoting effect of HIF in VHLâ€deficient clear cell renal cell carcinoma. <i>Cell Proliferation</i> , 2020, 53, e12853.	2.4	11
35	Evaluation of chronic carotid artery occlusion by non-contrast 3D-MERGE MR vessel wall imaging: comparison with 3D-TOF-MRA, contrast-enhanced MRA, and DSA. <i>European Radiology</i> , 2020, 30, 5805-5814.	2.3	17
36	Tumor-educated B cells promote renal cancer metastasis via inducing the IL-1Î²/HIF-2Î±/Notch1 signals. <i>Cell Death and Disease</i> , 2020, 11, 163.	2.7	20

#	ARTICLE	IF	CITATIONS
37	Involvement of the Dorsal Hippocampus 5-HT <sub>1A</sub> Receptors in the Regulation of Depressive-Like Behaviors in Hemiparkinsonian Rats. <i>Neuropsychobiology</i> , 2020, 79, 198-207.	0.9	11
38	Associations between various attended automated office blood pressure estimations and all-cause and cardiovascular mortality: Minhang study. <i>Journal of Hypertension</i> , 2020, 38, 1072-1079.	0.3	2
39	Association of <i>ATP2B1</i> common variants with asymptomatic intracranial and extracranial large artery stenosis in hypertension patients. <i>Clinical and Experimental Hypertension</i> , 2019, 41, 323-329.	0.5	3
40	Cyclin-dependent kinase 5 acts as a promising biomarker in clear cell Renal Cell Carcinoma. <i>BMC Cancer</i> , 2019, 19, 698.	1.1	10
41	Comparison of efficacy and safety among axitinib, sunitinib, and sorafenib as neoadjuvant therapy for renal cell carcinoma: a retrospective study. <i>Cancer Communications</i> , 2019, 39, 1-4.	3.7	14
42	Serotonin1A receptors in the dorsal hippocampus regulate working memory and long-term habituation in the hemiparkinsonian rats. <i>Behavioural Brain Research</i> , 2019, 376, 112207.	1.2	11
43	CXCL1-LCN2 paracrine axis promotes progression of prostate cancer via the Src activation and epithelial-mesenchymal transition. <i>Cell Communication and Signaling</i> , 2019, 17, 118.	2.7	64
44	The m6A-suppressed P2RX6 activation promotes renal cancer cells migration and invasion through ATP-induced Ca <sup>2+</sup> influx modulating ERK1/2 phosphorylation and MMP9 signaling pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 233.	3.5	82
45	Metabolomics in Stem Cell Biology Research. <i>Methods in Molecular Biology</i> , 2019, 1975, 321-330.	0.4	4
46	Predictive value of single-nucleotide polymorphism signature for recurrence in localised renal cell carcinoma: a retrospective analysis and multicentre validation study. <i>Lancet Oncology</i> , The, 2019, 20, 591-600.	5.1	78
47	B Lymphocytes Are Predictors of Insulin Resistance in Women with Gestational Diabetes Mellitus. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2019, 19, 358-366.	0.6	15
48	A positive feed-forward loop between LncRNA-URRCC and EGFL7/P-AKT/FOXO3 signaling promotes proliferation and metastasis of clear cell renal cell carcinoma. <i>Molecular Cancer</i> , 2019, 18, 81.	7.9	71
49	ERK Inhibitor Enhances Everolimus Efficacy through the Attenuation of dNTP Pools in Renal Cell Carcinoma. <i>Molecular Therapy - Nucleic Acids</i> , 2019, 14, 550-561.	2.3	12
50	Immune imbalance is associated with the development of preeclampsia. <i>Medicine (United States)</i> , 2019, 98, e15080.	0.4	70
51	LSD1 inhibition suppresses the growth of clear cell renal cell carcinoma via upregulating P21 signaling. <i>Acta Pharmaceutica Sinica B</i> , 2019, 9, 324-334.	5.7	44
52	CD33 <sup>+</sup> CD14 <sup>+</sup> CD11b <sup>+</sup> HLA-DR <sup>+</sup> monocytic myeloid-derived suppressor cells recruited and activated by CCR9/CCL25 are crucial for the pathogenic progression of endometriosis. <i>American Journal of Reproductive Immunology</i> , 2019, 81, e13067.	1.2	25
53	Epigenetic Priming with Decitabine Followed By Low-Dose Idarubicin Plus Cytarabine in AML Evolving from MDS or Higher Risk MDS: A Multicentre Phase 2 Single-Arm Trial. <i>Blood</i> , 2019, 134, 2594-2594.	0.6	0
54	Metabolism in Pluripotent Stem Cells and Early Mammalian Development. <i>Cell Metabolism</i> , 2018, 27, 332-338.	7.2	122

#	ARTICLE	IF	CITATIONS
55	Re: Characterization of Clinical Cases of Advanced Papillary Renal Cell Carcinoma via Comprehensive Genomic Profiling. <i>European Urology</i> , 2018, 74, 398-399.	0.9	2
56	Cannabinoid receptor 2 as a novel target for promotion of renal cell carcinoma prognosis and progression. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 39-52.	1.2	22
57	The Study of Clear Cell Renal Cell Carcinoma with MR Diffusion Kurtosis Tensor Imaging and Its Histopathologic Correlation. <i>Academic Radiology</i> , 2018, 25, 430-438.	1.3	16
58	Sunitinib-suppressed miR-452-5p facilitates renal cancer cell invasion and metastasis through modulating SMAD4/SMAD7 signals. <i>Molecular Cancer</i> , 2018, 17, 157.	7.9	58
59	Identification of biomarkers of chromophobe renal cell carcinoma by weighted gene co-expression network analysis. <i>Cancer Cell International</i> , 2018, 18, 206.	1.8	22
60	Sphingosine kinase 1 overexpression contributes to sunitinib resistance in clear cell renal cell carcinoma. <i>Oncolmmunology</i> , 2018, 7, e1502130.	2.1	18
61	A Tyrosine Switch on NEDD4-2 E3 Ligase Transmits GPCR Inflammatory Signaling. <i>Cell Reports</i> , 2018, 24, 3312-3323.e5.	2.9	36
62	Sunitinib or Sorafenib as Neoadjuvant Therapy May not Improve the Survival Outcomes of Renal Cell Carcinoma with Tumor Thrombus. <i>Urologia Internationalis</i> , 2018, 101, 391-399.	0.6	10
63	MiR-532-5p suppresses renal cancer cell proliferation by disrupting the ETS1-mediated positive feedback loop with the KRAS-NAP1L1/P-ERK axis. <i>British Journal of Cancer</i> , 2018, 119, 591-604.	2.9	63
64	The value of blood oxygen level dependent (BOLD) imaging in evaluating post-operative renal function outcomes after laparoscopic partial nephrectomy. <i>European Radiology</i> , 2018, 28, 5035-5043.	2.3	0
65	Assessment of response to anti-angiogenic targeted therapy in pulmonary metastatic renal cell carcinoma: R2* value as a predictive biomarker. <i>European Radiology</i> , 2017, 27, 3574-3582.	2.3	5
66	Pretreatment Serum Prealbumin as an Independent Prognostic Indicator in Patients With Metastatic Renal Cell Carcinoma Using Tyrosine Kinase Inhibitors as First-Line Target Therapy. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e437-e446.	0.9	27
67	Long-term follow-up of bilateral subthalamic deep brain stimulation for refractory tardive dystonia. <i>Parkinsonism and Related Disorders</i> , 2017, 41, 58-65.	1.1	48
68	Comparing renal function preservation after laparoscopic radio frequency ablation assisted tumor enucleation and laparoscopic partial nephrectomy for clinical T1a renal tumor: using a 3D parenchyma measurement system. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 905-912.	1.2	7
69	Significance of preoperative prognostic nutrition index as prognostic predictors in patients with metastatic renal cell carcinoma with tyrosine kinase inhibitors as first-line target therapy. <i>International Urology and Nephrology</i> , 2017, 49, 1955-1963.	0.6	20
70	Preoperative prognostic nutritional index is a significant predictor of survival in patients with localized upper tract urothelial carcinoma after radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 671.e1-671.e9.	0.8	26
71	DNA methylation-mediated repression of miR-7663p promotes cell proliferation via targeting SF2 expression in renal cell carcinoma. <i>International Journal of Cancer</i> , 2017, 141, 1867-1878.	2.3	49
72	Association of post-treatment hypoalbuminemia and survival in Chinese patients with metastatic renal cell carcinoma. <i>Chinese Journal of Cancer</i> , 2017, 36, 47.	4.9	8

#	ARTICLE	IF	CITATIONS
73	The selective MEK1 inhibitor Selumetinib enhances the antitumor activity of everolimus against renal cell carcinoma <i>in vitro</i> and <i>in vivo</i> . <i>Oncotarget</i> , 2017, 8, 20825-20833.	0.8	15
74	AHNAK2 is a Novel Prognostic Marker and Oncogenic Protein for Clear Cell Renal Cell Carcinoma. <i>Theranostics</i> , 2017, 7, 1100-1113.	4.6	66
75	Comparison of efficacy, safety, and quality of life between sorafenib and sunitinib as first-line therapy for Chinese patients with metastatic renal cell carcinoma. <i>Chinese Journal of Cancer</i> , 2017, 36, 64.	4.9	18
76	Prognostic value of preoperative plasma fibrinogen level and platelet-to-lymphocyte ratio (F-PLR) in patients with localized upper tract urothelial carcinoma. <i>Oncotarget</i> , 2017, 8, 36761-36771.	0.8	26
77	Preoperative serum pre-albumin as an independent prognostic indicator in patients with localized upper tract urothelial carcinoma after radical nephroureterectomy. <i>Oncotarget</i> , 2017, 8, 36772-36779.	0.8	31
78	Renal mass biopsy using Raman spectroscopy identifies malignant and benign renal tumors: potential for pre-operative diagnosis. <i>Oncotarget</i> , 2017, 8, 36012-36019.	0.8	14
79	Modulation of the p53 family network by RNA-binding proteins. <i>Translational Cancer Research</i> , 2016, 5, 676-684.	0.4	12
80	TIKI2 is upregulated and plays an oncogenic role in renal cell carcinoma. <i>Oncotarget</i> , 2016, 7, 17212-17219.	0.8	1
81	High Expression of Stearoyl-CoA Desaturase 1 Predicts Poor Prognosis in Patients with Clear-Cell Renal Cell Carcinoma. <i>PLoS ONE</i> , 2016, 11, e0166231.	1.1	31
82	Spherical cap surface model: A novel method for predicting renal function after partial nephrectomy. <i>International Journal of Urology</i> , 2016, 23, 667-672.	0.5	4
83	c-Myc modulates glucose metabolism via regulation of miR-184/PKM2 pathway in clear-cell renal cell carcinoma. <i>International Journal of Oncology</i> , 2016, 49, 1569-1575.	1.4	18
84	Transitional cell carcinoma with extension of the renal vein and IVC tumor thrombus: report of three cases and literature review. <i>World Journal of Surgical Oncology</i> , 2016, 14, 309.	0.8	9
85	Identification of novel EZH2 inhibitors through pharmacophore-based virtual screening and biological assays. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 3813-3817.	1.0	18
86	Single-cell dynamics and variability of MAPK activity in a yeast differentiation pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E5896-E5905.	3.3	56
87	Activation and blockade of serotonin <sub>6</sub> receptors in the dorsal hippocampus enhance T maze and hole-board performance in a unilateral 6-hydroxydopamine rat model of Parkinson's disease. <i>Brain Research</i> , 2016, 1650, 184-195.	1.1	25
88	Overexpression of cannabinoid receptor 1 promotes renal cell carcinoma progression. <i>Tumor Biology</i> , 2016, 37, 16237-16247.	0.8	9
89	Interleukin 10-expressing B cells inhibit tumor-infiltrating T cell function and correlate with T cell Tim-3 expression in renal cell carcinoma. <i>Tumor Biology</i> , 2016, 37, 8209-8218.	0.8	24
90	Mice deficient in poly(C)-binding protein 4 are susceptible to spontaneous tumors through increased expression of ZFP871 that targets p53 for degradation. <i>Genes and Development</i> , 2016, 30, 522-534.	2.7	14

#	ARTICLE	IF	CITATIONS
91	Comparing Zero Ischemia Laparoscopic Radio Frequency Ablation Assisted Tumor Enucleation and Laparoscopic Partial Nephrectomy for Clinical T1a Renal Tumor: A Randomized Clinical Trial. <i>Journal of Urology</i> , 2016, 195, 1677-1683.	0.2	30
92	Identification of Novel Disruptor of Telomeric Silencing 1-like (DOT1L) Inhibitors through Structure-Based Virtual Screening and Biological Assays. <i>Journal of Chemical Information and Modeling</i> , 2016, 56, 527-534.	2.5	27
93	The role of stearyl-coenzyme A desaturase 1 in clear cell renal cell carcinoma. <i>Tumor Biology</i> , 2016, 37, 479-489.	0.8	12
94	SENP1 promotes proliferation of clear cell renal cell carcinoma through activation of glycolysis. <i>Oncotarget</i> , 2016, 7, 80435-80449.	0.8	24
95	Sphingosine kinase 1 is overexpressed and promotes adrenocortical carcinoma progression. <i>Oncotarget</i> , 2016, 7, 3233-3244.	0.8	17
96	GFOD1 and peejar are promising markers for clear-cell renal cell carcinoma disease progression. <i>Oncotarget</i> , 2016, 7, 38004-38009.	0.8	3
97	The Value of Blood Oxygenation Level-Dependent (BOLD) MR Imaging in Differentiation of Renal Solid Mass and Grading of Renal Cell Carcinoma (RCC): Analysis Based on the Largest Cross-Sectional Area versus the Entire Whole Tumour. <i>PLoS ONE</i> , 2015, 10, e0123431.	1.1	9
98	Tmem100 Is a Regulator of TRPA1-TRPV1 Complex and Contributes to Persistent Pain. <i>Neuron</i> , 2015, 85, 833-846.	3.8	143
99	MicroRNA-7/Shank3 axis involved in schizophrenia pathogenesis. <i>Journal of Clinical Neuroscience</i> , 2015, 22, 1254-1257.	0.8	28
100	Compartmentalized AMPK Signaling Illuminated by Genetically Encoded Molecular Sensors and Actuators. <i>Cell Reports</i> , 2015, 11, 657-670.	2.9	83
101	Molecular Mechanism underlying PRMT1 Dimerization for SAM Binding and Methylase Activity. <i>Journal of Chemical Information and Modeling</i> , 2015, 55, 2623-2632.	2.5	30
102	Glycogen Synthase Kinase-3 Regulates Production of Amyloid- $\beta$ Peptides and Tau Phosphorylation in Diabetic Rat Brain. <i>Scientific World Journal</i> , The, 2014, 2014, 1-8.	0.8	36
103	Uncertainty in MR tracer kinetic parameters and water exchange rates estimated from $T_1$ -weighted dynamic contrast enhanced MRI. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 534-545.	1.9	13
104	Comparison of computed tomographic urography, magnetic resonance urography and the combination of diffusion weighted imaging in diagnosis of upper urinary tract cancer. <i>European Journal of Radiology</i> , 2014, 83, 893-899.	1.2	11
105	Blocking macrophage migration inhibitory factor activity alleviates mouse acute otitis media in vivo. <i>Immunology Letters</i> , 2014, 162, 101-108.	1.1	16
106	Evaluation of Clinical Outcomes of Antiangiogenic-Targeted Therapy in Patients with Pulmonary Metastatic Renal Cell Carcinoma Using Non-Contrast-Enhanced Computed Tomography. <i>Academic Radiology</i> , 2014, 21, 1434-1440.	1.3	0
107	Renal Tissue Thawed for 30 Minutes Is Still Suitable for Gene Expression Analysis. <i>PLoS ONE</i> , 2014, 9, e93175.	1.1	4
108	The synergistic effect of glucocorticoid on the mesenteric microcirculation in hemorrhagic shock rat. , 2014, , .		0

#	ARTICLE	IF	CITATIONS
109	Active surveillance of renal masses in von Hippel-Lindau disease: growth rates and clinical outcome over a median follow-up period of 56 months. <i>Familial Cancer</i> , 2012, 11, 209-214.	0.9	15
110	Germline mutations in the von Hippel-Lindau disease (VHL) gene in mainland Chinese families. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008, 134, 1211-1218.	1.2	14
111	Management of solid renal tumour associated with von Hippel-Lindau disease. <i>Chinese Medical Journal</i> , 2007, 120, 2049-52.	0.9	1
112	Calcium signaling in mouse mesenteric small arteries: myogenic tone and adrenergic vasoconstriction. <i>FASEB Journal</i> , 2006, 20, A1174.	0.2	0
113	Establishment of cell free conversion system with biotin-labelled recombinant PrPsen expressed in <i>E. coli</i> . <i>Biomedical and Environmental Sciences</i> , 2006, 19, 214-8.	0.2	0
114	Peroxide production and apoptosis in cultured cells carrying mtDNA mutation causing encephalomyopathy. <i>IUBMB Life</i> , 1998, 46, 71-79.	1.5	10
115	Mitochondrial Genotype Frequent in Centenarians Predisposes Resistance to Adult-Onset Diseases.. <i>Journal of Clinical Biochemistry and Nutrition</i> , 1998, 24, 105-111.	0.6	13