

Zhi Wei Seh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7637777/publications.pdf>

Version: 2024-02-01

93
papers

29,551
citations

18436

62
h-index

42291

92
g-index

98
all docs

98
docs citations

98
times ranked

24017
citing authors

#	ARTICLE	IF	CITATIONS
1	Combining theory and experiment in electrocatalysis: Insights into materials design. <i>Science</i> , 2017, 355, .	6.0	7,837
2	Designing high-energy lithium-sulfur batteries. <i>Chemical Society Reviews</i> , 2016, 45, 5605-5634.	18.7	2,008
3	Sulphur-TiO ₂ yolk-shell nanoarchitecture with internal void space for long-cycle lithium-sulphur batteries. <i>Nature Communications</i> , 2013, 4, 1331.	5.8	1,884
4	Balancing surface adsorption and diffusion of lithium-polysulfides on nonconductive oxides for lithium-sulfur battery design. <i>Nature Communications</i> , 2016, 7, 11203.	5.8	1,136
5	Two-Dimensional Molybdenum Carbide (MXene) as an Efficient Electrocatalyst for Hydrogen Evolution. <i>ACS Energy Letters</i> , 2016, 1, 589-594.	8.8	1,100
6	Catalytic oxidation of Li ₂ S on the surface of metal sulfides for Li-S batteries. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 840-845.	3.3	1,030
7	Understanding the Anchoring Effect of Two-Dimensional Layered Materials for Lithium-Sulfur Batteries. <i>Nano Letters</i> , 2015, 15, 3780-3786.	4.5	779
8	Janus Au-TiO ₂ Photocatalysts with Strong Localization of Plasmonic Near-Fields for Efficient Visible-Light Hydrogen Generation. <i>Advanced Materials</i> , 2012, 24, 2310-2314.	11.1	768
9	A Highly Reversible Room-Temperature Sodium Metal Anode. <i>ACS Central Science</i> , 2015, 1, 449-455.	5.3	733
10	Amphiphilic Surface Modification of Hollow Carbon Nanofibers for Improved Cycle Life of Lithium Sulfur Batteries. <i>Nano Letters</i> , 2013, 13, 1265-1270.	4.5	668
11	Understanding the Role of Different Conductive Polymers in Improving the Nanostructured Sulfur Cathode Performance. <i>Nano Letters</i> , 2013, 13, 5534-5540.	4.5	601
12	Two-dimensional layered transition metal disulphides for effective encapsulation of high-capacity lithium sulphide cathodes. <i>Nature Communications</i> , 2014, 5, 5017.	5.8	530
13	Understanding heterogeneous electrocatalytic carbon dioxide reduction through operando techniques. <i>Nature Catalysis</i> , 2018, 1, 922-934.	16.1	515
14	Improved lithium-sulfur batteries with a conductive coating on the separator to prevent the accumulation of inactive S-related species at the cathode-separator interface. <i>Energy and Environmental Science</i> , 2014, 7, 3381-3390.	15.6	476
15	Stable cycling of lithium sulfide cathodes through strong affinity with a bifunctional binder. <i>Chemical Science</i> , 2013, 4, 3673.	3.7	412
16	Improving lithium-sulphur batteries through spatial control of sulphur species deposition on a hybrid electrode surface. <i>Nature Communications</i> , 2014, 5, 3943.	5.8	369
17	High-performance hollow sulfur nanostructured battery cathode through a scalable, room temperature, one-step, bottom-up approach. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 7148-7153.	3.3	359
18	Rational Design of Two-Dimensional Transition Metal Carbide/Nitride (MXene) Hybrids and Nanocomposites for Catalytic Energy Storage and Conversion. <i>ACS Nano</i> , 2020, 14, 10834-10864.	7.3	349

#	ARTICLE	IF	CITATIONS
19	Predicting the state of charge and health of batteries using data-driven machine learning. <i>Nature Machine Intelligence</i> , 2020, 2, 161-170.	8.3	338
20	Tuning the Basal Plane Functionalization of Two-Dimensional Metal Carbides (MXenes) To Control Hydrogen Evolution Activity. <i>ACS Applied Energy Materials</i> , 2018, 1, 173-180.	2.5	304
21	Sulfur Cathodes with Hydrogen Reduced Titanium Dioxide Inverse Opal Structure. <i>ACS Nano</i> , 2014, 8, 5249-5256.	7.3	297
22	A Bamboo-Inspired Nanostructure Design for Flexible, Foldable, and Twistable Energy Storage Devices. <i>Nano Letters</i> , 2015, 15, 3899-3906.	4.5	296
23	Facile synthesis of Li ₂ S@polypyrrole composite structures for high-performance Li ₂ S cathodes. <i>Energy and Environmental Science</i> , 2014, 7, 672.	15.6	277
24	High-capacity battery cathode prelithiation to offset initial lithium loss. <i>Nature Energy</i> , 2016, 1, .	19.8	265
25	Fast conversion and controlled deposition of lithium (poly)sulfides in lithium-sulfur batteries using high-loading cobalt single atoms. <i>Energy Storage Materials</i> , 2020, 30, 250-259.	9.5	264
26	Graphite-Encapsulated Li-Metal Hybrid Anodes for High-Capacity Li Batteries. <i>CheM</i> , 2016, 1, 287-297.	5.8	247
27	Ultrathin two-dimensional materials for photo- and electrocatalytic hydrogen evolution. <i>Materials Today</i> , 2018, 21, 749-770.	8.3	228
28	Theory-guided materials design: two-dimensional MXenes in electro- and photocatalysis. <i>Nanoscale Horizons</i> , 2019, 4, 809-827.	4.1	218
29	Crab Shells as Sustainable Templates from Nature for Nanostructured Battery Electrodes. <i>Nano Letters</i> , 2013, 13, 3385-3390.	4.5	208
30	High-throughput theoretical optimization of the hydrogen evolution reaction on MXenes by transition metal modification. <i>Journal of Materials Chemistry A</i> , 2018, 6, 4271-4278.	5.2	198
31	Theoretical Investigation of 2D Layered Materials as Protective Films for Lithium and Sodium Metal Anodes. <i>Advanced Energy Materials</i> , 2017, 7, 1602528.	10.2	196
32	Crystal Growth of Calcium Carbonate in Hydrogels as a Model of Biomineralization. <i>Advanced Functional Materials</i> , 2012, 22, 2891-2914.	7.8	188
33	2H-MoS ₂ on Mo ₂ CT _x MXene Nanohybrid for Efficient and Durable Electrocatalytic Hydrogen Evolution. <i>ACS Nano</i> , 2020, 14, 16140-16155.	7.3	180
34	Self-gating in semiconductor electrocatalysis. <i>Nature Materials</i> , 2019, 18, 1098-1104.	13.3	167
35	Catalytic Polysulfide Conversion and Physiochemical Confinement for Lithium@Sulfur Batteries. <i>Advanced Energy Materials</i> , 2020, 10, 1904010.	10.2	165
36	On the Role of Sulfur for the Selective Electrochemical Reduction of CO ₂ to Formate on Cu _x Catalysts. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 28572-28581.	4.0	157

#	ARTICLE	IF	CITATIONS
37	Engineering stable electrode-separator interfaces with ultrathin conductive polymer layer for high-energy-density Li-S batteries. <i>Energy Storage Materials</i> , 2019, 23, 261-268.	9.5	149
38	Manipulating Redox Kinetics of Sulfur Species Using Mott-Schottky Electrocatalysts for Advanced Lithium-Sulfur Batteries. <i>Nano Letters</i> , 2021, 21, 6656-6663.	4.5	145
39	Machine Learning: An Advanced Platform for Materials Development and State Prediction in Lithium-Ion Batteries. <i>Advanced Materials</i> , 2022, 34, e2101474.	11.1	140
40	Anisotropic Growth of Titania onto Various Gold Nanostructures: Synthesis, Theoretical Understanding, and Optimization for Catalysis. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 10140-10143.	7.2	139
41	Establishing new scaling relations on two-dimensional MXenes for CO ₂ electroreduction. <i>Journal of Materials Chemistry A</i> , 2018, 6, 21885-21890.	5.2	138
42	Metal-organic framework-derived hierarchical MoS ₂ /CoS ₂ nanotube arrays as pH-universal electrocatalysts for efficient hydrogen evolution. <i>Journal of Materials Chemistry A</i> , 2019, 7, 13339-13346.	5.2	133
43	A Replacement Reaction Enabled Interdigitated Metal/Solid Electrolyte Architecture for Battery Cycling at 20 mA cm ⁻² and 20 mAh cm ⁻² . <i>Journal of the American Chemical Society</i> , 2021, 143, 3143-3152.	6.6	132
44	Enhanced Chemical Immobilization and Catalytic Conversion of Polysulfide Intermediates Using Metallic Mo Nanoclusters for High-Performance Li-S Batteries. <i>ACS Nano</i> , 2020, 14, 1148-1157.	7.3	125
45	Two-Dimensional Titanium and Molybdenum Carbide MXenes as Electrocatalysts for CO ₂ Reduction. <i>IScience</i> , 2020, 23, 101181.	1.9	123
46	A Sulfur Cathode with Pomegranate-Like Cluster Structure. <i>Advanced Energy Materials</i> , 2015, 5, 1500211.	10.2	122
47	Room-Temperature Sodium-Sulfur Batteries and Beyond: Realizing Practical High Energy Systems through Anode, Cathode, and Electrolyte Engineering. <i>Advanced Energy Materials</i> , 2021, 11, 2003493.	10.2	114
48	In Situ Chemical Synthesis of Lithium Fluoride/Metal Nanocomposite for High Capacity Prelithiation of Cathodes. <i>Nano Letters</i> , 2016, 16, 1497-1501.	4.5	112
49	Promises and Challenges of the Practical Implementation of Prelithiation in Lithium-Ion Batteries. <i>Advanced Energy Materials</i> , 2021, 11, 2101565.	10.2	112
50	High-capacity Li ₂ S-graphene oxide composite cathodes with stable cycling performance. <i>Chemical Science</i> , 2014, 5, 1396.	3.7	109
51	Synthesis and multiple reuse of eccentric Au@TiO ₂ nanostructures as catalysts. <i>Chemical Communications</i> , 2011, 47, 6689.	2.2	105
52	Effects of Applied Potential and Water Intercalation on the Surface Chemistry of Ti ₂ C and Mo ₂ C MXenes. <i>Journal of Physical Chemistry C</i> , 2016, 120, 28432-28440.	1.5	104
53	Highly Nitridated Graphene-Li ₂ S Cathodes with Stable Modulated Cycles. <i>Advanced Energy Materials</i> , 2015, 5, 1501369.	10.2	97
54	Catalytic Effect on CO ₂ Electroreduction by Hydroxyl-Terminated Two-Dimensional MXenes. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 36571-36579.	4.0	94

#	ARTICLE	IF	CITATIONS
55	Conformal Prelithiation Nanoshell on LiCoO ₂ Enabling High-Energy Lithium-Ion Batteries. Nano Letters, 2020, 20, 4558-4565.	4.5	92
56	An artificial metal-alloy interphase for high-rate and long-life sodium-sulfur batteries. Energy Storage Materials, 2020, 29, 1-8.	9.5	91
57	Lithium Sulfide/Metal Nanocomposite as a High-Capacity Cathode Prelithiation Material. Advanced Energy Materials, 2016, 6, 1600154.	10.2	87
58	In-operando optical imaging of temporal and spatial distribution of polysulfides in lithium-sulfur batteries. Nano Energy, 2015, 11, 579-586.	8.2	84
59	Stable interphase chemistry of textured Zn anode for rechargeable aqueous batteries. Science Bulletin, 2022, 67, 716-724.	4.3	80
60	Atomistic modeling of electrocatalysis: Are we there yet?. Wiley Interdisciplinary Reviews: Computational Molecular Science, 2021, 11, e1499.	6.2	79
61	Metal/LiF/Li ₂ O Nanocomposite for Battery Cathode Prelithiation: Trade-off between Capacity and Stability. Nano Letters, 2020, 20, 546-552.	4.5	72
62	A Salt-In-Metal Anode: Stabilizing the Solid Electrolyte Interphase to Enable Prolonged Battery Cycling. Advanced Functional Materials, 2021, 31, 2010602.	7.8	69
63	Defect-Enhanced CO ₂ Reduction Catalytic Performance in O-Terminated MXenes. ChemSusChem, 2020, 13, 5690-5698.	3.6	59
64	Material design strategies to improve the performance of rechargeable magnesium-sulfur batteries. Materials Horizons, 2021, 8, 830-853.	6.4	55
65	Designing Nanostructured Metal Chalcogenides as Cathode Materials for Rechargeable Magnesium Batteries. Small, 2021, 17, e2007683.	5.2	52
66	Theory-guided experimental design in battery materials research. Science Advances, 2022, 8, eabm2422.	4.7	52
67	Using a Chloride-Free Magnesium Battery Electrolyte to Form a Robust Anode-Electrolyte Nanointerface. Nano Letters, 2021, 21, 8220-8228.	4.5	51
68	Surface-engineered cobalt oxide nanowires as multifunctional electrocatalysts for efficient Zn-Air batteries-driven overall water splitting. Energy Storage Materials, 2019, 23, 1-7.	9.5	48
69	A High-Performance Magnesium Triflate-based Electrolyte for Rechargeable Magnesium Batteries. Cell Reports Physical Science, 2020, 1, 100265.	2.8	48
70	Tailoring binder-cathode interactions for long-life room-temperature sodium-sulfur batteries. Journal of Materials Chemistry A, 2020, 8, 22983-22997.	5.2	47
71	A Biphasic Interphase Design Enabling High Performance in Room Temperature Sodium-Sulfur Batteries. Cell Reports Physical Science, 2020, 1, 100044.	2.8	47
72	Tailoring Porosity in Copper-Based Multinary Sulfide Nanostructures for Energy, Biomedical, Catalytic, and Sensing Applications. ACS Applied Nano Materials, 2018, 1, 3042-3062.	2.4	40

#	ARTICLE	IF	CITATIONS
73	Rechargeable magnesium batteries enabled by conventional electrolytes with multifunctional organic chloride additives. <i>Energy Storage Materials</i> , 2022, 45, 1120-1132.	9.5	40
74	Understanding electrified interfaces. <i>Nature Reviews Materials</i> , 2021, 6, 289-291.	23.3	38
75	Tunable Nitrogen-Doping of Sulfur Host Nanostructures for Stable and Shuttle-Free Room-Temperature Sodium-Sulfur Batteries. <i>Nano Letters</i> , 2021, 21, 5401-5408.	4.5	36
76	Understanding the Cathode-Electrolyte Interphase in Lithium-Ion Batteries. <i>Energy Technology</i> , 2022, 10, .	1.8	34
77	Titania-Coated Metal Nanostructures. <i>Chemistry - an Asian Journal</i> , 2012, 7, 2174-2184.	1.7	29
78	Enhanced processability and electrochemical cyclability of metallic sodium at elevated temperature using sodium alloy composite. <i>Energy Storage Materials</i> , 2021, 35, 310-316.	9.5	26
79	Implications of Na-ion solvation on Na anode-electrolyte interphase. <i>Trends in Chemistry</i> , 2022, 4, 48-59.	4.4	26
80	MXenes and their derivatives as nitrogen reduction reaction catalysts: recent progress and perspectives. <i>Materials Today Energy</i> , 2021, 22, 100864.	2.5	24
81	Addressing the Low Solubility of a Solid Electrolyte Interphase Stabilizer in an Electrolyte by Composite Battery Anode Design. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 13354-13361.	4.0	23
82	Insights on nitrate salt in lithium anode for stabilized solid electrolyte interphase. , 2022, 4, 12-20.		22
83	Ultrafine Sodium Sulfide Clusters Confined in Carbon Nano-polyhedrons as High-Efficiency Presodiation Reagents for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 27057-27065.	4.0	17
84	Towards autonomous high-throughput multiscale modelling of battery interfaces. <i>Energy and Environmental Science</i> , 2022, 15, 579-594.	15.6	17
85	Guiding Uniform Sodium Deposition through Host Modification for Sodium Metal Batteries. <i>Batteries and Supercaps</i> , 2022, 5, .	2.4	16
86	Autonomous high-throughput computations in catalysis. <i>Chem Catalysis</i> , 2022, 2, 940-956.	2.9	14
87	Comparative Study of Conventional Electrolytes for Rechargeable Magnesium Batteries. <i>Batteries and Supercaps</i> , 2022, 5, .	2.4	11
88	Sulfurized Cyclopentadienyl Nanocomposites for Shuttle-Free Room-Temperature Sodium-Sulfur Batteries. <i>Nano Letters</i> , 2021, 21, 10538-10546.	4.5	11
89	Quasi-solid-state conversion cathode materials for room-temperature sodium-sulfur batteries. , 2022, 1, .		10
90	Strain-controlled single Cr-embedded nitrogen-doped graphene achieves efficient nitrogen reduction. <i>Materials Advances</i> , 2021, 2, 5704-5711.	2.6	9

#	ARTICLE	IF	CITATIONS
91	Toward Automated Computational Discovery of Battery Materials. <i>Advanced Materials Technologies</i> , 2023, 8, .	3.0	5
92	Hydrogels: Crystal Growth of Calcium Carbonate in Hydrogels as a Model of Biomineralization (Adv.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i>	7.8	2
93	Lithium Batteries: Highly Nitridated Graphene-Li ₂ S Cathodes with Stable Modulated Cycles (Adv.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5</i>	10.2	0