

Hsiu-Chi Cheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7638007/publications.pdf>

Version: 2024-02-01

47
papers

949
citations

516710

16
h-index

477307

29
g-index

47
all docs

47
docs citations

47
times ranked

1061
citing authors

#	ARTICLE	IF	CITATIONS
1	Screening and eradication of <i>Helicobacter pylori</i> for gastric cancer prevention: the Taipei global consensus. <i>Gut</i> , 2020, 69, 2093-2112.	12.1	239
2	Consensus on the clinical management, screening, treat, and surveillance of <i>Helicobacter pylori</i> infection to improve gastric cancer control on a nationwide scale. <i>Helicobacter</i> , 2017, 22, e12368.	3.5	64
3	<i>H. pylori</i> Eradication Prevents the Progression of Gastric Intestinal Metaplasia in Reflux Esophagitis Patients Using Long-Term Esomeprazole. <i>American Journal of Gastroenterology</i> , 2009, 104, 1642-1649.	0.4	44
4	Long-term Outcome of Pyogenic Liver Abscess. <i>Journal of Clinical Gastroenterology</i> , 2008, 42, 1110-1115.	2.2	43
5	Double oral esomeprazole after a 3-day intravenous esomeprazole infusion reduces recurrent peptic ulcer bleeding in high-risk patients: a randomised controlled study. <i>Gut</i> , 2014, 63, 1864-1872.	12.1	43
6	The Efficacy of High- and Low-Dose Intravenous Omeprazole in Preventing Rebleeding for Patients with Bleeding Peptic Ulcers and Comorbid Illnesses. <i>Digestive Diseases and Sciences</i> , 2005, 50, 1194-1201.	2.3	42
7	<i>H. pylori</i> <i>cagL</i> amino acid sequence polymorphism Y58E59 induces a corpus shift of gastric integrin $\alpha 5\beta 1$ related with gastric carcinogenesis. <i>Molecular Carcinogenesis</i> , 2011, 50, 751-759.	2.7	42
8	Double-Dosed Pantoprazole Accelerates the Sustained Symptomatic Response in Overweight and Obese Patients With Reflux Esophagitis in Los Angeles Grades A and B. <i>American Journal of Gastroenterology</i> , 2010, 105, 1046-1052.	0.4	32
9	Levofloxacin-Containing Triple Therapy to Eradicate the Persistent <i>H. pylori</i> after a Failed Conventional Triple Therapy. <i>Helicobacter</i> , 2007, 12, 359-363.	3.5	30
10	<i>Helicobacter pylori</i> with stronger intensity of CagA phosphorylation lead to an increased risk of gastric intestinal metaplasia and cancer. <i>BMC Microbiology</i> , 2011, 11, 121.	3.3	25
11	Intravenous proton pump inhibitors for peptic ulcer bleeding: Clinical benefits and limits Hsiu-Chi Cheng, Bor-Shyang Sheu. <i>World Journal of Gastrointestinal Endoscopy</i> , 2011, 3, 49.	1.2	23
12	Seven-day intravenous low-dose omeprazole infusion reduces peptic ulcer rebleeding for patients with comorbidities. <i>Gastrointestinal Endoscopy</i> , 2009, 70, 433-439.	1.0	22
13	<i>H. pylori</i> CagL-Y58/E59 Prime Higher Integrin $\alpha 5\beta 1$ in Adverse pH Condition to Enhance Hypochlorhydria Vicious Cycle for Gastric Carcinogenesis. <i>PLoS ONE</i> , 2013, 8, e72735.	2.5	19
14	<i>Helicobacter pylori</i> Test-and-Treat Program Can Be Cost-effective to Prevent Gastric Cancer in Taiwanese Adults: Referred to the Nationwide Reimbursement Database. <i>Helicobacter</i> , 2015, 20, 114-124.	3.5	19
15	Factors That Affect Life Expectancy of Patients With Gastric Adenocarcinoma. <i>Clinical Gastroenterology and Hepatology</i> , 2013, 11, 1595-1600.	4.4	17
16	Increased Gastric Osteopontin Expression by <i>Helicobacter pylori</i> Infection can Correlate with More Severe Gastric Inflammation and Intestinal Metaplasia. <i>Helicobacter</i> , 2011, 16, 217-224.	3.5	16
17	Long-term Celecoxib can Prevent the Progression of Persistent Gastric Intestinal Metaplasia After <i>H. pylori</i> Eradication. <i>Helicobacter</i> , 2013, 18, 117-123.	3.5	16
18	Combined Transarterial Embolization/Chemoembolization-Based Locoregional Treatment with Sorafenib Prolongs the Survival in Patients with Advanced Hepatocellular Carcinoma and Preserved Liver Function: A Propensity Score Matching Study. <i>Liver Cancer</i> , 2019, 8, 186-202.	7.7	16

#	ARTICLE	IF	CITATIONS
19	Risk factors determining the need for second-look endoscopy for peptic ulcer bleeding after endoscopic hemostasis and proton pump inhibitor infusion. <i>Endoscopy International Open</i> , 2016, 04, E255-E262.	1.8	15
20	Increased risk of rebleeding of peptic ulcer bleeding in patients with comorbid illness receiving omeprazole infusion. <i>Hepato-Gastroenterology</i> , 2003, 50, 2270-3.	0.5	15
21	Expressions of MMPs and TIMP-1 in Gastric Ulcers May Differentiate <i>H. pylori</i> -Infected from NSAID-Related Ulcers. <i>Scientific World Journal</i> , The, 2012, 2012, 1-9.	2.1	14
22	The corpus-predominant gastritis index can be an early and reversible marker to identify the gastric cancer risk of <i>Helicobacter pylori</i> -infected nonulcer dyspepsia. <i>Helicobacter</i> , 2017, 22, e12385.	3.5	14
23	Spasmolytic polypeptide-expressing metaplasia associated with higher expressions of miR-21, 155, and 223 can be regressed by <i>Helicobacter pylori</i> eradication in the gastric cancer familial relatives. <i>Helicobacter</i> , 2019, 24, e12578.	3.5	13
24	<i>H. pylori</i> isolates with amino acid sequence polymorphisms as presence of both HtrA-L171 & CagL-Y58/E59 increase the risk of gastric cancer. <i>Journal of Biomedical Science</i> , 2019, 26, 4.	7.0	13
25	Intravenous Albumin Shortens the Duration of Hospitalization for Patients with Hypoalbuminemia and Bleeding Peptic Ulcers: A Pilot Study. <i>Digestive Diseases and Sciences</i> , 2013, 58, 3232-3241.	2.3	12
26	Hypoalbuminemia is a predictor of mortality and rebleeding in peptic ulcer bleeding under proton pump inhibitor use. <i>Journal of the Formosan Medical Association</i> , 2018, 117, 316-325.	1.7	12
27	Serum Level of Trefoil Factor 2 can Predict the Extent of Gastric Spasmolytic Polypeptide-Expressing Metaplasia in the <i>H. pylori</i> -Infected Gastric Cancer Relatives. <i>Helicobacter</i> , 2017, 22, e12320.	3.5	10
28	Psychotic disorder induced by a combination of sorafenib and BAY86-9766. <i>General Hospital Psychiatry</i> , 2014, 36, 450.e5-450.e7.	2.4	9
29	Consensus on Control of Risky Nonvariceal Upper Gastrointestinal Bleeding in Taiwan with National Health Insurance. <i>BioMed Research International</i> , 2014, 2014, 1-8.	1.9	8
30	Genomic single nucleotide polymorphisms in the offspring of gastric cancer patients predispose to spasmolytic polypeptide-expressing metaplasia after <i>H. pylori</i> infection. <i>Journal of Biomedical Science</i> , 2015, 22, 16.	7.0	7
31	Ten days of levofloxacin-containing concomitant therapy can achieve effective <i>Helicobacter pylori</i> eradication in patients with type 2 diabetes. <i>Annals of Medicine</i> , 2017, 49, 479-486.	3.8	7
32	Male non-insulin users with type 2 diabetes mellitus are predisposed to gastric corpus-predominant inflammation after <i>H. pylori</i> infection. <i>Journal of Biomedical Science</i> , 2017, 24, 82.	7.0	7
33	Peptic ulcer bleeding patients with Rockall scores ≥ 6 are at risk of long-term ulcer rebleeding: A 3.5-year prospective longitudinal study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 156-163.	2.8	7
34	Intracellular Osteopontin Induced by CagA-positive <i>Helicobacter pylori</i> Promotes Beta-catenin Accumulation and Interleukin-8 Secretion in Gastric Epithelial cells. <i>Helicobacter</i> , 2015, 20, 476-484.	3.5	6
35	Optimizing the MIC breakpoints of amoxicillin and tetracycline for antibiotic selection in the rescue therapy of <i>H. pylori</i> with bismuth quadruple regimen. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 1581-1589.	1.9	6
36	Lead Time Bias May Contribute to the Shorter Life Expectancy in Post-colonoscopy Colorectal Cancer. <i>Digestive Diseases and Sciences</i> , 2019, 64, 2622-2630.	2.3	5

#	ARTICLE	IF	CITATIONS
37	Osteopontin polymorphism increases gastric precancerous intestinal metaplasia susceptibility in <i>Helicobacter pylori</i> infected male. <i>Future Oncology</i> , 2017, 13, 1415-1425.	2.4	3
38	Survey of the adherence to the consensus of gastroesophageal reflux disease before and after the implementation course. <i>Journal of the Formosan Medical Association</i> , 2018, 117, 440-449.	1.7	3
39	Weak up-regulation of serum response factor in gastric ulcers in patients with co-morbidities is associated with increased risk of recurrent bleeding. <i>BMC Gastroenterology</i> , 2011, 11, 24.	2.0	2
40	The implementation of the consensus on the management of <i>Helicobacter pylori</i> and barriers to consensus. <i>Helicobacter</i> , 2018, 23, e12533.	3.5	2
41	Different schedules of bowel preparation with sodium phosphate lead to different bowel cleansing effects and adenoma detection rates at colonoscopy. <i>Advances in Digestive Medicine</i> , 2015, 2, 12-17.	0.2	1
42	Higher net change of index of hemoglobin values between colon polyp and nonpolyp mucosa correlates with the presence of an advanced colon adenoma. <i>Advances in Digestive Medicine</i> , 2016, 3, 161-166.	0.2	1
43	Reply to "Hypoalbuminemia is a predictor of mortality and rebleeding in peptic ulcer bleeding under proton pump inhibitor use: Methodological issues". <i>Journal of the Formosan Medical Association</i> , 2018, 117, 252-253.	1.7	1
44	Gastric Section Detection Based on Decision Fusion of Convolutional Neural Networks. , 2019, , .		1
45	The recurrent bleeding risk of a Forrest IIc lesion at the second-look endoscopy can be indicated by high Rockall scores ≥ 6 . <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 34, 1592-1601.	2.4	1
46	Genetic variation of innate immune response and inflammation in susceptibility to <i>Helicobacter pylori</i> -related diseases. <i>Advances in Digestive Medicine</i> , 2021, 8, 136-138.	0.2	1
47	A novel intervention to reduce noninfectious and infectious complications associated with indwelling urethral catheters in hospitalized older patients: a quasi-experimental study. <i>BMC Geriatrics</i> , 2022, 22, 426.	2.7	1