Cavit Boz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7639088/publications.pdf

Version: 2024-02-01

109137 85405 5,681 121 35 71 h-index citations g-index papers 127 127 127 5673 citing authors docs citations times ranked all docs

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Prediction of multiple sclerosis outcomes when switching to ocrelizumab. Multiple Sclerosis Journal, 2022, 28, 958-969. | 1.4 | 6 |
| 2 | Neurological manifestations and etiological risk factors in patients hospitalized with COVID-19 in Turkey. Asian Biomedicine, 2022, 16, 23-30. | 0.2 | 0 |
| 3 | Coexistence of restless legs syndrome and multiple sclerosis aggravates anxiety and depression. Arquivos De Neuro-Psiquiatria, 2022, 80, 168-172. | 0.3 | 1 |
| 4 | Multiple Sclerosis Severity Score (MSSS) improves the accuracy of individualized prediction in MS. Multiple Sclerosis Journal, 2022, , 135245852210845. | 1.4 | 2 |
| 5 | Comparative Effectiveness and Cost-Effectiveness of Natalizumab and Fingolimod in Patients with Inadequate Response to Disease-Modifying Therapies in Relapsing-Remitting Multiple Sclerosis in the United Kingdom. Pharmacoeconomics, 2022, 40, 323-339. | 1.7 | 3 |
| 6 | Disability outcomes of early cerebellar and brainstem symptoms in multiple sclerosis. Multiple Sclerosis Journal, 2021, 27, 755-766. | 1.4 | 11 |
| 7 | Prediction of on-treatment disability worsening in RRMS with the MAGNIMS score. Multiple Sclerosis Journal, 2021, 27, 695-705. | 1.4 | 7 |
| 8 | Brain atrophy and lesion burden are associated with disability progression in a multiple sclerosis real-world dataset using only T2-FLAIR: The NeuroSTREAM MSBase study. NeuroImage: Clinical, 2021, 32, 102802. | 1.4 | 5 |
| 9 | Determinants of therapeutic lag in multiple sclerosis. Multiple Sclerosis Journal, 2021, 27, 1838-1851. | 1.4 | 3 |
| 10 | Neuropathic Pain Frequency in Neurology Outpatients: A Multicenter Study. Noropsikiyatri Arsivi, 2021, 58, 257-260. | 0.2 | 1 |
| 11 | Natalizumab, Fingolimod, and Dimethyl Fumarate Use and Pregnancy-Related Relapse and Disability in Women With Multiple Sclerosis. Neurology, 2021, 96, . | 1.5 | 41 |
| 12 | The Role of Thrombo-Inflammatory Biomarkers in the Prognosis of Cerebral Venous Sinus Thrombosis. Current Neurovascular Research, 2021, 18, 237-243. | 0.4 | 7 |
| 13 | Determinants of disability development in patients with multiple sclerosis. Arquivos De Neuro-Psiquiatria, 2021, 79, 489-496. | 0.3 | 5 |
| 14 | Effects of High- and Low-Efficacy Therapy in Secondary Progressive Multiple Sclerosis. Neurology, 2021, 97, e869-e880. | 1.5 | 15 |
| 15 | Utilization of Multiple Sclerosis Therapies in the Middle East Over a Decade: 2009–2018. CNS Drugs, 2021, 35, 1097-1106. | 2.7 | 7 |
| 16 | The effectiveness of natalizumab vs fingolimod–A comparison of international registry studies. Multiple Sclerosis and Related Disorders, 2021, 53, 103012. | 0.9 | 8 |
| 17 | Longitudinal machine learning modeling of MS patient trajectories improves predictions of disability progression. Computer Methods and Programs in Biomedicine, 2021, 208, 106180. | 2.6 | 21 |
| 18 | Natalizumab Versus Fingolimod in Patients with Relapsing-Remitting Multiple Sclerosis: A Subgroup Analysis From Three International Cohorts. CNS Drugs, 2021, 35, 1217-1232. | 2.7 | 8 |

| # | Article | lF | CITATIONS |
|----|--|-----|-----------|
| 19 | Long-term outcomes in patients presenting with optic neuritis: Analyses of the MSBase registry. Journal of the Neurological Sciences, 2021, 430, 118067. | 0.3 | 9 |
| 20 | Effect of Disease-Modifying Therapy on Disability in Relapsing-Remitting Multiple Sclerosis Over 15 Years. Neurology, 2021, 96, e783-e797. | 1.5 | 54 |
| 21 | A Case Report of Acute Disseminated Encephalomyelitis in a Pregnant Woman After COVID-19 Infection. Turk Noroloji Dergisi = Turkish Journal of Neurology, 2021, 27, 49-51. | 0.1 | 1 |
| 22 | Risk of secondary progressive multiple sclerosis: A longitudinal study. Multiple Sclerosis Journal, 2020, 26, 79-90. | 1.4 | 52 |
| 23 | Clinical and therapeutic predictors of disease outcomes in AQP4-IgG+ neuromyelitis optica spectrum disorder. Multiple Sclerosis and Related Disorders, 2020, 38, 101868. | 0.9 | 29 |
| 24 | Treatment response score to glatiramer acetate or interferon beta-1a. Neurology, 2020, 96, 10.1212/WNL.00000000010991. | 1.5 | 6 |
| 25 | Methylprednisolone Concentrations in Breast Milk and Serum of Patients with Multiple Sclerosis Treated with IV Pulse Methylprednisolone. Clinical Neurology and Neurosurgery, 2020, 197, 106118. | 0.6 | 10 |
| 26 | Association of Sustained Immunotherapy With Disability Outcomes in Patients With Active Secondary Progressive Multiple Sclerosis. JAMA Neurology, 2020, 77, 1398. | 4.5 | 21 |
| 27 | Delay from treatment start to full effect of immunotherapies for multiple sclerosis. Brain, 2020, 143, 2742-2756. | 3.7 | 24 |
| 28 | Early clinical markers of aggressive multiple sclerosis. Brain, 2020, 143, 1400-1413. | 3.7 | 32 |
| 29 | Decreased second to fourth digit ratios in female multiple sclerosis patients. Early Human Development, 2020, 144, 105039. | 0.8 | 3 |
| 30 | Revisiting the complex architecture of ALS in Turkey: Expanding genotypes, shared phenotypes, molecular networks, and a public variant database. Human Mutation, 2020, 41, e7-e45. | 1.1 | 10 |
| 31 | †Is RLS a harbinger and consequence of MS?: Striking results of the †RELOMS-T†studyâ€. Multiple Sclerosis and Related Disorders, 2020, 42, 102055. | 0.9 | 6 |
| 32 | Electrophysiological, functional and histopathological assessments of high dose melatonin on regeneration after blunt sciatic nerve injury. Journal of Clinical Neuroscience, 2020, 72, 370-377. | 0.8 | 5 |
| 33 | Immune Reconstitution Therapy or Continuous Immunosuppression for the Management of Active Relapsing–Remitting Multiple Sclerosis Patients? A Narrative Review. Neurology and Therapy, 2020, 9, 55-66. | 1.4 | 18 |
| 34 | The COVID-19 from Neurological Overview. Turk Noroloji Dergisi = Turkish Journal of Neurology, 2020, 26, 58-108. | 0.1 | 7 |
| 35 | Comparative analysis of fingolimod versus teriflunomide in relapsing–remitting multiple sclerosis. Multiple Sclerosis and Related Disorders, 2019, 36, 101376. | 0.9 | 4 |
| 36 | Susac Syndrome: Clinical characteristics, diagnostic findings and treatment in 19 cases. Multiple Sclerosis and Related Disorders, 2019, 33, 94-99. | 0.9 | 15 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | The Efficacy of Acupuncture in the Treatment of Bell's Palsy Sequelae. JAMS Journal of Acupuncture and Meridian Studies, 2019, 12, 122-130. | 0.3 | 18 |
| 38 | Comparison of fingolimod, dimethyl fumarate and teriflunomide for multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2019, 90, 458-468. | 0.9 | 71 |
| 39 | Incidence of pregnancy and disease-modifying therapy exposure trends in women with multiple sclerosis: A contemporary cohort study. Multiple Sclerosis and Related Disorders, 2019, 28, 235-243. | 0.9 | 35 |
| 40 | International consensus on quality standards for brain health-focused care in multiple sclerosis. Multiple Sclerosis Journal, 2019, 25, 1809-1818. | 1.4 | 55 |
| 41 | A 12-month, Open Label, Multicenter Pilot Study Evaluating Fingolimod Treatment in terms of Patient Satisfaction in Relapsing Remitting Multiple Sclerosis Patients - FINE Trial. Noropsikiyatri Arsivi, 2019, 56, 253-257. | 0.7 | 1 |
| 42 | Reply to: Comment on Y.D. Fragoso et al.: "Lymphocyte count in peripheral blood is not associated with the level of clinical response to treatment with fingolimod―[Mult. Scler. Relat. Disord. (2017)]. Multiple Sclerosis and Related Disorders, 2018, 22, 166. | 0.9 | 0 |
| 43 | Lymphocyte count in peripheral blood is not associated with the level of clinical response to treatment with fingolimod. Multiple Sclerosis and Related Disorders, 2018, 19, 105-108. | 0.9 | 22 |
| 44 | Siponimod versus placebo in secondary progressive multiple sclerosis (EXPAND): a double-blind, randomised, phase 3 study. Lancet, The, 2018, 391, 1263-1273. | 6.3 | 684 |
| 45 | Long-term disability trajectories in primary progressive MS patients: A latent class growth analysis. Multiple Sclerosis Journal, 2018, 24, 642-652. | 1.4 | 37 |
| 46 | Safety of IV pulse methylprednisolone therapy during breastfeeding in patients with multiple sclerosis. Multiple Sclerosis Journal, 2018, 24, 1205-1211. | 1.4 | 23 |
| 47 | Silent lesions on MRI imaging – Shifting goal posts for treatment decisions in multiple sclerosis. Multiple Sclerosis Journal, 2018, 24, 1569-1577. | 1.4 | 8 |
| 48 | Predictors of relapse and disability progression in MS patients who discontinue disease-modifying therapy. Journal of the Neurological Sciences, 2018, 391, 72-76. | 0.3 | 22 |
| 49 | Association of Inflammation and Disability Accrual in Patients With Progressive-Onset Multiple Sclerosis. JAMA Neurology, 2018, 75, 1407. | 4.5 | 20 |
| 50 | Pregnancy-induced Susac Syndrome: A Case Report. Turk Noroloji Dergisi = Turkish Journal of Neurology, 2018, 2018, 70-71. | 0.1 | 1 |
| 51 | Evaluating Treatment Decision for Multiple Sclerosis: Involving Patients and Real Life. Noropsikiyatri Arsivi, 2018, 55, S10-S14. | 0.2 | 1 |
| 52 | Contribution of different relapse phenotypes to disability in multiple sclerosis. Multiple Sclerosis Journal, 2017, 23, 266-276. | 1.4 | 30 |
| 53 | Highly active immunomodulatory therapy ameliorates accumulation of disability in moderately advanced and advanced multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2017, 88, 196-203. | 0.9 | 49 |
| 54 | Treatment effectiveness of alemtuzumab compared with natalizumab, fingolimod, and interferon beta in relapsing-remitting multiple sclerosis: a cohort study. Lancet Neurology, The, 2017, 16, 271-281. | 4.9 | 134 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 55 | Prognostic indicators in pediatric clinically isolated syndrome. Annals of Neurology, 2017, 81, 729-739. | 2.8 | 34 |
| 56 | Safety and efficacy of eculizumab in anti-acetylcholine receptor antibody-positive refractory generalised myasthenia gravis (REGAIN): a phase 3, randomised, double-blind, placebo-controlled, multicentre study. Lancet Neurology, The, 2017, 16, 976-986. | 4.9 | 472 |
| 57 | Anti-inflammatory disease-modifying treatment and short-term disability progression in SPMS. Neurology, 2017, 89, 1050-1059. | 1.5 | 38 |
| 58 | Quantifying risk of early relapse in patients with first demyelinating events: Prediction in clinical practice. Multiple Sclerosis Journal, 2017, 23, 1346-1357. | 1.4 | 18 |
| 59 | Towards personalized therapy for multiple sclerosis: prediction of individual treatment response. Brain, 2017, 140, 2426-2443. | 3.7 | 94 |
| 60 | Lack of Association between Pulse Steroid Therapy and Bone Mineral Density in Patients with Multiple Sclerosis. Multiple Sclerosis International, 2016, 2016, 1-7. | 0.4 | 9 |
| 61 | Defining secondary progressive multiple sclerosis. Brain, 2016, 139, 2395-2405. | 3.7 | 281 |
| 62 | Comparative efficacy of first-line natalizumab vs IFN- \hat{l}^2 or glatiramer acetate in relapsing MS. Neurology: Clinical Practice, 2016, 6, 102-115. | 0.8 | 33 |
| 63 | Predictors of longâ€ŧerm disability accrual in relapseâ€onset multiple sclerosis. Annals of Neurology, 2016, 80, 89-100. | 2.8 | 158 |
| 64 | The effect of oral immunomodulatory therapy on treatment uptake and persistence in multiple sclerosis. Multiple Sclerosis Journal, 2016, 22, 520-532. | 1.4 | 34 |
| 65 | Multiple sclerosis in Latin America: A different disease course severity? A collaborative study from the MSBase Registry. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2015, 1, 205521731560019. | 0.5 | 5 |
| 66 | Neuromyelitis Optica and Neuromyelitis Optica Spectrum Disorder Patients in Turkish Cohort. Neurologist, 2015, 20, 61-66. | 0.4 | 8 |
| 67 | Switch to natalizumab versus fingolimod in active relapsing–remitting multiple sclerosis. Annals of Neurology, 2015, 77, 425-435. | 2.8 | 143 |
| 68 | Predictors of disability worsening in clinically isolated syndrome. Annals of Clinical and Translational Neurology, 2015, 2, 479-491. | 1.7 | 43 |
| 69 | <scp>BREMSO: a simple score to predict early the natural course of multiple sclerosis. European Journal of Neurology, 2015, 22, 981-989.</scp> | 1.7 | 32 |
| 70 | Defining reliable disability outcomes in multiple sclerosis. Brain, 2015, 138, 3287-3298. | 3.7 | 162 |
| 71 | Comparative effectiveness of glatiramer acetate and interferon beta formulations in relapsing–remitting multiple sclerosis. Multiple Sclerosis Journal, 2015, 21, 1159-1171. | 1.4 | 36 |
| 72 | Male Sex Is Independently Associated with Faster Disability Accumulation in Relapse-Onset MS but Not in Primary Progressive MS. PLoS ONE, 2015, 10, e0122686. | 1,1 | 122 |

| # | Article | IF | CITATIONS |
|----|---|----|-----------|
| 73 | Evaluation of Temperament and Character Features as Risk Factors for Depressive Symptoms in | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 91 | Basilar artery occlusion in migraine-like headache: a possible triggering effect of sumatriptan. Neurological Sciences, 2012, 33, 125-128. | 0.9 | 9 |
| 92 | Country, Sex, EDSS Change and Therapy Choice Independently Predict Treatment Discontinuation in Multiple Sclerosis and Clinically Isolated Syndrome. PLoS ONE, 2012, 7, e38661. | 1.1 | 35 |
| 93 | Geographical Variations in Sex Ratio Trends over Time in Multiple Sclerosis. PLoS ONE, 2012, 7, e48078. | 1.1 | 166 |
| 94 | Electrodiagnosis of carpal tunnel syndrome in patients with diabetic polyneuropathy. Clinical Neurophysiology, 2011, 122, 1463-1469. | 0.7 | 54 |
| 95 | VEMP responses are not affected in non-insulin-dependent diabetes mellitus patients with or without polyneuropathy. Acta Oto-Laryngologica, 2008, 128, 768-771. | 0.3 | 28 |
| 96 | Erratum to â€~Reduced effectiveness of long-term interferon-β treatment on relapses in neutralizing antibody-positive multiple sclerosis patients: a Canadian multiple sclerosis clinic-based study' by C Boz, J Oger, E Gibbs, SE Grossberg and the Neurologists of the UBC MS Clinic. Multiple Sclerosis 2007; 13: 1127–1137. Multiple Sclerosis Journal, 2008, 14, 575-575. | 1.4 | 0 |
| 97 | Reduced effectiveness of long-term interferon- \hat{l}^2 treatment on relapses in neutralizing antibody-positive multiple sclerosis patients: a Canadian multiple sclerosis clinic-based study. Multiple Sclerosis Journal, 2007, 13, 1127-1137. | 1.4 | 38 |
| 98 | Effect of serotonergic antidepressant therapy on temperament and character scales in patients with chronic tensionâ€type headache. Psychiatry and Clinical Neurosciences, 2007, 61, 534-542. | 1.0 | 30 |
| 99 | Matrix metalloproteinase-9 (MMP-9) and tissue inhibitor of matrix metalloproteinase (TIMP-1) in patients with relapsing–remitting multiple sclerosis treated with interferon beta. Clinical Neurology and Neurosurgery, 2006, 108, 124-128. | 0.6 | 60 |
| 100 | Matrix metalloproteinase-9 and tissue inhibitor of matrix metalloproteinase-1 in multiple sclerosis. Clinical Neurology and Neurosurgery, 2006, 108, 618. | 0.6 | 0 |
| 101 | Economic impact of primary headaches in Turkey: a university hospital based study: part II. Journal of Headache and Pain, 2006, 7, 75-82. | 2.5 | 22 |
| 102 | Neuromyelitis Optica in Patients With Myasthenia Gravis Who Underwent Thymectomy. Archives of Neurology, 2006, 63, 851. | 4.9 | 93 |
| 103 | The Impact of Migraine on Epilepsy: A Prospective Prognosis Study. Cephalalgia, 2005, 25, 528-535. | 1.8 | 59 |
| 104 | Benign Acute Childhood Myositis. Medical Principles and Practice, 2004, 13, 227-229. | 1.1 | 15 |
| 105 | Temperament and character profiles of patients with tension-type headache and migraine. Psychiatry and Clinical Neurosciences, 2004, 58, 536-543. | 1.0 | 48 |
| 106 | Transient tic disorder following carbon monoxide poisoning. Journal of Neuroradiology, 2004, 31, 231-233. | 0.6 | 6 |
| 107 | Guillain-Barr \tilde{A} © syndrome during treatment with interferon $\hat{I}\pm$ for hepatitis B. Journal of Clinical Neuroscience, 2004, 11, 523-525. | 0.8 | 8 |
| 108 | Individual risk factors for carpal tunnel syndrome: an evaluation of body mass index, wrist index and hand anthropometric measurements. Clinical Neurology and Neurosurgery, 2004, 106, 294-299. | 0.6 | 107 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 109 | Ocular Myasthenia Gravis Associated With X-Linked Recessive Spinal and Bulbar Muscular Atrophy. Journal of Clinical Neuromuscular Disease, 2004, 5, 115-118. | 0.3 | 5 |
| 110 | Isolated hypoglossal nerve palsy in a child. Turkish Journal of Pediatrics, 2004, 46, 101-3. | 0.3 | 3 |
| 111 | The efficacy and safety of dipyrone (Novalgin) tablets in the treatment of acute migraine attacks: a double-blind, cross-over, randomized, placebo-controlled, multi-center study. Functional Neurology, 2004, 19, 197-202. | 1.3 | 19 |
| 112 | Acute disseminated encephalomyelitis after bee sting. Neurological Sciences, 2003, 23, 313-315. | 0.9 | 45 |
| 113 | Sertraline versus amitriptyline in the prophylactic therapy of non-depressed chronic tension-type headache patients. Journal of Headache and Pain, 2003, 4, 72-78. | 2.5 | 14 |
| 114 | Central nervous system involvement in autoimmune polyglandular syndrome. Clinical Neurology and Neurosurgery, 2003, 105, 102-104. | 0.6 | 11 |
| 115 | Evaluation of Plasma Endothelin-1 Levels in Patients with Cerebral Infarction. Angiology, 2002, 53, 77-82. | 0.8 | 14 |
| 116 | X-linked spinal and bulbar muscular atrophy without proximal atrophy. Clinical Neurology and Neurosurgery, 2002, 105, 14-17. | 0.6 | 3 |
| 117 | Relationship between major depression and heart rate variability Psychiatry Research, 2002, 113, 139-149. | 1.7 | 274 |
| 118 | Cerebral infarction following intravenous immunoglobulin therapy for Guillain-Barre syndrome. Journal of Stroke and Cerebrovascular Diseases, 2001, 10, 290-292. | 0.7 | 8 |
| 119 | Status Epilepticus After Stroke. Stroke, 2001, 32, 1169-1172. | 1.0 | 126 |
| 120 | Baclofen is effective in intractable hiccups induced by brainstem lesions. Neurological Sciences, 2001, 22, 409-409. | 0.9 | 12 |
| 121 | Increased plasma endothelin-1 levels in patients with intracerebral hemorrhage. Journal of Stroke and Cerebrovascular Diseases, 2000, 9, 176-180. | 0.7 | 6 |