

GÃ¼nther Winkelmann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7639398/publications.pdf>

Version: 2024-02-01

32
papers

1,737
citations

361413

20
h-index

477307

29
g-index

34
all docs

34
docs citations

34
times ranked

1685
citing authors

#	ARTICLE	IF	CITATIONS
1	Siderophores in plant root tissue: <i>Tagetes patula nana</i> colonized by the arbuscular mycorrhizal fungus <i>Gigaspora margarita</i> . <i>BioMetals</i> , 2020, 33, 137-146.	4.1	12
2	A search for glomuferrin: a potential siderophore of arbuscular mycorrhizal fungi of the genus <i>Glomus</i> . <i>BioMetals</i> , 2017, 30, 559-564.	4.1	22
3	Ecology of Siderophores. , 2014, , 435-450.		18
4	Linear fusigen as the major hydroxamate siderophore of the ectomycorrhizal Basidiomycota <i>Laccaria laccata</i> and <i>Laccaria bicolor</i> . <i>BioMetals</i> , 2013, 26, 969-979.	4.1	26
5	Fe(III)-complexes of the tripodal trishydroxamate siderophore basidiochrome: Potential biological implications. <i>Journal of Inorganic Biochemistry</i> , 2011, 105, 1670-1674.	3.5	7
6	Siderophores of Symbiotic Fungi. , 2007, , 91-103.		10
7	Ecology of siderophores with special reference to the fungi. <i>BioMetals</i> , 2007, 20, 379-392.	4.1	185
8	Environmental factors influence the production of enterobactin, salmochelin, aerobactin, and yersiniabactin in <i>Escherichia coli</i> strain Nissle 1917. <i>International Journal of Medical Microbiology</i> , 2006, 296, 513-520.	3.6	113
9	The determination of ferric iron in plants by HPLC using the microbial iron chelator desferrioxamine E. <i>BioMetals</i> , 2005, 18, 53-62.	4.1	27
10	The configuration of the chiral carbon atoms in staphyloferrin A and analysis of the transport properties in <i>Staphylococcus aureus</i> . <i>BioMetals</i> , 2005, 18, 75-81.	4.1	11
11	The use of microbial siderophores for foliar iron application studies. <i>Plant and Soil</i> , 2005, 272, 245-252.	3.7	43
12	Functions of the siderophore esterases IroD and IroE in iron-salmochelin utilization. <i>Microbiology (United Kingdom)</i> , 2005, 151, 2363-2372.	1.8	97
13	The detection of salmochelin and yersiniabactin in uropathogenic strains by a novel hydrolysis-fluorescence-detection (HFD) method. <i>International Journal of Medical Microbiology</i> , 2005, 295, 99-107.	3.6	28
14	Iron supply to tobacco plants through foliar application of iron citrate and ferric dimerum acid. <i>Physiologia Plantarum</i> , 2004, 122, 380-385.	5.2	22
15	Ferrichrome in <i>Schizosaccharomyces pombe</i> ? an iron transport and iron storage compound. <i>BioMetals</i> , 2004, 17, 647-654.	4.1	65
16	The Siderophore Iron Transporter of <i>Candida albicans</i> (Sit1p/Arn1p) Mediates Uptake of Ferrichrome-Type Siderophores and Is Required for Epithelial Invasion. <i>Infection and Immunity</i> , 2002, 70, 5246-5255.	2.2	198
17	Heterobactins: A new class of siderophores from <i>Rhodococcus erythropolis</i> IGTS8 containing both hydroxamate and catecholate donor groups. <i>BioMetals</i> , 2001, 14, 119-125.	4.1	77
18	Identification and substrate specificity of a ferrichrome-type siderophore transporter (Arn1p) in <i>Saccharomyces cerevisiae</i> . <i>FEMS Microbiology Letters</i> , 2000, 186, 221-227.	1.8	109

#	ARTICLE	IF	CITATIONS
19	Fusarinines and dimerum acid, mono- and dihydroxamate siderophores from <i>Penicillium chrysogenum</i> , improve iron utilization by strategy I and strategy II plants. <i>BioMetals</i> , 2000, 13, 37-46.	4.1	84
20	A gene of the major facilitator superfamily encodes a transporter for enterobactin (Enb1p) in <i>Saccharomyces cerevisiae</i> . <i>BioMetals</i> , 2000, 13, 65-72.	4.1	99
21	Identification and substrate specificity of a ferrichrome-type siderophore transporter (Arn1p) in <i>Saccharomyces cerevisiae</i> . <i>FEMS Microbiology Letters</i> , 2000, 186, 221-227.	1.8	3
22	Identification of a fungal triacetylfusarinine C siderophore transport gene (TAF1) in <i>Saccharomyces cerevisiae</i> as a member of the major facilitator superfamily. <i>BioMetals</i> , 1999, 12, 301-306.	4.1	87
23	Title is missing!. <i>BioMetals</i> , 1999, 12, 189-193.	4.1	42
24	Molecular recognition of siderophores: a study with cloned ferrioxamine receptors (FoxA) from <i>Erwinia herbicola</i> and <i>Yersinia enterocolitica</i> . <i>BioMetals</i> , 1998, 11, 131-137.	4.1	18
25	Coordination Chemistry of the Carboxylate Type Siderophore Rhizoferrin: The Iron(III) Complex and Its Metal Analogs. <i>Inorganic Chemistry</i> , 1996, 35, 6429-6436.	4.0	81
26	Specificity and mechanism of rhizoferrin-mediated metal ion uptake. <i>BioMetals</i> , 1996, 9, 185.	4.1	10
27	Characterization of a novel <i>Spirillum</i> -like bacterium that degrades ferrioxamine-type siderophores. <i>BioMetals</i> , 1996, 9, 78-83.	4.1	13
28	Structures and functions of fungal siderophores containing hydroxamate and complexone type iron binding ligands. <i>Mycological Research</i> , 1992, 96, 529-534.	2.5	69
29	Characterization of siderophores produced by different species of the dermatophytic fungi <i>Microsporum</i> and <i>Trichophyton</i> . <i>BioMetals</i> , 1992, 5, 213-216.	4.1	21
30	Stereochemical characterization of rhizoferrin and identification of its dehydration products. <i>BioMetals</i> , 1992, 5, 141-148.	4.1	55
31	Rhizoferrin: A complexone type siderophore of the mocoales and entomophthorales (Zygomycetes). <i>FEMS Microbiology Letters</i> , 1992, 94, 37-41.	1.8	46
32	Siderophore Transport in Fungi. , 0 , , 463-480.		18