

Yi-lang Tang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7640283/publications.pdf>

Version: 2024-02-01

109
papers

2,617
citations

186265

28
h-index

254184

43
g-index

117
all docs

117
docs citations

117
times ranked

3183
citing authors

#	ARTICLE	IF	CITATIONS
1	Opiate addiction in China: current situation and treatments. <i>Addiction</i> , 2006, 101, 657-665.	3.3	133
2	Alcohol and alcohol-related harm in China: policy changes needed. <i>Bulletin of the World Health Organization</i> , 2013, 91, 270-276.	3.3	123
3	An International Adult Guideline for Making Clozapine Titration Safer by Using Six Ancestry-Based Personalized Dosing Titrations, CRP, and Clozapine Levels. <i>Pharmacopsychiatry</i> , 2022, 55, 73-86.	3.3	107
4	Clozapine for treatment-resistant bipolar disorder: a systematic review. <i>Bipolar Disorders</i> , 2015, 17, 235-247.	1.9	105
5	Gender differences in 542 Chinese inpatients with schizophrenia. <i>Schizophrenia Research</i> , 2007, 97, 88-96.	2.0	84
6	Improving drug addiction treatment in China. <i>Addiction</i> , 2007, 102, 1057-1063.	3.3	76
7	Metformin for Weight Gain and Metabolic Abnormalities Associated With Antipsychotic Treatment. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 499-509.	1.4	70
8	Gender, age, smoking behaviour and plasma clozapine concentrations in 193 Chinese inpatients with schizophrenia. <i>British Journal of Clinical Pharmacology</i> , 2007, 64, 49-56.	2.4	65
9	Do Asian Patients Require Only Half of the Clozapine Dose Prescribed for Caucasians? A Critical Overview. <i>Indian Journal of Psychological Medicine</i> , 2020, 42, 4-10.	1.5	61
10	Network analysis of anxiety and depressive symptoms among nursing students during the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2021, 294, 753-760.	4.1	58
11	Adjunctive Aripiprazole Versus Placebo for Antipsychotic-Induced Hyperprolactinemia: Meta-Analysis of Randomized Controlled Trials. <i>PLoS ONE</i> , 2013, 8, e70179.	2.5	51
12	Intention to leave and associated factors among psychiatric nurses in China: A nationwide cross-sectional study. <i>International Journal of Nursing Studies</i> , 2019, 94, 159-165.	5.6	50
13	Childhood trauma associates with clinical features of bipolar disorder in a sample of Chinese patients. <i>Journal of Affective Disorders</i> , 2014, 168, 58-63.	4.1	47
14	Comorbid Psychiatric Diagnoses and Their Association with Cocaine-Induced Psychosis in Cocaine-Dependent Subjects. <i>American Journal on Addictions</i> , 2007, 16, 343-351.	1.4	46
15	Linkage analysis of plasma dopamine β -hydroxylase activity in families of patients with schizophrenia. <i>Human Genetics</i> , 2011, 130, 635-643.	3.8	45
16	The Neglect of Left-Behind Children in China: A Meta-Analysis. <i>Trauma, Violence, and Abuse</i> , 2021, 22, 1326-1338.	6.2	45
17	Genotypic and haplotypic associations of the DBH gene with plasma dopamine β -hydroxylase activity in African Americans. <i>European Journal of Human Genetics</i> , 2007, 15, 878-883.	2.8	43
18	Help-seeking Behaviors of Chinese Patients with Schizophrenia Admitted to a Psychiatric Hospital. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2007, 34, 101-107.	2.1	43

#	ARTICLE	IF	CITATIONS
19	Prevalence of major depressive disorder and socio-demographic correlates: Results of a representative household epidemiological survey in Beijing, China. <i>Journal of Affective Disorders</i> , 2015, 179, 74-81.	4.1	42
20	Network analysis of depressive and anxiety symptoms in adolescents during the later stage of the COVID-19 pandemic. <i>Translational Psychiatry</i> , 2022, 12, 98.	4.8	42
21	Nocturnal sleep architecture disturbances in early methadone treatment patients. <i>Psychiatry Research</i> , 2010, 179, 91-95.	3.3	41
22	Childhood trauma associates with clinical features of schizophrenia in a sample of Chinese inpatients. <i>Psychiatry Research</i> , 2015, 228, 702-707.	3.3	41
23	Plasma S-100B protein in Chinese patients with schizophrenia: Comparison with healthy controls and effect of antipsychotics treatment. <i>Journal of Psychiatric Research</i> , 2007, 41, 36-42.	3.1	40
24	Exploring the Prevalence of Clozapine Phenotypic Poor Metabolizers in 4 Asian Samples. <i>Journal of Clinical Psychopharmacology</i> , 2019, 39, 644-648.	1.4	39
25	Dysfunction of the Hypothalamic-Pituitary-Adrenal Axis in Opioid Dependent Subjects: Effects of Acute and Protracted Abstinence. <i>American Journal of Drug and Alcohol Abuse</i> , 2008, 34, 760-768.	2.1	37
26	Electroconvulsive Therapy in China. <i>Journal of ECT</i> , 2012, 28, 206-212.	0.6	36
27	Cigarette smoking in Chinese male inpatients with schizophrenia: A cross-sectional analysis. <i>Journal of Psychiatric Research</i> , 2007, 41, 43-48.	3.1	35
28	Catechol-O-methyltransferase modulation of cortisol secretion in psychiatrically at-risk and healthy adolescents. <i>Psychiatric Genetics</i> , 2010, 20, 166-170.	1.1	34
29	Sex-specific association of brain-derived neurotrophic factor (BDNF) Val66Met polymorphism and plasma BDNF with attention-deficit/hyperactivity disorder in a drug-naïve Han Chinese sample. <i>Psychiatry Research</i> , 2014, 217, 191-197.	3.3	31
30	Escitalopram in major depressive disorder: a multicenter, randomized, double-blind, fixed-dose, parallel trial in a Chinese population. <i>Depression and Anxiety</i> , 2008, 25, 46-54.	4.1	30
31	Therapeutic Drug Monitoring of Psychotropic Drugs in China. <i>Therapeutic Drug Monitoring</i> , 2013, 35, 816-822.	2.0	27
32	Ketamine and international regulations. <i>American Journal of Drug and Alcohol Abuse</i> , 2017, 43, 495-504.	2.1	27
33	Sociodemographic Characteristics and Job Satisfaction of Psychiatrists in China: Results From the First Nationwide Survey. <i>Psychiatric Services</i> , 2018, 69, 1245-1251.	2.0	26
34	Effect of childhood trauma on cognitive functions in a sample of Chinese patients with schizophrenia. <i>Comprehensive Psychiatry</i> , 2017, 76, 147-152.	3.1	25
35	Altered resting-state functional connectivity of the insula in individuals with clinical high-risk and patients with first-episode schizophrenia. <i>Psychiatry Research</i> , 2019, 282, 112608.	3.3	25
36	Job satisfaction and associated factors among psychiatric nurses in tertiary psychiatric hospitals: Results from a nationwide cross-sectional study. <i>Journal of Advanced Nursing</i> , 2019, 75, 3619-3630.	3.3	24

#	ARTICLE	IF	CITATIONS
37	Physical restraint for psychiatric patients and its associations with clinical characteristics and the National Mental Health Law in China. <i>Psychiatry Research</i> , 2016, 241, 154-158.	3.3	23
38	Perceptions of public attitudes towards persons with mental illness in Beijing, China: results from a representative survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 443-453.	3.1	23
39	Pneumonia Can Cause Clozapine Intoxication: A Case Report. <i>Psychosomatics</i> , 2017, 58, 652-656.	2.5	23
40	Experience of Medical Disputes, Medical Disturbances, Verbal and Physical Violence, and Burnout Among Physicians in China. <i>Frontiers in Psychology</i> , 2020, 11, 556517.	2.1	23
41	Transient Cocaine-Associated Behavioral Symptoms Rated with a New Instrument, the Scale for Assessment of Positive Symptoms for Cocaine-Induced Psychosis (SAPS-CIP). <i>American Journal on Addictions</i> , 2009, 18, 339-345.	1.4	23
42	Attitudes, knowledge, and perceptions of Chinese doctors toward drug abuse. <i>Journal of Substance Abuse Treatment</i> , 2005, 29, 215-220.	2.8	22
43	Substance Use Disorders Assessed Using the Kreekâ€“McHughâ€“Schlugerâ€“Kellogg (KMSK) Scale in an Urban Lowâ€“Income and Predominantly African American Sample of Primary Care Patients. <i>American Journal on Addictions</i> , 2011, 20, 292-299.	1.4	21
44	Efficacy and Safety of ECT for Behavioral and Psychological Symptoms of Dementia (BPSD): A Retrospective Chart Review. <i>American Journal of Geriatric Psychiatry</i> , 2020, 28, 157-163.	1.2	21
45	Two cases of high serum clozapine concentrations occurring during inflammation in Chinese patients. <i>International Journal of Psychiatry in Medicine</i> , 2018, 53, 292-305.	1.8	20
46	Cigarette Smoking, Health-Related Behaviors, and Burnout Among Mental Health Professionals in China: A Nationwide Survey. <i>Frontiers in Psychiatry</i> , 2020, 11, 706.	2.6	20
47	ElectroConvulsive therapy Cognitive Assessment (ECCA) tool: A new instrument to monitor cognitive function in patients undergoing ECT. <i>Journal of Affective Disorders</i> , 2020, 269, 36-42.	4.1	20
48	Burnout and job satisfaction of psychiatrists in China: a nationwide survey. <i>BMC Psychiatry</i> , 2021, 21, 593.	2.6	20
49	Efficacy and Safety of Adjunctive Aripiprazole in Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2016, 36, 628-636.	1.4	19
50	Resources and Workforce in Top-Tier Psychiatric Hospitals in China: A Nationwide Survey. <i>Frontiers in Psychiatry</i> , 2021, 12, 573333.	2.6	19
51	Serum brain-derived neurotrophic factor levels associate with cognitive improvement in patients with schizophrenia treated with electroacupuncture. <i>Psychiatry Research</i> , 2016, 244, 370-375.	3.3	18
52	The Association Between Internet Addiction and Anxiety in Nursing Students: A Network Analysis. <i>Frontiers in Psychiatry</i> , 2021, 12, 723355.	2.6	17
53	Factors Associated With Non-suicidal Self-Injury in Chinese Adolescents: A Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2021, 12, 747031.	2.6	17
54	Mental health status and quality of life in close contacts of COVID-19 patients in the post-COVID-19 era: a comparative study. <i>Translational Psychiatry</i> , 2021, 11, 505.	4.8	16

#	ARTICLE	IF	CITATIONS
55	Problematic Mobile Phone Use and Life Satisfaction Among University Students During the COVID-19 Pandemic in Shanghai, China. <i>Frontiers in Public Health</i> , 2021, 9, 805529.	2.7	16
56	Genotype-controlled analysis of serum dopamine β -hydroxylase activity in civilian post-traumatic stress disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1396-1401.	4.8	15
57	Psychiatry Residents in China: Socio-Demographic Characteristics, Career Satisfaction, and Related Factors. <i>Frontiers in Psychiatry</i> , 2019, 10, 177.	2.6	15
58	Patterns of antipsychotic prescriptions in patients with schizophrenia in China: A national survey. <i>Asian Journal of Psychiatry</i> , 2021, 62, 102742.	2.0	15
59	Reported maladaptive decision-making in unipolar and bipolar depression and its change with treatment. <i>Psychiatry Research</i> , 2017, 257, 386-392.	3.3	14
60	Cognitive-Behavioral Therapy for Adult ADHD: A Randomized Clinical Trial in China. <i>Journal of Attention Disorders</i> , 2019, 23, 1035-1046.	2.6	14
61	Workplace Violence, Workforce Stability, and Well-being in China's Psychiatric Hospitals. <i>American Journal of Preventive Medicine</i> , 2022, 62, e265-e273.	3.0	14
62	Gender Differences in Job Satisfaction and Work-Life Balance Among Chinese Physicians in Tertiary Public Hospitals. <i>Frontiers in Public Health</i> , 2021, 9, 635260.	2.7	13
63	Sustained-Release Bupropion for Smoking Cessation in a Chinese Sample: A Double-Blind, Placebo-Controlled, Randomized Trial. <i>Nicotine and Tobacco Research</i> , 2013, 15, 320-325.	2.6	12
64	Associations between the DBH gene, plasma dopamine β -hydroxylase activity and cognitive measures in Han Chinese patients with schizophrenia. <i>Schizophrenia Research</i> , 2018, 193, 58-63.	2.0	12
65	Satisfaction of psychiatric inpatients in China: clinical and institutional correlates in a national sample. <i>BMC Psychiatry</i> , 2019, 19, 19.	2.6	12
66	COVID-19 vaccine hesitancy in community-dwelling and hospitalized patients with severe mental illness. <i>Psychological Medicine</i> , 2023, 53, 4288-4290.	4.5	12
67	Off-label use of antipsychotic medications in psychiatric inpatients in China: a national real-world survey. <i>BMC Psychiatry</i> , 2021, 21, 375.	2.6	11
68	Prevalence of Internet Addiction Disorder and Its Correlates Among Clinically Stable Adolescents With Psychiatric Disorders in China During the COVID-19 Outbreak. <i>Frontiers in Psychiatry</i> , 2021, 12, 686177.	2.6	11
69	Antipsychotic drug use in 503 Chinese inpatients with schizophrenia. <i>International Journal of Psychiatry in Clinical Practice</i> , 2007, 11, 29-35.	2.4	10
70	Low post-traumatic stress disorder rate in Chinese in Beijing, China. <i>Asian Journal of Psychiatry</i> , 2017, 30, 79-83.	2.0	10
71	Shorter recovery times and better cognitive function—A comparative pilot study of magnetic seizure therapy and electroconvulsive therapy in patients with depressive episodes. <i>Brain and Behavior</i> , 2020, 10, e01900.	2.2	10
72	Alcohol Use Among Mental Health Professionals in China: A Nationwide Cross-sectional Survey. <i>Alcohol and Alcoholism</i> , 2021, 56, 351-359.	1.6	10

#	ARTICLE	IF	CITATIONS
73	Electroconvulsive therapy is associated with lower readmission rates in patients with schizophrenia. <i>Brain Stimulation</i> , 2021, 14, 913-921.	1.6	10
74	Treatments for Alcohol-Related Disorders in China: A Developing Story. <i>Alcohol and Alcoholism</i> , 2012, 47, 563-570.	1.6	9
75	The Implementation of China's Mental Health Law-Defined Risk Criteria for Involuntary Admission: A National Cross-Sectional Study of Involuntarily Hospitalized Patients. <i>Frontiers in Psychiatry</i> , 2018, 9, 560.	2.6	9
76	QT Interval Prolongation Associated with Intramuscular Ziprasidone in Chinese Patients: A Case Report and a Comprehensive Literature Review with Meta-Analysis. <i>Case Reports in Psychiatry</i> , 2014, 2014, 1-8.	0.5	8
77	Association between COMT gene polymorphisms, clinical symptoms, and cognitive functions in Han Chinese patients with schizophrenia. <i>Psychiatric Genetics</i> , 2018, 28, 47-54.	1.1	8
78	Developing medical record-based, healthcare quality indicators for psychiatric hospitals in China: a modified Delphi-Analytic Hierarchy Process study. <i>International Journal for Quality in Health Care</i> , 2019, 31, 733-740.	1.8	8
79	Hospitalization Pattern, Inpatient Service Utilization and Quality of Care in Patients With Alcohol Use Disorder: A Sequence Analysis of Discharge Medical Records. <i>Alcohol and Alcoholism</i> , 2020, 55, 179-186.	1.6	7
80	Elevated Rates of Restraint and Seclusion in Child and Adolescent Psychiatric Inpatients in China and Their Associated Factors. <i>Child Psychiatry and Human Development</i> , 2021, 52, 939-944.	1.9	7
81	A comparison of aggression between patients with acute schizophrenia and mania presenting to psychiatric emergency services. <i>Journal of Affective Disorders</i> , 2022, 296, 493-497.	4.1	7
82	Effects of risperidone on glucose metabolism in Chinese patients with schizophrenia: A prospective study. <i>Journal of Psychiatric Research</i> , 2008, 43, 124-128.	3.1	6
83	Factors Associated With Involuntary Psychiatric Hospitalization of Youths in China Based on a Nationally Representative Sample. <i>Frontiers in Psychiatry</i> , 2020, 11, 607464.	2.6	6
84	Comorbidity combinations in schizophrenia inpatients and their associations with service utilization: A medical record-based analysis using association rule mining. <i>Asian Journal of Psychiatry</i> , 2022, 67, 102927.	2.0	6
85	Interactions between <i>MAOA</i> and <i>SYP</i> polymorphisms were associated with symptoms of attention-deficit/hyperactivity disorder in Chinese Han subjects. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 45-53.	1.7	5
86	Impact of childhood trauma on sensorimotor gating in Chinese patients with chronic schizophrenia. <i>Psychiatry Research</i> , 2018, 263, 69-73.	3.3	5
87	The Association Between Medical Liability Insurance Coverage and Medical Disturbances in Tertiary Psychiatric Hospitals in China: A National Survey. <i>Risk Management and Healthcare Policy</i> , 2021, Volume 14, 3767-3774.	2.5	5
88	Turnover Intention and Its Associated Factors Among Psychiatrists in 41 Tertiary Hospitals in China During the COVID-19 Pandemic. <i>Frontiers in Psychology</i> , 0, 13, .	2.1	5
89	Alcohol Use and Misuse Among Chinese Psychiatrists During the Early COVID-19 Pandemic. <i>Frontiers in Psychiatry</i> , 0, 13, .	2.6	5
90	Human genetics of schizophrenia. <i>Handbook of Clinical Neurology</i> / Edited By PJ Vinken and G W Bruyn, 2012, 106, 37-52.	1.8	4

#	ARTICLE	IF	CITATIONS
91	Efficacy and Safety of ECT for Behavioral and Psychological Symptoms of Dementia (BPSD): A retrospective chart review. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, S114-S115.	1.2	4
92	Depression Worsening Associated With Lorcaseerin. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 747-749.	1.4	4
93	Psychiatric inpatient beds for youths in China: data from a nation-wide survey. <i>BMC Psychiatry</i> , 2020, 20, 398.	2.6	4
94	Sleep duration and satisfaction among physicians in tertiary public hospitals in China: a large sample national survey. <i>Journal of Occupational Medicine and Toxicology</i> , 2021, 16, 8.	2.2	4
95	Chronic Pain, Opioid Use Disorder, and Clinical Management Among Older Adults. <i>Focus (American J Psychiatry)</i> , 2021, 137, 1000-1008.	0.8	4
96	Effectiveness of a substance use treatment program for veterans with chronic pain and opioid use disorder. <i>Journal of Substance Abuse Treatment</i> , 2022, 132, 108635.	2.8	4
97	Violence against mental health workers in China: Action needed. <i>Asian Journal of Psychiatry</i> , 2021, 65, 102853.	2.0	4
98	Physical Activity and Mental Health Among Physicians in Tertiary Psychiatric Hospitals: A National Cross-sectional Survey in China. <i>Frontiers in Psychology</i> , 2021, 12, 731525.	2.1	4
99	Interaction Between Season of Birth and COMT Val158Met (rs4680) in ADHD in a Large Sample of Chinese Han Participants. <i>Journal of Attention Disorders</i> , 2018, 22, 886-895.	2.6	3
100	Satisfaction of family members with inpatient psychiatric care and its correlates: a national survey in China. <i>BMC Psychiatry</i> , 2019, 19, 427.	2.6	3
101	Effect of COMT Val158Met genotype on nicotine withdrawal-related cognitive dysfunction in smokers with and without schizophrenia. <i>Schizophrenia Research</i> , 2013, 150, 602-603.	2.0	2
102	The Prevalence and Associated Factors of Short Sleep Duration Among Nurses in Tertiary Public Hospitals in China: Findings from a National Survey. <i>Risk Management and Healthcare Policy</i> , 2021, Volume 14, 2547-2552.	2.5	2
103	Electroconvulsive Therapy in China (II). <i>Journal of ECT</i> , 2012, 28, 213-218.	0.6	1
104	Electroconvulsive Therapy in a Geriatric Patient With Normal Pressure Hydrocephalus Without a Shunt. <i>Journal of ECT</i> , 2014, 30, e55-e56.	0.6	1
105	Adjunctive Electroconvulsive Therapy for Schizophrenia. <i>Journal of ECT</i> , 2016, Publish Ahead of Print, .	0.6	1
106	Compliance with the criteria of involuntary admission in China's Mental Health Law: a national cross-sectional study of patients admitted to hospital involuntarily. <i>Lancet, The</i> , 2018, 392, S9.	13.7	1
107	Gender Differences in Burnout Among Endocrinologists in China. <i>Frontiers in Psychology</i> , 2022, 13, 845188.	2.1	1
108	Adjuvant electroconvulsive therapy with antipsychotics is associated with improvement in auditory mismatch negativity in schizophrenia. <i>Psychiatry Research</i> , 2022, 311, 114484.	3.3	1

#	ARTICLE	IF	CITATIONS
109	The effects of childhood trauma on personality in unaffected first-degree relatives of patients with major depressive disorder. <i>BMC Psychiatry</i> , 2022, 22, 312.	2.6	1