

Nor Azizan Abdullah

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7642436/publications.pdf>

Version: 2024-02-01

27
papers

620
citations

623734

14
h-index

610901

24
g-index

27
all docs

27
docs citations

27
times ranked

1024
citing authors

#	ARTICLE	IF	CITATIONS
1	Exogenous Hydrogen Sulfide (H ₂ S) Reduces Blood Pressure and Prevents the Progression of Diabetic Nephropathy in Spontaneously Hypertensive Rats. <i>Renal Failure</i> , 2012, 34, 203-210.	2.1	88
2	KCNJ11: Genetic Polymorphisms and Risk of Diabetes Mellitus. <i>Journal of Diabetes Research</i> , 2015, 2015, 1-9.	2.3	71
3	Differential effects of dietary flavonoids on adipogenesis. <i>European Journal of Nutrition</i> , 2019, 58, 5-25.	3.9	70
4	Andrographis paniculata Leaf Extract Prevents Thioacetamide-Induced Liver Cirrhosis in Rats. <i>PLoS ONE</i> , 2014, 9, e109424.	2.5	49
5	Withaferin A protects against palmitic acid-induced endothelial insulin resistance and dysfunction through suppression of oxidative stress and inflammation. <i>Scientific Reports</i> , 2016, 6, 27236.	3.3	43
6	<i>In Vivo</i> Evaluation of Ethanolic Extract of <i>Zingiber officinale</i> Rhizomes for Its Protective Effect against Liver Cirrhosis. <i>BioMed Research International</i> , 2013, 2013, 1-10.	1.9	36
7	Chemoprevention of colonic aberrant crypt foci by <i>Gynura procumbens</i> in rats. <i>Journal of Ethnopharmacology</i> , 2014, 151, 1194-1201.	4.1	35
8	Renal Nano-drug delivery for acute kidney Injury: Current status and future perspectives. <i>Journal of Controlled Release</i> , 2022, 343, 237-254.	9.9	32
9	Cisplatin-induced nephrotoxicity causes altered renal hemodynamics in Wistar Kyoto and spontaneously hypertensive rats: Role of augmented renal alpha-adrenergic responsiveness. <i>Experimental and Toxicologic Pathology</i> , 2007, 59, 253-260.	2.1	25
10	Withaferin A inhibits adipogenesis in 3T3-F442A cell line, improves insulin sensitivity and promotes weight loss in high fat diet-induced obese mice. <i>PLoS ONE</i> , 2019, 14, e0218792.	2.5	22
11	̂1B-Adrenoceptors mediate adrenergically-induced renal vasoconstrictions in rats with renal impairment. <i>Acta Pharmacologica Sinica</i> , 2008, 29, 193-203.	6.1	20
12	Antioxidant and pro-oxidant effects of oil palm (<i>Elaeis guineensis</i>) leaves extract in experimental diabetic nephropathy: a duration-dependent outcome. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 242.	3.7	20
13	Chemopreventive effect of <i>Phaleria macrocarpa</i> on colorectal cancer aberrant crypt foci in vivo. <i>Journal of Ethnopharmacology</i> , 2016, 193, 195-206.	4.1	19
14	Interaction between irbesartan, peroxisome proliferator-activated receptor (PPAR-̂3), and adiponectin in the regulation of blood pressure and renal function in spontaneously hypertensive rats. <i>Journal of Physiology and Biochemistry</i> , 2016, 72, 593-604.	3.0	15
15	Renal targeting potential of a polymeric drug carrier, poly-L-glutamic acid, in normal and diabetic rats. <i>International Journal of Nanomedicine</i> , 2017, Volume 12, 577-591.	6.7	15
16	Functional subtypes of renal ̂1-adrenoceptor in diabetic and non-diabetic 2K1C Goldblatt renovascular hypertension. <i>Acta Pharmacologica Sinica</i> , 2008, 29, 564-572.	6.1	13
17	Functional Subtypes of Renal ̂1-Adrenoceptor in Spontaneously Hypertensive Rats with Streptozotocin-Induced Experimental Diabetic Nephropathy. <i>Kidney and Blood Pressure Research</i> , 2009, 32, 349-359.	2.0	12
18	Effect of TGF-̂1 antisense oligodeoxynucleotide on renal function in chronic renal failure rats. <i>Acta Pharmacologica Sinica</i> , 2008, 29, 451-457.	6.1	7

#	ARTICLE	IF	CITATIONS
19	Exposure to High-Fat Style Diet Induced Renal and Liver Structural Changes, Lipid Accumulation and Inflammation in Intact and Ovariectomized Female Rats. <i>Journal of Inflammation Research</i> , 2021, Volume 14, 689-710.	3.5	7
20	Renin-Angiotensin System Gene Variants and Type 2 Diabetes Mellitus: Influence of Angiotensinogen. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-7.	2.3	6
21	Effect of edaravone in diabetes mellitus-induced nephropathy in rats. <i>Korean Journal of Physiology and Pharmacology</i> , 2016, 20, 333.	1.2	5
22	Uterotrophic, Fetotoxic and Abortifacient Effect of a Malaysian Variety of <i>Plumbago rosea</i> L. on Isolated Rat Uterus and Pregnant Mice. <i>Pakistan Journal of Biological Sciences</i> , 2007, 10, 763-767.	0.5	5
23	Downregulation of cystathionine β lyase and endothelial nitric oxide synthase and reduced responsiveness of α_1A adrenergic receptors in the kidneys of left ventricular hypertrophied Wistar Kyoto rats. <i>Turkish Journal of Biology</i> , 2016, 40, 1129-1139.	0.8	3
24	Comparison of high-fat style diet-induced dysregulation of baroreflex control of renal sympathetic nerve activity in intact and ovariectomized female rats. <i>Experimental Biology and Medicine</i> , 2020, 245, 761-776.	2.4	1
25	Clinical characteristics, cytokine profiles and plasma IgE in adults with asthma. <i>Molecular Immunology</i> , 2022, 143, 50-57.	2.2	1
26	HYDROGEN SULFIDE (H ₂ S) IMPROVES THE RENAL FUNCTION IN A COMBINED STATE OF HYPERTENSION AND DIABETES. <i>FASEB Journal</i> , 2012, 26, 1131.12.	0.5	0
27	EFFECT OF EXOGENOUSLY ADMINISTERED H ₂ S ON THE CARDIAC AND RENAL FUNCTION IN HYPERTENSIVE DIABETIC RATS. <i>FASEB Journal</i> , 2012, 26, 876.7.	0.5	0