

Bartłomiej Najbar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7642731/publications.pdf>

Version: 2024-02-01

24
papers

116
citations

1478505

6
h-index

1474206

9
g-index

25
all docs

25
docs citations

25
times ranked

198
citing authors

#	ARTICLE	IF	CITATIONS
1	Recent Findings of Potentially Lethal Salamander Fungus <i>Batrachochytrium salamandrivorans</i> . <i>Emerging Infectious Diseases</i> , 2019, 25, 1416-1418.	4.3	13
2	Phylogeography and postglacial colonization of Central Europe by <i>Anguis fragilis</i> and <i>Anguis colchica</i> . <i>Amphibia - Reptilia</i> , 2017, 38, 562-569.	0.5	11
3	Body size and life history traits of the fire salamander <i>Salamandra atra</i> from Poland. <i>Amphibia - Reptilia</i> , 2020, 41, 63-74.	0.5	11
4	Phylogeography of the smooth snake <i>Coronella austriaca</i> (Serpentes: Colubridae): evidence for a reduced gene pool and a genetic discontinuity in Central Europe. <i>Biological Journal of the Linnean Society</i> , 2015, 115, 195-210.	1.6	10
5	Tick parasitism is associated with home range area in the sand lizard, <i>Lacerta agilis</i> . <i>Amphibia - Reptilia</i> , 2020, 41, 479-488.	0.5	9
6	Melanism, body size, and sex ratio in snakes – new data on the grass snake (<i>Natrix natrix</i>) and synthesis. <i>Die Naturwissenschaften</i> , 2020, 107, 22.	1.6	9
7	Genetic structure and differentiation of the fire salamander <i>Salamandra atra</i> at the northern margin of its range in the Carpathians. <i>Amphibia - Reptilia</i> , 2015, 36, 301-311.	0.5	7
8	Distribution of mitochondrial haplotypes (cytb) in Polish populations of <i>Emys orbicularis</i> (L., 1758). <i>Biologia (Poland)</i> , 2011, 66, 893-898.	1.5	6
9	Habitat use of the Aesculapian snake at different spatial scales. <i>Journal of Wildlife Management</i> , 2018, 82, 1746-1755.	1.8	5
10	What has happened to the females? Population trends in the Aesculapian snake at its northern range limit. <i>Global Ecology and Conservation</i> , 2019, 17, e00550.	2.1	5
11	Road-killed toads as a non-invasive source to study age structure of spring migrating population. <i>European Journal of Wildlife Research</i> , 2019, 65, 1.	1.4	5
12	The morphometrics and colouration of the European pond turtle <i>Emys orbicularis</i> in Lubuskie province (West Poland). <i>Biologia (Poland)</i> , 2006, 61, 585-592.	1.5	4
13	Population differentiation of the European pond turtle (<i>Emys orbicularis</i>) in Poland inferred by the analysis of mitochondrial and microsatellite DNA: implications for conservation. <i>Amphibia - Reptilia</i> , 2013, 34, 451-461.	0.5	3
14	Lipid droplets in skeletal muscle during grass snake (<i>Natrix natrix</i> L.) development. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2022, 1867, 159086.	2.4	3
15	Changes in Distribution of Aesculapian Snake and Implications for Its Active Conservation in Poland. <i>Polish Journal of Ecology</i> , 2017, 65, 422-431.	0.2	2
16	The Body Size of Headstarted and Wild Juvenile European Pond Turtles (<i>Emys orbicularis</i>) in the Tatra Mountains. <i>Journal of Herpetology</i> , 2010, 44, 142-147.	0.5	2
17	Intraspecific variability of the quantity of postnasal and loreal scales of the sand lizard (<i>Lacerta agilis</i>) from the western Poland. <i>Studia Biologica = Studia Biologica = Studia Biologica = Studia Biologica</i> , 2020, 14, 105-110.	0.4	1
18	Climatic conditions and prevalence of melanistic snakes – contrasting effects of warm springs and mild winters. <i>International Journal of Biometeorology</i> , 2022, , 1.	3.0	1

