Paul S De Vries

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7642802/publications.pdf

Version: 2024-02-01

73 papers 5,703 citations

30 h-index 98622 67 g-index

77 all docs

77
docs citations

times ranked

77

11430 citing authors

#	Article	IF	CITATIONS
1	Associations of carotid intima media thickness with gene expression in whole blood and genetically predicted gene expression across 48 tissues. Human Molecular Genetics, 2022, 31, 1171-1182.	1.4	4
2	A multi-omics study of circulating phospholipid markers of blood pressure. Scientific Reports, 2022, 12, 574.	1.6	10
3	Rare coding variants in 35 genes associate with circulating lipid levels—A multi-ancestry analysis of 170,000 exomes. American Journal of Human Genetics, 2022, 109, 81-96.	2.6	24
4	Type 2 Diabetes Partitioned Polygenic Scores Associate With Disease Outcomes in 454,193 Individuals Across 13 Cohorts. Diabetes Care, 2022, 45, 674-683.	4.3	29
5	American Heart Association's Life's Simple 7: Lifestyle Recommendations, Polygenic Risk, and Lifetime Risk of Coronary Heart Disease. Circulation, 2022, 145, 808-818.	1.6	63
6	Rare coding variants in RCN3 are associated with blood pressure. BMC Genomics, 2022, 23, 148.	1.2	2
7	Elucidating mechanisms of genetic cross-disease associations at the PROCR vascular disease locus. Nature Communications, 2022, 13, 1222.	5.8	5
8	Multiâ€phenotype analyses of hemostatic traits with cardiovascular events reveal novel genetic associations. Journal of Thrombosis and Haemostasis, 2022, 20, 1331-1349.	1.9	12
9	Gene-lifestyle interactions in the genomics of human complex traits. European Journal of Human Genetics, 2022, 30, 730-739.	1.4	11
10	Insights From a Large-Scale Whole-Genome Sequencing Study of Systolic Blood Pressure, Diastolic Blood Pressure, and Hypertension. Hypertension, 2022, 79, 1656-1667.	1.3	12
11	Multi-ancestry genome-wide association study accounting for gene-psychosocial factor interactions identifies novel loci for blood pressure traits. Human Genetics and Genomics Advances, 2021, 2, 100013.	1.0	2
12	Association between ABO haplotypes and the risk of venous thrombosis: impact on disease risk estimation. Blood, 2021, 137, 2394-2402.	0.6	19
13	Multi-ancestry genome-wide gene–sleep interactions identify novel loci for blood pressure. Molecular Psychiatry, 2021, 26, 6293-6304.	4.1	13
14	Chromosome Xq23 is associated with lower atherogenic lipid concentrations and favorable cardiometabolic indices. Nature Communications, 2021, 12, 2182.	5.8	17
15	Association Between Hemostatic Profile and Migraine. Neurology, 2021, 96, e2481-e2487.	1.5	6
16	Whole-genome sequencing association analysis of quantitative red blood cell phenotypes: The NHLBI TOPMed program. American Journal of Human Genetics, 2021, 108, 874-893.	2.6	28
17	FGL1 as a modulator of plasma Dâ€dimer levels: Exomeâ€wide marker analysis of plasma tPA, PAIâ€1, and Dâ€dimer. Journal of Thrombosis and Haemostasis, 2021, 19, 2019-2028.	1.9	1
18	Leveraging a health information exchange for analyses of COVID-19 outcomes including an example application using smoking history and mortality. PLoS ONE, 2021, 16, e0247235.	1.1	4

#	Article	IF	CITATIONS
19	<i>APOL1</i> Genetic Variants Are Associated With Increased Risk of Coronary Atherosclerotic Plaque Rupture in the Black Population. Arteriosclerosis, Thrombosis, and Vascular Biology, 2021, 41, 2201-2214.	1.1	8
20	Genetic susceptibility, obesity and lifetime risk of type 2 diabetes: The ARIC study and Rotterdam Study. Diabetic Medicine, 2021, 38, e14639.	1.2	9
21	Genetic testing in ambulatory cardiology clinics reveals high rate of findings with clinical management implications. Genetics in Medicine, 2021, 23, 2404-2414.	1.1	14
22	No prospective association of a polygenic risk score for coronary artery disease with venous thromboembolism incidence. Journal of Thrombosis and Haemostasis, 2021, 19, 2841-2844.	1.9	2
23	Whole-genome sequencing in diverse subjects identifies genetic correlates of leukocyte traits: The NHLBI TOPMed program. American Journal of Human Genetics, 2021, 108, 1836-1851.	2.6	14
24	The power of genetic diversity in genome-wide association studies of lipids. Nature, 2021, 600, 675-679.	13.7	353
25	The choline transporter Slc44a2 controls platelet activation and thrombosis by regulating mitochondrial function. Nature Communications, 2020, 11, 3479.	5.8	43
26	A Mendelian randomization of $\hat{1}^3\hat{a}\in^2$ and total fibrinogen levels in relation to venous thromboembolism and ischemic stroke. Blood, 2020, 136, 3062-3069.	0.6	25
27	Gene-educational attainment interactions in a multi-ancestry genome-wide meta-analysis identify novel blood pressure loci. Molecular Psychiatry, 2020, 26, 2111-2125.	4.1	17
28	Role of Rare and Low-Frequency Variants in Gene-Alcohol Interactions on Plasma Lipid Levels. Circulation Genomic and Precision Medicine, 2020, 13, e002772.	1.6	11
29	Deriving stratified effects from joint models investigating gene-environment interactions. BMC Bioinformatics, 2020, 21, 251.	1.2	2
30	Identifying blood pressure loci whose effects are modulated by multiple lifestyle exposures. Genetic Epidemiology, 2020, 44, 629-641.	0.6	6
31	Genetic loci associated with prevalent and incident myocardial infarction and coronary heart disease in the Cohorts for Heart and Aging Research in Genomic Epidemiology (CHARGE) Consortium. PLoS ONE, 2020, 15, e0230035.	1.1	5
32	Genome-wide meta-analysis of macronutrient intake of 91,114 European ancestry participants from the cohorts for heart and aging research in genomic epidemiology consortium. Molecular Psychiatry, 2019, 24, 1920-1932.	4.1	44
33	Genomic and transcriptomic association studies identify 16 novel susceptibility loci for venous thromboembolism. Blood, 2019, 134, 1645-1657.	0.6	162
34	Multi-ancestry sleep-by-SNP interaction analysis in 126,926 individuals reveals lipid loci stratified by sleep duration. Nature Communications, 2019, 10, 5121.	5.8	62
35	Impact of Rare and Common Genetic Variants on Diabetes Diagnosis by Hemoglobin A1c in Multi-Ancestry Cohorts: The Trans-Omics for Precision Medicine Program. American Journal of Human Genetics, 2019, 105, 706-718.	2.6	44
36	Multiancestry Genome-Wide Association Study of Lipid Levels Incorporating Gene-Alcohol Interactions. American Journal of Epidemiology, 2019, 188, 1033-1054.	1.6	85

#	Article	IF	Citations
37	Multi-ancestry study of blood lipid levels identifies four loci interacting with physical activity. Nature Communications, 2019, 10, 376.	5.8	64
38	Leveraging linkage evidence to identify low-frequency and rare variants on 16p13 associated with blood pressure using TOPMed whole genome sequencing data. Human Genetics, 2019, 138, 199-210.	1.8	29
39	Exome sequencing of 20,791Âcases of type 2 diabetes and 24,440Âcontrols. Nature, 2019, 570, 71-76.	13.7	248
40	Mendelian randomization evaluation of causal effects of fibrinogen on incident coronary heart disease. PLoS ONE, 2019, 14, e0216222.	1.1	17
41	Serum metabolic signatures of coronary and carotid atherosclerosis and subsequent cardiovascular disease. European Heart Journal, 2019, 40, 2883-2896.	1.0	107
42	Multi-ancestry genome-wide gene–smoking interaction study of 387,272 individuals identifies new loci associated with serum lipids. Nature Genetics, 2019, 51, 636-648.	9.4	112
43	Use of >100,000 NHLBI Trans-Omics for Precision Medicine (TOPMed) Consortium whole genome sequences improves imputation quality and detection of rare variant associations in admixed African and Hispanic/Latino populations. PLoS Genetics, 2019, 15, e1008500.	1.5	203
44	Genome-Wide Association Transethnic Meta-Analyses Identifies Novel Associations Regulating Coagulation Factor VIII and von Willebrand Factor Plasma Levels. Circulation, 2019, 139, 620-635.	1.6	102
45	Efficient Variant Set Mixed Model Association Tests for Continuous and Binary Traits in Large-Scale Whole-Genome Sequencing Studies. American Journal of Human Genetics, 2019, 104, 260-274.	2.6	103
46	Functionally oriented analysis of cardiometabolic traits in a trans-ethnic sample. Human Molecular Genetics, 2019, 28, 1212-1224.	1.4	12
47	A genome-wide association study identifies new loci for factor VII and implicates factor VII in ischemic stroke etiology. Blood, 2019, 133, 967-977.	0.6	34
48	Von Willebrand factor and ADAMTS13 activity in relation to risk of dementia: a population-based study. Scientific Reports, 2018, 8, 5474.	1.6	20
49	A systematic analysis highlights multiple long non-coding RNAs associated with cardiometabolic disorders. Journal of Human Genetics, 2018, 63, 431-446.	1.1	17
50	Genomeâ€Wide Interactions with Dairy Intake for Body Mass Index in Adults of European Descent. Molecular Nutrition and Food Research, 2018, 62, 1700347.	1.5	9
51	GWAS and colocalization analyses implicate carotid intima-media thickness and carotid plaque loci in cardiovascular outcomes. Nature Communications, 2018, 9, 5141.	5.8	119
52	Genome Analyses of >200,000 Individuals Identify 58 Loci for Chronic Inflammation and Highlight Pathways that Link Inflammation and Complex Disorders. American Journal of Human Genetics, 2018, 103, 691-706.	2.6	326
53	Reply to †Misestimation of heritability and prediction accuracy of male-pattern baldness†M. Nature Communications, 2018, 9, 2538.	5.8	0
54	DNA methylation age is associated with an altered hemostatic profile in a multiethnic meta-analysis. Blood, 2018, 132, 1842-1850.	0.6	16

#	Article	IF	Citations
55	Making the Most out of Mendel's Laws inÂComplex Coronary Artery Disease. Journal of the American College of Cardiology, 2018, 72, 311-313.	1.2	0
56	CD163+ macrophages promote angiogenesis and vascular permeability accompanied by inflammation in atherosclerosis. Journal of Clinical Investigation, 2018, 128, 1106-1124.	3.9	209
57	Epigenome-wide association study (EWAS) on lipids: the Rotterdam Study. Clinical Epigenetics, 2017, 9, 15.	1.8	104
58	Epigenome-Wide Association Study Identifies Methylation Sites Associated With Liver Enzymes and Hepatic Steatosis. Gastroenterology, 2017, 153, 1096-1106.e2.	0.6	52
59	GWAS for male-pattern baldness identifies 71 susceptibility loci explaining 38% of the risk. Nature Communications, 2017, 8, 1584.	5.8	61
60	Whole-genome sequencing study of serum peptide levels: the Atherosclerosis Risk in Communities study. Human Molecular Genetics, 2017, 26, 3442-3450.	1.4	25
61	ADAMTS13 activity as a novel risk factor for incident type 2 diabetes mellitus: a population-based cohort study. Diabetologia, 2017, 60, 280-286.	2.9	23
62	Comparison of HapMap and 1000 Genomes Reference Panels in a Large-Scale Genome-Wide Association Study. PLoS ONE, 2017, 12, e0167742.	1.1	29
63	Whole genome sequence analysis of serum amino acid levels. Genome Biology, 2016, 17, 237.	3.8	17
64	von Willebrand Factor, ADAMTS13 Activity, and Decline in Kidney Function: A Population-Based Cohort Study. American Journal of Kidney Diseases, 2016, 68, 726-732.	2.1	12
65	Workflow for Integrated Processing of Multicohort Untargeted ¹ H NMR Metabolomics Data in Large-Scale Metabolic Epidemiology. Journal of Proteome Research, 2016, 15, 4188-4194.	1.8	37
66	A meta-analysis of 120 246 individuals identifies 18 new loci for fibrinogen concentration. Human Molecular Genetics, 2016, 25, 358-370.	1.4	73
67	Incremental predictive value of 152 single nucleotide polymorphisms in the 10-year risk prediction of incident coronary heart disease: the Rotterdam Study. International Journal of Epidemiology, 2015, 44, 682-688.	0.9	44
68	Rare and low-frequency variants and their association with plasma levels of fibrinogen, FVII, FVIII, and vWF. Blood, 2015, 126, e19-e29.	0.6	55
69	Pleiotropy among Common Genetic Loci Identified for Cardiometabolic Disorders and C-Reactive Protein. PLoS ONE, 2015, 10, e0118859.	1.1	43
70	Age- and Sex-Specific Causal Effects of Adiposity on Cardiovascular Risk Factors. Diabetes, 2015, 64, 1841-1852.	0.3	63
71	Association of Rare Loss-Of-Function Alleles in <i>HAL</i> , Serum Histidine. Circulation: Cardiovascular Genetics, 2015, 8, 351-355.	5.1	41
72	A comprehensive 1000 Genomes–based genome-wide association meta-analysis of coronary artery disease. Nature Genetics, 2015, 47, 1121-1130.	9.4	2,054

#	ARTICLE	IF	CITATIONS
73	Association between polyunsaturated fatty acid concentrations in maternal plasma phospholipids during pregnancy and offspring adiposity at age 7: The MEFAB cohort. Prostaglandins Leukotrienes and Essential Fatty Acids, 2014, 91, 81-85.	1.0	49