

John W Patrick

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7643241/publications.pdf>

Version: 2024-02-01

81
papers

4,879
citations

109137

35
h-index

98622

67
g-index

84
all docs

84
docs citations

84
times ranked

5338
citing authors

#	ARTICLE	IF	CITATIONS
1	From mouse to mouse—ear cross: Nanomaterials as vehicles in plant biotechnology. <i>Exploration</i> , 2021, 1, 9-20.	5.4	27
2	Enzymes contributing to the hydrogen peroxide signal dynamics that regulate wall labyrinth formation in transfer cells. <i>Journal of Experimental Botany</i> , 2020, 71, 219-233.	2.4	5
3	Integrating Sugar Metabolism With Transport: Elevation of Endogenous Cell Wall Invertase Activity Up-Regulates SIHT2 and SISWEET12c Expression for Early Fruit Development in Tomato. <i>Frontiers in Genetics</i> , 2020, 11, 592596.	1.1	19
4	Transfer cells: what regulates the development of their intricate wall labyrinths?. <i>New Phytologist</i> , 2020, 228, 427-444.	3.5	22
5	Ethylene and hydrogen peroxide regulate formation of a sterol-enriched domain essential for wall labyrinth assembly in transfer cells. <i>Journal of Experimental Botany</i> , 2019, 70, 1469-1482.	2.4	4
6	Mechanisms of phloem unloading: shaped by cellular pathways, their conductances and sink function. <i>Current Opinion in Plant Biology</i> , 2018, 43, 8-15.	3.5	73
7	Live Long and Prosper: Roles of Sugar and Sugar Polymers in Seed Vigor. <i>Molecular Plant</i> , 2018, 11, 1-3.	3.9	17
8	Sucrose Transporter Localization and Function in Phloem Unloading in Developing Stems. <i>Plant Physiology</i> , 2017, 173, 1330-1341.	2.3	60
9	Contribution of sucrose transporters to phloem unloading within <i>Sorghum bicolor</i> stem internodes. <i>Plant Signaling and Behavior</i> , 2017, 12, e1319030.	1.2	4
10	A Ca ²⁺ -dependent remodelled actin network directs vesicle trafficking to build wall ingrowth papillae in transfer cells. <i>Journal of Experimental Botany</i> , 2017, 68, 4749-4764.	2.4	8
11	Transcriptomic and metabolomics responses to elevated cell wall invertase activity during tomato fruit set. <i>Journal of Experimental Botany</i> , 2017, 68, 4263-4279.	2.4	45
12	Transcript Profiling Identifies Gene Cohorts Controlled by Each Signal Regulating Trans-Differentiation of Epidermal Cells of <i>Vicia faba</i> Cotyledons to a Transfer Cell Phenotype. <i>Frontiers in Plant Science</i> , 2017, 8, 2021.	1.7	5
13	A Structurally Specialized Uniform Wall Layer is Essential for Constructing Wall Ingrowth Papillae in Transfer Cells. <i>Frontiers in Plant Science</i> , 2017, 8, 2035.	1.7	4
14	An update on phloem transport: a simple bulk flow under complex regulation. <i>F1000Research</i> , 2017, 6, 2096.	0.8	30
15	Resin-embedded Thin-section Immunohistochemistry Coupled with Triple Cellular Counterstaining. <i>Bio-protocol</i> , 2017, 7, e2052.	0.2	0
16	Identifying and ameliorating nutrient limitations to reconstructing a forest ecosystem on mined land. <i>Restoration Ecology</i> , 2016, 24, 202-211.	1.4	30
17	Calcium-dependent depletion zones in the cortical microtubule array coincide with sites of, but do not regulate, wall ingrowth papillae deposition in epidermal transfer cells. <i>Journal of Experimental Botany</i> , 2015, 66, 6021-6033.	2.4	7
18	Cellular pathways of source leaf phloem loading and phloem unloading in developing stems of <i>Sorghum bicolor</i> in relation to stem sucrose storage. <i>Functional Plant Biology</i> , 2015, 42, 957.	1.1	18

#	ARTICLE	IF	CITATIONS
19	Tomato Ovary-to-Fruit Transition is Characterized by a Spatial Shift of mRNAs for Cell Wall Invertase and its Inhibitor with the Encoded Proteins Localized to Sieve Elements. <i>Molecular Plant</i> , 2015, 8, 315-328.	3.9	57
20	Polarized and persistent Ca ²⁺ plumes define loci for formation of wall ingrowth papillae in transfer cells. <i>Journal of Experimental Botany</i> , 2015, 66, 1179-1190.	2.4	15
21	Plasma Membrane Ca ²⁺ -Permeable Channels are Differentially Regulated by Ethylene and Hydrogen Peroxide to Generate Persistent Plumes of Elevated Cytosolic Ca ²⁺ During Transfer Cell <i>Trans</i> -Differentiation. <i>Plant and Cell Physiology</i> , 2015, 56, 1711-1720.	1.5	14
22	Differential transcriptional networks associated with key phases of ingrowth wall construction in trans-differentiating epidermal transfer cells of <i>Vicia faba</i> cotyledons. <i>BMC Plant Biology</i> , 2015, 15, 103.	1.6	21
23	A recently evolved hexose transporter variant confers resistance to multiple pathogens in wheat. <i>Nature Genetics</i> , 2015, 47, 1494-1498.	9.4	575
24	Silencing the vacuolar invertase gene <i>GhVIN1</i> blocks cotton fiber initiation from the ovule epidermis, probably by suppressing a cohort of regulatory genes via sugar signaling. <i>Plant Journal</i> , 2014, 78, 686-696.	2.8	77
25	Crop yield components “photoassimilate supply- or utilisation limited-organ development?”. <i>Functional Plant Biology</i> , 2014, 41, 893.	1.1	34
26	Metabolic engineering of sugars and simple sugar derivatives in plants. <i>Plant Biotechnology Journal</i> , 2013, 11, 142-156.	4.1	177
27	The Plant Vascular System: Evolution, Development and Functions ^F . <i>Journal of Integrative Plant Biology</i> , 2013, 55, 294-388.	4.1	553
28	Intersection of transfer cells with phloem biology—broad evolutionary trends, function, and induction. <i>Frontiers in Plant Science</i> , 2013, 4, 221.	1.7	44
29	Phloem: the integrative avenue for resource distribution, signaling, and defense. <i>Frontiers in Plant Science</i> , 2013, 4, 471.	1.7	18
30	Uptake and regulation of resource allocation for optimal plant performance and adaptation to stress. <i>Frontiers in Plant Science</i> , 2013, 4, 455.	1.7	11
31	Does Don Fisher's high-pressure manifold model account for phloem transport and resource partitioning?. <i>Frontiers in Plant Science</i> , 2013, 4, 184.	1.7	47
32	Are sucrose transporter expression profiles linked with patterns of biomass partitioning in <i>Sorghum</i> phenotypes?. <i>Frontiers in Plant Science</i> , 2013, 4, 223.	1.7	60
33	Reactive oxygen species form part of a regulatory pathway initiating trans-differentiation of epidermal transfer cells in <i>Vicia faba</i> cotyledons. <i>Journal of Experimental Botany</i> , 2012, 63, 3617-3629.	2.4	39
34	Genotypic differences in pod wall and seed growth relate to invertase activities and assimilate transport pathways in asparagus bean. <i>Annals of Botany</i> , 2012, 109, 1277-1284.	1.4	9
35	Extracellular hydrogen peroxide, produced through a respiratory burst oxidase/superoxide dismutase pathway, directs ingrowth wall formation in epidermal transfer cells of <i>Vicia faba</i> cotyledons. <i>Plant Signaling and Behavior</i> , 2012, 7, 1125-1128.	1.2	18
36	Molecular regulation of seed and fruit set. <i>Trends in Plant Science</i> , 2012, 17, 656-665.	4.3	331

#	ARTICLE	IF	CITATIONS
37	High invertase activity in tomato reproductive organs correlates with enhanced sucrose import into, and heat tolerance of, young fruit. <i>Journal of Experimental Botany</i> , 2012, 63, 1155-1166.	2.4	139
38	(Questions) on phloem biology. 2. Mass flow, molecular hopping, distribution patterns and macromolecular signalling. <i>Plant Science</i> , 2011, 181, 325-330.	1.7	33
39	Glucose and ethylene signalling pathways converge to regulate <i>trans</i> -differentiation of epidermal transfer cells in <i>Vicia narbonensis</i> cotyledons. <i>Plant Journal</i> , 2011, 68, 987-998.	2.8	28
40	An epidermal-specific ethylene signal cascade regulates <i>trans</i> -differentiation of transfer cells in <i>Vicia faba</i> cotyledons. <i>New Phytologist</i> , 2010, 185, 931-943.	3.5	38
41	<i>GIGANTEA</i> is a component of a regulatory pathway determining wall ingrowth deposition in phloem parenchyma transfer cells of <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2010, 63, 651-661.	2.8	42
42	Functional Characterization and RNAi-Mediated Suppression Reveals Roles for Hexose Transporters in Sugar Accumulation by Tomato Fruit. <i>Molecular Plant</i> , 2010, 3, 1049-1063.	3.9	80
43	Assimilate Partitioning and Plant Development. <i>Molecular Plant</i> , 2010, 3, 941.	3.9	5
44	Intracellular sucrose communicates metabolic demand to sucrose transporters in developing pea cotyledons. <i>Journal of Experimental Botany</i> , 2009, 60, 71-85.	2.4	45
45	Early gene expression programs accompanying <i>trans</i> -differentiation of epidermal cells of <i>Vicia faba</i> cotyledons into transfer cells. <i>New Phytologist</i> , 2009, 182, 863-877.	3.5	38
46	Wall ingrowth formation in transfer cells: novel examples of localized wall deposition in plant cells. <i>Current Opinion in Plant Biology</i> , 2008, 11, 653-661.	3.5	57
47	Amino acid transporter expression and localisation studies in pea (<i>Pisum sativum</i>). <i>Functional Plant Biology</i> , 2007, 34, 1019.	1.1	41
48	Review: Nutrient loading of developing seeds. <i>Functional Plant Biology</i> , 2007, 34, 314.	1.1	170
49	Actin filaments modulate hypoosmotic-responsive K ⁺ efflux channels in specialised cells of developing bean seed coats. <i>Functional Plant Biology</i> , 2007, 34, 874.	1.1	4
50	Aquaporins and unloading of phloem-imported water in coats of developing bean seeds. <i>Plant, Cell and Environment</i> , 2007, 30, 1566-1577.	2.8	59
51	A suite of sucrose transporters expressed in coats of developing legume seeds includes novel pH-independent facilitators. <i>Plant Journal</i> , 2007, 49, 750-764.	2.8	103
52	Pathway of Sugar Transport in Germinating Wheat Seeds. <i>Plant Physiology</i> , 2006, 141, 1255-1263.	2.3	115
53	Hexose uptake by developing cotyledons of <i>Vicia faba</i> : physiological evidence for transporters of differing affinities and specificities. <i>Functional Plant Biology</i> , 2005, 32, 987.	1.1	5
54	Increased capacity for sucrose uptake leads to earlier onset of protein accumulation in developing pea seeds. <i>Functional Plant Biology</i> , 2005, 32, 997.	1.1	27

#	ARTICLE	IF	CITATIONS
55	Temporal and spatial expression of hexose transporters in developing tomato (<i>Lycopersicon</i>) Tj ETQq1 1 0.784314 ₁₉ / Overlock 10 ₂₅		
56	Pulsing Cl ⁻ channels in coat cells of developing bean seeds linked to hypo-osmotic turgor regulation. <i>Journal of Experimental Botany</i> , 2004, 55, 993-1001.	2.4	13
57	TRANSFERCELLS: Cells Specialized for a Special Purpose. <i>Annual Review of Plant Biology</i> , 2003, 54, 431-454.	8.6	254
58	Sugar Retrieval by Coats of Developing Seeds of <i>Phaseolus vulgaris</i> L. and <i>Vicia faba</i> L.. <i>Plant and Cell Physiology</i> , 2003, 44, 163-172.	1.5	18
59	Nonselective Currents and Channels in Plasma Membranes of Protoplasts from Coats of Developing Seeds of Bean. <i>Plant Physiology</i> , 2002, 128, 388-399.	2.3	31
60	Seed-specific overexpression of a potato sucrose transporter increases sucrose uptake and growth rates of developing pea cotyledons. <i>Plant Journal</i> , 2002, 30, 165-175.	2.8	116
61	Three sucrose transporter genes are expressed in the developing grain of hexaploid wheat. <i>Plant Molecular Biology</i> , 2002, 50, 453-462.	2.0	76
62	Cellular localisation and function of a sucrose transporter OsSUT1 in developing rice grains. <i>Functional Plant Biology</i> , 2001, 28, 1187.	1.1	30
63	Role of membrane transport in phloem translocation of assimilates and water. <i>Functional Plant Biology</i> , 2001, 28, 697.	1.1	38
64	Hexose transporters of tomato: molecular cloning, expression analysis and functional characterization. <i>Plant Molecular Biology</i> , 2000, 44, 687-697.	2.0	53
65	Fast activation of a time-dependent outward current in protoplasts derived from coats of developing <i>Phaseolus vulgaris</i> seeds. <i>Planta</i> , 2000, 211, 894-898.	1.6	15
66	Amino Acid Transporters Are Localized to Transfer Cells of Developing Pea Seeds. <i>Plant Physiology</i> , 2000, 122, 319-326.	2.3	111
67	Sucrose transport-related genes are expressed in both maternal and filial tissues of developing wheat grains. <i>Functional Plant Biology</i> , 2000, 27, 1009.	1.1	16
68	Genotypic differences in seed growth rates of <i>Phaseolus vulgaris</i> L. I. General characteristics, seed coat factors and comparative roles of seed coats and cotyledons. <i>Functional Plant Biology</i> , 2000, 27, 109.	1.1	5
69	Genotypic differences in seed growth rates of <i>Phaseolus vulgaris</i> L. II. Factors contributing to cotyledon sink activity and sink size. <i>Functional Plant Biology</i> , 2000, 27, 119.	1.1	9
70	Assimilate transport and partitioning. Integration of structure, physiology and molecular biology. <i>Functional Plant Biology</i> , 2000, 27, 473.	1.1	0
71	Sucrose transport into developing seeds of <i>Pisum sativum</i> L.. <i>Plant Journal</i> , 1999, 18, 151-161.	2.8	127
72	The Dual Function of Sugar Carriers: Transport and Sugar Sensing. <i>Plant Cell</i> , 1999, 11, 707.	3.1	37

#	ARTICLE	IF	CITATIONS
73	The Cellular Pathway of Short-distance Transfer of Photosynthates and Potassium in the Elongating Stem of <i>Phaseolus vulgaris</i> L. A Physiological Assessment. <i>Annals of Botany</i> , 1998, 82, 337-345.	1.4	7
74	Auxin control of photoassimilate transport to and within developing grains of wheat. <i>Functional Plant Biology</i> , 1998, 25, 69.	1.1	27
75	Turgor-dependent efflux of assimilates from coats of developing seed of <i>Phaseolus vulgaris</i> L.: water relations of the cells involved in efflux. <i>Planta</i> , 1996, 199, 25.	1.6	23
76	The cellular pathway of postphloem sugar transport in developing tomato fruit. <i>Planta</i> , 1995, 196, 434.	1.6	168
77	The Cellular Pathway of Short-distance Transfer of Photosynthates and Potassium in the Elongating Stem of <i>Phaseolus vulgaris</i> L. Stem Anatomy, Solute Transport and Pool Sizes. <i>Annals of Botany</i> , 1994, 73, 151-160.	1.4	7
78	How are sugars unloaded from the phloem? Some answers from a novel experimental system. <i>Journal of Biological Education</i> , 1989, 23, 147-151.	0.8	0
79	Mechanism of drought-induced alterations in assimilate partitioning and transport in crops. <i>Critical Reviews in Plant Sciences</i> , 1988, 7, 117-137.	2.7	44
80	Growth Regulators Have Rapid Effects on Photosynthate Unloading from Seed Coats of <i>Phaseolus vulgaris</i> L.. <i>Plant Physiology</i> , 1986, 80, 635-637.	2.3	77
81	Proton extrusion in seed coats of <i>Phaseolus vulgaris</i> L.. <i>Plant, Cell and Environment</i> , 1985, 8, 1-6.	2.8	19