

Mohammad Ghalambaz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7643380/mohammad-ghalambaz-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170
papers

4,906
citations

40
h-index

63
g-index

177
ext. papers

6,242
ext. citations

4.3
avg, IF

6.92
L-index

#	Paper	IF	Citations
170	Transient melting flow of a NePCM comprising GNPs in a semi-elliptical latent heat thermal energy storage unit. <i>International Communications in Heat and Mass Transfer</i> , 2022 , 130, 105815	5.8	1
169	Energy transport of wavy non-homogeneous hybrid nanofluid cavity partially filled with porous LTNE layer. <i>Journal of Petroleum Science and Engineering</i> , 2022 , 208, 109655	4.4	3
168	Nanofluid mixed convection inside wavy cavity with heat source: A non-homogeneous study. <i>Case Studies in Thermal Engineering</i> , 2022 , 34, 102049	5.6	0
167	Estimating Relaxation Time and Fractionality Order Parameters in Fractional Non-Fourier Heat Conduction Using Conjugate Gradient Inverse Approach in Single and Three-Layer Skin Tissues. <i>Processes</i> , 2021 , 9, 1877	2.9	
166	Optimum design of a double elliptical latent heat energy storage system during the melting process. <i>Journal of Energy Storage</i> , 2021 , 44, 103384	7.8	2
165	Effect of Twisted Fin Array in a Triple-Tube Latent Heat Storage System during the Charging Mode. <i>Sustainability</i> , 2021 , 13, 2685	3.6	11
164	Simulation of a Fast-Charging Porous Thermal Energy Storage System Saturated with a Nano-Enhanced Phase Change Material. <i>Energies</i> , 2021 , 14, 1575	3.1	2
163	Impact of particles tracking model of nanofluid on forced convection heat transfer within a wavy horizontal channel. <i>International Communications in Heat and Mass Transfer</i> , 2021 , 122, 105176	5.8	15
162	The Effect of Variable-Length Fins and Different High Thermal Conductivity Nanoparticles in the Performance of the Energy Storage Unit Containing Bio-Based Phase Change Substance. <i>Sustainability</i> , 2021 , 13, 2884	3.6	2
161	Localized heating element distribution in composite metal foam-phase change material: Fourier's law and creeping flow effects. <i>International Journal of Energy Research</i> , 2021 , 45, 13380-13396	4.5	12
160	Effect of the Quasi-Petal Heat Transfer Tube on the Melting Process of the Nano-Enhanced Phase Change Substance in a Thermal Energy Storage Unit. <i>Sustainability</i> , 2021 , 13, 2871	3.6	
159	Melting phase change heat transfer in a quasi-petal tube thermal energy storage unit. <i>PLoS ONE</i> , 2021 , 16, e0246972	3.7	0
158	Latent Heat Phase Change Heat Transfer of a Nanoliquid with NanoEncapsulated Phase Change Materials in a Wavy-Wall Enclosure with an Active Rotating Cylinder. <i>Sustainability</i> , 2021 , 13, 2590	3.6	2
157	Evaluation of the Melting Performance in a Conical Latent Heat Thermal Unit Having Variable Length Fins. <i>Sustainability</i> , 2021 , 13, 2667	3.6	3
156	Influence of the Fin Shape on Heat Transport in Phase Change Material Heat Sink with Constant Heat Loads. <i>Energies</i> , 2021 , 14, 1389	3.1	1
155	Latent Heat Thermal Storage of Nano-Enhanced Phase Change Material Filled by Copper Foam with Linear Porosity Variation in Vertical Direction. <i>Energies</i> , 2021 , 14, 1508	3.1	2
154	Study of paraffin-based composite-phase change materials for a shell and tube energy storage system: A mesh adaptation approach. <i>Applied Thermal Engineering</i> , 2021 , 190, 116793	5.8	4

153	Numerical Investigation of Mixing by Induced Electrokinetic Flow in T-Micromixer with Conductive Curved Arc Plate. <i>Symmetry</i> , 2021 , 13, 915	2.7	2
152	A novel geometrical design of gas-to-gas planar membrane humidifier for proton electrolyte membrane fuel cells. <i>International Journal of Energy Research</i> , 2021 , 45, 16228-16241	4.5	1
151	Natural convection from a bottom heated of an asymmetrical U-shaped enclosure with nano-encapsulated phase change material. <i>Journal of Energy Storage</i> , 2021 , 38, 102538	7.8	5
150	Flow field analysis of an elliptical moving belt in transitional flow regime. <i>European Physical Journal Plus</i> , 2021 , 136, 1	3.1	0
149	Thermal vibrational and gravitational analysis of a hybrid aqueous suspension comprising Ag/MgO hybrid nano-additives. <i>International Communications in Heat and Mass Transfer</i> , 2021 , 126, 105345	5.8	1
148	Melting process of the nano-enhanced phase change material (NePCM) in an optimized design of shell and tube thermal energy storage (TES): Taguchi optimization approach. <i>Applied Thermal Engineering</i> , 2021 , 193, 116945	5.8	11
147	Impact of two-phase hybrid nanofluid approach on mixed convection inside wavy lid-driven cavity having localized solid block. <i>Journal of Advanced Research</i> , 2021 , 30, 63-74	13	33
146	Effects of operating parameters and load mode on dynamic cell performance of proton exchange membrane fuel cell. <i>International Journal of Energy Research</i> , 2021 , 45, 2474-2487	4.5	4
145	Effect of nanoparticle shape on the performance of thermal systems utilizing nanofluids: A critical review. <i>Journal of Molecular Liquids</i> , 2021 , 321, 114430	6	26
144	Controlling the natural convection of a non-Newtonian fluid using a flexible fin. <i>Applied Mathematical Modelling</i> , 2021 , 92, 669-686	4.5	9
143	Convective heat transfer of nano-encapsulated phase change material suspension in a divergent minichannel heatsink. <i>International Journal of Heat and Mass Transfer</i> , 2021 , 165, 120717	4.9	19
142	Free Convection Heat Transfer and Entropy Generation in an Odd-Shaped Cavity Filled with a Cu-Al ₂ O ₃ Hybrid Nanofluid. <i>Symmetry</i> , 2021 , 13, 122	2.7	1
141	Latent Heat Thermal Storage in Non-Uniform Metal Foam Filled with Nano-Enhanced Phase Change Material. <i>Sustainability</i> , 2021 , 13, 2401	3.6	0
140	Impact of Tube Bundle Placement on the Thermal Charging of a Latent Heat Storage Unit. <i>Energies</i> , 2021 , 14, 1289	3.1	3
139	Thermal convection and radiation in a rotating cabinet with time-dependent heat-generated solid element and heat-conducting solid walls. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2021 , ahead-of-print,	4.5	2
138	Optimum Placement of Heating Tubes in a Multi-Tube Latent Heat Thermal Energy Storage. <i>Materials</i> , 2021 , 14,	3.5	5
137	Intensifying the Charging Response of a Phase-Change Material with Twisted Fin Arrays in a Shell-And-Tube Storage System. <i>Energies</i> , 2021 , 14, 1619	3.1	16
136	Consecutive charging and discharging of a PCM-based plate heat exchanger with zigzag configuration. <i>Applied Thermal Engineering</i> , 2021 , 193, 116970	5.8	17

135	Role of fluid-structure interaction in free convection in square open cavity with double flexible oscillating fins. <i>AEJ - Alexandria Engineering Journal</i> , 2021 , 61, 1217-1217	6.1	1
134	Latest developments in nanofluid flow and heat transfer between parallel surfaces: A critical review. <i>Advances in Colloid and Interface Science</i> , 2021 , 294, 102450	14.3	10
133	Non-Newtonian phase change study of nano-enhanced n-octadecane comprising mesoporous silica in a porous medium. <i>Applied Mathematical Modelling</i> , 2021 , 97, 463-482	4.5	1
132	Simultaneous and consecutive charging and discharging of a PCM-based domestic air heater with metal foam. <i>Applied Thermal Engineering</i> , 2021 , 197, 117408	5.8	9
131	Heat and mass transfer of evaporative cooler with elliptic tube heat exchangers- an experimental study. <i>International Communications in Heat and Mass Transfer</i> , 2021 , 127, 105502	5.8	4
130	Charging optimization of multi-tube latent heat storage comprising composite aluminum foam/nano-enhanced coconut oil. <i>International Journal of Heat and Mass Transfer</i> , 2021 , 180, 121757	4.9	4
129	Free convective heat transfer of a non-Newtonian fluid in a cavity containing a thin flexible heater plate: an Eulerian-Lagrangian approach. <i>Journal of Thermal Analysis and Calorimetry</i> , 2020 , 1	4.1	3
128	Convection Heat Transfer in 3D Wavy Direct Absorber Solar Collector Based on Two-Phase Nanofluid Approach. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 7265	2.6	3
127	Phase Change Process in a Zigzag Plate Latent Heat Storage System during Melting and Solidification. <i>Molecules</i> , 2020 , 25,	4.8	8
126	Forced convection heat transfer of Nano-Encapsulated Phase Change Material (NEPCM) suspension in a mini-channel heatsink. <i>International Journal of Heat and Mass Transfer</i> , 2020 , 155, 119858	4.9	57
125	Numerical Modeling and Investigation of Amperometric Biosensors with Perforated Membranes. <i>Sensors</i> , 2020 , 20,	3.8	4
124	Non-Newtonian phase-change heat transfer of nano-enhanced octadecane with mesoporous silica particles in a tilted enclosure using a deformed mesh technique. <i>Applied Mathematical Modelling</i> , 2020 , 85, 318-337	4.5	11
123	Location impact of a pair of magnetic sources on melting of a magneto-Ferro phase change substance. <i>Chinese Journal of Physics</i> , 2020 , 65, 377-388	3.5	23
122	Entropy Generation and Natural Convection Flow of Hybrid Nanofluids in a Partially Divided Wavy Cavity Including Solid Blocks. <i>Energies</i> , 2020 , 13, 2942	3.1	23
121	Free convection heat transfer analysis of a suspension of nano-encapsulated phase change materials (NEPCMs) in an inclined porous cavity. <i>International Journal of Thermal Sciences</i> , 2020 , 157, 106503	4.1	92
120	Thermo-hydrodynamic and entropy generation analysis of a dilute aqueous suspension enhanced with nano-encapsulated phase change material. <i>International Journal of Mechanical Sciences</i> , 2020 , 178, 105609	5.5	20
119	Local thermal nonequilibrium conjugate natural convection of nano-encapsulated phase change particles in a partially porous enclosure. <i>Mathematical Methods in the Applied Sciences</i> , 2020 ,	2.3	4
118	Fluid-structure interaction of a hot flexible thin plate inside an enclosure. <i>International Journal of Thermal Sciences</i> , 2020 , 153, 106340	4.1	11

117	Role of Rotating Cylinder toward Mixed Convection inside a Wavy Heated Cavity via Two-Phase Nanofluid Concept. <i>Nanomaterials</i> , 2020 , 10,	5.4	29
116	A phase change/metal foam heatsink for thermal management of battery packs. <i>International Journal of Thermal Sciences</i> , 2020 , 157, 106514	4.1	19
115	Controlling the natural convection flow through a flexible baffle in an L-shaped enclosure. <i>Meccanica</i> , 2020 , 55, 1561-1584	2.1	9
114	Free convection of a suspension containing nano-encapsulated phase change material in a porous cavity; local thermal non-equilibrium model. <i>Heliyon</i> , 2020 , 6, e03823	3.6	13
113	Melting heat transfer of power-law non-Newtonian phase change nano-enhanced n-octadecane-mesoporous silica (MPSiO ₂). <i>International Journal of Heat and Mass Transfer</i> , 2020 , 151, 119385	4.9	41
112	Natural convection flow of a suspension containing nano-encapsulated phase change particles in an eccentric annulus. <i>Journal of Energy Storage</i> , 2020 , 28, 101236	7.8	81
111	Irreversibility analysis of thermally driven flow of a water-based suspension with dispersed nano-sized capsules of phase change material. <i>International Journal of Heat and Mass Transfer</i> , 2020 , 155, 119796	4.9	7
110	Conjugate Phase Change Heat Transfer in an Inclined Compound Cavity Partially Filled with a Porous Medium: A Deformed Mesh Approach. <i>Transport in Porous Media</i> , 2020 , 132, 657-681	3.1	22
109	Numerical study on natural convection of Ag/MgO hybrid/water nanofluid inside a porous enclosure: A local thermal non-equilibrium model. <i>Powder Technology</i> , 2020 , 367, 443-455	5.2	92
108	Phase change heat transfer in an L-shape heatsink occupied with paraffin-copper metal foam. <i>Applied Thermal Engineering</i> , 2020 , 177, 115493	5.8	26
107	Study of thermal and hydrodynamic characteristics of water-nano-encapsulated phase change particles suspension in an annulus of a porous eccentric horizontal cylinder. <i>International Journal of Heat and Mass Transfer</i> , 2020 , 156, 119792	4.9	23
106	Insight into the dynamics of ferrohydrodynamic (FHD) and magnetohydrodynamic (MHD) nanofluids inside a hexagonal cavity in the presence of a non-uniform magnetic field. <i>Journal of Magnetism and Magnetic Materials</i> , 2020 , 497, 166024	2.8	21
105	Mixed convection heat transfer by nanofluids in a cavity with two oscillating flexible fins: A fluid-structure interaction approach. <i>Applied Mathematical Modelling</i> , 2020 , 82, 72-90	4.5	27
104	Unsteady natural convection flow of a suspension comprising Nano-Encapsulated Phase Change Materials (NEPCMs) in a porous medium. <i>Advanced Powder Technology</i> , 2020 , 31, 954-966	4.6	69
103	Numerical study of melting-process of a non-Newtonian fluid inside a metal foam. <i>AEJ - Alexandria Engineering Journal</i> , 2020 , 59, 191-207	6.1	16
102	Melting behavior of phase change materials in the presence of a non-uniform magnetic-field due to two variable magnetic sources. <i>International Journal of Heat and Mass Transfer</i> , 2020 , 149, 119184	4.9	30
101	Free convection in a trapezoidal enclosure divided by a flexible partition. <i>International Journal of Heat and Mass Transfer</i> , 2020 , 149, 119186	4.9	19
100	Experimental and numerical study on convective boiling in a staggered array of micro pin-fin microgap. <i>International Journal of Heat and Mass Transfer</i> , 2020 , 149, 119203	4.9	21

99	Non-Newtonian behavior of an electrical and magnetizable phase change material in a filled enclosure in the presence of a non-uniform magnetic field. <i>International Communications in Heat and Mass Transfer</i> , 2020 , 110, 104437	5.8	14
98	Effects of flexible fin on natural convection in enclosure partially-filled with porous medium?. <i>AEJ - Alexandria Engineering Journal</i> , 2020 , 59, 3515-3529	6.1	5
97	Hybrid thermal performance enhancement of a circular latent heat storage system by utilizing partially filled copper foam and Cu/GO nano-additives. <i>Energy</i> , 2020 , 213, 118761	7.9	29
96	Competition of natural convection and thermal creep in a square enclosure. <i>Physics of Fluids</i> , 2020 , 32, 102001	4.4	9
95	Transient phase change heat transfer in a metal foam-phase change material heatsink subject to a pulse heat flux. <i>Journal of Energy Storage</i> , 2020 , 31, 101701	7.8	6
94	Using deep learning to learn physics of conduction heat transfer. <i>Journal of Thermal Analysis and Calorimetry</i> , 2020 , 146, 1435	4.1	14
93	Thermal and hydrodynamic behavior of suspensions comprising nano-encapsulated phase change materials in a porous enclosure. <i>International Communications in Heat and Mass Transfer</i> , 2020 , 116, 104634	5.8	7
92	Free convective melting-solidification heat transfer of nano-encapsulated phase change particles suspensions inside a coaxial pipe. <i>Advanced Powder Technology</i> , 2020 , 31, 4470-4481	4.6	46
91	Free convection flow and heat transfer of nanofluids in a cavity with conjugate solid triangular blocks: Employing Buongiorno's mathematical model. <i>Physica A: Statistical Mechanics and Its Applications</i> , 2020 , 538, 122826	3.3	10
90	Analysis of melting behavior of PCMs in a cavity subject to a non-uniform magnetic field using a moving grid technique. <i>Applied Mathematical Modelling</i> , 2020 , 77, 1936-1953	4.5	75
89	Time periodic natural convection heat transfer in a nano-encapsulated phase-change suspension. <i>International Journal of Mechanical Sciences</i> , 2020 , 166, 105243	5.5	77
88	Conjugate solid-liquid phase change heat transfer in heatsink filled with phase change material-metal foam. <i>International Journal of Heat and Mass Transfer</i> , 2020 , 146, 118832	4.9	74
87	Conjugate natural convection flow of Ag/MgO/water hybrid nanofluid in a square cavity. <i>Journal of Thermal Analysis and Calorimetry</i> , 2020 , 139, 2321-2336	4.1	174
86	Natural convection of nanoencapsulated phase change suspensions inside a local thermal non-equilibrium porous annulus. <i>Journal of Thermal Analysis and Calorimetry</i> , 2020 , 141, 1801-1816	4.1	6
85	Paraffin core-polymer shell micro-encapsulated phase change materials and expanded graphite particles as an enhanced energy storage medium in heat exchangers. <i>Advanced Powder Technology</i> , 2020 , 31, 2421-2429	4.6	9
84	Effects of reformat on performance of PBI/H3PO4 proton exchange membrane fuel cell stack. <i>International Journal of Hydrogen Energy</i> , 2020 , 45, 15346-15357	6.7	4
83	Optimization of the zinc oxide reduction in the charging process of zinc-air flow batteries. <i>International Journal of Energy Research</i> , 2020 , 44, 8399-8412	4.5	6
82	Mixed convection boundary layer flow and heat transfer over a vertical plate embedded in a porous medium filled with a suspension of nano-encapsulated phase change materials. <i>Journal of Molecular Liquids</i> , 2019 , 293, 111432	6	88

81	Mixed convection flow caused by an oscillating cylinder in a square cavity filled with CuAl ₂ O ₃ /water hybrid nanofluid. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019 , 137, 965-982	4.1	121
80	Fluid-structure interaction analysis of entropy generation and mixed convection inside a cavity with flexible right wall and heated rotating cylinder. <i>International Journal of Heat and Mass Transfer</i> , 2019 , 140, 331-345	4.9	64
79	Fluid-structure interaction of free convection in a square cavity divided by a flexible membrane and subjected to sinusoidal temperature heating. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2019 , 30, 2883-2911	4.5	11
78	Impacts of Non-Uniform Border Temperature Variations on Time-Dependent Nanofluid Free Convection within a Trapezium: Buongiorno's Nanofluid Model. <i>Energies</i> , 2019 , 12, 1461	3.1	12
77	Experimental study on convective boiling of micro-pin-finned channels with parallel arrangement fins for FC-72 dielectric fluid. <i>International Journal of Heat and Mass Transfer</i> , 2019 , 138, 390-400	4.9	15
76	Natural convective flow and heat transfer of Nano-Encapsulated Phase Change Materials (NEPCMs) in a cavity. <i>International Journal of Heat and Mass Transfer</i> , 2019 , 138, 738-749	4.9	163
75	Conjugate local thermal non-equilibrium heat transfer in a cavity filled with a porous medium: Analysis of the element location. <i>International Journal of Heat and Mass Transfer</i> , 2019 , 138, 941-960	4.9	26
74	MHD natural convection of CuAl ₂ O ₃ water hybrid nanofluids in a cavity equally divided into two parts by a vertical flexible partition membrane. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019 , 138, 1723-1743	4.1	77
73	Electromagnetic field analysis and cooling system design for high power switched reluctance motor. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2019 , 29, 1756-1785	4.5	3
72	Local thermal non-equilibrium analysis of conjugate free convection within a porous enclosure occupied with Ag/MgO hybrid nanofluid. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019 , 135, 1381-1398	4.1	86
71	Conjugate natural convection of nanofluids inside an enclosure filled by three layers of solid, porous medium and free nanofluid using Buongiorno's and local thermal non-equilibrium models. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019 , 135, 1047-1067	4.1	57
70	Impacts of the flexibility of a thin heater plate on the natural convection heat transfer. <i>International Journal of Thermal Sciences</i> , 2019 , 145, 106001	4.1	10
69	Experimental study of boiling heat transfer in a microchannel with nucleated-shape columnar micro-pin-fins. <i>International Communications in Heat and Mass Transfer</i> , 2019 , 108, 104277	5.8	14
68	Optimization of pulse current on energy storage of zinc-air flow batteries. <i>Journal of Power Sources</i> , 2019 , 442, 227253	8.9	9
67	Experimental study on convective boiling flow and heat transfer in a microgap enhanced with a staggered arrangement of nucleated micro-pin-fins. <i>International Journal of Heat and Mass Transfer</i> , 2019 , 144, 118653	4.9	18
66	Thermal Non-Equilibrium Heat Transfer Modeling of Hybrid Nanofluids in a Structure Composed of the Layers of Solid and Porous Media and Free Nanofluids. <i>Energies</i> , 2019 , 12, 541	3.1	39
65	Free convection heat transfer of MgO-MWCNTs/EG hybrid nanofluid in a porous complex shaped cavity with MHD and thermal radiation effects. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2019 , 29, 4349-4376	4.5	34
64	Melting heat transfer of a non-Newtonian phase change material in a cylindrical vertical-cavity partially filled porous media. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2019 , 30, 3765-3789	4.5	7

63	Fluid-structure interaction analysis of transient convection heat transfer in a cavity containing inner solid cylinder and flexible right wall. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2019 , 29, 3756-3780	4.5	14
62	Pseudoplastic natural convection flow and heat transfer in a cylindrical vertical cavity partially filled with a porous layer. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2019 , 30, 1096-1114	4.5	21
61	Mixed convection and stability analysis of stagnation-point boundary layer flow and heat transfer of hybrid nanofluids over a vertical plate. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2019 , 30, 3737-3754	4.5	38
60	Transient cooling characteristics of Al ₂ O ₃ -water nanofluid flow in a microchannel subject to a sudden-pulsed heat flux. <i>International Journal of Mechanical Sciences</i> , 2019 , 151, 95-105	5.5	18
59	Experimental study on fluid flow and heat transfer characteristics of falling film over tube bundle. <i>International Journal of Heat and Mass Transfer</i> , 2019 , 130, 9-24	4.9	21
58	Local thermal nonequilibrium conjugate natural convection heat transfer of nanofluids in a cavity partially filled with porous media using Buongiorno's model. <i>Numerical Heat Transfer; Part A: Applications</i> , 2018 , 73, 254-276	2.3	62
57	Cooling performance of Al ₂ O ₃ -water nanofluid flow in a minichannel with thermal buoyancy and wall conduction effects. <i>Case Studies in Thermal Engineering</i> , 2018 , 12, 833-842	5.6	6
56	Fluid-structure interaction analysis of buoyancy-driven fluid and heat transfer through an enclosure with a flexible thin partition. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2018 , 28, 2072-2088	4.5	8
55	Fluid-structure interaction in natural convection heat transfer in an oblique cavity with a flexible oscillating fin and partial heating. <i>Applied Thermal Engineering</i> , 2018 , 145, 80-97	5.8	42
54	Unsteady conjugate natural convection in a porous cavity boarded by two vertical finite thickness walls. <i>International Communications in Heat and Mass Transfer</i> , 2017 , 81, 218-228	5.8	20
53	MHD phase change heat transfer in an inclined enclosure: Effect of a magnetic field and cavity inclination. <i>Numerical Heat Transfer; Part A: Applications</i> , 2017 , 71, 91-109	2.3	44
52	Fluid-structure interaction analysis of free convection in an inclined square cavity partitioned by a flexible impermeable membrane with sinusoidal temperature heating. <i>Meccanica</i> , 2017 , 52, 2685-2703	2.1	18
51	MHD natural convection phase-change heat transfer in a cavity: analysis of the magnetic field effect. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2017 , 39, 2831-2846	2	20
50	Phase-change heat transfer in a cavity heated from below: The effect of utilizing single or hybrid nanoparticles as additives. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2017 , 72, 104-115	5.3	117
49	Effects of heat sink and source and entropy generation on MHD mixed convection of a Cu-water nanofluid in a lid-driven square porous enclosure with partial slip. <i>Physics of Fluids</i> , 2017 , 29, 052001	4.4	115
48	Free convection of hybrid Al ₂ O ₃ -Cu water nanofluid in a differentially heated porous cavity. <i>Advanced Powder Technology</i> , 2017 , 28, 2295-2305	4.6	140
47	Boundary layer flow heat and mass transfer study of Sakiadis flow of viscoelastic nanofluids using hybrid neural network-particle swarm optimization (HNNPSO). <i>Thermal Science and Engineering Progress</i> , 2017 , 4, 150-159	3.6	7
46	Melting of nanoparticles-enhanced phase-change materials in an enclosure: Effect of hybrid nanoparticles. <i>International Journal of Mechanical Sciences</i> , 2017 , 134, 85-97	5.5	86

45	Natural convection of nanofluids in a cavity: criteria for enhancement of nanofluids. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2017 , 27, 1504-1534	4.5	55
44	Phase-change heat transfer of single/hybrid nanoparticles-enhanced phase-change materials over a heated horizontal cylinder confined in a square cavity. <i>Advanced Powder Technology</i> , 2017 , 28, 385-397	4.6	110
43	Fluid-structure interaction study of natural convection heat transfer over a flexible oscillating fin in a square cavity. <i>International Journal of Thermal Sciences</i> , 2017 , 111, 256-273	4.1	76
42	Analysis of fluid-solid interaction in MHD natural convection in a square cavity equally partitioned by a vertical flexible membrane. <i>Journal of Magnetism and Magnetic Materials</i> , 2017 , 424, 161-173	2.8	53
41	Free Convection in a Square Cavity Filled with a Tridisperse Porous Medium. <i>Transport in Porous Media</i> , 2017 , 116, 379-392	3.1	7
40	UNSTEADY FREE CONVECTION IN A SQUARE POROUS CAVITY SATURATED WITH NANOFUID: THE CASE OF LOCAL THERMAL NONEQUILIBRIUM AND BUONGIORNO'S MATHEMATICAL MODELS. <i>Journal of Porous Media</i> , 2017 , 20, 999-1016	2.9	16
39	Natural convection of a nanofluid in an enclosure with an inclined local thermal non-equilibrium porous fin considering Buongiorno's model. <i>Numerical Heat Transfer; Part A: Applications</i> , 2016 , 70, 432-443	2.3	38
38	Nonlinear oscillation of nanoelectro-mechanical resonators using energy balance method: considering the size effect and the van der Waals force. <i>Applied Nanoscience (Switzerland)</i> , 2016 , 6, 309-317	3.3	7
37	Free convection in a square porous cavity filled with a nanofluid using thermal non equilibrium and Buongiorno models. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2016 , 26, 671-693	4.5	35
36	A new analytic solution for buckling of doubly clamped nano-actuators with integro differential governing equation using Duan-Bach Adomian decomposition method. <i>Applied Mathematical Modelling</i> , 2016 , 40, 7293-7302	4.5	4
35	Natural convection in a triangular cavity filled with a nanofluid-saturated porous medium using three heat equation model. <i>Canadian Journal of Physics</i> , 2016 , 94, 604-615	1.1	14
34	Free convection in a square cavity filled by a porous medium saturated by a nanofluid: Viscous dissipation and radiation effects 2016 , 19, 1244-1253		43
33	Fluid-solid interaction in natural convection heat transfer in a square cavity with a perfectly thermal-conductive flexible diagonal partition. <i>International Journal of Heat and Mass Transfer</i> , 2016 , 100, 303-319	4.9	40
32	Integral treatment for forced convection heat and mass transfer of nanofluids over linear stretching sheet. <i>Applied Mathematics and Mechanics (English Edition)</i> , 2015 , 36, 337-352	3.2	6
31	Theoretical analysis of natural convection boundary layer heat and mass transfer of nanofluids: Effects of size, shape and type of nanoparticles, type of base fluid and working temperature. <i>Advanced Powder Technology</i> , 2015 , 26, 935-946	4.6	115
30	Natural Convection Boundary Layer Flow over a Horizontal Plate Embedded in a Porous Medium Saturated with a Nanofluid: Case of Variable Thermophysical Properties. <i>Transport in Porous Media</i> , 2015 , 107, 153-170	3.1	20
29	Study of the boundary layer heat transfer of nanofluids over a stretching sheet: Passive control of nanoparticles at the surface. <i>Canadian Journal of Physics</i> , 2015 , 93, 725-733	1.1	20
28	Effects of nanoparticles diameter and concentration on natural convection of the Al ₂ O ₃ /water nanofluids considering variable thermal conductivity around a vertical cone in porous media. <i>Advanced Powder Technology</i> , 2015 , 26, 224-235	4.6	122

27	Free convection in a parallelogrammic porous cavity filled with a nanofluid using Tiwari and Das' nanofluid model. <i>PLoS ONE</i> , 2015 , 10, e0126486	3.7	78
26	Stagnation-point heat transfer of nanofluids toward stretching sheets with variable thermo-physical properties. <i>Advanced Powder Technology</i> , 2015 , 26, 819-829	4.6	40
25	Natural-convection heat and mass transfer from a vertical cone in porous media filled with nanofluids using the practical ranges of nanofluids thermo-physical properties. <i>Chemical Engineering Research and Design</i> , 2014 , 92, 447-452	5.5	39
24	Pull-in instability of electrostatic doubly clamped nano actuators: Introduction of a balanced liquid layer (BLL). <i>International Journal of Non-Linear Mechanics</i> , 2014 , 58, 128-138	2.8	5
23	Analyze of fluid flow and heat transfer of nanofluids over a stretching sheet near the extrusion slit. <i>Computers and Fluids</i> , 2014 , 100, 227-236	2.8	33
22	Natural convection of nanofluids over a convectively heated vertical plate embedded in a porous medium. <i>Brazilian Journal of Chemical Engineering</i> , 2014 , 31, 413-427	1.7	25
21	Effect of Dielectric-Layer on the Stress Field of Micro Cantilever Beams at the Onset of Pull-In Instability. <i>Journal of Mechanics</i> , 2014 , 30, 49-56	1	2
20	Effects of Variable Viscosity and Thermal conductivity on Natural-Convection of Nanofluids Past a Vertical Plate in Porous Media. <i>Journal of Mechanics</i> , 2014 , 30, 265-275	1	33
19	Flow and heat transfer of nanofluids over stretching sheet taking into account partial slip and thermal convective boundary conditions. <i>Heat and Mass Transfer</i> , 2013 , 49, 1357-1366	2.2	40
18	Balance dielectric layer for micro electrostatic switches in the presence of capillary effect. <i>International Journal of Mechanical Sciences</i> , 2013 , 74, 83-90	5.5	7
17	Entropy analysis for nanofluid flow over a stretching sheet in the presence of heat generation/absorption and partial slip. <i>Journal of Mechanical Science and Technology</i> , 2013 , 27, 927-937	1.6	103
16	Influence of size effect and elastic boundary condition on the pull-in instability of nano-scale cantilever beams immersed in liquid electrolytes. <i>International Journal of Non-Linear Mechanics</i> , 2013 , 52, 73-84	2.8	32
15	Natural-Convection Flow of Nanofluids Over Vertical Cone Embedded in Non-Darcy Porous Media. <i>Journal of Thermophysics and Heat Transfer</i> , 2013 , 27, 334-341	1.3	41
14	Natural convection of nanofluid over vertical plate embedded in porous medium: prescribed surface heat flux. <i>Applied Mathematics and Mechanics (English Edition)</i> , 2013 , 34, 669-686	3.2	35
13	Effect of partial slip boundary condition on the flow and heat transfer of nanofluids past stretching sheet prescribed constant wall temperature. <i>International Journal of Thermal Sciences</i> , 2012 , 54, 253-261	4.1	169
12	An Analysis of Wind Speed Prediction Using Artificial Neural Networks: A Case Study in Manjil, Iran. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2012 , 34, 636-644	1.6	14
11	Heat Transfer of Magnetohydrodynamic Viscous Nanofluids over an Isothermal Stretching Sheet. <i>Journal of Thermophysics and Heat Transfer</i> , 2012 , 26, 686-689	1.3	30
10	A new approach to the electrostatic pull-in instability of nanocantilever actuators using the ADMBad technique. <i>Computers and Mathematics With Applications</i> , 2012 , 64, 2806-2815	2.7	33

9	A Hybrid Power Series Artificial Bee Colony Algorithm to Obtain a Solution for Buckling of Multiwall Carbon Nanotube Cantilevers Near Small Layers of Graphite Sheets. <i>Applied Computational Intelligence and Soft Computing</i> , 2012 , 2012, 1-6	2.7	1
8	Forecasting future oil demand in Iran using GSA (Gravitational Search Algorithm). <i>Energy</i> , 2011 , 36, 5649-5654	7.54	61
7	A new power series solution on the electrostatic pull-in instability of nano cantilever actuators. <i>Procedia Engineering</i> , 2011 , 10, 3708-3716		8
6	A Deflection of Nano-Cantilevers Using Monotone Solution. <i>Procedia Engineering</i> , 2011 , 10, 3717-3724		2
5	A new solution on the buckling and stable length of multi wall carbon nanotube probes near graphite sheets. <i>Procedia Engineering</i> , 2011 , 10, 3725-3733		6
4	A new solution for natural convection about a vertical cone embedded in porous media prescribed wall temperature using, power series - Pade. <i>Procedia Engineering</i> , 2011 , 10, 3741-3749		1
3	MULTISCALE APPROACH OF THE EQUIVALENT THERMAL CONDUCTIVITY OF MODIFIED FOAM-FILLED AND NON-FILLED HOLLOW BRICK AND A BRICK WALL. <i>Journal of Thermal Engineering</i> , 190-203	1.1	1
2	STUDY OF THE FLOW AND HEAT TRANSFER OF A VISCOELASTIC FLUID USING HYBRID NEURAL NETWORK-PARTICLE SWARM OPTIMIZATION (HNNPSO). <i>Journal of Thermal Engineering</i> , 791-805	1.1	1
1	New loss functions to improve deep learning estimation of heat transfer. <i>Neural Computing and Applications</i> , 1	4.8	0