

# Deborah Kronenberg

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7643748/publications.pdf>

Version: 2024-02-01

19  
papers

2,027  
citations

586496

16  
h-index

939365

18  
g-index

21  
all docs

21  
docs citations

21  
times ranked

4630  
citing authors

#	ARTICLE	IF	CITATIONS
1	Microglial exosomes: taking messaging to new spheres. <i>Brain Communications</i> , 2021, 3, fcab041.	1.5	0
2	Circulating $\hat{I}^2$ cell-specific CD8+ T cells restricted by high-risk HLA class I molecules show antigen experience in children with and at risk of type 1 diabetes. <i>Clinical and Experimental Immunology</i> , 2020, 199, 263-277.	1.1	20
3	Prominent microglial inclusions in transgenic mouse models of $\hat{I}^{\pm}$ -synucleinopathy that are distinct from neuronal lesions. <i>Acta Neuropathologica Communications</i> , 2020, 8, 133.	2.4	20
4	Peripheral innate immune and bacterial signals relate to clinical heterogeneity in Parkinson's disease. <i>Brain, Behavior, and Immunity</i> , 2020, 87, 473-488.	2.0	58
5	Oligodendrocyte Progenitor Cells Become Regionally Diverse and Heterogeneous with Age. <i>Neuron</i> , 2019, 101, 459-471.e5.	3.8	236
6	Molecular Pathways for Immune Recognition of Preproinsulin Signal Peptide in Type 1 Diabetes. <i>Diabetes</i> , 2018, 67, 687-696.	0.3	35
7	Monocyte Function in Parkinson's Disease and the Impact of Autologous Serum on Phagocytosis. <i>Frontiers in Neurology</i> , 2018, 9, 870.	1.1	33
8	ALS/FTD Mutation-Induced Phase Transition of FUS Liquid Droplets and Reversible Hydrogels into Irreversible Hydrogels Impairs RNP Granule Function. <i>Neuron</i> , 2015, 88, 678-690.	3.8	716
9	A distinct immunogenic region of glutamic acid decarboxylase 65 is naturally processed and presented by human islet cells to cytotoxic CD8 T cells. <i>Clinical and Experimental Immunology</i> , 2015, 179, 100-107.	1.1	13
10	$\hat{I}^2$ -Cell-Specific CD8 T Cell Phenotype in Type 1 Diabetes Reflects Chronic Autoantigen Exposure. <i>Diabetes</i> , 2015, 64, 916-925.	0.3	95
11	Comparison of peptide-major histocompatibility complex tetramers and dextramers for the identification of antigen-specific T cells. <i>Clinical and Experimental Immunology</i> , 2014, 177, 47-63.	1.1	81
12	Blood and Islet Phenotypes Indicate Immunological Heterogeneity in Type 1 Diabetes. <i>Diabetes</i> , 2014, 63, 3835-3845.	0.3	189
13	Identification and characterisation of peptide binding motifs of six autoimmune disease-associated human leukocyte antigen class I molecules including <i>HLA-B*39:06</i> . <i>Tissue Antigens</i> , 2014, 84, 378-388.	1.0	23
14	A Novel Approach to Tracking Antigen-Experienced CD4 T Cells into Functional Compartments via Tandem Deep and Shallow TCR Clonotyping. <i>Journal of Immunology</i> , 2013, 191, 5430-5440.	0.4	21
15	Human $\hat{I}^2$ -Cell Killing by Autoreactive Preproinsulin-Specific CD8 T Cells Is Predominantly Granule-Mediated With the Potency Dependent Upon T-Cell Receptor Avidity. <i>Diabetes</i> , 2013, 62, 205-213.	0.3	53
16	Inflammatory Proteins in Plasma Are Associated with Severity of Alzheimer's Disease. <i>PLoS ONE</i> , 2013, 8, e64971.	1.1	122
17	Circulating Preproinsulin Signal Peptide-Specific CD8 T Cells Restricted by the Susceptibility Molecule HLA-A24 Are Expanded at Onset of Type 1 Diabetes and Kill $\hat{I}^2$ -Cells. <i>Diabetes</i> , 2012, 61, 1752-1759.	0.3	101
18	Combinatorial Markers of Mild Cognitive Impairment Conversion to Alzheimer's Disease - Cytokines and MRI Measures Together Predict Disease Progression. <i>Journal of Alzheimer's Disease</i> , 2011, 26, 395-405.	1.2	47

#	ARTICLE	IF	CITATIONS
19	TRANSPATH(R): an information resource for storing and visualizing signaling pathways and their pathological aberrations. <i>Nucleic Acids Research</i> , 2006, 34, D546-D551.	6.5	157